

# Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere

M. A. Monné & F.T. Hovore - Electronic Version, 2001

## Part One: Parandrinae through Lepturinae

Tribes follow traditional treatments, but tribal classifications within the family have not been fully evaluated using modern phylogenetic methods, so ordering is to some degree arbitrary. Genera and species are listed alphabetically. Geographical distributions reflect the present knowledge of the authors and previous checklist data, and are subject to expansion as additional data is contributed. Provincial citations are used for some larger countries to more accurately indicate known ranges. Bibliographies for each species are not included, and the authors refer users to Monné, 1993, et seq., *Catalogue of the Cerambycidae of the Western Hemisphere (Parts 1 - 22)*, for complete citations. A bibliographic file is included as Part Three of this electronic version.

Some disagreement exists over the status of the disteniid longhorns, which at times have been placed in a separate family, the Disteniidae. The current treatment (Lawrence & Newton, 1995) is as a subfamily, Disteniinae, and they are regarded as such herein. The arrangement of taxa within the list follows conventional checklist ordering:

### Subfamily

#### Tribe

**Genus** Author, year, page number

*Generic synonyms*

**species** Author, year: page number

*specific synonyms*

**subspecies**

*subspecific synonyms*

Distribution

### Abbreviations used in the list:

#### Argentina

BA = Buenos Aires; CA = Catamarca; CD = Córdoba; CH = Chaco; CO = Corrientes; CT = Chubut; ER = Entre Ríos; FO = Formosa; JU = Jujuy; LP = La Pampa; LR = La Rioja; ME = Mendoza; MI = Misiones; NE = Neuquén; RN = Río Negro; SA = Salta; SC = Santa Cruz; SE = Santiago del Estero; SF = Santa Fe; SJ = San Juan; SL = San Luis; TU = Tucumán.

#### Brasil

AC = Acre; AL = Alagoas; AM = Amazonas; AP = Amapá; BA = Bahia; CE = Ceará; ES = Espírito Santo; GO = Goiás; MA = Maranhão; MG = Minas Gerais; MS = Mato Grosso do Sul; MT = Mato Grosso; PA = Pará; PB = Paraíba; PE = Pernambuco; PI = Piauí; PR = Paraná; RJ = Rio de Janeiro; RN = Rio Grande do Norte; RO = Rondônia; RS = Rio Grande do Sul; SC = Santa Catarina; SE = Sergipe; SP = São Paulo; TO = Tocantins.

## Mexico

AG = Aguascalientes; CA = Campeche; CHA = Chihuahua; CHS = Chiapas; CM = Colima; CO = Coahuila; DF = Distrito Federal; DU = Durango; GR = Guerrero; GU = Guanajuato; HI = Hidalgo; JA = Jalisco; ME = México; MI = Michoacán; MO = Morelos; NA = Nayarit; NL = Nuevo León; OA = Oaxaca; PU = Puebla; QE = Querétaro; QR = Quintana Roo; SI = Sinaloa; SO = Sonora; SLP = San Luis Potosí; TA = Tamaulipas; TB = Tabasco; TL = Tlaxcala; VC = Vera Cruz; YU = Yucatán; ZA = Zacatecas.

## United States

AL = Alabama; AR = Arkansas; AZ = Arizona; CA = California; CN = Connecticut; CO = Colorado; DE = Delaware; FL = Florida; GA = Georgia; IA = Iowa; ID = Idaho; IL = Illinois; IN = Indiana; KS = Kansas; KY = Kentucky; LA = Louisiana; MA = Massachusetts; MD = Maryland; ME = Maine; MI = Michigan; MN = Minnesota; MO = Missouri; MS = Mississippi; MT = Montana; NB = Nebraska; NC = North Carolina; ND = North Dakota; NH = New Hampshire; NJ = New Jersey; NM = New Mexico; NV = Nevada; NY = New York; OH = Ohio; OK = Oklahoma; OR = Oregon; PA = Pennsylvania; RI = Rhode Island; SC = South Carolina; SD = South Dakota; TN = Tennessee; TX = Texas; UT = Utah; VA = Virginia; VT = Vermont; WA = Washington; WI = Wisconsin; WV = West Virginia; WY = Wyoming.

In addition, Hispaniola is used when both Haiti and Republica Dominicana (R Dominicana) are cited.

## Subfamily **Parandrinae** Blanchard, 1845:134

*Prionides aberrantes* Bates, 1869:38

### **Parandrini** Blanchard, 1845:134

#### **Hesperandra** Arigony 1977:163

**brachyderes** (Lameere, 1902:71)

**brasilica** (Zikán, 1948:31)

**brevicollis** (Lameere, 1902:70)

**colombica** (White, 1853:3)

*scaritoides* Thomson, 1861:82

*gyllenhalii* Thomson, 1867:110

**conspicua** (Tippmann, 1960:89)

**cribraria** (Zikán, 1948:34)

**expectata** (Lameere, 1902:69)

*montana* Zikán, 1948:27

**galapagoensis** (Van Dyke, 1953:127)

**glabra** (Degeer, 1774:352)

*testaceus* Fabricius, 1794:437

*ferruginea* Sturm, 1826:181

*lineola* Gory in Guérin-Méneville, 1831: pl. 42, fig.7

*mandibularis* Perty, 1832:84

*maxillosa* Laporte, 1840:387

*lineolata* Gory in Guérin-Méneville, 1844:207

*grandis* Thomson, 1861:79

*columbica* Thomson, 1861:80

*barbata* Thomson, 1861:95

w Mexico (MI, CM)

se Brasil (MG -RJ)

Ecuador

Nicaragua- Colombia, Venezuela, Ecuador

Ecuador, Bolivia

se Brasil (MT-SC)

Brasil, Paraguay, Argentina, Uruguay

Galapagos Is

Mexico-Argentina, W Indies

*occipitalis* Thomson, 1867:108  
*obsolescens* Casey, 1912:217  
 var. *translucida* Zikán, 1948:37  
*glaberrima* Zikán, 1948:35  
*lucida* Zikán, 1948:36  
**guianensis** Tavakilian, 2000: 168  
**lalanecassouorum** Tavakilian, 2000: 165  
**longicollis** (Thomson, 1861:83)  
     *gracillima* Bates, 1869:38  
**melzeri** (Zikán, 1948:32)  
**miniscula** (Zikán, 1948:38)  
     *costalimai* Zikán, 1948:38  
     *itatiayaensis* Zikán, 1948:39  
**monnei** Santos-Silva, 2001: 229  
**polita** (Say, 1835:192)  
     *cylindrica* Thomson, 1861:82  
**scrobriculata** (Zikán, 1948:28)  
**separanda** (Zikán, 1948:33)  
     *laevicollis* Zikán, 1948:33  
     *zellibori* Zikán, 1948:34  
**tucumana** (Zikán, 1948:30)  
**ubirajarai** Santos-Silva, 2001: 216  
**villei** (Lameere, 1885:3)

French Guiana  
 French Guiana  
 USA, Mexico-Argentina  
  
 s Brasil (BA-SC)  
 se Brasil (,MG, RJ, SP)  
  
 s Brasil (SP, RJ, SC)  
 sc USA (LA, TX, VA, CO), Mexico-Bolivia  
  
 s Brasil (MG-SC)  
 s Brasil (MG, SP, PA, SC, RG)  
  
 Argentina, Uruguay  
 seBrasil (SP, RJ, MG, SC)  
 Colombia, Venezuela, Ecuador

**Parandra (Parandra)** Latreille, 1804:262

**angulicollis** Bates, 1879:2  
     *punctata*; Bates, 1872:166 (not White, 1853)  
**araucana** Bosq, 1951:191  
**cribrata** Thomson, 1861:87  
**cubaecola** Chevrolat, 1862:275  
**degeerii** (Thomson, 1867:111)  
**laevis** Latreille, 1804:253  
**lata** Bates, 1884:226  
**lucanoides** Thomson 1861:85  
     *colombica*; Vivas Berthier, 1942:37 (not White, 1853)  
**murrayi** Lameere, 1912:115  
**pinchoni** Villiers, 1979:182  
**punctata** White, 1853:2  
     *luciana* Thomson, 1861:86  
     *fabricii* Thomson, 1867:117  
**punctatissima** Thomson, 1861:84  
**sylvaini** Tavakilian, 2000: 150  
**ubitiara** Santos-Silva & Martins, 2000: 167

Mexico-Panama  
  
 Chile, wc Argentina (NE)  
 Cuba, Puerto Rico, Hispaniola  
 Cuba, Puerto Rico  
 Mexico?, Panama-c SAMer  
 Cuba, Hispaniola, Jamaica  
 e Mexico (VC)  
 Colombia, Venezuela  
  
 s Brasil (MT, MG-RS)  
 Martinique, Dominica  
 Panama, Ecuador, n SAMer  
  
 Fr Guiana  
 Fr. Guiana  
 Colombia

**Parandra (Neandra)** Lameere, 1912:114

**brunnea** (Fabricius, 1798:49)  
     *purpureus* Herbst, 1799:21  
     *sayi* Thomson, 1867:114  
     *quadricollis* Thomson, 1867:114  
     *conformis* Thomson, 1867:115  
     *dentata* Thomson, 1867:115  
     *minuta* Thomson, 1867:116  
     *ampliceps* Casey, 1912:216  
     *gravidula* Casey, 1912:216  
     *brunnea coloradensis* Linsley, 1957:2  
     *brunnea quebecensis* Abdullah, 1968:75  
**marginicollis** Schaeffer, 1929:40  
     *brunnea*; Fall, 1901:142 (not Fabricius, 1798)  
     *punctillata* Schaeffer, 1929:40

e, c USA, se Canada  
  
  
  
  
  
  
  
 sw USA (CA,AZ)

**Erichsoniini** Thomson, 1860:274

**Erichsonia** Westwood, 1849:210  
**dentifrons** Westwood, 1849:211 Mexico (PU, VC), Guatemala, El Salvador

Subfamily **Anoplodermatinae** Guérin-Méneville, 1840:276

**Anoplodermatini**

Guérin-Méneville, 1840:276

**Acanthomigdolus** Bruch, 1941:165  
**quadricollis** (Bates, 1875:47) c Argentina (LR, ME, BA)

**Anoploderma** Guérin-Méneville, 1840:276  
**bicolor** Guérin-Méneville, 1840:277 Peru, Bolivia  
*spondylioides* Fairmaire, 1893:610  
**breueri** Lameere, 1912:118 sc Brasil (MT), Bolivia, n Argentina (SA,  
*martinezi* Prosen, 1960:91 FO, CD, JU, SE)  
**peruvianum** Dias, 1986:121 Peru

**Cherrocarius** Berg, 1898:31  
**bruchii** Berg, 1898:32 sc Argentina (RN, NE)

**Hypocephalus** Desmarest, 1832: pl.24  
*Mesoclastus* Gistel, 1837:54  
**armatus** Desmarest, 1832: pl.24 se Brasil (BA, MT)  
*paradoxus* Gistel, 1837:54

**Migdolus** Westwood, 1863:120  
*Paulistanus* Gounelle, 1899:6  
**brachypterus** Lane, 1972:83 s Brasil (PN)  
**clypeatus** Dias, 1984:529 sw Brasil (MT)  
**cuyabanus** Lane, 1937:195 sw Brasil (MT)  
**exul** (Lameere, 1915:285) w Brasil (RO)  
**fryanus** Westwood, 1863:120 s Brasil (SP-SC), ne Argentina (MI),  
*bouvieri* Gounelle, 1899:6 Paraguay  
*morretesi* ; Fonseca, 1958:30 (not Lane, 1937)  
*fonsecai* Lane, 1972:81  
**goyanus** Dias, 1984:528 c Brasil (GO)  
**morretesi** Lane, 1937:192 s Brasil (SP)  
**punctatus** Lane, 1937:189 s Brasil (SP)  
**spitzi** Lane, 1937:185 sc Brasil (MS)  
**thulanus** (Lameere, 1902:201) c Brasil (GO, MT)

**Paramigdolus** Dias, 1986:117  
**tetropioides** (Fairmaire, 1893:611) n Argentina (LR, CA, SA, SE, CD, MI)  
var. *carbonaria* Bruch, 1941:169

**Sypilus** Guérin-Méneville, 1840:277  
**boeroi** Prosen, 1960:95 wc Argentina (NE)  
**ferrugineus** Gounelle, 1913:194 n Argentina (SE, ME, CD, BA)  
*gounellei* Lameere, 1915:62  
**orbignyi** Guérin-Méneville, 1840:277 n Argentina (SE-BA)  
*venturæ* Dohrn, 1882:465

**Mysteriini** Prosen, 1960:90

**Mysteria** Thomson, 1860:278  
*Prionidium* Burmeister, 1865:159  
**cylindripennis** Thomson, 1860:279 s Brasil (RS), Argentina, Uruguay

*molle* Burmeister, 1865:160  
*schroederi* Lameere, 1902:211  
**darwini** (Lameere, 1902:210) s Brasil (SC)  
**lacordairei** (Lameere, 1902:212) Paraguay, Argentina (ME, SF, ER), Uruguay  
*cylindripennis*; Lacordaire, 1876: pl.81, fig.2 (not Thomson, 1860)  
**minuta** Dias, 1988:144 Paraguay, ne Argentina (MI)  
**seabrai** Dias, 1988:144 n Argentina (JU, SE, CH, SF)

**Pathocerus** Waterhouse, 1901:522  
*Anoploclerum* (*Eumysteria*) Bruch, 1908:199  
**wagneri** Waterhouse, 1901:523 Bolivia, n Argentina (JU-BA)  
*flabellifera* Bruch, 1908:199

**Pseudopathocerus** Dias, 1988:157  
**humboldti** (Lameere, 1912:120) sc Brasil (MS), Paraguay,  
ne Argentina (MI)

## Subfamily Prioninae Latreille, 1804:264

**Macrotomini** Thomson 1860:290  
*Malodonitae* Thomson, 1860:318  
*Stenodontines* Lameere, 1902:63

**Aplagiognathus** Thomson, 1860:320  
**hybostoma** Bates, 1879:8 Guatemala  
**spinosus** (Newman, 1840:194) Mexico (ME, OA, PU, VC)

**Archodontes** Lameere, 1903:216  
*Paramallus* Casey, 1912:227  
**melanopus melanopus** (Linnaeus, 1767:623) se USA (FL-TX)  
*cilipes* Say, 1824:328  
*simplicicollis* Haldeman, 1847:30  
*simplicicollis* var. *biimpressum* Haldeman, 1847:30  
subsp. **aridus** Casey, 1924:224 sw USA (CA, AZ), Baja Calif  
subsp. **serrulatus** (LeConte, 1854:82) sc USA, n Mexico

**Basitoxus (Basitoxus)** Audinet-Serville, 1832:174  
*Basitaxus*; Chenu, 1870:307  
*Baseotoxus*; Gemminger & Harold, 1872:2768  
**megacephalus** (Germar, 1824:468) e Brasil (BA-RJ)  
*armatus* Audinet-Serville, 1832:175

**Basitoxus (Parabasitoxus)** Fragoso & Monné, 1995:721  
**amazonicus** Fragoso & Monné, 1995:723 Peru, ne Brasil (AP), Fr Guiana, Bolivia  
**maillei** Audinet-Serville, 1832:175 e Brasil (AL, ES, RJ, SC), Paraguay, Argentina  
*mallei*; Redtenbacher, 1867:202

**Chiasmometes** Pascoe, 1867:411  
*Chiasmus* Thomson, 1860:318  
**limae** (Guérin-Méneville in Duperrey, 1830:128) Ecuador, Peru, Chile  
*melitaeques* Blanchard, 1843:206  
*gracilicornis* Buquet in Guérin-Méneville, 1844:215

**Curitiba** Lameere, 1903:26  
**brunni** Lameere, 1903:26 s Brasil (PR-RS)  
**scheerpeltzi** (Tippmann, 1953:182) sw Brasil (MT)

**Ialyssus** Thomson 1864:296  
*Jalyssus*; Gemminger & Harold, 1872:2763

<b>tuberculatus</b> (Olivier, 1795:20)	Guianas, n Brasil (AM)
<b>Mallodon</b> Lepeletier & Audinet-Serville in Lacordaire, 1830:171	
<i>Opheltes</i> Thomson, 1864:306	
<i>Orthomallodon</i> Linsley, 1957:3	
<b>dasytomus dasytomus</b> (Say, 1824:326)	s USA, n Mexico-Colombia
<i>costulata</i> LeConte, 1851:111	
<i>degeneratum</i> Thomson, 1867:95	
<i>debile</i> Casey, 1912:222	
<i>melanopus</i> ; Haldeman 1847:30 (not Linnaeus, 1767)	
<i>spinibarbe</i> ; Haldeman 1847:31 (not Linnaeus 1758)	
<i>masticator</i> Thomson, 1867:99	
<i>angustatum</i> Thomson, 1867:100	
<i>guatemalensis</i> Casey, 1912:227	
subsp. <b>baiulus</b> (Erichson, 1847:138)	Colombia, Venezuela, Ecuador, Peru,
<i>occipitale</i> Thomson, 1867:93	Fr Guiana, Brasil
<i>chevrolatii</i> Thomson, 1867:94	
<i>columbianum</i> Thomson, 1867:98	
subsp. <b>plagiatus</b> (Thomson, 1867:95)	Fr Guiana
subsp. <b>socorroensis</b> Linsley & Chemsak, 1966:251	Mexico (Revilla Gigedo Is)
<b>hermaphroditus</b> Thomson, 1867:103	Colombia
<b>linsleyi</b> Fragoso & Monné, 1995:220	Peru
<b>mandibularis</b> Lackerbeck, 1998: 517 (homonym, M. mandibulare	Gemminger = <i>Nothopleurus lobigenis</i> Bates)
	Costa Rica
<b>molarius molarius</b> Bates, 1879:9	Mexico-Colombia, Venezuela, Peru, Ecuador
subsp. <b>galapagoensis</b> Mutchler, 1938:11	Galapagos Is (S. Cruz)
subsp. <b>glabratus</b> Linsley & Chemsak, 1966:206	Galapagos Is (S. Cristobal)
subsp. <b>vandykei</b> Linsley & Chemsak, 1966:204	Galapagos Is (Isabela)
<b>popelairei</b> Lameere, 1902:83	Peru
<b>spinibarbis</b> (Linnaeus, 1758:390)	Mexico-Argentina
<i>frangens</i> Voet, 1778:2	
<i>miles</i> Voet, 1778:2	
<i>maxillosus</i> Olivier, 1795:16	
<i>dentatus</i> Fabricius, 1801:263	
<i>similis</i> Schoenherr, 1817:345	
<i>gagatinus</i> Germar, 1824:468	
<i>germarii</i> Thomson, 1867:100	
<i>bonariense</i> Thomson, 1867:99	
<i>orbignyi</i> Thomson, 1867:101	
<b>Mallodonhoplus</b> Thomson, 1860:320	
<i>Mallodonoplus</i> ; Gemminger & Harold, 1872:2768	
<b>nobilis</b> Thomson, 1860:321	Colombia, Venezuela
<b>Mallodonopsis</b> Thomson, 1860:317	
<b>corrosus</b> Bates, 1879:7	Mexico-Panama
<b>mexicanus</b> Thomson, 1860:317	Mexico-Colombia, Ecuador, Venezuela
<i>serrata</i> Thomson, 1860:317	
<b>Mecosarthron</b> Buquet, 1840:172	
<b>buphagus</b> Buquet, 1840:172	e Brasil (BA-PR)
<b>domingoensis</b> (Fisher, 1932:1)	R Dominicana
<b>gounellei</b> (Lameere, 1903:135)	e Brasil (BA)
<b>tritomegas</b> Lameere, 1920:137	Brasil
<b>Neomallodon</b> Linsley, 1957:2	
<b>arizonicus</b> (Casey, 1912:228)	sw USA (AZ)
<i>remotus</i> Linsley, 1934:161	
<b>Nothopleurus</b> Lacordaire, 1869:125	
<b>baroni</b> (Casey, 1912:223)	sw Mexico (GR)

- bituberculatus** (Palisot de Beauvois, 1805:216) W Indies  
*carptor* Chevrolat, 1862:273
- lobigenis** Bates, 1884:235 sw USA (CA, AZ), Baja Calif, w Mexico  
*gnatho*; LeConte, 1858:81 (not White, 1853)  
*mandibulare*; Gemminger, 1872:254 (not Fabricius, 1801)  
*dentiger* Leng, 1884:9  
*castaneum* Casey, 1924:225
- madericus** (Skiles, 1978:414) sw USA (AZ), nw Mexico (CHA)  
*arizonicus*; Hovore & Giesbert 1976:350 (not Casey, 1912)
- maxillosus** (Drury, 1773:86) W Indies
- subcancellatus** (Thomson, 1867:102) Brasil (BA, MG, RJ, SC)
- subsulcatus** (Dalman, 1823:63) s Mexico (YU), Honduras  
*gnatho* White, 1853:45  
*ebeninus* Lacordaire, 1869:125

**Parastrongylaspis** Giesbert, 1987:147

- linsleyi** Giesbert, 1987:148 Costa Rica
- thomasi** Giesbert, 1992:155 s Mexico (CHS, VC)

**Physopleurus** Lacordaire, 1869:120

- crassidens** (Bates, 1869:45) nw Brasil (AM), Fr Guiana
- dohrni** Lacordaire, 1869:121 Venezuela
- longiscapus** Lameere, 1912:127 Peru
- rugosus** Gahan, 1894:224 Fr Guiana, nw Brasil (AM)
- tritomicros** Lameere, 1912:126 Fr Guiana
- villardi** Lameere, 1902:87 Ecuador, Peru  
*maxillosus*; Bates in Whymper, 1891:37 (not Drury, 1773)

**Protorma** Waterhouse, 1880:288

- costifer** Thomson, 1877:275 n SAmer  
*scabrosa* Waterhouse, 1880:289  
*recurvatum* Williams, 1929:143

**Stenodontes** Audinet-Serville, 1832:173

- chevrolati** Gahan, 1890:23 se USA (FL), Cuba, Bahamas  
*cubensis* Casey, 1912:224  
*parallelus* Casey, 1912:225  
*damicornis*; Chevrolat, 1862:273 (not Linnaeus, 1771)  
*exsertus*; Horn, 1880:xvii (not Olivier, 1795)  
*mandibularis*; Leng, 1884:9 (not Fabricius 1801)
- damicornis** (Linnaeus, 1771:532) Jamaica, Puerto Rico  
*crenulatus* Drury, 1773:86  
*melanopus* Drury & Westwood, 1837:82  
*obesus* Thomson, 1865:578
- exsertus** (Olivier, 1795:17) Puerto Rico, Hispaniola  
*mandibularis* Fabricius, 1801:261  
*laevigatus* Palisot de Beauvois, 1805:227

**Strongylaspis** Thomson, 1860:313

- batesi** Lameere, 1903:34 se Brasil (ES-SP), Paraguay, Argentina
- bullatus** Bates, 1872:167 Guatemala-Costa Rica
- championi** Bates, 1884:233 Mexico, Guatemala
- corticarius** (Erichson in Schomburg, 1848:571) se USA (FL), Mexico-Panama, n SAmer, Cuba  
*scobinatus* Thomson, 1860:313  
*scobinatus* var. *belti* Bates, 1884:233  
*lobulifer* Bates, 1892:145  
Jamaica, Dominica
- dohrni** Lameere, 1903:30 Mexico
- fryi** Lameere, 1912:133 c Brasil (MT)
- granigera** Bates, 1884:233 Panama
- hirticollis** Tippmann, 1953:183 Colombia
- kraepelini kraepelini** Lameere, 1903:28 Ecuador
- subsp. **parvula** Linsley & Chemsak, 1966:209 Galapagos Is

**macrotomoides** Tippmann, 1953:186 Colombia  
**sericans** Tippmann, 1953:184 Colombia  
**sericeus** Zajciw, 1970:2 se Brasil (ES)

**Callipogonini** Thomson, 1860:323  
*Enoploceritae* Thomson, 1864:290  
*Orthomegitae* Thomson, 1864:294  
*Ergatites* Fairmaire in Jacquelin Du Val, 1864:117  
*Ctenoscelinae* Pascoe, 1869:661

**Apotrophus** Bates, 1875:48  
*Paranaecus* Thomson, 1877:269  
**simplicicollis** Bates, 1875:49 s Brasil (SP, PR)  
*olivieri* Thomson, 1877:270

**Callipogon (Callipogon)** Audinet-Serville, 1832:140  
**barbatum** (Fabricius, 1781:208) Guatemala-Panama  
var. *ornatum* Bates, 1879:5  
*hauseri* Nonfried, 1892:20  
*friedlaenderi* Nonfried, 1892:22  
**beckeri** Lameere, 1904:56 w Mexico (DU, NA)  
**lemoinei** Reiche, 1840:275 Honduras-Colombia, Venezuela, Peru,  
Ecuador  
**senex** Dupont, 1832: pl.33 Mexico (PU, VC)-El Salvador  
*barbatum*; Audinet-Serville, 1832:142 (not Fabricius, 1781)

**Callipogon (Callomegas)** Lameere, 1904:64  
**proletarium** Lameere, 1904:66 Puerto Rico, Martinique  
**sericeum** (Olivier, 1795:16) Cuba, Puerto Rico, Hispaniola

**Callipogon (Dendroblaptus)** Chevrolat, 1864:179  
**barbiflavum** Chevrolat, 1864:180 Cuba, Bahamas

**Callipogon (Enoplocerus)** Audinet-Serville, 1832:146  
**armillatum** (Linnaeus, 1867:622) Panama, S. Amer (widely distributed)  
*octodentatus* Schoenherr, 1817:342  
*gigas* Csiki, 1909:343

**Callipogon (Navosoma)** Blanchard, 1843:206  
*Navosoma* Gemminger & Harold, 1872:2763  
**luctuosum** (Schoenherr, 1817:346) se Brasil (BA-RS), Paraguay, Uruguay,  
Argentina  
*huberti* Buquet, 1840:xxviii  
*triste* Blanchard, 1843:206  
*blanchardii* Thomson, 1877:270

**Callipogon (Orthomegas)** Audinet-Serville, 1832:149  
**cinnamomeum** (Linnaeus, 1758:389) Fr Guiana-c Brasil  
*mucronatus* Fabricius, 1775:160  
*cinctus* Voet, 1778:16  
*corticinus* Olivier, 1790:294  
*spadiceus* Dalman in Schoenherr, 1817:148  
*corticanum*; Williams, 1929:145  
**fragosoi** Bleuzen, 1993:19 Costa Rica, Panama  
**frischeiseni** Lackerbeck, 1998: 518 Peru  
**haxairei** Bleuzen, 1993:19 Ecuador  
**irroratum** Lameere, 1915:55 Colombia  
**jaspideum** (Buquet in Guérin-Méneville, 1844:212) se Brasil (PE-RS), Paraguay, Argentina  
**marechali** Bleuzen, 1993:18 Panama, Colombia, Ecuador  
**monnei** Bleuzen, 1993:18 se Mexico (VC, QR)-Costa Rica  
**pehlkei** Lameere, 1904:60 Colombia, Peru, Fr Guiana



- similis** (Gahan, 1894:223) se Brasil (BA-SC)  
*joinvillei* Ribeiro, 1935:417
- Callipogon (Spiloprionus)** Aurivillius, 1897:241  
**sericeomaculatus** Aurivillius, 1897:242 Bolivia
- Ctenoscelis** Audinet-Serville, 1832:134  
**acanthopus** (Germar, 1824:467) se Brasil (BA-RS), Paraguay, Argentina  
**ater** (Olivier, 1795:11) Venezuela, Guianas, n Brasil (AP)  
**coeus** (Perty, 1832:86) Fr Guiana, n Brasil (AM, PA, PI-MG), Bolivia  
*dyrrhacus* Buquet, 1843:235  
*nausithous* Buquet, 1843:236
- Cubaecola** Lameere, 1912:164  
**hoploderoides** Lameere, 1912:164 Cuba
- Ergates** Audinet-Serville, 1832:143  
*Trichocnemis* LeConte, 1851:110  
*Ergates (Callergates)* Lameere, 1904:47  
**pauper** Linsley, 1957:5 sw USA (CA)  
**spiculatus spiculatus** (LeConte, 1851:110) w NAmer  
*californica* White, 1853:37  
*spiculigera* White, 1853:39  
subsp. **neomexicanus** Casey, 1890:491 wc USA, n Mexico, Baja Calif  
var. *marmoratus* Cockerell, 1890:161
- Hephialtis** Thomson, 1864:285  
**ruber** (Thunberg, 1822:305) Guadeloupe, Fr Guiana, Brasil  
*tricostatus* Thomson, 1864:286  
*badium* Thomson, 1865:577  
*sulcatus* Lacordaire, 1869:147
- Stictosomus (Stictosomus)** Audinet-Serville, 1832:153  
**semicostatus** Audinet-Serville, 1832:154 Fr Guiana, n Brasil (PA)
- Stictosomus (Anacanthus)** Audinet-Serville, 1832:165  
**aquilus** (Thomson, 1865:577) Colombia  
**espiritasantensis** Seabra, 1941:369 se Brasil (ES)  
**reticulatus** (Dalman in Schoenherr, 1817:147) se Brasil (MG-RS), Argentina  
*costatus* Audinet-Serville, 1832:166
- Macrodoniini** Thomson, 1860:324  
*Acanthinoderitae* Thomson, 1864:294  
*Ancistrotides* Lacordaire, 1869:81
- Acalodegma** Thomson, 1877:261  
*Acadolegma*; Lameere, 1919:94  
**servillei** (Blanchard in Gay, 1851:452) wc Argentina (ME), Chile  
*marginipennis* Fairmaire, 1864:270  
*bihamata* Bates, 1869:43
- Acanthinodera** Hope, 1833:106  
*Amallopodes* Lequien, 1833: pl.74  
*Malloderes* Dupont, 1835: pl.125  
*Malloderus*; Drapiez, 1841:56  
**cumingii** Hope, 1833:105 Chile  
*scabrosus* Lequien, 1833: pl.74  
*mercurius* Erichson in Meyens, 1834:266  
*microcephalus* Dupont, 1835: pl.125

- Ancistrotus** Audinet-Serville, 1832:135  
*aduncus* Buquet, 1853:xxiv se Brasil (ES, MG, RJ)  
*uncinatus* (Klug, 1825:454) se Brasil (MG-SC)  
*hamaticollis* Audinet-Serville, 1832:137
- Chalcoprionus** Bates, 1875:273  
*badeni* Bates, 1875:274 Colombia
- Macrodontia** Lepeletier & Audinet-Serville in Lacordaire, 1830:139  
*Macrodontus* Gistel, 1848:129  
*batesi* Lameere, 1912:166 Guatemala-Panama  
*dejeani*; Bates, 1879:5 (not Gory, 1839)  
*dejeani borgmeieri* Tippmann, 1953:190  
*laevis* Pouillaude, 1915:46  
*cervicornis* (Linnaeus, 1758:38) Colombia, Guianas-s Brasil, Peru, Bolivia, Ecuador  
*cervicornis melzeri* Tippmann, 1953:188  
*crenata* (Olivier, 1795:27) Colombia, Fr Guiana, Venezuela, Peru, Bolivia,  
*quadrispinosus* Schoenherr, 1817:346 c Brasil (AC, AM, MT, GO, MS, RO,PA )  
*castanea* Blanchard, 1848:210  
*ehrenreichi* Kolbe, 1894:42  
*dejeani* Gory, 1839:127 Colombia-Bolivia  
*marechali* Bleuzen, 1990:9  
*flavipennis* Chevrolat, 1833:65 e Brasil (BA-RS, GO), Paraguay, Argentina  
*impressicollis* Blanchard, 1848:210  
*jolyi* Bleuzen, 1994:26 Venezuela  
*mathani* Pouillaude, 1915:44 Ecuador  
*zischkai* Tippmann, 1960:92 nw Brasil (AC), Bolivia, Peru  
*cambeforti* Bleuzen, 1990:9

**Calocomini** Galileo & Martins, 1993:81

- Calocomus** Audinet-Serville, 1832:194  
*desmaresti* (Guérin-Méneville, 1831: pl.42, fig.8) Bolivia, Paraguay, Argentina (JU-LP)  
*hamatiferus* Lacordaire in Audinet-Serville, 1832:195  
*lunuliferus* Drapiez, 1837:53  
*bravardi* Burmeister, 1865:314  
*desmaresti caripariensis* Tippmann, 1960:97  
ab. *bimaculatus* Tippmann, 1960:96  
ab. *conjunctus* Tippmann, 1960:97  
ab. *melancholicus* Tippmann, 1960:96  
*kreuchelyi* Buquet, 1840:142 Colombia  
*lycius* Buquet, 1840:142  
*morosus* White, 1850:11 sc Brasil (MS, GO, MG, SP), Bolivia, Paraguay,  
*rugosipennis* Lucas, 1857:181 Argentina (JU-RN)  
*coriaceus* Fairmaire, 1864:270  
*rodingeri* Tippmann, 1951:304 Bolivia, Peru

**Solenopterini** Lacordaire, 1869:180

- Poecilosomides* Lacordaire, 1869:185  
*Dérancistrines* Lameere, 1912:181

- Derancistrodes** Galileo & Martins, 1993:96  
*vittatus* (Olivier, 1795:39) Hispaniola  
*oberthuri* Gahan, 1895:85

- Derancistrus** Audinet-Serville, 1832:181  
*Harmosternus* Gahan, 1890:30  
*anthracinus* (Gahan, 1890:31) Cuba, Hispaniola  
*coeruleus* Lameere, 1912:170 Cuba

<b>elegans</b> (Palisot de Beauvois, 1805:217)	Hispaniola
<b>furfurosus</b> Galileo & Martins, 1993:205	R Dominicana
<b>Elateropsis</b> Chevrolat, 1862:269	
<b>antennatus</b> Galileo & Martins, 1994:126	Hispaniola
<b>bahamicus</b> Galileo & Martins, 1994:122	Bahamas
<b>caymanensis</b> (Fisher, 1941:109)	Cayman Is
<b>ebeninus</b> Chevrolat, 1862:271	Jamaica, Bahamas
<b>felleræ</b> (Chemsak, 1983:714)	Belize (Twin Cays)
<b>femoratus</b> (Sallé, 1855:270)	Hispaniola
<b>foliaceus</b> Galileo & Martins, 1994:135	Bahamas
<b>fulvipes</b> (Chevrolat in Guérin-Méneville, 1838:282)	Cuba
<i>fimbriatus</i> Chevrolat, 1862:270	
<i>venustus</i> Chevrolat, 1862:270	
<b>lineatus</b> (Linnaeus, 1758:389)	Jamaica, Cuba, Guadeloupe
<i>fuliginosus</i> Fabricius, 1775:160	
<i>subpunctatus</i> Chevrolat, 1862:271	
<i>punctatus</i> Gahan, 1890:27	
<b>nigricornis</b> (Fisher, 1941:108)	Cayman Is
<b>nigripes</b> (Fisher, 1941:108)	Cayman Is
<b>peregrinus</b> Galileo & Martins, 1994:118	Guadeloupe (?)
<b>quinquenotatus</b> Chevrolat, 1862:271	Jamaica, Cuba (?)
<b>reticulatus</b> Gahan, 1890:30	Cuba
<b>rugosus</b> Gahan, 1890:28	se USA (FL), Bahamas, Cuba (?)
<b>scabrosus</b> Gahan, 1890:29	se USA (FL), Cuba, Bahamas
<i>fuliginosus</i> ; Chevrolat, 1862:271 (not Fabricius, 1775)	
<i>castaneous</i> Zayas, 1975:40	
<i>punctatus</i> ; Zayas, 1957:171 (not Gahan, 1890)	
<b>sericeiventris</b> Chevrolat, 1862:270	Cuba
<b>trimarginatus</b> (Cazier & Lacey, 1952:8)	Bahamas
<b>Holonotus</b> Thomson, 1860:304	
<b>laevithorax</b> (White, 1853:54)	Mexico (VC), Guatemala
<i>minor</i> Bates, 1884:239	
<i>latithorax</i> Thomson, 1860:305	
<b>nigroaeneus</b> Bates, 1869:57	Nicaragua, Costa Rica, Colombia
<b>sternalis</b> Gahan, 1894:117	Guatemala, Costa Rica
<b>Prosternodes</b> Thomson, 1860:288	
<b>cinnamipennis</b> (Chevrolat, 1838:281)	Cuba, Bahamas
<b>cubanus</b> Zayas, 1975:29	Cuba
<b>Solenoptera</b> Audinet-Serville, 1832:183	
<b>adusta</b> Galileo & Martins, 1993:448	Trinidad & Tobago
<b>bilineata</b> (Fabricius, 1775:163)	W Indies (Puerto Rico, Virgin Is)
<b>canaliculata</b> (Fabricius, 1787:130)	St Lucia, St Vincent, Mustique, Trinidad,
<i>subcanaliculata</i> White, 1853:53	Martinique, Guadeloupe
var. <i>asterius</i> Gahan, 1895:86	
<b>chalumeau</b> (Villiers, 1979:23)	St Martin
<b>dominicensis</b> (Gahan, 1890:26)	Hispaniola
<b>fraudulenta</b> Galileo & Martins, 1993:445	Cuba
<b>intermedia</b> Gahan, 1890:27	Colombia
<b>luciae</b> (Lameere, 1912:171)	St Lucia
<b>metallescens</b> Thomson, 1860:306	Martinique, Dominica
<b>parandroides</b> Lameere, 1885:xii	Cuba
<b>quadrilineata</b> (Olivier, 1795:40)	Martinique, Guadeloupe
<b>scutellata</b> (Gahan, 1890:25)	Cuba, Hispaniola
<b>sulcicollis</b> Thomson, 1860:306	Martinique, Guadeloupe
<i>sulcipennis</i> , Thomson, 1878:4	
<b>thomae</b> (Linnaeus, 1767:623)	W Indies
<i>lateralis</i> Chevrolat, 1877:xxxii	
<i>michelii</i> Chemsak, 1979:125	Puerto Rico

- Sphenostethus** Haldeman, 1846:126  
*Hoplopteryx*; Westwood, 1845:40 (not Agassiz, 1838)  
**taslei** (Buquet, 1841:xxxix) e USA  
*serripennis* Haldeman, 1846:126  
*denticulatus* Westwood, 1845:40
- Mallaspini** Thomson, 1860:302  
*Pyrodides* Lacordaire, 1869:180
- Charmallaspis** Galileo & Martins, 1992:319  
**pulcherrima** (Perty, 1832:86) Colombia, Venezuela, Ecuador, Brasil (AM, RO, PA, MT), Peru, Bolivia  
*fastuosus* Erichson, 1847:139  
*heterocerus* Erichson, 1847:139  
*smithianus* White, 1850:12  
*petalocerus* White, 1853:50  
*antennatus* White, 1853:51  
*formosus* Bates, 1869:51
- Esmeralda** Thomson, 1860:303  
**coerulea** (Schoenherr, 1817:346) Guianas, n Brasil (AM, AP, PA)  
*columbinus* Guérin-Méneville, 1844:214  
*suavis* Thomson, 1860:304  
*laetificus*; Melzer, 1919:123 (not Bates, 1869:56)  
**costulata** Bates, 1891:158 n Brasil (AZS, PA), Guyana  
**laetifica** Bates, 1869:56 n Brasil (AM, AZS), Guyana  
**polita** (Fragoso & Monné, 1988:135) w Brasil (RO)
- Hileolaspis** Galileo & Martins, 1992:395  
**auratus** (Linnaeus, 1758:395) Venezuela, Guianas, c Brasil (AM, MT, GO), Peru, Bolivia, Paraguay  
*bifasciatus* Linnaeus, 1767:624  
*amazon* Voet, 1778:3  
*amazonus* Fabricius, 1801:262  
*nigricornis* Guérin-Méneville, 1855:598  
*rubrozonatus* Lucas, 1857:180  
*gratiosus* Bates, 1869:51  
*nodicornis* Bates, 1869:53  
*dispar* Bates, 1869:54  
*candezei* Lameere, 1885:xii  
*insignis*; Nonfried, 1894:136 (not Bates, 1884:238)
- Insuetaspis** Galileo & Martins, 1992:323  
**paradoxus** (Bates, 1869:383) Nicaragua-Panama  
*insignis* Bates, 1884:238
- Mallaspis** Audinet-Serville, 1832:188  
**scutellaris** (Olivier, 1795:14) Colombia, Peru, Ecuador, Venezuela, Guianas, c Brasil (AM, PA, MT)  
*buckleyi* Waterhouse, 1880:290
- Oropyrodes** Galileo & Martins, 1992:317  
**maculicollis** (Bates, 1891:158) w Mexico (CHA, DU, SI, ZA)
- Poecilopyrodes** Galileo & Martins, 1992:381  
**pictus** (Perty, 1832:85) se Brasil (BA-SP)
- Praemallaspis** Galileo & Martins, 1992:306  
**argodi** (Lameere, 1909:51) Colombia

- bourgoini* Lameere, 1909:52 (part, male)  
**batesi** (Lameere, 1909:50) Ecuador  
**inca** Galileo & Martins, 1992:316 Peru  
**leucaspis** (Guérin-Méneville, 1844:214) s Brasil (PR-RS), n Argentina, Uruguay  
**rhombofera** (Bates, 1879:10) Nicaragua-Colombia  
**xanthaspis** (Guérin-Méneville, 1844:214) Colombia  
*bourgoini* Lameere, 1909:52 (part, female)
- Pyrodes** Audinet-Serville, 1832:186  
**nitidus** (Fabricius, 1787:128) se Brasil (AL-RS), Paraguay, Argentina  
*speciosus* Olivier, 1795:31  
*angulatus* Olivier, 1795:31  
*pallasii* Germar, 1824:469  
*aeneus* Buquet, 1860:618  
*speciosus* var. *cupripennis* Heyne & Taschenberg, 1907:238

- Scatopyrodes** Galileo & Martins, 1992:326  
**angustus** (Taschenberg, 1870:193) Costa Rica-Panama, Colombia, Ecuador  
*praecellens* Bates, 1871:376  
**beltii beltii** (Bates, 1869:49) Nicaragua- Colombia  
*salvini* Bates, 1869:49  
subsp. **fryi** (Lameere, 1909:46) Colombia, Ecuador  
**iris** (Bates, 1884:237) Mexico (DU, CHS), Guatemala  
*gounellei* Lameere, 1912:172  
**lampros** (Bates, 1884:236) Guatemala  
**longiceps** (White, 1853:52) Mexico, Guatemala  
**moreletii** (Lucas, 1851:lxv) Guatemala  
**samiatus** Galileo & Martins, 1992:381 Honduras  
**tenuicornis tenuicornis** (White, 1850:11) sw Mexico (OA)  
*angusticollis* Lucas, 1857:179  
subsp. **marginatus** (White, 1853:49) Guatemala, Honduras  
*cervicalis* Casey, 1912:256  
**trichostethus** (Bates, 1879:11) Costa Rica, Panama  
**vietus** Galileo & Martins, 1992:335 El Salvador. Honduras

**Prionini** Latreille, 1804:264  
*Titanitae* Thomson, 1864:292  
*Psalidognathitae* Thomson, 1864:280  
*Derobrachinae* Pascoe, 1869:661

- Braderochus** Buquet, 1852:658  
*Aulacocerus* White, 1853:13  
**jolyi** Bleuzen, 1994:51 Venezuela, Guyana  
**levoiturieri** (Buquet, 1842:203) Colombia  
**mundus** (White, 1853:13) Venezuela  
**retrospinosus** Lameere, 1916:233 Colombia  
**salcedoi** Bleuzen, 1994:52 Venezuela  
**shuteae** Bleuzen, 1994:53 Honduras-Panama

- Callistoprionus** Tippmann, 1953:202  
**fasciatus** Tippmann, 1953:203 Costa Rica, Panama

- Derobrachus** Audinet-Serville, 1832:154  
*Pithocles* Thomson, 1864:291  
*Braderochus* Lacordaire, 1869:74 (part)  
**agyleus** Buquet, 1852:657 Colombia, Ecuador, Guianas  
**apterus** Bates, 1879:4 Mexico (VC)-Honduras  
**asperatus** Bates, 1878:274 Costa Rica, Peru  
**brevicollis** Audinet-Serville, 1832:155 se USA (AL, GA, FL, NC, SC)  
**cylindroidus** Bates, 1884:231 Guatemala  
**dentipes** Chemsak, 1979:127 Costa Rica, Panama  
**digueti** Lameere, 1915:57 w Mexico (NA)

- dohrni** Lameere, 1911:268  
**forreri** Bates, 1884:230  
**geminatus** LeConte, 1853:233  
**leechi** Chemsak & Linsley, 1977:512  
**lepesmei** Tippmann, 1953:196  
**longicornis** (Bates, 1872:166)  
*smithi* Bates, 1892:144  
**megacles** Bates, 1884:230  
**megalophthalmus** Tippmann, 1953:194  
**procerus** Thomson, 1860:324  
**sulicornis** LeConte, 1851:110  
*inaequalis* Bates, 1872:167  
*granulatus* Bates, 1884:230  
*kuwertii* Nonfried, 1891:273
- Guatemala  
sw USA (AZ), Mexico (DU, SO, NA), Baja Calif  
sw USA (CA, AZ, NE, NM, TX), n Mexico  
sw USA (CA, AZ, NE, NM, TX), nw Mexico (SO)  
w Mexico (DU)  
Mexico-Panama, Ecuador
- Mexico (DU, NA), Guatemala  
Colombia  
Mexico (OA, PU), Guatemala  
Mexico-Nicaragua
- Micropsalis** Burmeister, 1861:314  
*Aptero-caulus* Fairmaire, 1864:267  
**heterogama** Burmeister, 1861:314  
*germainei* Fairmaire, 1864:268  
*durnfordii* Burmeister, 1879:196
- s Argentina (RN-SC), Chile
- Orthosoma** Audinet-Serville, 1832:155  
*Orthosomus*; Drapiez, 1842:195  
**brunneum** (Forster, 1771:37)  
*unicolor* Drury, 1773:83  
*pennsylvanicus* Degeer, 1775:99  
*cylindricus* Fabricius, 1781:207  
*cylindroides* Gmelin, 1790:1818  
*sulcatus* Olivier, 1795:39  
*amplians* Casey, 1912:231  
*spadix* Casey, 1912:231
- e USA, se Canada
- Prionacalus** White, 1845:109  
*Prionocalus*; Thomson 1864:280  
**atys** White, 1850:11  
**buckleyi** Waterhouse, 1872:261  
*gunteri* Gahan, 1894:221  
*whitei* Waterhouse, 1900:505  
*emmae* Kolbe, 1901:480  
*trigonodes* Bates in Whymper, 1891:37  
*whymperi* Bates in Whymper, 1891:36  
**cacicus** White, 1845:110  
*wallisii* Taschenberg, 1870:191 (female)  
*atys*; Lacordaire, 1876: pl.81, fig.1 (not White, 1850)  
**demelti** Quentin & Villiers, 1983:224  
**giovannii** Huedepohl, 1985:117  
**iphis** White, 1850:11  
*cacicus* White, 1845:110 (female)  
**simonsi** Waterhouse, 1900:504  
**uniformis** Waterhouse, 1900:505  
**woytkowskii** (Heyrovsky, 1960:162)
- Ecuador, Peru  
Ecuador
- Ecuador, Peru
- Colombia  
Ecuador  
Ecuador
- Ecuador  
Peru  
Peru
- Prionus (Prionus)** Geoffroy, 1762:198  
*Prionus (Prionellus)* Casey, 1924:209  
*Microarthron* Pic, 1900:3  
**californicus** Motschulsky, 1845:89  
*crassicornis* LeConte, 1851:108  
*curvatus* LeConte, 1859:19  
*horni* Lameere, 1912:243  
*alutaceus* Casey, 1912:237  
*solidus* Casey, 1912:238  
*spiculosus* Casey, 1912:240
- w NAmer, nw Mexico (SO), n Baja Calif

*consors* Casey, 1912:240  
*consors acomanus* Casey, 1912:241  
*consors proximans* Casey, 1912:241  
*angustulus* Casey, 1912:241  
*californicus ineptus* Casey, 1912:242  
*californicus punctulatus* Casey, 1912:243  
*fissifrons* Casey, 1912:243  
*texanus* Casey, 1912:243  
*terminalis* Casey, 1912:244  
*serriger* Casey, 1924:215  
*suspectus* Casey, 1924:215  
*orbiceps* Casey, 1924:216  
*humeralis* Casey, 1924:216  
*californicus compar* Casey, 1924:217  
*californicus ovipennis* Casey, 1924:217  
*spiculosus coloradensis* Casey, 1924:219  
*scutellaris* Casey, 1924:219  
*ineptus ambiguus* Casey, 1924:219  
*ineptus uinatus* Casey, 1924:220  
*spaldingi* Casey, 1924:221  
*stultus* Casey, 1924:221  
*stultus parvicollis* Casey, 1924:222  
*nanus* Casey, 1924:222

**flohri** Bates, 1884:227

**heroicus** Semenov, 1907:259

*heros*; Fall, 1905:274 (not Semenov, 1900)  
*tumidus* Casey, 1912:235  
*vastus* Casey, 1912:236  
*tristis* Casey, 1912:236  
*tetricus* Casey, 1912:237  
*fontinalis* Casey, 1924:221

**hintoni** Linsley, 1935:69

**howdeni** Chemsak, 1979:127

**laticollis** (Drury, 1773:83)

*brevicornis* Fabricius, 1801:260  
*kempi* Casey, 1912:233  
*laticollis oblongus* Casey, 1912:234  
*parvus* Casey, 1912:234  
*beauvoisi* Lameere, 1915:60  
*frosti* Casey, 1924:210  
*nigrescens* Casey, 1924:211  
*densus* Casey, 1924:211

**lecontei** Lameere, 1912:244

**mexicanus** Bates, 1884:227

**pocularis** Dalman in Schoenherr, 1817:148

*laevigatus* Harris, 1837:83  
*obliquicornis* LeConte, 1851:108  
*curticornis* LeConte, 1851:109  
*validiceps* Casey, 1912:235  
*pocularis prolixus* Casey, 1912:239  
*bicolor* Casey, 1912:239

**poultoni** Lameere, 1912:177

Mexico

sw USA (AZ, NM)

w Mexico (DU, ME)

w Mexico (DU)

e NAmer

w NAmer, n Baja Calif

w Mexico (DU)

e NAmer

sw Mexico (OA)

**Prionus (Antennalia)** Casey, 1912:249

**fissicornis** Haldeman, 1845:125

*fissicornis parviceps* Casey, 1912:250  
*fissicornis transversus* Casey, 1912:251  
*thoracicus* Casey, 1924:223

c USA (MT-TX)

**Prionus (Homaesthis)** LeConte, 1873:288

*Prionina* Casey, 1912:231

**arenarius** Hovore, 1981:453

**emarginatus** Say, 1824:327

sw USA (TX, NM)

c USA (CO, WY, NM)

- innocuus* LeConte, 1862:43  
*pubicollis* Casey, 1912:254  
*debiliceps* Casey, 1912:255  
**integer** LeConte, 1851:107  
**linsleyi** Hovore, 1981:455  
**palparis** Say, 1824:327  
**rhodocerus** Linsley, 1957:10  
**simplex** (Casey, 1912:253)  
**spinipennis** Hovore & Turnbow, 1984:1
- c USA (ID, NE, UT, CO, KS)  
 sw USA (AZ)  
 sc USA (AZ, NM, CO, KS, NB, OK)  
 wc USA (KS, NB, NM, AZ, CO, UT)  
 c USA (KS)  
 sw USA (NM, TX)
- Prionus (Neopolyarthron)** Semenov, 1899:255  
*Prionus (Riponus)* Casey, 1912:245  
**aztecus** Casey, 1912:246  
**batesi** Lameere, 1920:144  
*mexicanus*; Lameere, 1912:245 (not Bates, 1884)  
*aztecus*; Lameere, 1915:60 (not Casey, 1912)  
**curticollis** Casey, 1912:247  
**debilis** Casey, 1891:21  
**imbricornis** (Linnaeus, 1767:622)  
*imbricornis mimus* Casey, 1912:248  
*imbricornis brunneus* Casey, 1912:248  
*diversus* Casey, 1912:247  
*diversus cuneatus* Casey, 1912:247  
*robustus* Casey, 1924:222  
**townsendi** Casey, 1912:246
- n Mexico (CHA, DU)  
 w Mexico (DU)
- n Mexico (CHA)  
 c USA (IA, IL-LA, TX)  
 e USA-TX
- n Mexico (CHA)
- Prionus (Trichoprionus)** Fragoso & Monné, 1982:521  
**aureopilosus** Fragoso & Monné, 1982:522
- R Dominicana
- Psalidognathus** Gray in Griffith, 1831: pl.6  
**colombianus** Demelt, 1989:243  
**erythrocerus erythrocerus** Reiche, 1840:358  
 subsp. **pubescens** Quentin & Villiers, 1983:443  
 subsp. **reichei** Quentin & Villiers, 1983:442  
**friendi friendi** Gray, 1831: pl.6, fig.14  
*deyrollei* Thomson, 1877:xcvii  
*testaceus* Thomson, 1877:254  
*viridiobscurus* Thomson, 1877:254  
*violaceus* Thomson, 1877:254  
*subniger* Thomson, 1877:254  
*ater* Thomson, 1877:254  
 subsp. **sallei** Thomson, 1858:ccxlvii  
*mygaloides* Thomson, 1859:41 (female)  
**modestus** Fries, 1833:327  
*mygaloides* Thomson, 1859:41 (male)  
*wallisi* Taschenberg, 1870:191 (male)  
*limbatus* Taschenberg, 1870:192  
*batesii* Thomson, 1877:257  
*castaneipennis* Thomson, 1877:260  
*thomsoni* Lameere, 1885:ix  
**onorei** Quentin & Villiers, 1983:444  
**rufescens** Quentin & Villiers, 1983:446  
**superbus** Fries, 1833:325  
*incas* Thomson, 1859:42  
*boucardi* Thomson, 1874:427  
*limenius* Erichson, 1847:139  
*gloriosus* Thomson, 1880:lx
- Colombia  
 Colombia  
 Peru  
 Ecuador, Peru  
 Peru, Bolivia, Ecuador
- Venezuela
- Costa Rica-Colombia, Venezuela
- Ecuador  
 Ecuador  
 Costa Rica, Panama, Colombia, Venezuela, Peru,  
 Ecuador, nw Brasil (AM)
- Titanus** Audinet-Serville, 1832:133  
*Percnopterus* Gistel, 1848:129  
**giganteus** (Linnaeus, 1771:531)
- Colombia, Ecuador, Peru, Guianas, nc Brasil (AM)



**Meroscelisini** Thomson, 1860: 299

*Orthosomitae* Thomson, 1864:284

*Tragosomitae* Thomson, 1864:186

*Monodesmides* Lacordaire, 1869:

*Closterinae* Lacordaire, 1869:

**Andinotrichoderes** Tippmann, 1960:98

**pellitus** Tippmann, 1960:98

Peru, Bolivia

**Hyleoza** Galileo, 1987:259

**confusa** Tavakilian & Galileo, 1991:550

*lineata*; Galileo, 1987:261 (not Bates, 1869)

**lineata** (Bates, 1869:48)

*dialepta* Galileo & Martins, 1988:437

Fr Guiana, n Brasil (AM, PA)

w Brasil (RO, AM)

**Lasiogaster** Gahan, 1892:255

**costipennis** Gahan, 1892:256

s Mexico, Guatemala, Belize

**Meroscelisus** Audinet-Seville, 1832:157

*Meroscelicus*; Chenu, 1870:308

*Syennesis* Pascoe, 1888:511

**apicalis** White, 1853:26

**opacus** Buquet, 1860:618

**servillei** Thomson, 1865:577

*dispar* Pascoe, 1888:512

**thoracicus** Seabra, 1942:417

**violaceus** Audinet-Serville, 1832:158

*cyanescens* Lacordaire, 1869:48

**zikani** Melzer, 1919:154

s Brasil (ES-SC)

s Brasil (SC)

s Brasil (ES-RS), Paraguay, Argentina

se Brasil (ES)

se Brasil (BA-SC), Paraguay

se Brasil (MG)

**Microphorus** Blanchard in Gay, 1851:454

*Microphorus*; Chenu, 1870:307

**calverti** Philippi in Germain, 1897:451

**magellanicus** Blanchard in Gay, 1851:456

*castaneus* Blanchard in Gay, 1851:457

**penai** Galileo, 1987:195

Chile, wc Argentina (NE)

Chile, s Argentina (RN-SC)

Chile

**Monodesmus** Audinet-Serville, 1832:160

**atratus** Fisher, 1932:3

**callidioides** Audinet-Serville, 1832:161

**inermis** Galileo, 1987:210

**nothus** Chevrolat, 1862:269

Cuba

Cuba, Bahamas, Cayman Is

"Amérique merid." ?

Jamaica

**Polyoza** Audinet-Serville, 1832:166

**lacordairei** Audinet-Serville, 1832:167

*dejeanii*; Gray in Griffith, 1831: pl.65, fig.3 (not Latreille, 1829)

e Brasil (GO, BA-RS), Paraguay, Argentina,

Uruguay

**Quercivir** Lameere, 1912:37

**dohrni** Lameere, 1912:37

**gounellei** Lameere, 1912:38

*zikani* Melzer, 1919:141

se Brasil (RJ-SC)

se Brasil (MG-RS)

**Sarifer** Kirsch, 1870:373

**flavirameus** Kirsch, 1870:374

**seabrai** Fragoso & Monné, 1982:519

n Samer, Ecuador

R Dominicana

**Tragosoma** Audinet-Serville, 1832:159

**chiricahuae** Linsley, 1959:127

**depsarium** (Linnaeus, 1767:624)

sw USA (AZ, NM)

Europe, NAmer, n Mexico (coniferous belt)

*harrisii* LeConte, 1851:107  
*spiculum* Casey, 1890:492  
*sodalis* Casey, 1899:98  
*parvicollis* Casey, 1899:99  
*repens* Casey, 1924:226  
**nigripenne** Bates, 1892:146 w Mexico (DU)  
**pilosicorne** Casey, 1890:492 w USA (CA, OR)

**Trichoderes** Chevrolat, 1843:35  
**pini** Chevrolat, 1843:36 c Mexico (NL-ME, DU, VC)  
**rugosus** Bates, 1884:236 Mexico, Guatemala

**Anacolini** Thomson, 1857:10

**Allaiocerus** Galileo, 1987:618  
**metallicus** Galileo, 1987:619 nw Brasil (AM)

**Anacolus** Latreille, 1825:399  
*Geoprionus* Lameere, 1890:cxxi  
**sanguineus** (Lepelletier & Audinet-Serville in Latreille, 1825:200) Panama-se Brasil (RJ)  
*lugubris* Lepelletier & Audinet-Serville in Latreille, 1825:200  
*praeustus* Perty, 1832:87  
*bimaculatus* Ménétriés, 1838:130  
*lividus* Ménétriés, 1838:131  
*nigricollis* Ménétriés, 1838:131  
*menetriesi* Buquet, 1840:254  
*scapularis* Buquet, 1840:254  
*variabilis* White, 1853:23  
*nigrinus* White, 1853:24  
*melanocerus* White, 1853:24  
*xanthocerus* White, 1853:24  
*syntheticus* Lameere, 1890:cxxii

**Biribellus** Galileo, 1987:528  
**martinsi** Galileo, 1987:529 Peru  
**punctatus** Galileo, 1987:531 nw Brasil (AM)

**Calloctenus** White, 1850:12  
**pulcher** White, 1850:12 Colombia, Venezuela  
var. *nigripennis* White, 1853:58

**Chariea** Audinet-Serville, 1832:197  
**cyanea** Audinet-Serville, 1832:198 Fr Guiana, nw Brasil (AM)  
**lepesmei** Tippmann, 1956:759 Fr Guiana  
**longispina** Galileo & Martins, 1990:41 n Brasil (PA)

**Cycloprionus** Tippmann, 1953:200  
**flavus** Tippmann, 1953:202 Fr Guiana, nw Brasil (AM)  
*ornatus* Lane, 1972:353

**Episacus** Waterhouse, 1880:291  
**pilosicollis** Waterhouse, 1880:291 Colombia, Ecuador

**Flabellomorphus** Galileo & Martins, 1990:44  
**longus** Galileo & Martins, 1990:45 nw Brasil (AM), Fr Guiana

**Myzomorplus** Dejean, 1835:319  
*Udeteromorplus* Tippmann, 1960:99  
**amabilis** (Tippmann, 1960:101) Bolivia, se Brasil (MG)

- flavipes** Galileo, 1987:595 se Brasil (ES)  
**gounellei** Lameere, 1912:98 se Brasil (MG, RJ)  
**herteli** Gilmour, 1960:21 Colombia  
**poultoni** Lameere, 1912:98 Brasil  
**quadripunctatus** (Gray in Griffith, 1831: pl.70, fig.1) Colombia, Venezuela, Brasil (AM, BA-SC),  
*quadrimaculatus* Gory, 1832: pl.31 Fr Guiana, Ecuador  
*quadrinotatus* Ménétériés, 1838:131  
*pygmaeus* Buquet, 1840:254  
*necydaloides* Thomson, 1864:279  
**scutellatus** Sallé, 1849:429 Costa Rica, Venezuela  
var. *apicalis* White, 1853:25  
var. *bicolor* White, 1853:26  
var. *plagiatus* White, 1853:25  
var. *scapularis* White, 1853:25  
var. *thoracicus* White, 1853:26  
var. *unicolor* White, 1853:25  
**sparsimflambellatus** Zajciw, 1963:55 se Brasil (RJ, SP)
- Nicias** Thomson, 1857:136  
*Hamadryades* Thomson, 1857:22  
**alurnoides** (Thomson, 1857:23) Guianas, nw Brasil (AM)  
**huedepohli** Galileo, 1987:531 Fr Guiana
- Otheostethus** Bates, 1872:169  
**disjunctus** Galileo, 1987:517 nw Brasil (AM)  
**melanurus** Bates, 1872:170 Nicaragua, Costa Rica
- Piesacus** Galileo, 1987:494  
**exiguus** Galileo, 1987:497 Colombia  
**magnus** Galileo, 1987:501 Colombia
- Poekilosoma** Audinet-Serville, 1832:184  
*Poecilosoma* Laporte, 1840:411  
*Ceroctenus* Audinet-Serville, 1832:196  
**carinatipenne** Lane, 1941:152 e Brasil (PE)  
**ornatum** (Dalman, 1823:62) se Brasil (BA-RJ)  
*ornatipenne* Audinet-Serville, 1832:185  
*maculipenne* Audinet-Serville, 1832:186  
*abdominalis* Audinet-Serville, 1832:197  
*flamiger* Perty, 1832:87  
*semirufum* Newman, 1838:492  
*rufipenne* Blanchard, 1843:207  
*flaviventris* Buquet in Guérin-Méneville, 1844:215  
*unicolor* Guérin-Méneville, 1844:215  
*equestris* Guérin-Méneville, 1844:215  
*latifascia* White, 1853:58  
*mixtus* White, 1853:58
- Prionapterus** Guérin-Méneville, 1831: pl.42, fig.10  
*Halycidocrius* Berg, 1881:62  
**breyeri** Bruch, 1929:205 Paraguay, ne Argentina (MI)  
**staphilinus** Guérin-Méneville, 1831: pl.42, fig.10 Paraguay, Argentina  
*staphylinus* Guérin-Méneville in Audinet-Serville, 1832:200  
*flavipennis* Guérin-Méneville in Audinet-Serville, 1832:201  
*philippii* Berg, 1881:64  
*philippii* var. *schulzi* Bruch, 1908:202  
*staphylinus* var. *wagneri* Gounelle, 1911:320  
**suspectus** Galileo & Martins, 1990:48 Paraguay  
**travassosi** Lane, 1938:263 sw Brasil (MS)  
**woltersi** Bruch, 1925:207 nw Argentina (CA)  
*staphylinus* var. *schaeferi* Bosq, 1947:293

**Rhachicolus** Galileo, 1987:508  
**cristatus** Galileo, 1987:510 Venezuela

**Rhodocharis** Lacordaire, 1869:49  
**anacoloides** Lacordaire, 1869:50 se Brasil (RJ)  
var. *bicolor* Tippmann, 1953:204

**Udeterus** Thomson, 1858:412  
*Oideterus* Thomson, 1857:15  
*Temnesthes* Bates, 1875:51  
**andrarius** Galileo, 1987:562 Colombia  
**buquetii** (Thomson, 1857:16) Colombia, Ecuador  
**crenatocerus** Galileo, 1987:563 Ecuador  
**dichotomus** Galileo, 1987:565 Ecuador  
**elegans** Waterhouse, 1880:290 Ecuador  
**lobicollis** (Bates, 1875:52) Colombia, Ecuador  
**magnificus** Galileo, 1987:567 Costa Rica, Panama  
**pallidus** Galileo, 1987:569 Colombia

**Xanthonicias** Galileo, 1987:511  
**prostrata** Galileo, 1987:513 n Brasil (AM, PA)

### Subfamily **Spondylidinae** Audinet-Serville, 1832:123

**Scaphinus** LeConte, 1851:100  
**muticus** (Fabricius, 1801:265) se USA (AR, MS, AL, GA, FL, SC, VA)  
*sphaericollis* LeConte, 1847:93

**Spondylis** Fabricius, 1775:159  
**mexicanus** Bates, 1879:15 Mexico (CHA, ME, OA, VC)  
*erebea* Casey, 1912:220  
**upiformis** Mannerheim, 1843:304 w NAmer, n Mexico  
*laticeps* LeConte, 1850:233  
*collaris* Casey, 1912:218  
*robustula* Casey, 1912:219  
*subpubescens* Casey, 1912:219  
*basalis* Casey, 1912:220  
*parva* Casey, 1924:226

### Subfamily **Aseminae** Thomson, 1860:259

**Asemini** Thomson, 1860:259  
*Criocephalites* Fairmaire in Jacquelin du Val, 1864:125  
*Criomorphaires* Planet, 1924:232  
*Tetropiina* Reitter, 1912:42 (part)

**Arhopalus** Audinet-Serville, 1834:77  
*Criocephalum* Dejean, 1835:328  
*Criocephalus* Mulsant, 1839:63  
**asperatus** (LeConte, 1859:19) w NAmer-Honduras  
*honduranus* Casey, 1912:265  
*filitarsis* Casey, 1912:266  
**cubensis** (Mutchler, 1914:346) Cuba  
**foveicollis** (Haldeman, 1847:35) Canada, n USA  
*agreste*; Kirby in Richardson, 1837:170 (not Fabricius, 1787)  
*impressus* Gemminger & Harold, 1872:2789  
*lacustrinus* Casey, 1912:267  
*cervinus* Casey, 1912:267  
**hispaniolae** (Fisher, 1942:4) R Dominicana

**productus** (LeConte, 1850:36)  
*elongatus* Casey, 1924:230  
*propinquus* Casey, 1924:230  
**rusticus rusticus** (Linnaeus, 1758:395)  
 subsp. **hesperus** Chemsak & Linsley, 1965:141  
 subsp. **montanus** (LeConte, 1873:170)  
*spissicornis* Casey, 1912:264  
*spissicornis longicornis* Casey, 1912:264  
*gracilipes* Casey, 1912:265  
*cavicollis* Casey, 1912:266  
*coloradensis* Casey, 1924:231  
 subsp. **nubilus** (LeConte, 1850:36)  
 subsp. **obsoletus** (Randall, 1838:27)  
*rusticus*; Haldeman, 1847:35 (not Linnaeus, 1758)  
*obscurus* LeConte, 1850:36  
*mexicanus* Thomson, 1860:260  
*paganum* Lacordaire, 1869:211

w NAmer-Honduras

Europe (boreal)  
 sw USA (CA)  
 wc USA (UT, CO, AZ, NM, TX), n Mexico

se USA, Bahamas, Jamaica  
 e USA-Honduras

### **Asemum** Eschscholtz, 1830:66

*Liasemum* Casey, 1912:262

**australe** LeConte, 1850:35

*champlainianus* Casey, 1924:231

**caseyi** Linsley, 1957:13

**glabrellum** Bates, 1892:146

**nitidum** LeConte, 1873:169

*mokelumne* Casey, 1912:262

**striatum** (Linnaeus, 1758:396)

*atrum* Eschscholtz, 1830:66

*moestum* Haldeman, 1847:35

*moestum* var. *obsoletum* Haldeman, 1847:35

*moestum* var. *brunneum* Haldeman, 1847:35

*substriatum* Haldeman, 1847:36

*juvencum* Haldeman, 1847:36

*fuscum* Haldeman, 1847:36

*gracilicorne* Casey, 1912:258

*ebenum* Casey, 1912:258

*curtipenne* Casey, 1912:258

*parvicorne* Casey, 1912:260

*fulvipenne* Casey, 1912:260

*costulatum* Casey, 1912:261

*pugetanum* Casey, 1912:261

*brevicorne* Casey, 1912:261

*carolinum* Casey, 1924:227

*stocktonense* Casey, 1924:227

e USA

w USA (CA, OR), Baja Calif  
 sw Mexico (GU), Guatemala  
 w NAmer (WA, OR, CA)

Europe, Asia, NAmer (coniferous belt)

### **Megasemum** Kraatz, 1879:97

*Nothorhina* LeConte, 1873:169

*Notorhina*; Leng, 1884:63

**asperum** (LeConte, 1854:18)

*aspera impressa* Casey, 1912:264

*aspera rectipennis* Casey, 1912:264

*uteanus* Casey, 1924:231

w NAmer, nw Mexico (SO)

### **Tetropium** Kirby in Richardson, 1837:174

*Criomorphus* Mulsant, 1839:58

*Isarthron*, Dejean, 1835:329

**abietis** Fall, 1912:320

**auripilis** Bates, 1885:435

**beckeri** Franz, 1955:324

**cinnamopterum cinnamopterum** Kirby in Richardson, 1837:174

subsp. **parvulum** Casey, 1891:24

*alaskanum* Fall, 1926:201

**fuscum** (Fabricius, 1787: 154)

w USA (WA, OR, CA)  
 sw USA (AZ)-Mexico (VC)  
 Guatemala

se Canada, ne USA  
 nc USA (CO, MN), w Canada, Alaska

eCanada (Introduced)

**guatemalanum** Bates, 1892:147  
*guatemalenum*; Aurivillius, 1912:19  
**opacipenne** Bates, 1885:435  
**opacum** Franz, 1955:323  
**parallellum** Casey, 1891:23  
**pilosicorne** Linsley, 1935:71  
**schwarzianum** Casey, 1891:24  
**schwertfegeri** Franz, 1955:324  
**velutinum** LeConte, 1869:382  
*columbianum* Casey, 1912:268  
*hexagonum* Casey, 1912:228  
*boreale* Casey, 1924:228

Guatemala  
 Mexico (VC)  
 Guatemala  
 wc USA (CO, AZ, NM)  
 Mexico (ME)  
 ne USA (PA, MI), Canada (Ont)  
 Guatemala  
 nw USA, sw Canada

**Atimiini** LeConte, 1873:322

**Atimia** Haldeman, 1847:56  
**confusa confusa** (Say, 1826:276)  
*tristis* Haldeman, 1847:56  
 subsp. **dorsalis** LeConte, 1869:385  
 subsp. **maritima** Linsley, 1939:70  
**gannoni** Hovore & Giesbert, 1974:139  
**helenae** Linsley, 1934:25  
**hoppingi** Linsley, 1939:75  
**huachucae** Champlain & Knoll, 1922:148  
**mexicana** Linsley, 1934:24  
**vandykei** Linsley, 1939:74

e USA-TX  
 w NAmer (Pac Cst), n Baja Calif  
 w USA (CA)  
 w USA (CA)  
 w USA (CA)  
 nw USA (WA, OR)  
 sw USA (AZ)  
 Mexico (ME)  
 sw USA (NM)

**Paratimia** Fisher, 1915:78  
**conicola** Fisher, 1915:78

w USA (CA, OR)

**Oxypeltini** Lacordaire, 1869:461

**Cheloderus** Gray in Griffith, 1832:784  
**childreni** Gray in Griffith, 1832:784  
**penai** Kuschel, 1955:252

wc Argentina (NE), Chile  
 Chile, wc Argentina (NE)

**Oxypeltus** Blanchard in Gay, 1851:459  
**quadrispinosus** Blanchard in Gay, 1851:460

w Argentina (NE, CT), Chile

**Subfamily Cerambycinae** Latreille, 1804:259

**Saphanini** Lacordaire, 1869:211

**Michthisoma** LeConte, 1850:30  
*Michthisoma*; LeConte, 1873:332  
*Mychthisoma*; Gemminger & Harold, 1873:2998  
**heterodoxum** Leconte, 1850:30

se USA (NC, GA)

**Erlandiini** Aurivillius, 1912:12

**Erlandia** Aurivillius, 1904:205  
**inopinata** Aurivillius, 1904:206  
**megacephala** Di Iorio, 1998:1  
**mexicana** Noguera & Chemsak, 2001: 369

Bolivia, Paraguay, Argentina  
 n Argentina (TU)  
 sMexico

**Smodicini** Lacordaire, 1869:143

- Luscosmodicum** Martins, 1970:47  
**beaveri** Martins, 1970:48 c Brasil (MT, MG)
- Metaphrenon** Martins, 1975:330  
*Smodicum*; Zayas, 1975:46 (not Haldeman, 1847)  
**impressicolle** (Lacordaire, 1869:146) Cuba, Puerto Rico, Hispaniola  
*impressicolle* Thomson, 1878:9
- Nesosmodicum** Martins, 1971:57  
**gracile** (Melzer, 1923:3) se Brasil (MG-SP)
- Smodicum** Haldeman, 1847:38  
**angusticolle** Aurivillius, 1919:2 c Brasil (AM, GO, MT), Bolivia  
**brunneum** Thomson, 1878:7 R Dominicana, Colombia, Ecuador, Peru,  
*similare* Thomson, 1878:8 Brasil  
*subcylindricum* Thomson, 1878:7  
**clancularium** Martins, 1975:351 se Mexico (QR), Nicaragua  
**confusum** Martins, 1985:169 Venezuela  
**cucujiforme** (Say, 1826:277) e USA-TX, introduced in SAmer  
*cylindrides* Newman, 1838:394  
*argentinum* Bruch, 1911:170  
*convergens* Casey, 1912:269  
**depressum** Thomson, 1878:6 se Brasil (MG-RS)  
**dinellii** Bruch, 1911:172 se Brasil (BA-RS), Paraguay, Argentina  
*missionum* Bruch, 1911:174  
**longicorne** Martins, 1975:346 Brasil (MG-SC)  
**pacificum** Linsley, 1934:107 sw USA (AZ), w Mexico (NA), Baja Calif  
*pacificum peninsulare* Linsley, 1942:27  
*arizonarium* Knull, 1966:136  
**parandroides** Bates, 1884:241 Mexico (VC), Guatemala  
**recticolle** Martins, 1975:338 nc Argentina (SE)  
**semipubescens** Gounelle, 1911:127 Peru, ec Brasil (GO), Paraguay, Argentina  
*bonariense* Bruch, 1911:171  
**texanum** Knull, 1966:137 sw USA (TX)  
**torticolle** Martins, 1975:355 Panama, Colombia

**Oemini** Lacordaire, 1869: 216  
*Oeminae* Pascoe, 1869:498  
*Oemini* Gounelle, 1909:592

Subtribe **Oemina** Lacordaire, 1869:216

- Amphelissoeme** Martins, 1981:15  
**viridescens** Martins, 1981:15 e Brasil (BA)
- Aponoeme** Martins, 1985:171  
*Apanoeme* Martins & Galileo, 1998: 47  
**amazonica** Martins, 1985:171 nw Brasil (AM)  
**castanea** Martins & Galileo, 1998: 47 s Brasil (MS)
- Argentinoeme** Bruch, 1911:164  
**pseudobscura** Di Iorio, 1995:279 ne Argentina (ER)  
**schulzi** Bruch, 1911:165 c Brasil (MT), Argentina
- Atenizus** Bates, 1867:2  
*Ceratoeme* Melzer, 1920:426  
**capixaba** Martins, 1981:10 e Brasil (ES)  
**castaneus** Martins, 1981:10 Venezuela  
**hylaeanus** Martins, 1981:11 nw Brasil (AM)

- laticeps** Bates, 1867:28  
**plaumanni** Tippmann, 1960:105  
**simplex** Bates, 1884:240  
**taunayi** Melzer, 1920:426  
*vittipennis* Tippmann, 1960:106
- El Salvador-se Brasil (PR)  
s Brasil (MS, PR)  
Honduras-Panama, Venezuela  
Brasil [MG, SP,PA]
- Austroeme** Martins, Chemsak & Linsley, 1966:217  
**femorata** Martins, 1997:108  
**gentilis** (Gounelle, 1909:592)  
*fissithorax* Gounelle, 1909:593  
**modesta** (Gounelle, 1909:593)
- n Brasil (PI)  
e Brasil (GO, MA-RJ)  
ec Brasil (GO), Uruguay
- Gounelleoeme** Monné & Martins, 1974:22  
*Gounellea*; Martins, Chemsak Linsley, 1966:213 (not Lane, 1964)  
**echinoscapus** (Gounelle, 1913:196)
- n Argentina (SE)
- Haplidoeme** Chemsak & Linsley, 1965:142  
**punctata** Chemsak & Linsley, 1971:118  
**schlingeri** Chemsak & Linsley, 1965:143
- ec Mexico (HI)  
sw USA (CA), Baja Calif.
- Macroeme** Aurivillius, 1893:177  
**condyla** (Martins, 1971:60)  
**cyllindrica** (Thomson, 1857:122)  
*decorata* Buquet, 1859:625  
**plana** (Perty, 1832:89)  
*chabrillicii* Thomson, 1857:121  
**priapica** (Thomson, 1857:121)  
**sobrina** Gounelle, 1909:595  
**vittipennis** Melzer, 1934:213
- e Brasil (BA, MG)  
e Brasil (BA-ES)  
Brasil (MG, RJ)  
Brasil (PA, GO, MT, BA-RS), Paraguay,  
Bolivia, Argentina, Uruguay  
c Brasil (GO, MT)  
c Brasil (AM, PA, MT)
- Malacopterus** Audinet-Serville, 1833:565  
*Malacomacrus* White, 1853:41  
*Ganimus* LeConte, 1873:173  
**pavidus** (Germar, 1824:506)  
*pallescens* White, 1853:41  
**tenellus** (Fabricius, 1801:335)  
*lineatus* Guérin-Méneville, 1844:222  
*mexicanus* Thomson, 1860:248  
*vittatus* LeConte, 1873:173
- se Brasil (GO, BA-RS), Paraguay,  
Argentina, Uruguay  
sw USA (CA, AZ) - c Brasil, Cuba, Guadeloupe
- Martinsia** Chemsak & Linsley, 1967:35  
**scabrosa** Chemsak & Linsley, 1967:35
- e Brasil (BA)
- Neoeme** Gounelle, 1909:595  
**annulicornis** (Buquet, 1859:627)  
*picticornis* Bates, 1870:245  
var. *dubia* Melzer, 1928:144  
**bouvieri** Gounelle, 1909:595  
**hudepohli** (Martins & Monné, 1975:270)  
**opaca** Zajciw, 1958:446  
**pallida** (Buquet, 1859:626)  
**quinquelineata** Zajciw, 1958:448
- Fr Guiana, c-se Brasil (AM, BA-SC),  
Ecuador, Paraguay  
c Brasil (PA-PR), Peru, Bolivia  
Bolivia, n Argentina (SA)  
Ecuador, Fr Guiana, Brasil (AP, RO, MT)  
se Brasil (ES, RJ)  
e Brasil (ES)
- Nesoeme** Linsley & Chemsak, 1966:209  
**kuscheli** Linsley & Chemsak, 1966:211
- Galapagos Is
- Ocroeme** Martins, Chemsak & Linsley, 1966:213  
**aspericollis** Martins, Chemsak & Linsley, 1966:214  
**nana** (Bates, 1870:247)
- Venezuela  
n Brasil (AM, PA, MA)



- recki** (Melzer, 1931:191)  
**tricolor** Martins, 1980:227
- e Brasil, Paraguay, Argentina, Uruguay  
c Brasil (MT)
- Oeme** Newman, 1840:8  
*Sclerocerus* LeConte, 1850:20  
**costata costata** LeConte, 1873:174  
*strangulata* Horn, 1880:133  
*minutivestis* Casey, 1924:251  
*californica* Linsley, 1934:162  
subsp. **abietis** Chemsak, 1965:352  
**rigida rigida** ( Say, 1826:274 )  
*linearis* Harris, 1837:85  
*indecora* Newman, 1840:8  
subsp. **deserta** Casey, 1924:252  
*strangulata*; Craighead, 1923:40 (not Horn, 1880)  
*incertula* Casey, 1924:252  
*subobsoleta* Casey, 1924:253  
*truncata* Casey, 1924:253  
*hirsuta* Van Dyke, 1927:99  
*rotundicollis* Linsley, 1932:116
- w USA  
sw USA (CA)  
e USA-TX  
w USA (TX, UT, AZ, CO)
- Paranoplium** Casey, 1924:250  
**gracile gracile** (LeConte, 1881:27 )  
*densicolle* Casey, 1924: 250  
subsp. **laticolle** (Linsley, 1934: 163)
- w USA (CA)  
w USA (CA)
- Phrynoeme** Martins, 1980:228  
*Ochroeme* (*Phrynoeme*) Martins, 1980:228.  
**cucullata** (Gounelle, 1913:199)
- Paraguay, Argentina
- Placoeme** Chemsak & Linsley, 1964:45  
**vitticollis** Chemsak & Linsley, 1964:45
- se MX (VC, QR), Guatemala
- Sepaicutea** Lane, 1972:355  
**fisheri** Lane, 1972:356  
**unicolor** Martins, 1981:14
- se Mexico (VC), Guatemala  
Venezuela
- Sphagoeme** Aurivillius, 1893:178  
**acuta** Martins & Galileo, 1994:685  
**aurivillii** Gounelle, 1909:598  
**lineata** Martins, 1981:16  
**nigrotibialis** Martins, 1973:203  
**ochracea** Fisher, 1927:23  
**paraensis** Martins, 1977:84  
**sahlbergi** Aurivillius, 1893:179  
*bicolor* Zajciw, 1960:130  
**suturalis** Martins, 1977:86
- e Brasil (MG)  
Brasil (PB, MT, MG-PR), Paraguay  
Surinam, Fr Guiana  
Brasil (MT, MG)  
Panama, Colombia  
n Brasil (PA)  
c, se Brasil (MT, BA-SC), Bolivia  
c Brasil (PA, MT)
- Sphalloeme** Melzer, 1928:143  
**costipennis** Melzer, 1928:143
- se Brasil (ES-SC), Argentina [MI]
- Stenoeme** Gounelle, 1909:597  
**annularis** Martins, 1980:224  
**bellarmini** Gounelle, 1909:598  
**iheringi** Gounelle, 1909:597  
**kempfi** Martins, 1980:223
- e Brasil (BA, MG)  
e Brasil (BA)  
e Brasil (GO, PE)  
e Brasil (ES)
- Sydax** Lacordaire, 1869:335  
*Syaax*; Melzer, 1935:176

- amazonicus** Martins, 1971:59  
**confragus** Martins, 1971:60  
**gibbus** Joly, 1985:47  
**inexpectatus** Martins, 1981:16  
**stramineus** Lacordaire, 1869:336  
*fuscolineatus* Melzer, 1935:176
- nw Brasil (AM)  
Venezuela  
Venezuela  
e Brasil (ES)  
Colombia, Brasil (PE, ES-PR, GO, MT)
- Temnopsis** Audinet-Serville, 1834:90  
**castanea** Martins, 1978:129  
**forticornis** (Tippmann, 1960:102)  
**fuscipennis** Martins, 1978:133  
**jolyi** Martins, 1978:132  
**latifascia** Martins & Monné, 1975:271  
**martinezi** Martins, 1985:170  
**megacephala** (Germar, 1824:509)  
*taeniatus* Audinet-Serville, 1834:91  
var. *fuscipes* Lacordaire, 1869:220  
**nigripes** Aurivillius, 1893:179  
**oculata** Zajciw, 1960:129  
*apicalis* Tippmann, 1960:102
- Brasil (MT, BA, MG), Bolivia, Argentina  
ec Brasil (GO, ES)  
n Brasil (PA)  
Venezuela  
e Brasil, Bolivia, Paraguay, Argentina  
ec Argentina (SL)  
e Brasil (RN-RS), Paraguay, Argentina
- Brasil (AM, BA-RJ), Peru  
c Brasil (PA, MT), Fr Guiana, Bolivia
- Subtribe Methioidina** Martins, 1997:119
- Chromoeme** Chemsak & Linsley, 1967:36  
**angustissima** (Buquet, 1857:412)
- se Brasil (ES-RS), Argentina, Uruguay
- Eudistenia** Fall, 1907:82  
**costipennis** Fall, 1907:83
- sw USA (CA)
- Euryprosopus** White, 1853:136  
**clavipes** White, 1853:137  
*alexianus* Buquet, 1853:257  
*dardanus* Buquet, 1853:258  
*apicalis* Buquet, 1853:259  
*nigripennis* Buquet, 1853:260  
*cyanipennis* Buquet, 1853:260  
*chabrillici* Buquet, 1857:411  
*opacipennis* Martins, 1973:202
- se Brasil (ES-SP)
- Methioeme** Zajciw, 1963:56  
**brevipennis** Zajciw, 1963:57
- c Brasil (AM, PA, MT)
- Methioides** Chemsak & Linsley, 1967:31  
**cicatricosa** Chemsak & Linsley, 1967:33
- e Brasil (BA)
- Mimoeme** Chemsak & Linsley, 1967:37  
**lycoides** Chemsak & Linsley, 1967:39
- Venezuela
- Necydalosaurus** Tippmann, 1960:119  
**mysticus** Tippmann, 1960:120
- Panama, Fr Guiana, Peru
- Paratemnopsis** Martins, 1978:134  
**ambiguus** (Melzer, 1927:141)
- se Brasil (RJ-SC)
- Proeme** Martins, 1978:118  
**bella** Martins, 1978:125  
**bucki** (Melzer, 1931:51)  
**cyanescens** (Aurivillius, 1910:145)  
**latipennis** (Lane, 1973:372)
- nw Brasil (AM)  
se Brasil (BA-RS)  
e Brasil (ES)  
Colombia, Ecuador

<b>lyciformis</b> Martins, 1978:124	c Brasil (MT)
<b>plagiata</b> (Buquet, 1860:622)	se Brasil (BA-RS), Paraguay, Argentina
<i>rufithorax</i> Aurivillius, 1893:180	
<b>rufoscapus</b> (Aurivillius, 1910:145)	seBrasil (MG-SC)
<b>seabrai</b> Martins, 1978:120	c Brasil (PA, MT)
<b>Tristachycera</b> Bates, 1872:170	
<i>Trichachycera</i> ; Gilmour, 1968:89	
<b>viridis</b> Bates, 1872:171	Nicaragua, Panama
<b>Vandykea</b> Linsley, 1932:118	
<b>tuberculata</b> Linsley, 1932:118	w USA (CA)
<b>Xanthoeme</b> Martins, 1980:225	
<b>signaticornis</b> (Melzer, 1920:421)	se Brasil (BA-SC)
<b><u>Methiini</u></b> Thomson, 1860:364	
<b>Coleomethia</b> Linsley, 1940:32	
<b>australis</b> Hovore, 1987:14	sw Mexico (OA)
<b>chemsaki</b> Hovore, 1987:9	Baja Calif
<b>crnicornis</b> Hovore, 1987:11	w Mexico (JA)
<b>mexicana</b> Chemsak & Linsley, 1964:161	ec Mexico (HI)
<b>xanthocollis</b> (Knull, 1935:98)	sw USA (TX)
<i>evaniformis</i> Knull, 1937:306	
<b>Cyanomethia</b> Philips & Ivie, 1998:60	
<b>pseudothonalmus</b> Philips & Ivie, 1998:60	W Indies (Virgin Is)
<b>Methia</b> Newman, 1842:418	
<i>Thia</i> Newman, 1840:18	
<i>Staphylinoeme</i> Gounelle, 1913:197	
<b>acostata</b> Linsley, 1940:287	sw USA (AZ)
<b>aestiva</b> Fall, 1907:86	w USA (CA)
<i>mormona</i> ; Fall, 1901:151 (not Linell, 1896)	
<i>fragilis</i> Linsley, 1932:121	
<b>argentina</b> Bruch, 1918:20	nw Argentina (LR, CA)
<b>arizonica</b> Schaeffer, 1908:352	sw USA (AZ)
<b>batesi</b> Chemsak & Linsley, 1971:120	Mexico
<i>Callia</i> (?) Bates, 1885:425	
<b>bicolor</b> (Horn, 1885:196)	sw USA (TX)
<b>bicolorata</b> Linsley, 1962:34	Mexico
<i>bicolor</i> ; Linsley, 1935:72 (not Horn, 1885)	
<b>brevis</b> Fall, 1929:58	sw USA (AZ, CA), Baja Calif
<b>carinata</b> Linsley, 1940:289	sw USA (AZ)
<b>curvipennis</b> Chemsak & Linsley, 1965:143	sw USA (CA)
<b>debilis</b> (Horn, 1895:246)	Baja Calif
<b>dentata</b> Chemsak & Linsley, 1964:58	wc Mexico (DU)
<b>dubia</b> Linsley, 1940:286	sw USA (AZ)
<b>enigma</b> Martins, 1981:12	Paraguay
<b>falli</b> Martin, 1920:215	sw USA (CA)
<b>fischeri</b> Melzer, 1923:5	Brasil (ES-RS, MT), Paraguay
<i>incauta</i> Lane, 1939:73	
<b>flavicornis</b> Casey, 1924:257	sw USA (AZ)
<b>jamaicensis</b> Philips & Ivie, 1998:71	Jamaica
<b>juniperi</b> Linsley, 1937:64	sw USA (CA)
<b>knulli</b> Linsley, 1940:288	sw USA (AZ)
<b>lata</b> Knull, 1958:282	sw USA (TX)
<b>lineata</b> Linsley, 1935:72	c Mexico (ME)
<b>longipennis</b> Martins, 1997:167	e Brasil (MG)

- lycoides** Chemsak & Linsley, 1971:120  
**maculosa** Chemsak & Linsley, 1964:56  
**mormona** Linell, 1897:399  
*mormonica*; Casey, 1924:257  
*delicata* Casey, 1924: 257  
**necydalea** (Fabricius, 1798:148)  
*pusilla* Newman, 1840:18  
*dejeanii* Haldeman, 1847:42  
*constricticollis* Schaeffer, 1908:351  
*impressicollis* Chemsak, 1966:211  
*insularum* Chemsak, 1966:210  
*pallida* Fisher, 1932:6  
*pulchra* Chemsak & Linsley, 1964:159  
*punctata* LeConte, 1873:240  
*rhizophorae* Chemsak & Feller, 1988:181  
**occidentalis** Chemsak & Linsley, 1964:59  
**pallidipennis** Linsley, 1942:32  
**picta** Linsley, 1942:29  
*separata* Linsley, 1942:30  
**robusta** Linsley, 1940:285  
**subarmata** Linsley, 1942:31  
**subvittata** Chemsak & Linsley, 1964:55  
**taina** Zayas, 1975:53  
**trium** Gilmour, 1968:100  
**tubuliventris** (Gounelle, 1913:198)  
**violaceipennis** Chemsak & Linsley, 1964:158  
**vittata** Chemsak & Linsley, 1964:57
- e Mexico (n VC)  
ec Mexico (HI)  
w USA (AZ, NM, UT, CO), n Mexico (CHA)
- se USA, sw USA (TX), Mexico (TA, CHS, OA,  
QR, CA, SLP, NL), Belize, West Indies
- nw Mexico (SO, SI)  
Baja Calif  
Baja Calif
- sw USA (CA)  
Baja Calif  
ec Mexico (HI)  
Cuba  
Curaçao, Bonaire, Aruba, Venezuela  
n Argentina (SE)  
n Mexico (CHA)  
ec Mexico (PU)
- Methicula** Chemsak & Linsley, 1971:117  
**dimidiata** Chemsak & Linsley, 1971:118
- Ecuador
- Paratessaropa** Zajciw, 1957:301  
**brachyptera** Zajciw, 1957:302
- se Brasil (RJ)
- Pseudomethia** Linsley, 1937:65  
**arida** Linsley, 1937:67
- sw USA (AZ, CA), nw Mexico (SO)
- Styloxus** LeConte, 1873:239  
*Idoemea* Horn, 1880:137  
*Malthopia* Casey, 1912:308  
*Malthophia*; Casey, 1918:415  
**bicolor** (Champlain & Knull, 1922:145)  
*ruficeps* Van Dyke, 1927:100  
**fulleri fulleri** (Horn, 1880:138)  
*texana* Schaeffer, 1908:351  
subsp. **californicus** (Fall, 1901:256)  
*oculata* Casey, 1912:309  
**fuscus** Chemsak & Linsley, 1964:51  
**lucanus** LeConte, 1873:240  
**oblatipilis** Chemsak & Linsley, 1964:50  
**parvulus** Chemsak & Linsley, 1964:50
- sw USA (CA, AZ, NM)  
sw USA (TX)  
w USA (CA, OR), Baja Calif  
e Mexico (VC)  
w Mexico (SO, SI), Baja Calif  
ne Mexico (TA)  
c Mexico (SLP)
- Tessaropa** Haldeman, 1847:375  
*Dysphaga* LeConte, 1852:143  
*Tessaroptes*; Gemminger & Harold, 1873:3063  
**carioca** Martins, 1981:13  
**guanabarina** Martins, 1981:13  
**luctuosa** Zayas, 1975:54  
**mineira** Martins, 1981:14  
**tenuipes** (Haldeman, 1846:126)  
*ventralis* Haldeman, 1847:375
- se Brasil (RJ)  
se Brasil (RJ)  
Cuba  
e Brasil (MG)  
e USA-TX

*laevis* LeConte, 1873:240  
*apicalis* Casey, 1914:371

**Xystrocerini** Blanchard, 1845:147

**Xystrocera** Audinet-Serville, 1834:69

**globosa** (Olivier, 1795:27)

Introduced in Puerto Rico

**Dodecosini** Aurivillius, 1912:132

*Olexandrellaeini* Zajciw, 1959:605

**Diringsiella** Martins & Galileo, 1991:134

**femorialis** Martins & Galileo, 1991:135

s Brasil (SC)

**Dodecosis** Bates, 1867:27

**nigricornis** Martins & Galileo, 1991:135

nw Brasil (AM)

**saperdina** Bates, 1867:27

n Brasil (AP, PA), Fr Guiana

**Monneella** Martins, 1985:172

**bicolor** Martins, 1985:173

e Brasil (MG, ES)

**Olexandrella** Zajciw, 1959:606

**serotina** Zajciw, 1959:606

se Brasil (RJ)

**Paraholopterini** Martins, 1997:201

**Paraholopterus** Cerda & Cekalovic, 1986:189

**nahuelbutensis** Cerda & Cekalovic, 1986:190

Chile

**Opsimini** LeConte, 1813:294

**Dicentrus** LeConte, 1880:195

*Paraopsimus* Champlain & Knull, 1926:205

**bidentatus** (Champlain & Knull, 1926:205)

nw USA (OR)

**bluthneri** LeConte, 1880:195

w NAmer (Pac Coast)

**Opsimus** Mannerheim, 1843:305

**quadri-lineatus** Mannerheim, 1843:305

w NAmer (Pac Coast)

*quadri-lineatus biplectralis* Casey, 1924:229

**Achrysonini** Lacordaire, 1869: 231

**Achryson** Audinet-Serville, 1833:572

**concolor** Joly, 2000: 175

Venezuela

**foersteri** Bosq, 1953:1

s Brasil, Paraguay, Argentina, Uruguay

**immaculipenne** Gounelle, 1909:305

ec Brasil (GO, MT, PE), Fr Guiana, Ecuador

*unicolor* Gounelle, 1909: 599

*immaculipenne* var. *humero-maculatum* Tippmann, 1960: 107

**lineolatum** Erichson, 1847:142

Ecuador, Peru, Bolivia, Chile

*scutellatum* Kirsch, 1889:37

Galapagos Is

*philippii* Germain, 1897:560

*galapagoensis* Linell, 1898:259

*galapagoensis darwini* Linsley & Chemsak, 1966:213

*galapagoensis flavescens* Linsley & Chemsak, 1966:213

*lineolatum* var. *andinum* Tippmann, 1960:108

**lutarium** Burmeister, 1865:175

ec Brasil (GO, MT), Paraguay, Argentina

*lineolatum* var. *nigricans* Tippmann, 1960:109

- maculatum** Burmeister, 1865:175  
var. *fusculum* Plavilstshikov, 1927:108
- meridionale** Martins, 1976:75
- peracchii** Martins, 1976:74
- pictum** Bates, 1870:248
- quadrinaculatum** (Fabricius, 1792:328)  
*ornatipenne* Perroud, 1855: 383  
*hirsutululum* Bates, 1870:248  
*kartaboensis* Fisher, 1944:1  
*griseopubescens* Monné, 1972:109
- setosum** Zajciw, 1963:60  
*maculipennis*; Zajciw, 1958:12 (not Lacordaire, 1869)
- surinamum** (Linnaeus, 1767:632)  
*surinamensis*; Olivier, 1795:42  
*surinam*; Leng, 1885:117  
*longicollis* Degeer, 1775:117  
*simplex* Voet, 1778:22  
*circumflexus* Fabricius, 1787:144  
*pallens* Fabricius, 1792:297  
var. *chontalense* Bates, 1872:171
- undulatum** Burmeister, 1865:175
- unicolor** Bruch, 1908:203
- uniforme** Martins & Monné, 1975:274
- Araespor** Thomson, 1878:14  
**longicollis** Thomson, 1878:15  
*angustulus* Fairmaire, 1881:474
- Drascalial** Fairmaire & Germain, 1864:387  
*Acanthachryson* Bruch, 1921:354  
**praelonga** Fairmaire & Germain, 1864:388  
**spinithorax** (Bruch, 1921:355)  
**vianai** (Monné, 1969:279)
- Enosmaeus** Thomson, 1878:9  
*Pseudoeme* Fisher, 1932:4  
**cubanus** Thomson, 1878:10  
*poolei* Fisher, 1932:5
- Geropa** Casey, 1912:305  
**concolor** (LeConte, 1873:176)  
*aequicollis* Casey, 1912:306
- Huequenial** Cerda, 1986:33  
*Angolia*; Cerda, 1980:64 (not Malloch, 1934)  
**araucana** (Cerda, 1980:64)  
**livida** (Germain, 1898:739)
- Pehuenial** Cerda, 1980:65  
**lunata** (Germain, 1898:749)  
**testacea** Cerda, 1980:65
- Xenocompsa** Martins, 1965:94  
**flavonitida** (Fairmaire & Germain, 1859:507)  
*bifasciatum* Philippi & Philippi, 1860:251  
**martinsi** Cerda, 1980:65  
**semipolita** (Fairmaire & Germain, 1859:508)  
*pallidicornis* Fairmaire & Germain, 1864:387

**Pleiarthrocerini** Lane, 1950:371

**Pleiarthrocerus** Bruch, 1914:340  
**opacus** Bruch, 1914:341 ne Brasil (AP, PB, PE), nc Argentina (SA, TU)

**Ectenessini** Martins & Galileo, 1998: 82

**Acanthonessa** Napp & Martins, 1982:355  
**quadrispinosa** (Melzer, 1931:192) e Brasil (PB-SP)

**Bomarion** Gounelle, 1909:674  
**achrostum** Napp & Martins, 1982:378 Peru  
**affabile** Napp & Martins, 1982:380 e Brasil (ES)  
**anormale** (Thomson, 1867:145) e Brasil (BA)  
**aureolatum** Martins, 1968:21 Bolivia  
**boavidai** Martins, 1968:18 se Brasil (MG-PN)  
**carenum** Martins, 1962:150 Bolivia  
**fraternum** Napp & Martins, 1982:379 se Brasil (SP)  
**heteroclitum** (Thomson, 1867:137) se Brasil (ES, SP)  
**lineatum** Gounelle, 1909:675 e Brasil (GO, BA-ES)  
**signatipenne** Gounelle, 1909:675 e Brasil (PE, BA)

**Ectenessa** Bates, 1885:257  
**andrei** Martins & Galileo, 1996:292 se Brasil (RS)  
**angusticollis** (Buquet, 1860:627) se Brasil (ES-SC)  
*fenestratum* Thomson, 1865:572  
*sexmaculata* Bates, 1885:257  
**argodi** Belon, 1902:15 e Brasil (GO, MG, SP)  
**decorata** (Melzer, 1935:173) se Brasil (MG-PR)  
**fenestrata** (Gounelle, 1909:601) e Brasil (BA, ES, SP)  
*quadrimaculatus* Zajciw, 1961:104  
**guttigera** (Lucas, 1857:183) Brasil (GO, MT, CE-ES)  
**lurida** Martins, 1973:203 Trinidad  
**melanicornis** Napp & Martins, 1982:374 se Brasil (BA-PR)  
**nitida** Bates, 1885:258 Mexico (VC)- Nicaragua  
**ocellata** (Gounelle, 1909:600) ec Brasil (MT, GO, SP), Paraguay  
**ornatipennis** Tippmann, 1960:109 Peru, c Brasil (MT), Bolivia  
**quadriguttata** (Burmeister, 1865:168) Bolivia, ec-se Brasil, Paraguay, Argentina  
**scansor** (Gounelle, 1909:675) se Brasil (GO, BA-RJ)  
**spinipennis** (Buquet, 1860:626) Fr Guiana, c-se Brasil, Peru, Bolivia  
**villardi** Belon, 1902:13 e Brasil (GO, MG), Bolivia

**Ectenessidia** Gounelle, 1909:603  
**nigriventris** (Belon, 1902:15) e Brasil (GO, MG)  
*varians*, var. *cyaneipennis* Gounelle, 1909:604  
**varians** (Gounelle, 1909:604) e Brasil (GO, BA, ES)  
var. *simplicipennis* Gounelle, 1909:604

**Eurymerus** Audinet-Serville, 1833:566  
**eburioides** Audinet-Serville, 1833:566 e Brasil (GO, PE-RS), Paraguay,  
*flavosignatus* White, 1853:115 Argentina, Uruguay  
var. *nigricans* Tippmann, 1960:109

**Lissoeme** Martins, Chemsak & Linsley, 1966:207  
**maculata** Martins & Galileo, 1998: 48 Brasil (BA)  
**testacea** Martins, Chemsak & Linsley, 1966:209 Venezuela

**Meryeurus** Martins & Galileo, 1998: 115  
**servillei** Martins & Galileo, 1998: 117 Brasil (MG)

**Niophis** Bates, 1867:27*Trumais* Gounelle, 1909:605*Apomethia* Martins, Chemsak & Linsley, 1966:210**aper** (Germar, 1824:510)**antennata** (Martins, Chemsak & Linsley, 1966:211)**bucki** Martins & Monné, 1973:24**coptorhina** Bates, 1867:28*coptorrhina*; Bates, 1870:245**neotropica** (Martins, 1961:190)**picticornis** (Martins, 1964:195)**rufula** (Gounelle, 1909:605)

e Brasil (ES)

Panama

se Brasil (ES, RJ)

n Brasil (PA), Fr Guiana

Peru

wc Brasil (AM, PA, RO)

ec Brasil (GO), Paraguay

**Tricheurymerus** Zajciw, 1961:106**obscurus** (Prosen, 1947:254)**quadristigma** (Gounelle, 1909:602)

Paraguay, Argentina

c Brasil (RO, GO, MT), Fr Guiana,

Paraguay, Argentina

**Cerambycini** Latreille, 1804: 259**Amphelictus** Bates, 1884:242**bicolor** Chemsak & Linsley, 1964:223**brevidens** Chemsak & Linsley, 1964:223**castaneus** Chemsak & Linsley, 1964:225**cribripennis** Chemsak & Linsley, 1964:221**melas** Bates, 1884:242**milleri** Chemsak & Linsley, 1964:222**panamensis** Chemsak & Linsley, 1964:224**rugiscapus** Fuchs, 1976:57

sw Mexico (GR), Costa Rica, Panama

Panama

Venezuela, Fr Guiana

Colombia

Mexico

Colombia, ECU

Panama

Colombia

**Bothrocerambyx** Schwarzer, 1929:353*Parabrasilianus* Fragoso, 1970:99**nevermanni** Schwarzer, 1929:353*macrocephalus* Fragoso, 1970:99

Costa Rica-Colombia,

**Brasilianus (Brasilianus)** Jacobson, 1924:238*Hamaticherus*; Audinet-Serville, 1834:15 (not Germar, 1824)*Hammaticherus*; White, 1853:125*Hammatochaerus*; Gemminger & Harold, 1872:2800**batus** (Linnaeus, 1758:390)*datius*; Linnaeus, 1764:69*spinusus* Goeze, 1777:464var. *carthagenae* Gahan, 1892:21**bipartitus** (Buquet, 1860:624)**consobrinus** (Gahan, 1892:19)**costalimai** Zajciw, 1966:105**erythropus** (Nonfried, 1895:305)**fasciatus** Martins & Monné, 1975:275**fraterculus** Martins, 1979:26**garbei** (Melzer, 1922:4)**glaberrimus** Martins, 1979:26**glabricollis** (Bates, 1870:251)**gounellei** Zajciw, 1966:106**inconstans** (Gounelle, 1913:208)**intermedius** Martins, 1979:27**lacordairei** (Gahan, 1892:20)**lasiocerus** (Gahan, 1892:22)**longipennis** Zajciw, 1966:107**mexicanus** (Thomson, 1860:196)*castaneus* Bates, 1870:250**murinus** (Gahan, 1892:22)**pactor** (Lameere, 1885:1xi)

Honduras-Panama, n SAmer

Fr Guiana

Fr Guiana, n Brasil (AP)

se Brasil (SP-SC)

Colombia

Bolivia, Fr Guiana

Paraguay

se Brasil (MG-RS)

e Brasil (MG)

nw Brasil (AM), Ecuador

ec Brasil (GO), Fr Guiana

se Brasil (SC, RS), Argentina, Uruguay

se Brasil (SP)

SAmer

Brasil (ES-SP), Fr Guiana

se Brasil (RJ), Fr Guiana

Mexico-s Brasil

Brasil, Paraguay, Argentina, Uruguay

Brasil, Paraguay



- peruvianus** Tippmann, 1960:111  
**pisinnus** Martins & Monné, 1975:276  
**plicatus** (Olivier, 1790:299)  
*luridipennis* Gahan, 1892: 22  
**punctulatus** (Gahan, 1892:21)  
**rufipennis** (Gory in Guérin-Ménéville, 1831:pl.44, fig.1)  
**rugosus** (Olivier, 1795:11)  
**rusticus** (Gounelle, 1909:608)  
**testaceicornis** (Melzer, 1923:7)  
**yucatecus** Chemsak & Noguera, 1997:6
- Peru, Fr Guiana  
Paraguay, n Argentina (SA)  
Mexico-Panama, Trinidad & Tobago,  
Venezuela, Guianas, Brasil (AM), Ecuador  
se Brasil (ES, RJ)  
Fr Guiana, Surinam, Ecuador, Brasil (AM-SC)  
Fr Guiana  
ec Brasil (GO)  
Brasil (GO, MT, ES-SC)  
Mexico (QR, YU), Guatemala, Costa Rica?
- Brasilianus (Hirtobrasilianus)** Fragoso & Tavakilian, 1985:231  
**matogrossensis** (Fragoso, 1971:8)  
**seabrai** Fragoso & Tavakilian, 1985:232  
**villiersi** Fragoso & Tavakilian, 1985:235
- Fr Guiana, c Brasil (MT)  
Venezuela, Fr Guiana, c Brasil (AM, MT), Ecuador  
Fr Guiana, Surinam
- Brasilianus (Macrobrasilianus)** Fragoso, 1971:7  
**bellator** (Audinet-Serville, 1834:15)  
*macrus* Bates, 1870: 251
- nw Brasil (AM), Fr Guiana
- Butherium** Bates, 1870:255  
**erythropus** (Lucas, 1857:187)  
**scabricolle** Nonfried, 1895:307
- e Brasil (PE-SC), Paraguay, Argentina  
nw Brasil (AM)
- Coleoxestia** Aurivillius, 1912:64  
*Xestia* Audinet-Serville, 1834:16  
**armata** (Gounelle, 1909:615)  
**atrata** (Gounelle, 1909:612)  
**brevipennis** (Bates, 1870:256)  
**cinnamomea** (Gounelle, 1909:615)  
**confusa** (Lacordaire, 1869:271)  
**corvina** (Germar, 1824:508)  
**denticollis** Melzer, 1920:430  
**denticornis** (Gahan, 1892:29)  
**ebenina** Melzer, 1935:174  
**femorata** (Gounelle, 1909:613)  
**glabripennis** (Bates, 1870:256)  
**globulicollis** (Gahan, 1892:31)  
**illex** (Gounelle, 1909:611)  
**lissonota** Fragoso, 1993:338  
**longipennis** (Gahan, 1892:31)  
**nigra** Lane, 1956:12  
**nigropicea** (Bates, 1870:256)  
**nitida** (Bates, 1872:172)  
**olivieri** Fragoso, 1993:336  
**polita** (Waterhouse, 1880:486)  
**pubicornis** (Gounelle, 1909:610)  
**rubromaculata** (Gounelle, 1909:612)  
*bimaculata* Fuchs, 1955:48  
**rufosemivittata** Tippmann, 1960:113  
**sanguinipes** (Bates, 1884:242)  
**semipubescens** Melzer, 1923:4  
**setigera** Melzer, 1926:6  
**sobrina** Melzer, 1923:4  
**spinifemorata** Fragoso, 1993:333  
**spinipennis spinipennis** (Audinet-Serville, 1834:17)  
subsp. **interiorana** Fragoso, 1993:333  
**vittata** (Thomson, 1860:192)  
**waterhousei** (Gounelle, 1909:614)
- ec Brasil (GO)  
ec Brasil (GO)  
nw Brasil (AM)  
ec Brasil (GO)  
se Brasil (MG-RS)  
c, se Brasil, Paraguay, Argentina, Uruguay  
s Brasil (SC)  
se Brasil (ES, RJ)  
c Brasil (MT)  
ec Brasil (GO)  
n Brasil (PA)  
se Brasil (ES, RJ)  
ec Brasil (GO)  
Colombia  
se Brasil (RJ, SP)  
s Brasil (PR)  
n Brasil (PA)  
s Mexico-Colombia  
Fr Guiana, c Brasil (MT)  
Ecuador, Brasil  
e Brasil (GO, PE-RJ)  
Nicaragua-Colombia, Brasil (GO)
- Bolivia  
Guatemala-Panama  
se Brasil (ES-SC), Paraguay  
s Brasil (PR)  
se Brasil (RJ-SC)  
Fr Guiana, c Brasil (MT)  
se Brasil (BA-RS)  
c Brasil (PA, MT)  
Costa Rica, Panama, se Brasil, Paraguay, Argentina  
Brasil (GO, MT, CE-RS), Paraguay,  
Argentina, Uruguay
- Criodion** Audinet-Serville, 1833:571  
*Criodon*; Chenu, 1870:313

- Criotion*; Gounelle, 1909:609  
**angustatum** Buquet, 1852:358  
**antennatum** Gahan, 1892:24  
**cinereum** (Olivier, 1795:35)  
**dejeani** Gahan, 1892:25  
**fulvopilosum** Gahan, 1892:23  
**hirsutum** Bates, 1870:253  
**murinum** Nonfried, 1895:206  
**pilosum** Lucas, 1857:188  
**rhinocerus** Bates, 1870:253  
**tomentosum** Audinet-Serville, 1833:572  
**torticolle** Bates, 1870:252  
**tuberculatum** Gahan, 1892:25
- Brasil, Argentina, Paraguay  
Venezuela  
Puerto Rico ?, Venezuela, Guianas  
se Brasil (ES-SP)  
se Brasil (BA-PR), Fr Guiana  
e Brasil (BA)  
Guatemala, Costa Rica  
Brasil  
n Brasil (PA)  
se Brasil (RJ-RS)  
n Brasil (PA), Fr Guiana  
Fr Guiana, nw Brasil (AM), Peru
- Ischionorox** Aurivillius, 1922:405  
**antiqua** Aurivillius, 1922:406
- nw Argentina (ME, SE)
- Macrambyx** Fragoso, 1982:145  
**suturalis** (Gory, 1832: pl. 1)  
*feisthamelii* Buquet, 1852:355
- Fr Guiana, nc Brasil (AM, PA, MT)
- Metacriodion** Fragoso, 1970:97  
**capixaba** Fragoso, 1970:97  
**pictum** (Waterhouse, 1880:292)
- e Brasil (ES)  
Ecuador, Peru, Bolivia
- Melathemma** Bates, 1870:258  
**polita** Bates, 1870:258
- nw Brasil (AM), Ecuador
- Orion** Guérin-Méneville, 1844:229  
**brunneus** Guérin-Méneville, 1844:229  
**maurus** (Newman, 1841:111)  
**patagonus** Guérin-Méneville, 1844:229  
*lachesis* Blanchard, 1843:209  
*lacordairei* Ritsema, 1889:144
- Argentina  
se Brasil (RJ)  
s Brasil (RS), Argentina, Uruguay
- Ochrodion** Fragoso, 1982:144  
**gahani** (Gounelle, 1909:609)  
**quadrimaculatum** (Gahan, 1892:27)  
**sexmaculatum** (Buquet in Guérin-Méneville, 1844: 228)  
**sommeri** (Gahan, 1892:27)  
**testaceum** (Gahan, 1892:26)
- e Brasil (GO, MG, SP)  
se Brasil (MG, RJ)  
se Brasil (ES-PR)  
se Brasil (MIN-SP)  
se Brasil (ES-SP), Peru
- Paracriodion** Fragoso, 1982:147  
**modestum** (Buquet, 1852:357)  
*pubicolle* Melzer, 1931:52  
**romani** (Aurivillius, 1926:1)
- se Brasil (ES-PR)  
Ecuador, nw Brasil (AM), Fr Guiana
- Parasphallenum** Fragoso, 1982:145  
**fulguratum** (Chabrillac, 1857:196)  
*litteratum* Gahan, 1892:28
- Brasil
- Peruanus** Tippmann, 1960:110  
**serricornis** Tippmann, 1960:111
- Peru, Ecuador
- Poeciloxestia** Lane, 1965:269  
**bivittata** (Buquet, 1852:356)  
*omega* Zajciw, 1967:197  
**carlyislei** Fragoso, 1978:134  
**dorsalis** (Thomson, 1860:193)
- se Brasil (RJ-SC)  
Colombia  
se Brasil (BA-RS), Paraguay

- elegans** (Gory, 1833: pl. 64)  
**hirsutiventris** Fragoso, 1978:133  
**lanceolata** Fragoso, 1978:153  
**lanei** Fragoso, 1978:125  
**lateralis** (Erichson, 1847:140)  
**melzeri** Lane, 1965:270  
*sagittaria*; Melzer, 1923:5 (not Bates, 1872)  
**minuta** Fragoso, 1978:131  
**ochrotaenia** (Bates, 1870:257)  
**paraensis** Lane, 1965:274  
**paralela** Fragoso, 1978:129  
**plagiata** (Waterhouse, 1880:293)  
**rugosicollis** Fragoso, 1978:126  
**sagittaria** (Bates, 1872:173)  
**signatipennis** (Melzer, 1923:5)  
**suturalis** (Perty, 1832:90)  
**travassosi** Fragoso, 1978:149
- se Brasil (PE-RS)  
Peru, Bolivia  
Mexico (QR)-Panama  
c Brasil (MT), Bolivia  
Peru, Bolivia, Fr Guiana  
se Brasil (MG-RJ), Peru, Bolivia
- se Brasil (PE-RS)  
nc Brasil (AM, PA)  
Trinidad, Venezuela, Fr Guiana, nc Brasil (PA)  
n-e Brasil (PA, MG-SP)  
Ecuador  
Ecuador  
Nicaragua-n SAmer  
se Brasil (SP, SC)  
c, se Brasil (MT, MG-RS), Bolivia, Argentina  
c, se Brasil (MT, SP, PR)
- Sphallambyx** Fragoso, 1982:145  
**chabrilacii** (Thomson, 1857:123)  
*toledopizai* Melzer, 1934:70  
**superbum** (Aurivillius, 1910:147)
- se Brasil (SP)  
Colombia
- Sphallenopsis** Fragoso, 1981:145  
**pilosovittata** (Bates, 1872:172)
- Nicaragua-Panama
- Sphallenum** Bates, 1870:253  
**tuberosum** Bates, 1870:255
- n, e Brasil (PA, MA, BA, ES), Fr Guiana, Ecuador
- Sphallopterus** Fragoso, 1982:146  
**batesi** Fragoso, 1982:147
- n Brasil (PA)
- Sphalotrichus** Fragoso, 1982:145  
**bidens** (Fabricius, 1801:271)  
*luguber* Voet, 1806:27  
*castanopterum* Erichson in Schomburg, 1848:571  
*femorale* Bates, 1870:254  
**puncticollis puncticollis** (Bates, 1870:254)  
subsp. **robustus** (Bates, 1872:172)  
subsp. **hirsuticornis** Fragoso, 1995:188  
**sculpticollis** (Buquet, 1852:356)  
**sericeotomentosus** Fragoso, 1995:188  
**setosus** (Germar, 1824:507)  
**spadiceus** (Gahan, 1892:29)
- Guianas, nw Brasil (AP, AM, PA)  
nc Brasil (AM, PA), Fr Guiana  
Nicaragua, Costa Rica, Fr Guiana  
Ecuador  
Colombia  
Venezuela, Brasil (RO, MT, PA)  
se Brasil (BA-RS), Paraguay, Argentina  
e, se Brasil (GO, ES-PR)
- Xestiodion** Fragoso, 1981:379  
**annulipes** (Buquet in Guérin-Méneville, 1844:228)  
**pictipes** (Newman, 1838:396)  
*octomaculatum* Nonfried, 1894:137  
**similis** (Melzer, 1920:428)
- se Brasil (BA-SC), Paraguay  
c, se Brasil (GO, MT, BA-SC)  
se Brasil (MG, SP)
- Diorini** Lane, 1950:373
- Diorus** White, 1853:135  
*Salobra* Lane, 1939:74  
**biapiculatus** White, 1853:135  
*discreta* Lane, 1939:75
- Brasil (ES, SP, GO, MS), Fr Guiana, Bolivia

**Eburiini** Blanchard, 1845:145

**Beraba** Martins, 1997:67

**angusticollis** (Zajciw, 1961:121)  
**cauera** Galileo & Martins, 1999: 194  
**cheilaria** (Martins, 1967:51)  
**decora** (Zajciw, 1961:123)  
**erosa** (Martins, 1981:209)  
**grammica** (Monné & Martins, 1992:273)  
**iuba** Martins, 1997:69  
**limpida** Martins, 1997:70  
**longicollis** (Bates, 1870:264)  
**marica** Galileo & Martins, 1999: 193  
**moema** Martins, 1997:69  
**piriana** Martins, 1997:68  
**spinosa** (Zajciw, 1967:527)

se Brasil (RJ)  
 Brasil (AM)  
 s Brasil (MS), Bolivia  
 ec Brasil (MA, GO)  
 e Brasil (BA, MG)  
 e Brasil (MG, ES)  
 Ecuador  
 Venezuela  
 Venezuela, nw Brasil (AM)  
 Colombia  
 Ecuador  
 Colombia  
 Peru

**Cupanoscelis** Gounelle, 1909:618

**clavipes** Gounelle, 1909:619  
**heteroclita** Gounelle, 1909:619  
**inermis** Monné & Martins, 1992:271  
**latitibialis** Monné & Martins, 1992:270  
**sanmartini** Martins & Monné, 1975:279  
**serrana** Martins & Galileo, 1999: 808

ec Brasil (GO), Bolivia  
 e Brasil, Paraguay, Argentina  
 e Brasil (BA, MG)  
 e Brasil (BA, MG)  
 Venezuela  
 Brasil (GO)

**Dioridium** Zajciw, 1961:217

*Mocajuba* Lane, 1972:358  
**borgmeieri** (Lane, 1972:358)  
**hirsutum** Zajciw, 1961:218

n Brasil (PA)  
 c Brasil (MT)

**Eburella** Monné & Martins, 1973:152

**longicollis** Martins & Galileo, 1999: 807  
**pinima** Martins, 1997:67  
**pumicosa** Monné & Martins, 1973:152

Bolivia  
 Bolivia  
 sc Brasil (MT, MS)

**Eburia (Eburia)** Lepeletier & Audinet-Serville in Lacordaire, 1830:177

*Dissacanthus* Hope, 1835:107  
*Dissacantha*; Thomson, 1864:240  
*Coeleburia* Thomson, 1860:237  
*Drymo* Thomson, 1864:242  
*Eleutho* Thomson, 1864:242  
**aegrota** Bates, 1880:21  
**affluens** Chemsak & Linsley, 1973:338  
**albolineata** Fisher, 1944:4  
**amabilis** Boheman, 1859:150  
**bahamicae** Fisher, 1932:11  
**baroni** Bates, 1892:148  
**bimaculata** (Voet, 1778:16)  
**blancaneau** Bates, 1880:20  
*blancaneauxi*; Bates, 1884:pl. 17, fig. 5  
**bonairensis** Gilmour, 1968: 115  
**brevicornis** Chemsak & Linsley, 1973:339  
**brevispinis** Bates, 1880:21  
**brunneicomis** Chemsak & Linsley, 1973:340  
**cacapyra** Martins, 1999: 246  
**caymanensis** Fisher, 1941:109  
 var. *obsoleta* Fisher, 1948:226  
**championi** Bates, 1880:20  
**charmata** Martins, 1981:207  
**cinerea** Franz, 1959:189  
**cinereopilosa** Fisher, 1932:13  
**cinnamomea** Fleutiaux & Sallé, 1889:463  
**clara** Bates, 1884:245

e Mexico (VC)  
 se Mexico (QR)  
 Venezuela  
 Ecuador, Galapagos Is  
 Bahamas  
 sw Mexico (GR, VC)  
 W Indies (Antigua)  
 Belize  
 Curaçao, Bonaire, Surinam  
 se Mexico (YU, QR)  
 e Mexico (VC), Nicaragua  
 se Mexico (YU, QR)  
 Ecuador  
 W Indies (Cayman Is)  
 Guatemala-El Salvador  
 e Brasil (ES)  
 Peru  
 Cuba  
 Guadeloupe  
 Mexico

**concisispinis** Fisher, 1941:111  
**confusa** Zayas, 1975:61  
**consobrina** Jacquelin du Val in Sagra, 1857:265  
*pedestris* White, 1853:88 (part)  
**cubae** Fisher, 1932:16  
**decemmaculata** (Fabricius, 1775:181)  
*quinquemaculatus* Fabricius, 1792:296  
**dejeani** Gahan, 1895:94  
**didyma** (Olivier, 1795:125)  
*pulverea* Chevrolat, 1862:266  
**distincta** Haldeman, 1847:150  
**elegans** Chemsak & Linsley, 1973:342  
**elongata** Fisher, 1932:18  
**falli** Linsley, 1940:257  
*semipubescens*; Fall, 1909:163 (not Thomson, 1860)  
**fisheri** Russo, 1930:144  
**fuliginea** (Bates, 1872:173)  
**haldemani** LeConte, 1851:102  
**hatsueae** Chemsak & Giesbert, 1986:21  
**inarmata** Chemsak & Linsley, 1973:343  
**inermis** (Fleutiaux & Sallé, 1889:461)  
**insulana** Gahan, 1895:93  
**jamaicae** Fisher, 1942:6  
**juanitae** Chemsak & Linsley, 1970:300  
**lanigera** Linell, 1898:259  
*amabilis*; Howard, 1889:192 (not Boheman, 1859)  
**laticollis** Bates, 1880:22  
*sinaloae* Chemsak & Linsley, 1970:302  
**latispina** Chemsak & Linsley, 1973:344  
**lewisi** Fisher, 1948:225  
**linsleyi** Lacey, 1949:1  
**longicornis** Fisher, 1932:9  
**macrotaenia** Bates, 1880:20  
**marginalis** Fisher, 1947:29  
**megalops** Chemsak & Linsley, 1973:346  
**minutivestis** Chemsak & Linsley, 1973:347  
**mutica** LeConte, 1853:233  
*manca* LeConte, 1858:24  
*tumida* LeConte, 1873:181  
**nigrovittata** Bates, 1884:246  
*nigrovittata*; Linsley, 1935:73  
*conspersa* Horn, 1894:399  
**octomaculata** Chevrolat, 1862:265  
**opaca** Chemsak & Linsley, 1973:347  
**ovicollis** LeConte, 1873:180  
*quadricollis* Casey, 1924:259  
*densa* Casey, 1924:259  
**paraegrota** Chemsak & Linsley, 1973:348  
**patruelis** Bates, 1884:244  
**pedestris** White, 1853:88  
var. *mutata* Bates, 1884:245  
**pellacia** Zayas, 1975:69  
**perezi** Chemsak & Giesbert, 1986:22  
**pilosa** (Erichson in Meyens, 1834:267)  
*bauri* Linell, 1898:260  
*proletaria*; Blair, 1933:481 (not Erichson, 1847)  
*rospigliosii* Bréthes, 1925:15  
**pinarensis** Zayas, 1975:69  
**poricollis** Chemsak & Linsley, 1973:351  
**portoricensis** Fisher, 1932:15  
**porulosa** Bates, 1892:149  
var. *porifera* Bates, 1892:149  
**postica** White, 1853:89  
**powelli** Chemsak & Linsley, 1970:301  
W Indies (Cayman Is)  
Cuba  
Cuba, Jamaica  
se Mexico (QR), Guatemala, Cuba  
W Indies  
Guadeloupe, Martinique  
Cuba, R Dominicana  
se USA  
se Mexico (QR)  
Cuba  
sw USA (CA, AZ), Baja Calif  
Hispaniola  
se Mexico (VC)-Panama  
s USA (FL-NM), n Mexico  
w Mexico (JA, OA, GR)  
w Mexico (SI)  
Guadeloupe, Martinique  
Martinique, St. Vincent  
Jamaica  
w Mexico (SI, JA)  
Galapagos Is, Ecuador  
w Mexico (SI, DU, JA)  
w Mexico (NA)  
W Indies (Cayman Is)  
sw USA (AZ)  
Cuba  
s Mexico (CHS)-El Salvador  
Cuba  
sw Mexico (OA)  
e Mexico (VC)  
sw USA (TX), n Mexico  
w Mexico (JA, NA, SI, ME), Baja Calif  
Cuba, Guadeloupe, Dominica, Barbados  
se Mexico (YU, QR)  
sw USA (TX), n Mexico  
w Mexico (SI, JA)  
Mexico  
Mexico-Panama  
Cuba  
w Mexico (JA)  
Ecuador, Galapagos Is, Peru, Bolivia, Chile  
Cuba  
c Mexico (OA, GR, MO, MI, PU)  
Puerto Rico  
se Mexico (YU, QR)  
Jamaica  
w Mexico (SO, SI, JA)

**quadrigeminata** (Say, 1826:275)  
**quadrimaculata** (Linnaeus, 1767:626)  
*ramphygeus* Linnaeus, 1767:633  
*binodosa* Gahan, 1895:95  
**quadrinotata** (Latreille, 1811:165)  
*speciosa* Blanchard, 1843:208  
**ramsdeni** Fisher, 1932:14  
**rotundipennis** Bates, 1884:245  
**rufobrunnea** Perroud, 1855:367  
**schusteri** Giesbert, 1993:137  
**semipubescens** (Thomson, 1860:238)  
*meinerti* Aurivillius, 1912:79  
*nigrovittata*; Aurivillius, 1893:184 (not Bates, 1884)  
**sericea** Sallé, 1855:271  
**sexnotata** Boheman, 1859:151  
**sordida** Burmeister, 1865:165  
**stigma** (Olivier, 1795:126)  
*duvalii* Chevrolat, 1862:266  
**stigmatica** Chevrolat, 1834:fasc. 3, N° 60  
*perforata* LeConte, 1873:180  
**stroheckeri** Knull, 1949:104  
**submutata** Chemsak & Linsley, 1973:352  
**tetrastalacta** White, 1853:89  
*maculatus* Drury, 1773:84  
*quadrimaculatus*; Panzer in Drury, 1788:141 (not Linnaeus, 1767)  
**thoracica** White, 1853:92  
*virginensis* Gilmour, 1963:77  
**ulkei** Bland, 1862:270  
**velmae** McCarty, 1993:336

e Namer, introduced in Cuba and Argentina  
Cuba, Puerto Rico, Virgin Is, Guadeloupe

Colombia-Chile

Cuba  
e Mexico (VC)  
Guatemala  
s Mexico (CHS), Guatemala  
Venezuela

Cuba, Jamaica, Hispaniola  
Ecuador  
e Brasil (CE-PR), Paraguay, Argentina, Uruguay  
se USA (FL), Cuba, Mexico-Costa Rica,  
Hispaniola, Bahamas  
sw USA (TX, AZ), Mexico (NA)

se USA (FL)  
s Mexico (CHS)  
Bahamas, Jamaica

W Indies (Virgin Is), Curaçao, Surinam

sw USA (AZ), Baja Calif, Mexico (DU)  
e Mexico (VC)

**Eburiaca** Martins, 1999: 162  
**sinopia** Martins: 1999: 153

Brasil (MG)

**Eburodacrys (Eburodacrys)** White, 1853:93

*Eburogutta* Gemminger & Harold, 1872:2815

*Oncoptera* Lacordaire, 1869:297

*Sarquinopus* Martins, 1970:45

**alini** Napp & Martins, 1980:77

**amazonica** Melzer, 1927:561

**asperula** Bates, 1880:23

**assimilis** Gounelle, 1909:625

**bilineata** Joly, 1992:139

**callixantha** Bates, 1872:174

**campestris** Gounelle, 1909:633

**catarina** Galileo & Martins, 1992:1

**coalescens** Bates, 1884:247

**costai** Gounelle, 1909:628

**crassimana** Gounelle, 1909:621

**cruciata** Linsley, 1935:73

**cunusaia** Martins, 1997:66

**curialis** Gounelle, 1909:624

**decipiens** Gounelle, 1909:626

**dubitata** White, 1853:95

**eburioides** (White, 1853:114)

*arcifera* Bates, 1870:271

var. **concolor** Gounelle, 1909:620

**elegantula** Gounelle, 1909:631

**eurytibialis** Monné & Martins, 1992:265

**flexuosa** Gounelle, 1909:627

**fortunata** Lameere, 1884:87

**gaucha** Galileo & Martins, 1992:4

**gigas** (Gounelle, 1909: 629)

*longilineata* var. *gigas* Gounelle, 1909

se Brasil (MG-SP)  
n Brasil (PA)  
Mexico-Panama, Venezuela  
c Brasil (GO, MT, SP)  
Venezuela  
Mexico (VC)-Panama  
e Brasil (MA, GO, BA-SP), P{araguay, Argentina  
se Brasil (SC)  
Mexico-Panama  
ec Brasil (GO)  
ec Brasil, Paraguay, Argentina  
sc Mexico (ME)  
e Brasil (BA, PB, MG, MS)  
ec Brasil (GO)  
ec Brasil (GO)  
ec Brasil (GO)  
se Brasil, (BA-RS), Paraguay, Argentina  
se Brasil (ES-RS)

ec Brasil (GO)  
c Brasil (GO, MT)  
sc Brasil (MT)  
ec Brasil (GO, MT, PB, MG), n Argentina (CH)  
ec Brasil (GO, MT, PI-SP), Bolivia  
se Brasil (RS)  
Guianas, ec Brasil (e MG, SP, GO, MT)

- longilineata gigas*; Napp & Martins, 1980:84
- granipennis** Gounelle, 1909:629
- havanensis** Chevrolat, 1862:267
- hesperidis** Chemsak & Linsley, 1970:304
- hirsutula** Bates, 1870:269
- laevicornis** Bates, 1884:247
- lancinata** Napp & Martins, 1980:81
- lanei** Zajciw, 1958:233
- lenkoi** Napp & Martins, 1980:81
- lepida** Martins, 1973:206
- longilineata** White, 1853:93  
*basicornis* Dohrn, 1882:373
- luederwaldti** Melzer, 1922:4
- lugubris** Gounelle, 1909:622
- mancula** White, 1853:94
- martinezi** Martins, 1997:66
- megaspilota** White, 1853:95
- monticola** Monné & Martins, 1973:149
- moruna** Martins, 1997:66
- nemorivaga** Gounelle, 1909:623
- notula** Gounelle, 1909:632
- obscura** Martins, 1973:204
- perspicillaris** (Erichson in Schomburg, 1848:572)  
*cacica* Bates, 1870:267
- pilicornis** Fisher, 1944:5
- pinima** Martins, 1999: 365
- prolixa** Monné & Martins, 1992:266
- puella** (Newman) 1840:196)
- pumila** Monné & Martins, 1992:268
- punctipennis** White, 1853:94
- quadridens** (Fabricius, 1801:308)  
*virgo* Newman, 1840:196  
*citreoguttata* Thomson, 1860:240
- raripila** Bates, 1870:270  
*latioclavia* Monné & Martins, 1973:150
- rhabdota** Martins, 1967:48
- rubicunda** Monné & Martins, 1992:267
- rufispinis** Bates, 1870:269
- sanguinipes** Gounelle, 1909:632
- seabrai** Zajciw, 1958:235
- seminigra** Gounelle, 1909:622
- sexguttata** Lameere, 1884:87
- sexmaculata** (Olivier, 1790:305)  
*var. approximata* Aurivillius, 1926:2
- stahli** Aurivillius, 1893:181
- sticticollis** Bates, 1874:220
- subaffinis** White, 1853:95
- sulfurifera** Gounelle, 1909:630
- sulphureosignata** (Erichson, 1847:140)  
*var. umbrosa* Kirsch, 1875:285  
*longipilis* Bates, 1870:268
- superba** Napp & Martins, 1980:79
- trilineata** (Aurivillius, 1893:183)
- triocellata** (Stål, 1857:63)  
*mexicana* Thomson, 1860:239  
*mexicana var. interrupta* Bates, 1884:247
- truncata** Fuchs, 1956:572  
*asperipennis* Zajciw, 1963:421
- tuberosa** Gounelle, 1909:625
- vidua** (Lacordaire, 1869:298)  
*grossipes* Martins, 1970:46
- vespertina** Monné & Martins, 1973:147
- vittata** (Blanchard, 1843:20)
- ec Brasil (GO, MT), Ecuador  
Cuba, Mexico-Panama, SAmer  
Mexico (SI, JA, CHS), Nicaragua  
nc Brasil (AM, PA)  
Nicaragua, Panama, Venezuela  
e Brasil (ES)  
Peru, wc Brasil (RO, MT)  
se Brasil (MG-SP)  
nw Brasil (AM), Ecuador  
e Brasil (CE, ES, w MG, SP, PR), Paraguay,  
Argentina, Uruguay  
se Brasil (MG-SP)  
ec Brasil (GO)  
ec, se Brasil (GO, MT, MG-RS)  
n Argentina (SA)  
nw Brasil (AM)  
e Brasil (MG)  
Colombia  
ec Brasil (GO, MG, SP)  
ec Brasil (GO, MG, SP)  
se Brasil (SP)  
Guianas, n Brasil (PA), Peru
- Nicaragua, Panama, Venezuela  
Brasil (PA)  
sc Brasil (RO, MT)  
Guianas, n Brasil (PA)  
e Brasil (BA-ES)  
e Brasil (GO, BA-PR), Fr Guiana, Paraguay  
Fr Guiana, Brasil (PA), Peru
- Fr Guiana, Peru, Ecuador
- e Brasil (PB, PE)  
sc Brasil (GO, MT)  
nw Brasil (AM), Fr Guiana, Peru, Bolivia  
c Brasil (RO, GO, MT)  
e Brasil (PB-BA, SP)  
ec Brasil (GO, MT, MG, SP)  
Brasil (GO, PB-RS), Paraguay, Argentina  
SAmer (widely distributed), incl. Ecuador
- Brasil (GO, MT, MG-RS), Uruguay  
Nicaragua, Costa Rica  
se Brasil, Paraguay, Argentina, Uruguay  
e Brasil (GO, CE, MG-SP)  
Trinidad, Guianas, nw Brasil (AM), Peru,  
Bolivia, Ecuador
- c Brasil (MT), Bolivia, Ecuador  
se Brasil (ES-RS)  
Mexico-Colombia, Venezuela
- e Brasil (GO, MT, PI-SP), Bolivia
- e Brasil (GO, MG, SP), Argentina  
se Brasil (SP-SC), Argentina, Uruguay
- e Brasil (MG, ES)  
Brasil, Bolivia, Paraguay, Argentina, Uruguay

- Eburodacrys (Eburodacrystola)** Melzer, 1928:146  
*pickeli* Melzer, 1928:146  
 e Brasil (MA, CE, PE, GO)
- Eburostola** Tippmann, 1960:115  
*amazonica* Tippmann, 1960:116  
 n Brasil (PA)
- Erosida** Thomson, 1860:242  
*delia* Thomson, 1860:242  
*elegans* Lacordaire, 1869:295  
*formosa* (Blanchard, 1843:208)  
 ab. *conjunctula* Tippmann, 1960:166  
*gratiosa* (Blanchard, 1843:208)  
*lineola* (Fabricius, 1781:228)  
*brasilianus* Gmelin, 1790:1860  
*yucatanica* Giesbert, 1985:82  
 Colombia, Venezuela  
 Bolivia, Brasil (PA, MS)  
 se Brasil, Paraguay, Argentina, Uruguay  
 Venezuela, Brasil  
 sw, se Mexico (JA, QR)
- Opades** Lacordaire, 1869:288  
*costipennis* (Buquet in Guérin-Méneville, 1844:221)  
*vittipennis* Bates, 1870:261  
*costifera* Waterhouse, 1880:486  
 Ecuador, Surinam, Fr Guiana, nw Brasil (AM)
- Pantomallus** Lacordaire, 1869:286  
*costulatus* (Bates, 1870:265)  
*morosus* (Audinet-Serville, 1834:10)  
*villosicornis* Lacordaire, 1869:287  
*pallidus* Aurivillius, 1923:440  
*piruatinga* Martins, 1997:76  
*proletarius* (Erichson, 1847:140)  
*reclusus* (Martins, 1981:209)  
*tristis* Blanchard, 1843:208  
*crassicorne* (Martins, 1981:208)  
 Peru, nw Brasil (AM)  
 e Brasil (GO, PB-RS), Paraguay, Uruguay,  
 Argentina  
 se Brasil (MG-SC)  
 n Brasil (PA, MA)  
 Peru  
 sc Brasil (MT, SP), Bolivia  
 Bolivia, c Brasil (MT)
- Pronuba** Thomson, 1860:241  
*Microspiloma* Bates, 1867:24  
*decora* Thomson, 1860:241  
*dorilis* (Bates, 1867:25)  
*gracilis* Hovore & Giesbert, 1990:792  
*incognita* Hovore & Giesbert, 1990:789  
*lenkoi* Monné & Martins, 1974:25  
 se Brasil (BA-RS), Paraguay, Argentina  
 c Brasil (AM, PA, RO), Ecuador, Bolivia  
 Costa Rica  
 Guatemala-Panama  
 s Brasil (MS)
- Quiacaua** Martins, 1997:70  
*abacta* (Martins, 1981:206)  
*taguaiba* Martins, 1997:71  
 e Brasil (ES)  
 n Brasil (PA)
- Solangella** Martins, 1997:73  
*lachrymosa* (Martins & Monné, 1975:280)  
*meridana* (Bates, 1872:174)  
*micromacula* Martins, 1997:74  
 Bolivia  
 Venezuela  
 Ecuador
- Styliceps** Lacordaire, 1869:291  
*striatus* (Voet, 1778:17)  
*sericata* Pascoe, 1859:16  
*amazonica* Thomson, 1860:210  
*sericans* Lacordaire, 1869:292  
 w Mexico (JA)- Panama, Fr Guiana, Surinam,  
 nc Brasil (AM, PA), Ecuador
- Susuacanga** Martins, 1997:60  
*maculicornis* (Bates, 1870:266)  
*octoguttata* (Germar, 1821:168)  
 ab. *basibiguttata* Tippmann, 1960:115  
 se Brasil (ES-SC)  
 Brasil (RO, GO, MT, BA-RS), Paraguay,  
 Bolivia, Peru, Argentina



- ab. *inguttata* Tippmann, 1960:115  
 ab. *melanescens* Tippmann, 1960:115  
 ab. *basiquadrigitata* Tippmann, 1960:115  
 ab. *quadricostata* Tippmann, 1960:115  
**unicolor** (Bates, 1870:265) Venezuela, Peru, nw Brasil (AM), Paraguay
- Tumiditarsus** Zajciw, 1961:124  
**cicatricornis** Zajciw, 1961:125 n Argentina (FO)
- Uncieburia** Martins, 1997:72  
**nigricans** (Gounelle, 1909:618) Bolivia, e Brasil (PI-SP)  
*rogersi* var. *nigricans* Gounelle, 1909:618  
*cornuta* Aurivillius, 1925:505  
**quadrilineata** (Burmeister, 1865:165) Brasil, Paraguay, Argentina, Uruguay  
**rogersi** (Bates, 1870:266) se Brasil (MG, SP)  
*subcornuta* Fuchs, 1955:47
- Volxemia** Lameere, 1884:85  
**dianella** Lameere, 1884:86 se Brasil (ES, RJ)  
**seabrai** Zajciw, 1968:539 e Brasil (ES)
- Hesperophanini** Mulsant, 1839:61
- Alastos** Napp & Martins, 1982:358  
**batesi** (Pascoe, 1888:493) Costa Rica-Ecuador, Venezuela  
*improvisus* Moxey, 1965:241  
**pascoei** Martins & Galileo, 1999: 97 Bolivia
- Anatinomma** Bates, 1892:150  
**alveolatum** Bates, 1892:151 Mexico (SLP, VC, TB, CHS), Guatemala, Honduras  
**bispinosum** Aurivillius, 1916:337 Mexico (PU)-Panama  
**brevicornis** Fisher, 1944:1 Guatemala-Costa Rica  
**insularis** Chemsak & Linsley, 1964:217 se Mexico (Cozumel I.)
- Anoplomerus** Guérin-Méneville, 1844:224  
**buqueti** Belon, 1890:ix e Brasil, Paraguay, Argentina, Uruguay  
**globulicollis** Buquet, 1860:625 Fr Guiana, n Brasil (AP, PA)  
*gracilis* Bates, 1870:260  
**rotundicollis** Guérin-Méneville, 1844:224 se Brasil (ES-PR), Paraguay, Argentina
- Austranoplium** Chemsak & Linsley, 1963:209  
**concolor** Chemsak & Linsley, 1963:210 s Mexico (OA, YU)
- Austrophanes** Chemsak & Linsley, 1963:218  
**robustum** Chemsak & Linsley, 1963:218 sw Mexico (JA, OA)
- Brittonella** Fisher, 1932:7  
**chardoni** Fisher, 1932:8 Puerto Rico
- Brothylus** LeConte, 1859:80  
**conspersus** LeConte, 1859:285 w USA (CA, OR)  
**gemmulatus** LeConte, 1859:80 w USA (OR, UT)-w Mexico (SI)  
*castaneus* Casey, 1924:253  
*consors* Casey, 1924:254  
*longicollis* Casey, 1924:254
- Cacophrissus** Bates, 1885:252  
*Knullanoplium* Linsley, 1957:16

- maculipennis** Chemsak & Linsley, 1963:221  
**pauper** Bates, 1885:252  
*subpubescens* Schaeffer, 1909:100  
*duncani* Knull, 1927:117  
*insoletum* Linsley, 1942:43  
**pubescens** Chemsak & Linsley, 1963:220
- sw Mexico (GR)  
sw USA (AZ), Baja Calif, w Mexico (SI)
- Catoptronotum** Zajciw, 1959:610  
**bipenicillatum** Zajciw, 1959:611
- se Brasil (RJ, PR)
- Cetimaique** Martins & Galileo, 1999: 72  
**trinodosa** Martins & Galileo, 1999: 74
- e Brasil (ES)
- Dubiefostola** Tavakilian & Monné, 1991:161  
**auricollis** Tavakilian & Monné, 1991:161
- Fr Guiana, c Brasil (MT)
- Eucrossus** LeConte, 1873:174  
**villicornis** LeConte, 1873:175  
*phoenicis* Casey, 1924:249
- sw USA (CA, AZ, NE, NM)-Mexico (SO, CHA),  
Baja Calif
- Eusapia** Gounelle, 1909:687  
**amazonica** (White, 1855:240)  
*rubiginosa* Gounelle, 1909:688  
**guyanensis** Huedepohl, 1988:526  
**matogrossensis** Huedepohl, 1988:525
- e Brasil (PA, GO, MA-ES), Fr Guiana, Surinam,  
Bolivia, Paraguay  
Fr Guiana, Brasil (AM, PA)  
c Brasil (MT)
- Grammicosum** Blanchard in Orbigny, 1843:209  
**flavofasciatum** Blanchard in Orbigny, 1843:209  
**larsoni** Cerda, 1980:63 **all but preceding moved to Elaph.**  
**maculicorne** Germain, 1898:665  
**minutum** Blanchard in Gay, 1851:492  
**signaticolle** Blanchard in Gay, 1851:491
- Chile, s Argentina (RN-SC)  
Chile  
Chile  
Chile  
Chile
- Haplidus** LeConte, 1873:175  
**glabricollis** Chemsak & Linsley, 1964:218  
**laticeps** Knull, 1941:317  
**mandibularis** Chemsak & Linsley, 1963:229  
**nitidus** Chemsak & Linsley, 1963:228  
**parvulus** Chemsak & Linsley, 1963:230  
**pubescens** Chemsak & Linsley, 1964:219  
**testaceus** LeConte, 1873:176  
*breviceps* Casey, 1924:250
- s Mexico (CHS)  
sw USA (TX), Mexico  
sc Mexico (PU)  
c Mexico (MO)  
c Mexico (ZA)  
wc Mexico (DU)  
w USA (CA, AZ, NM)
- Hespereburia** Tavakilian & Monné, 1991:166  
**balouporum** Tavakilian & Monné, 1991:168  
**brachypa** Bates, 1870:260
- Fr Guiana  
n Brasil (PA), Fr Guiana
- Hesperanoplium** Linsley, 1957:18  
**antennatum** (Linsley, 1932:115)  
**notabile** (Knull, 1947:72)
- w USA (CA)  
w USA (CA)
- Hesperophanes** Dejean, 1835:328  
*Anoplium* Haldeman, 1847:34  
*Trichoferus* Wollaston, 1854:427  
*Stromatium*; LeConte, 1873:301 (not Audinet-Serville, 1834)  
**inspergatus** Fairmaire & Germain, 1859:509 **moved to Elaph.**  
*obscurus* Germain, 1898:649  
**philippii** Porter, 1925:218  
*cinereus*; Blanchard in Gay, 1851:493 (not Villers, 1789)
- Chile  
Chile

<i>pubescens</i> (Haldeman, 1847:34)		e NAmer
<i>sulcicornis</i> Germain, 1898:649	<b>moved to Elaph.</b>	Chile
<b>Hesperophanoschema</b> Zajciw, 1970:263		
<i>hirsutum</i> Zajciw, 1970:264		e Brasil (ES)
<b>Hesperophymatus</b> Zajciw, 1959:613		
<i>chydaeus</i> Martins & Monné, 1975:277		n Argentina (SA)
<i>limexylon</i> Zajciw, 1959:614		se Brasil (RJ)
<b>Heteraneflus</b> Chemsak & Linsley, 1963:226		
<i>castaneus</i> Chemsak & Linsley, 1963:227		se Mexico (QR)
<b>Liosteburia</b> Tavakilian & Monné, 1991:158		
<i>bleuzeni</i> Tavakilian & Monné, 1991:158		Fr Guiana, nw Brasil (AM)
<b>Malobidion</b> Schaeffer, 1908:336		
<i>auricome</i> Chemsak & Linsley, 1963:211		se Mexico (YU)-Honduras
<i>brunneum</i> Schaeffer, 1908:337		w USA (UT, AZ), Mexico (SO)
<i>uteanum</i> Casey, 1924:258		
<i>palpalis</i> Linsley, 1932:114		
<i>grande</i> Chemsak & Linsley, 1963:211		Mexico (OA)-Honduras
<b>Meganoplium</b> Linsley, 1940:258		
<i>imbelle</i> (LeConte, 1881:27)		sw USA (CA), Baja Calif
<b>Megosmidus</b> Hovore, 1988:5		
<i>tuberculatus</i> Hovore, 1988:6		Baja Calif
<b>Nesophanes</b> Chemsak, 1967:184		
<i>fulgidum</i> Chemsak, 1967:184		Bahamas
<b>Ochrus</b> Lacordaire, 1869:225		
<i>Jabaquara</i> Lane, 1956:1		
<i>Eurymeropsis</i> Zajciw, 1960:397		
<i>chapadense</i> Napp & Martins, 1982:367		c Brasil (MT)
<i>duplicatus</i> Napp & Martins, 1982:368		c Brasil (PA, MT)
<i>grammoderus</i> Lacordaire, 1869:225		Fr Guiana, Surinam, nc Brasil (AM, PA), Ecuador
<i>fuscofasciata</i> Zajciw, 1960:398		
<i>ornatus</i> (Fisher, 1935:189)		W Indies (Guadeloupe, St. Lucia)
<i>tippmanni</i> (Lane, 1956:1)		se Brasil (ES-RS)
<i>bucki</i> Fuchs, 1961:5		
<b>Oraphanes</b> Chemsak & Linsley, 1984:283		
<i>binotatum</i> Chemsak & Linsley, 1984:284		w Mexico (CM)
<b>Osmidus</b> LeConte, 1873:177		
<i>guttatus</i> LeConte, 1873:178		sw USA (CA, AZ, NE), w Mexico (OA, SO),
<i>obscorellus</i> Casey, 1924:255		Baja Calif
<i>vestitus</i> Casey, 1924:255		
<b>Parandriceps</b> Giesbert, 1998: 75		
<i>turnbowi</i> Giesbert, 1998: 75		Dominican Republic
<b>Paraliostola</b> Tavakilian & Monné, 1991:163		
<i>durantoni</i> Tavakilian & Monné, 1991:164		Fr Guiana, c Brasil (AM, MT)

- Penichroa** Stephens, 1839:270  
*Exilia*; Mulsant, 1863:131 (not Conrad, 1860)  
*Liagrica* Costa, 1855:59  
**fasciata** (Stephens, 1831:250) Europe, Asia, n USA (NY, PA, ID)  
*bipunctatum* Zoubkoff, 1833:336  
*fasciolatum* Krynicky, 1834:170  
*timidum* Ménétries, 1832:288  
*champlaini* Knull, 1941:695
- Perilasius** Bates, 1880:17  
**brunneus** Franz, 1954:217 Guatemala, El Salvador  
**championi** Bates, 1880:18 Mexico (CHS)-Honduras
- Phrynocris** Bates, 1867:26  
**notabilis** Bates, 1867:26 c Brasil (AM, PA, MT), Fr Guiana, Costa Rica
- Phymatoderus** Blanchard in Orbigny, 1843:209  
**bizonatus** Blanchard in Orbigny, 1843:209 Chile, w Argentina (NE)
- Potiaete** Martins & Galileo, 1999: 60  
**maculata** Martins & Galileo, 1999: 61 e Brasil (ES)
- Stromatium** Audinet-Serville, 1834:80  
*Solenophorus* Mulsant, 1839:65  
**alienum** Pascoe, 1857:95 e Brasil (ES)  
**chilensis** Cerda, 1968:105 Chile  
**fulvum** (Villers, 1789:256) Europe, introduced in NAmer, Cuba, SAmer  
*unicolor* Olivier, 1795:58  
*strepens* Fabricius, 1798:150  
*pallidum* Zoubkoff, 1833:336  
**longicorne** (Newman, 1842:246) Asia, introduced in USA  
*asperulum* White, 1855:300
- Thecladoris** Gounelle, 1909:616  
**tylonotoides** Gounelle, 1909:617 c Brasil (GO, MT)
- Tylonotus** Haldeman, 1847:37  
**bimaculatus** Haldeman, 1847:38 e NAmer-TX, AZ  
**masoni** (Knull, 1928:11) e USA
- Vilchesia** Cerda, 1980:63  
**valenciai** Cerda, 1980:63 Chile
- Xeranoplium** Linsley, 1957:15  
**bicolor** Chemsak & Linsley, 1963:224 sw Mexico (GR)  
**flavofemoratum** Chemsak & Linsley, 1963:226 sw Mexico (GR)  
**peninsulare** Chemsak & Linsley, 1963:223 Baja Calif  
**pubescens** Chemsak & Giesbert, 1986:25 w Mexico (JA)  
**puncticolle** Chemsak & Linsley, 1963:224 w Mexico (JA, CM)  
**ruficolle** Chemsak & Linsley, 1963:225 sc Mexico (PU)  
**tricallosum** (Knull, 1938:140) w USA (AZ, CO)  
*gracile* Linsley, 1957:16
- Zamodes** LeConte, 1873:187  
**obscurus** LeConte, 1873:188 e USA (PA)
- Zathecus** Bates, 1867:26  
**graphites** Bates, 1867:26 c Brasil (AM, MT), Bolivia, Ecuador

**Elaphidiini** Thomson, 1864:235  
*Elaphidionitae* Thomson, 1864:235  
*Sphérionides* Lacordaire, 1869:312  
*Stenosphenini* LeConte, 1873:316

**Adiposphaerion** Martins & Napp, 1992:471

**rubrum** Martins & Napp, 1992:473

nc Brasil (AM)

**Ambonus** Gistel, 1848:11

*Trichophorus*; Audinet-Serville, 1834:17 (not Temminck, 1821)

*Crocidastus* Pascoe, 1867:319

**albomaculatus** (Burmeister, 1865:167)

**distinctus** (Newman, 1840:6)

**electus** (Gahan in Gahan & Arrow, 1903:254)

**interrogationis** (Blanchard in Orbigny, 1843:208)

**lippus** (Germar, 1824:508)

**proximus** (Berg, 1889:117)

**variatus** (Newman, 1841:94)

**yucatanus** (Fuchs, 1961:4)

Argentina, Uruguay

e Brasil, Paraguay, Argentina, Uruguay

Honduras, Brasil, Bolivia, Argentina

ec-se Brasil, Bolivia, Paraguay, Argentina

e Brasil, Paraguay, Argentina

w Argentina (ME)

se Brasil (RJ)

se Mexico (QR)

**Amethysphaerion** Martins & Monné, 1975:290

**eximium** Martins & Napp, 1992:466

**falsus** Martins, 1995:747

*trinidadense* Martins & Napp, 1992:470 (not Gilmour, 1963)

**guarani** Martins & Napp, 1992:468

**jocosum** Martins & Napp, 1992:468

**nigripes** Martins & Monné, 1975:290

**submetallicum** Martins & Napp, 1992:468

**trinidadensis** (Gilmour, 1963:90)

Ecuador

Venezuela

Paraguay

se Brasil (ES)

s Brasil (PR), Bolivia

e Brasil (MG)

Trinidad

**Aneflomorpha** Casey, 1912:291

*Anepsyra* Casey, 1912:291

**aculeata** (LeConte, 1873:184)

**arizonica** Linsley, 1936:475

**australis** Linsley, 1942:37

**cazieri** Chemsak, 1962:107

**citrana** Chemsak, 1960:149

**cribellata** (Bates, 1892:152)

**crinita** Chemsak & Linsley, 1975:202

**delongi** (Champlain & Knull, 1922:147)

**fisheri** Linsley, 1936:475

**giesberti** Chemsak & Linsley, 1975:201

**gilana** Casey, 1924:243

**gracilis** (Linsley, 1935:75)

**grandicolle** (Linsley, 1942:40)

**lineare** (LeConte, 1859:80)

*longipennis* Casey, 1912: 294

*tenue*; Craighead, 1923:75 (not LeConte, 1854)

**linsleyae** Chemsak, 1962:105

**luteicornis** Linsley, 1957:285

**martini** Chemsak & Linsley, 1968:32

**mexicana** (Linsley, 1935:74)

**minuta** Chemsak, 1962:103

**opacicornis** Linsley, 1957:285

**parkeri** Knull, 1934:334

**parowana** Casey, 1924:242

*testacea* Casey, 1924:243

*elongata* Linsley, 1936:473

*californica* Linsley, 1936:476

**preclara** Chemsak & Linsley, 1975:203

**rectilinea rectilinea** Casey, 1924:243

sw USA (TX)

sw USA (AZ)

Baja Calif

sw USA (AZ)

sw USA (AZ)

sw Mexico (GU)

wc Mexico (MI, ME)

se USA (FL)

sw USA (TX)

Mexico (SI, JA, CHS)

sw USA (AZ)

c Mexico (ME)

Baja Calif

w USA (CA, NE, OR), Baja Calif

sw USA (AZ)

sw USA (AZ)

w Mexico (SI)

c Mexico (ME)

sw USA (AZ)

sw USA (TX)

sw USA (AZ)

w USA (CA, OR, UT, NM)

s Mexico (CHS)

sw USA (AZ, NM, TX)-w Mexico (SI, JA),

*spiniornis* Linsley, 1935:147  
*duncani* Linsley, 1936:472  
subsp. **yumae** Giesbert & Hovore, 1976:97  
**rosaliae** Linsley, 1942:38  
**ruficollis** Chemsak & Linsley, 1975:203  
**rufipes** Chemsak & Linsley, 1968:31  
**seminuda** Casey, 1912:294  
*texana* Linsley, 1936:473  
**semirufa** Linsley, 1935:146  
**subpubescens** (LeConte, 1862:41)  
**tenuis** (LeConte, 1854:81)  
**unispinosa** Casey, 1912:295  
**volitans** (LeConte, 1873:186)  
**wernerii** Chemsak, 1962:106

Baja Calif  
sw USA (AZ)  
Baja Calif  
w Mexico (SI, DU)  
w Mexico (SI, OA)  
sw USA (TX)  
sw Mexico (OA, CHS), Guatemala  
e USA  
sw USA (TX), n Mexico  
sw USA-nw Mexico (CHA)  
Baja Calif  
sw USA (TX)

## **Aneflus** LeConte, 1873:185

*Protaneflus* Linsley, 1934:233  
*Axestinus* LeConte, 1873:177  
*Proteinidium* Bates, 1892:149

**basicornis** Linsley, 1936:471  
**bullocki** Chemsak & Giesbert, 1986:28  
**calvatus** Horn in Leng, 1885:132  
**cylindricollis** Bates, 1892:147  
**glabropunctatus** Chemsak & Linsley, 1963:84  
**humeralis** Chemsak & Linsley, 1963:90  
**levettei** (Casey, 1891:29)  
*levetti*; Linsley, 1936:475  
**longissimus** (Bates, 1885:250)  
**maryannae** Chemsak & Linsley, 1968:27  
**minutivestis** Chemsak & Linsley, 1963:85  
**nivarius** Chemsak & Linsley, 1963:91  
**obscurus** (LeConte, 1873:177)  
*brevicornis* Bates, 1892:150  
**paracalvatus** Knull, 1955:221  
*prosopidis* Linsley, 1957:20  
**pilosicornis** Chemsak & Linsley, 1965:26  
**planus** Franz, 1954:219  
**poriferus** Giesbert, 1993:139  
**prolixus prolixus** LeConte, 1873:203  
subsp. **fisheri** Knull, 1934:335  
subsp. **insoletus** Chemsak & Linsley, 1963:88  
**protensus protensus** (LeConte, 1858:82)  
*cochisensis* Casey, 1912:296  
subsp. **pallidus** Tyson, 1968:142  
**pubescens** (Linsley, 1934:233)  
**rugicollis** Linsley, 1935:74  
**sericatus** Chemsak & Linsley, 1968:26  
**sonoranus** Casey, 1924:241  
*obscurus*; Leng, 1885: pl.2, fig.27 (not LeConte, 1873)  
**variegatus** Chemsak & Linsley, 1963:93  
**zilchi** Franz, 1954:218

w Mexico (SI)  
w Mexico (JA)  
sw USA, nw Mexico (SO, SI), Baja Calif  
e Mexico (VC)  
se Mexico (YU)  
c Mexico (ME)  
sw USA (AZ), nw Mexico  
e Mexico (VC)  
w Mexico (SI)  
Mexico (SLP, TB)-Panama  
s Mexico (JA, OA, VC, CHS)  
sw USA (AZ-TX), nw Mexico (CHA)  
sw USA (AZ), nw Mexico  
Guatemala, Costa Rica  
El Salvador, Costa Rica  
s Mexico (CHS)  
Baja Calif  
sw USA (AZ, NM), n Mexico (SO)  
sw USA (TX), n Mexico (CHA-TA, SLP, HI, DU)  
sw USA (CA-TX), n Mexico (SO), Baja Calif  
sw USA (AZ, CA)  
Mexico (JA, VC, YU)-Panama  
w Mexico (SO, SI, NA, MO, ME, GR)  
se Mexico (YU)  
sw USA (AZ, TX), nw Mexico (SO)  
se Mexico (YU)  
El Salvador

## **Anelaphus** Linsley, 1936:464

*Elaphidionoides* Linsley, 1957:283  
*Peranoplium* Linsley, 1957:17  
**albofasciatus** (Linell, 1897:393)  
*linelli* Casey, 1924:246  
**badius** Chemsak, 1991:478  
**belkini** Skiles, 1985:307  
**brevidens** (Schaeffer, 1908:333)  
*quadricolle* Casey, 1924:246  
**cerussatus** (Newman, 1841:111)  
**cinereus** (Olivier, 1795:69)

sw USA (AZ, CA)  
w Mexico (JA, SI)  
sw USA (TX)  
sw USA (CA-TX), n Mexico, Baja Calif  
Argentina  
se USA (FL), Bahamas, Cuba, Hispaniola,

- subtropicum* Casey, 1924:245  
*nanum*; Gahan, 1895:103 (not Fabricius, 1792)
- curacaoensis** Gilmour, 1968:133
- daedaleus** (Bates, 1874:219)
- davisi** Skiles, 1985:308
- debilis** (LeConte, 1854:442)
- dentatus** Chemsak, 1962:110
- eximium** (Bates, 1885:250)
- giesberti** Chemsak & Linsley, 1979:269
- guttiventre** (Chevrolat, 1862:261)
- hoferi** (Knull, 1934:69)
- inermis** (Newman, 1840:29)  
*truncatum* Haldeman, 1847:33  
*grisescens* Bates, 1885:249
- inflaticollis** Chemsak, 1959:165
- inornatum** (Chemsak & Linsley, 1979:270)
- jansoni** Linsley, 1961:7
- lanuginosus** (Bates, 1885:250)
- maculatum** (Chemsak & Noguera, 1993:76)
- micelbacheri** Linsley, 1942:42
- misellus** (Bates, 1885:251)
- moestus moestus** (LeConte, 1854:442)  
*laterale* Casey, 1914:365  
subsp. **pinorum** (Casey, 1914:365)
- nanus** (Fabricius, 1792:300)  
*thomae* Gahan, 1895:104
- nitidipennis** Chemsak & Linsley, 1968:33
- niveivestitus** (Schaeffer, 1905:132)  
*niveipenne*; Schaeffer, 1908:327
- panamensis** Linsley, 1961:39
- parallelus** (Newman, 1840:29)  
*pulverulentum* Olivier, 1795:69  
*arctum* Newman, 1840:29  
*oblitum* LeConte, 1850:14  
*medialis* Casey, 1912:302  
*medialis canadensis* Casey, 1912:303  
*medialis densicollis* Casey, 1912:303  
*defectus* Casey, 1912:303  
*molliculus* Casey, 1912:304
- piceum** (Chemsak, 1962:111)
- pumilus** (Newman, 1840:29)
- punctatus** (LeConte, 1873:185)
- robi** Hrabovsky, 1987:135
- rusticus** (LeConte, 1850:14)
- simile** (Schaeffer, 1908:334)
- souzai** (Zajciw, 1964:433)
- spurcus** (LeConte, 1854:442)
- subdepressum** (Schaeffer, 1904:222)
- subfasciatus** (Gahan, 1895:103)
- subinermis** Linsley, 1957:286  
*antennatus* Chemsak, 1959:166
- submoestus** Linsley, 1942:42
- subseriatus** (Bates, 1885:250)
- tuckeri** (Casey, 1924:247)  
*nanulum* Casey, 1924:247
- undulatum** (Bates, 1880:25)
- vernus** Chemsak, 1991:479
- villosus** (Fabricius, 1792:302)  
*putator* Peck, 1819:307  
*pruinose* Guérin-Méneville, 1844:225  
*abruptus* Casey, 1912:301  
*villosus scuticularis* Casey, 1912:302  
*lacustris* Casey, 1912:302  
*breviusculus* Casey, 1914:364
- Jamaica
- Curaçao
- s Mexico (YU, QR)-Costa Rica
- sw USA (TX)
- sw USA (TX), ne Mexico
- sw USA (AZ)
- sw Mexico (OA)
- Guatemala, Honduras
- Cuba
- sw USA (AZ), n Mexico
- s USA (GA-TX), Bahamas, Guadeloupe,  
Greater Antilles, e Mexico (VC)-Nicaragua
- sw USA (CA)
- Honduras
- Nicaragua, Costa Rica
- Guatemala
- w Mexico (JA)
- Baja Calif
- Guatemala-Panama
- sw USA (TX-AZ), Mexico (CO)
- e USA (NC)
- W Indies (Puerto Rico, Virgin Is)
- w Mexico (CM, SI, JA, OA)
- sw USA (TX)
- Panama
- e NAmer
- sw USA (CA, AZ)-w Mexico (JA)
- e USA-TX
- Baja Calif
- c Brasil (AM, PA, MT), Fr Guiana
- NAmer
- sw USA (AZ), n Mexico
- c Brasil, Fr Guiana, Fernando de Noronha
- sw USA (TX), Mexico
- sw USA (AZ), nw Mexico, Baja Calif
- Guadeloupe
- sw USA (TX), Mexico
- sw USA (AZ), Baja Calif
- Panama
- sw USA (CA-TX)
- Mexico (VC)-Costa Rica
- w Mexico (JA)
- e NAmer-TX, Cuba

*militaris* Casey, 1914:364

- Anopliomorpha** Linsley, 1936:465  
**antennata** Chemsak & Noguera, 1993:73  
**gracilis** Chemsak & Noguera, 1993:74  
**hirsutum** (Linsley, 1935:76)  
**reticolle** (Bates, 1885:254)  
**rinconium** (Casey, 1924:248)  
**xylebora** Cazier & Lacey, 1952:21  
w Mexico (JA, NA)  
w Mexico (SO, SI, JA, OA, CHS)  
Mexico (ME, MO, SI)  
Mexico (DU, OA, JA, NA, CHS)-Honduras  
sw USA (AZ)-w Mexico, Baja Calif  
Bahamas
- Anoplocurius** Fisher, 1920:153  
**altus** Knull, 1942:224  
**canotiae** Fisher, 1920:154  
**incompletus** Linsley, 1942:47  
sw USA (TX, NM, AZ)  
sw USA (AZ), nw Mexico (SO)  
sw USA (CA), Baja Calif
- Apoclausirion** Martins & Napp, 1992:475  
**nigricorne** Martins & Napp, 1992:475  
c Basil (MT)
- Aposphaerion** Bates, 1870:275  
**longicolle** Bates, 1870:275  
**punctulatum** Martins & Napp, 1992:470  
nc Brasil (AM), Fr Guiana  
nc Brasil (AM)
- Appula** Thomson, 1864:245  
**aliena** Martins, 1981:210  
**argenteoapicalis** Fuchs, 1961:8  
**lateralis** (White, 1853:113)  
**melancholica** Gounelle, 1909:650  
**nigripes** Bates, 1870:279  
**sericatulata** Gounelle, 1909:649  
**undulans** (White, 1853:114)  
c Brasil (MT)  
Bolivia  
c Brasil (GO, MT), Fr Guiana  
ec Brasil (GO), Paraguay  
n Brasil (PA)  
e Brasil (GO, ES-SP)  
Brasil
- Astromula** Chemsak & Linsley, 1965:145  
**nitidum** Chemsak & Linsley, 1965:147  
sw USA (CA)
- Atharsus** Bates, 1867:25  
**nigricauda** Bates, 1867:25  
c Brasil (PA, MT)
- Atylostagma** White, 1853:97  
**glabra** Schaeffer, 1909:99  
**polita** White, 1853:97  
sw USA (AZ)-s Mexico  
Mexico-Panama
- Castiale** Pascoe, 1866:480  
**elegantula** (Perroud, 1855:381)  
*viridipennis* Pascoe, 1866:480  
e Brasil (GO, MT-RJ), Paraguay
- Centrocerum** Chevrolat, 1861:189  
**divisum** Martins & Monné, 1975:283  
**exornatum** (Newman, 1841:111)  
*argentinum* Burmeister, 1865:174  
**hirsuticeps** Bosq, 1952:95  
**richteri** Bruch, 1911:167  
s Brasil (SC, RS)  
Argentina  
n Argentina (JU, TU)  
s Argentina (CT)
- Clausirion** Martins & Napp, 1984:63  
**bicolor** Galileo & Martins, 2000: 160  
**comptum** Martins & Napp, 1984:63  
Brasil (MG, PA), Fr. Guiana  
Guianas, c Brasil (RO, MT)
- Conosphaeron** Linsley, 1935:77  
*Conosphaerion*; Linsley, 1961:173



**concolor concolor** Linsley, 1935:78  
subsp. **bicolor** Chemsak & Linsley, 1967:289  
subsp. **piceum** Linsley, 1935:141  
**spinipenne** Chemsak & Linsley, 1967:289

Mexico (MO, ME, JA, GR, PU, CHS)  
n Mexico (SO)  
w Mexico (SI)  
Panama

**Curtomerus** Stephens, 1839:275

*Cylindera* Newman, 1833:509  
*Lampromerus* Thomson, 1860:202  
*Cyrtomerus*; Gemminger & Harold, 1872:2836  
*Cylindrodera* Gemminger & Harold, 1872:2922  
*Sotenus* Sharp, 1878:205

**brunneus** (Kirsch, 1889:37)  
**fasciatus** (Fisher, 1932:49)  
**flavus** (Fabricius, 1775:191)  
*pilicornis* Fabricius, 1792:327  
*luteum* Stephens, 1831:249  
*pallida* Newman, 1833:510  
*setiger* Sharp, 1878:205  
*subflavus* Chemsak, 1966:213  
**glabrus** (Fisher, 1932:51)  
**politus** Martins, 1995:743  
**puncticollis** (Fisher, 1932:50)  
**purus** Martins, 1974:150

Ecuador  
se USA (FL), Cuba  
se USA (FL), W Indies, Guiana, Venezuela,  
Hawaii, Tahiti

Cuba  
Colombia  
Haiti  
Bolivia

**Elaphidion** Audinet-Serville, 1834:66

*Elaphidium*; Agassiz, 1846:135  
*Cycliopleurus* Hope, 1835:107  
*Centrocerum*; Thomson, 1864:244 (not Chevrolat, 1861)

**albosignatum** Chevrolat, 1862:259  
**androsensis** Fisher, 1942:7  
**angustatum** Zayas, 1975:79  
**antillarum** Fisher, 1932:42  
**bahamicae** Cazier & Lacey, 1952:15  
**bidens** (Fabricius, 1787:143)  
*bispinosus* Gmelin, 1790:1859  
**cayamae** Fisher, 1932:24  
**cinnabarinum** Fisher, 1942:11  
**clavis** Linsley, 1957:284  
**compressipenne** Fisher, 1932:35  
**confusum** Fisher, 1932:32  
**conspersum** Newman, 1841:110  
*excelsum*; Zayas, 1975:86 (not Gahan, 1895)  
**costipenne** Fisher, 1932:39  
**crispulum** Fisher, 1947:30  
**cristalensis** Zayas, 1975:82  
**cryptum** Linsley, 1963:79  
**cubae** Fisher, 1932:27  
**curacaoae** Gilmour, 1968:128  
**densevestitum** Fisher, 1942:10  
**diffatus** Zayas, 1975:84  
**depressum** Zayas, 1975:83  
**dozieri** Fisher, 1932:38  
**elegans** Chevrolat, 1861:190  
var. *hirsutum* Chevrolat, 1861:191  
var. *jocosum* Chevrolat, 1861:191  
var. *puberulum* Chevrolat, 1861:190  
**elongatum** Fisher, 1942:14  
**excelsum** Gahan, 1895:101  
**fasciatum** Fisher, 1932:28  
**frisevestitum** Fisher, 1942:13  
**fullonium** Newman, 1841:110  
**glabratum** (Fabricius, 1775:180)  
*mite* Newman, 1840:27

Cuba  
Bahamas  
Cuba  
Haiti  
Bahamas  
America

Cuba  
Cuba  
se USA (SC-FL)  
Haiti  
Haiti  
W Indies

Haiti  
Puerto Rico  
Cuba  
se USA (FL)  
Cuba  
Curaçao  
Jamaica  
Cuba  
Cuba  
Haiti  
e Brasil (GO, MT-RS), Paraguay, Argentina

Cuba  
Guadeloupe  
Cuba, Bahamas  
Cuba  
Haiti  
W Indies

<i>insulare</i> Newman, 1840:27	
<i>cobbeni</i> Gilmour, 1963:81	
<i>hummelincki</i> Gilmour, 1963:84	
<b>glabriusculum</b> (Bates, 1885:251)	Panama
<b>gracilis</b> Fisher, 1932:43	Cuba
<b>hispaniolae</b> Fisher, 1932:30	Hispaniola
<b>irroratum</b> (Linnaeus, 1767:633)	USA, Mexico-Panama, W Indies
<i>ordinatum</i> Newman, 1840:26	
<i>tessellatum</i> Newman, 1840:26	
<i>insulare</i> ; Gilmour, 1963:81 (not Newman, 1840)	
<b>jamaicensis</b> Fisher, 1932:40	Jamaica
<b>jibacoense</b> Zayas, 1975:92	Cuba
<b>knulli</b> Linsley, 1957:18	se USA (FL)
<b>laeve</b> White, 1853:102	Honduras
<b>lanatum</b> Chevrolat, 1862:260	Cuba
<b>lewisi</b> Fisher, 1941:111	W Indies (Cayman Is)
<b>linsleyi</b> Knull, 1960:7	sw USA (TX)
<b>lucidum</b> (Olivier, 1795:59)	Hispaniola
<i>elevatum</i> Schoenherr, 1817:459	
<b>manni</b> Fisher, 1932:21	Bahamas
<i>wickhami</i> Fisher, 1935:192	
<b>mimeticum</b> Schaeffer, 1905:132	
<i>elaphidionoides</i> Fuchs, 1961:2	sw USA (TX), Mexico (JA, QR), Belize
<b>monticola</b> Fisher, 1935:191	Cuba
<b>mucronatum</b> (Say, 1824:427)	e N Amer-TX
<i>glabratum</i> ; Newman, 1840:27 (not Fabricius, 1775)	
<i>nebulosum</i> Guérin-Méneville, 1844:225	
<i>muricatum</i> Haldeman, 1847:33	
<i>muricatum</i> var. <i>vestitum</i> Haldeman, 1847:34	
<b>newmani</b> Haldeman, 1847:375	c Brasil (MT), Bolivia
<i>njumani</i> ; Haldeman, 1847:375	
<i>bidens</i> Newman, 1840:25 (not Fabricius, 1787)	
<b>niveonotatum</b> Zayas, 1975:96	Cuba
<b>pauropilosum</b> Zayas, 1975:98	Cuba
<b>pilosum</b> Fisher, 1932:36	R Dominicana
<b>pseudonomon</b> Ivie, 1985:311	Puerto Rico, Virgin Islands
<i>glabratum</i> ; Gahan, 1895:100 (part) (not Fabricius, 1775)	
<i>insulare</i> ; Chemsak, 1966:212 (not Newman, 1840)	
<b>quadrituberculatum</b> Chevrolat, 1862:259	Cuba
<b>rotundipenne</b> Fisher, 1932:23	R Dominicana
<b>scabricolle</b> (Bates, 1872:175)	Nicaragua
<b>scaramuzzai</b> Fisher, 1951:77	Cuba
<b>signaticolle</b> Chevrolat, 1862:261	Cuba, Bahamas, Hispaniola
<b>spinicorne</b> (Drury, 1773:92)	W Indies (Greater Antilles, St. Martin)
<i>insularis</i> Gmelin, 1790:1859	
<i>armatus</i> Voet, 1806:27	
<b>splendidum</b> Fisher, 1932:19	Cuba, Hispaniola
<b>tectum</b> LeConte in Schwarz, 1878:414	se USA (FL)
<b>thompsoni</b> Fisher, 1941:112	W Indies (Cayman Is)
<b>tomentosum</b> Chevrolat, 1862:260	W Indies (Greater Antilles, Montserrat)
<b>transversum</b> White, 1853:101	Jamaica
<b>truncatipenne</b> Fisher, 1941:113	W Indies (Cayman Is)
<b>tuberculicolle</b> Fisher, 1932:25	Cuba
<b>uncinatum</b> Zayas, 1975:105	Cuba
<b>unispinosum</b> Fisher, 1942:9	Cuba
<b>variolosum</b> Fisher, 1947:32	Cuba
<b>williamsi</b> Chemsak, 1967:185	Bahamas
<b>Elaphidionopsis</b> Linsley, 1936:467	
<b>fasciatipennis</b> Linsley, 1936:467	sw USA (TX), n Mexico (CO)
<b>Enaphalodes</b> Haldeman, 1847:151	
<i>Romaleum</i> White, 1855:309	

*Hypermallus* Lacordaire, 1869:302  
*Thersalus* Pascoe, 1865:372  
**atomarius** (Drury, 1773:93) e NAmer- AZ, Mexico (VC)-Honduras  
*marylandicus* Fabricius, 1775:179  
*marilandicum*; Haldeman, 1847:32  
*pulverulentus* DeGeer, 1775:299  
*variegatus* Goeze, 1777:481  
*multicolor* Gmelin, 1790:1857  
*bispinosus* Pascoe, 1863:562  
*bispinus*; Lacordaire, 1869:303  
*thoracicum* Casey, 1912:297  
**coronatus** (White, 1853:100) Mexico-Costa Rica  
**cortiphagus** (Craighead, 1923:69) (larva) ne USA- AZ  
Knull, 1927:116 (adult)  
**cylindricus** (Knull, 1927:116) sw USA (AZ)  
**decipiens** (Bates, 1884:248) e Mexico (VC)  
*atomarium*; Bates, 1880:24 (not Drury, 1773)  
**hispicornis** (Linnaeus, 1767:634) USA, n Mexico (SO)  
*spinicornis*; Chevrolat, 1861:248  
*simplicicollis* Haldeman, 1847:151  
*lecontei* Haldeman, 1847:151  
*operarium* White, 1855:309  
*procerum* LeConte, 1859:88  
**niveitectus** (Schaeffer, 1905:160) sw USA (AZ), n Mexico  
**rufulus** (Haldeman, 1847: 32) e NAmer, AZ  
*mancum* Casey, 1912:298  
*crinicornis* Casey, 1912:298  
**seminitidus** (Horn in Leng, 1885:130) sw USA (AZ, CA)  
**taeniatus** (LeConte, 1854:81) sw USA (TX), ne Mexico  
*senex* Bates, 1884:248

**Etymosphaerion** Martins & Monné, 1975:285  
**unicolor** Martins & Monné, 1975:285

Bolivia

**Eurysthea** Thomson, 1860:247  
*Euristhea*; Lacordaire, 1869:321  
**magnifica** Martins, 1985:174  
**obliqua** (Audinet-Serville, 1834:18)

Bolivia  
se Brasil (MG-RJ)

**Eustromula** Cockerell, 1906:242  
*Eustroma* LeConte, 1873:186  
**keiferi** Linsley, 1934:108  
**validum** (LeConte, 1858:82)  
*huachucae* Casey, 1924:245  
*politum* Casey, 1924:246

Mexico (Tres Marias Is)  
sw USA (CA-TX), n Mexico, Baja Calif

**Gymnopsyra** Linsley, 1937:67  
**aspera** Knull, 1962:105  
**bupalpa** Chemsak, 1991:477  
**chemsaki** Linsley, 1963:98  
**magnipunctata** (Knull, 1934:12)  
*phoracanthoides* Linsley, 1937:68

sw USA (TX, NM, AZ)  
w Mexico (JA)  
sw USA (AZ)  
sw USA (TX, NM, AZ)

**Hemilissopsis** Lane, 1959:306  
**clenchi** Lane, 1959:306

c Brasil (PA, RO), Fr Guiana

**Hoplogrammicosum** Gounelle, 1913:210  
**cinnamomeum** Gounelle, 1913:211

n Argentina (SE)

**Ironeus** Bates, 1872:178  
**duplex** Bates, 1872:179

Mexico-Costa Rica

- mutatus** Bates, 1885:255  
**pulcher** Bates, 1880:29  
e Mexico (VC)  
Mexico-Panama, Venezuela, Bolivia
- Iuaca** Galileo & Martins, 2000: 162  
**nigromaculata** Galileo & Martins, 2000: 163  
Bolivia
- Jampruca** Napp & Martins, 1982:362  
**nigricornis** Napp & Martins, 1982:364  
**tyligma** Napp & Martins, 1982:365  
e Brasil (MG, ES)  
e Brasil (BA, MG)
- Linsleyonides** Skiles, 1985:316  
**albomaculatus** (Champlain & Knull, 1922:146)  
**chemsaki** Skiles, 1985:317  
**portoricensis** (Fisher, 1932:33)  
se USA (FL), Cuba  
Jamaica  
Puerto Rico
- Mallocera** Audinet-Serville, 1833:567  
**amazonica** Bates, 1870:278  
*aureotincta* Linsley, 1934:198  
**glauca** Audinet-Serville, 1833:567  
*sericata* Newman, 1840:5  
**ramosa** Gounelle, 1909:647  
**simplex** White, 1853:113  
*pickeli* Melzer, 1931:52  
**spinicollis** Bates, 1872:179  
**umbrosa** Gounelle, 1909:648  
c Brasil (AM, PA, MT), Peru, Fr Guiana,  
Ecuador, Trinidad  
Guianas, Brasil (AM, PE-SC), Paraguay,  
Argentina  
e Brasil, Paraguay, Argentina  
e Brasil (PE-ES)  
Nicaragua-Panama  
e Brasil (GO, MG), Paraguay
- Meganeflus** Linsley, 1961:180  
**fulvipennis** (Bates, 1892:148)  
e Mexico (VC, SLP), Belize
- Megapsyrassa** Linsley, 1961:176  
*Pseudaneflus* Chemsak & Linsley, 1963:85  
**atkinsoni** Chemsak & Giesbert, 1986:31  
**auricomis** (Chemsak & Linsley, 1963:86)  
**chiapaneca** Giesbert, 1993:142  
**linsleyi** Chemsak & Giesbert, 1986:29  
**puncticollis** (Chemsak & Linsley, 1963:87)  
**testacea** Giesbert, 1993:140  
**xestioides** (Bates, 1872:177)  
w Mexico (JA, CHS), Costa Rica  
se Mexico (YU)  
s Mexico (CHS)  
w Mexico (JA)  
sw Mexico (OA)  
s Mexico (CHS), Guatemala  
Guatemala-Panama
- Mephritus** Pascoe, 1866:479  
*Nephalius*; Gounelle, 1907:243 (not Newman, 1841)  
**adelphus** (Martins, 1973:207)  
**amictus** (Newman, 1841:93)  
*cinerascens* Lucas, 1857:186  
*cinerascens* Pascoe, 1866:480  
**apicatus** (Linsley, 1935:140)  
**auricolle** Tavakilian & Martins, 1991:193  
**blandus** (Newman, 1841:112)  
*detritum* Lameere, 1890: clxxii  
**callidioides** (Bates, 1870:272)  
**castaneus** Martins & Napp, 1992:464  
**citreus** Napp & Martins, 1982:85  
**destitutus** Napp & Martins, 1982:83  
**diabolicus** (Lameere, 1890:clxxi)  
**flavipes** (Gounelle, 1909:641)  
**fraterculus** Martins & Napp, 1992:464  
**genuinus** Napp & Martins, 1982:81  
**guttatus** Napp & Martins, 1982:82  
**quadrimaculatus** Martins & Napp, 1992:462  
**serius** (Newman, 1841:93)  
e Brasil (MG)  
e Brasil (GO, ES-SP)  
Panama  
Fr Guiana, nw Brasil (AM)  
Guianas, Brasil (GO, MT, MG-RS)  
c Brasil (PA, GO, MT)  
Peru  
e Brasil (BA)  
c Brasil (GO, MT)  
e Brasil (PB, GO, MT, MG, SP)  
e Brasil (GO, BA-SP)  
Peru  
se Brasil (RJ-PR)  
e Brasil (MG)  
Bolivia  
e Brasil (GO, ES-SP)

- Metironeus** Chemsak, 1991:470  
**hesperus** Chemsak, 1991:470  
**hovorei hovorei** Chemsak, 1991:471  
subsp. **rufficollis** Chemsak, 1991:473  
w Mexico (SI, SO, NA, GR, OA, PU, MO)  
w Mexico (JA, OA)-Guatemala  
se Mexico (YU, QR)-Guatemala
- Micraneflus** Linsley, 1957:284  
**imbellis** (Casey, 1914:363)  
sw USA (AZ, CA), Baja Calif
- Micranoplium** Linsley, 1957:18  
*Anoplium* Haldeman, 1847:34 (part)  
**unicolor** (Haldeman, 1847:34)  
*cinerascens* LeConte, 1850:15  
e USA
- Micropsyrassa** Linsley, 1961:170  
*Haplosphaerion* Linsley, 1961:173  
**bimaculata** (Bates, 1872:176)  
**doyeni** Chemsak & Giesbert, 1986:26  
**glabrata** Martins & Chemsak, 1966:123  
**meridionalis** Martins, 1974:143  
**minima** Martins & Chemsak, 1966:122  
**nitida** Martins & Chemsak, 1966:122  
**opaca** Martins & Chemsak, 1966:124  
**pilosella** (Bates, 1892:153)  
**reticulata** Martins & Chemsak, 1966:124  
**stellata** Martins & Chemsak, 1966:126  
Mexico-Costa Rica  
w Mexico (JA)  
sw Mexico (OA)  
Bolivia, se Brasil (SP)  
El Salvador  
Mexico (SLP, CHS)  
Mexico (GR, PU)  
Mexico (JA, MO, PU, GR, YU), Guatemala  
c Mexico (MI, GR, MO, PU)  
sw Mexico (OA)
- Miltesthus** Bates, 1872:177  
*Aulacoscapus* Linsley, 1935:148  
**marginatus** Bates, 1872:178  
*ataxiiformis* Linsley, 1935:148  
Guatemala-Panama
- Minipsyrassa** Martins, 1974:141  
**bicolor** Martins, 1974:142  
**guanabarina** Martins & Napp, 1992:473  
Bolivia  
se Brasil (RJ)
- Miopteryx** Blanchard in Orbigny, 1843:209  
**spiniger** Blanchard in Orbigny, 1843:209  
Brasil (GO, MT), Bolivia, Paraguay,  
Argentina, Uruguay
- Morphaneffus** Martins & Napp, 1992:465  
**prolixus** Martins & Napp, 1992:465  
nw Argentina (SA, JU)
- Neaneffus** Linsley, 1957:19  
**brevispinus** Chemsak, 1962:109  
**fuchsii** (Wickham, 1905:170)  
sw USA (CA-TX)-w Mexico (ZA)  
w USA (AZ, CA, UT, TX), Baja Calif.
- Neomallocera** Martins & Napp, 1992:460  
**opulenta** (Newman, 1841:94)  
se Brasil (ES-SC)
- Neoperiboemum** Linsley, 1961:171  
**juanitae** Chemsak, 1991:476  
**villosulum** (Bates, 1872:176)  
w Mexico (JA, CM, GR)-Guatemala  
Mexico (VC)-Panama
- Nephaliodes** Linsley, 1961:172  
**nigriventris** (Bates, 1874:220)  
**rutilus** (Bates, 1872:177) .  
Mexico-Costa Rica  
Mexico-Costa Rica

- Nesanoplium** Chemsak, 1966:214  
**puberulum** (Fleutiaux & Sallé, 1889:464) W Indies (widely distributed)
- Nesiosphaerion** Martins & Napp, 1984:62  
**caymanensis** (Fisher, 1948:225) W Indies (Cayman Is)  
**insulare** (White, 1853:109) Jamaica  
**testaceum** (Fisher, 1932:45) Haiti
- Nesodes** Linsley, 1935:72  
**insularis** Linsley, 1935:74 Mexico (Revilla Gigedo Is)
- Nyssidostylus** Melzer, 1923:5  
**aurivillii** Melzer, 1923:6 se Brasil (ES-SP)  
**melzeri** Chemsak & Martins, 1966:193 Venezuela  
**overali** Galileo & Martins, 1990:12 n Brasil (PA)  
**phthisicus** (Bates, 1885:257) s Brasil  
**subopacus** (Bates, 1885:257) s Brasil (PR)
- Nyssidicus** Pascoe, 1859:17  
*Lampracantha* Thomson, 1860:244  
*Lampracanthus*; Thomson, 1860:376  
**aureopilosus** Lacey, 1949:4 nc Brasil (AM), Fr Guiana  
**conspicillatus** (Erichson, 1847:141) Fr Guiana, nc Brasil (AM), Peru, Bolivia  
*quadriguttatus* Buquet, 1860:627 (not Swederus, 1787)  
*quadrinus* Bates, 1870:271  
**fernandezi** Joly & Martinez, 1981:102 Venezuela  
**quadriguttatus** (Swederus, 1787:196) Brasil  
**rosalesi** Joly & Martinez, 1981:107 Venezuela, Fr Guiana  
**topographicus** Linsley, 1935:109 Costa Rica, Panama  
*setosus* Lacey, 1949:7
- Orwellion** Skiles, 1985:311  
*Elaphidionoides*; Linsley, 1963:86 (part)  
**fasciatum** Skiles, 1985:314 Mexico (OA, VC, QR), Guatemala, Belize  
**gibbulum gibbulum** (Bates, 1880:25) c Mexico-Costa Rica  
subsp. **arizonense** (Casey, 1891:28) sw USA (AZ, NM), n Mexico (CHA, SO)  
**lineatum** Skiles, 1985:313 se Mexico (QR)  
**occidentalis** (Giesbert & Hovore, 1976:95) sw USA (AZ, CA), Baja Calif
- Pantonyssus** Bates, 1870:276  
**erichsonii** (White, 1853:108) n Brasil (PA), Fr Guiana  
**flavipes** Fisher, 1944:6 Venezuela  
**glabricollis** Fuchs, 1961:7 n Brasil (PA)  
**nigriceps** Bates, 1870:276 se Brasil (RJ), Bolivia  
**bitincta** Gounelle, 1909:646 Panama, Bolivia, sc Brasil (MT, MS, GO)  
**pallidus** Martins, 1995:742 Colombia  
**puncticollis** Martins, 1995:741 Ecuador
- Paramallocera** Aurivillius, 1912:100  
*Mallocera* (section 2); Lacordaire, 1869:321  
**caesariata** Martins, 1995:746 Venezuela  
**cribripennis** (Bates, 1885:256) Costa Rica-Colombia, Ecuador  
**fulvoterminata** (Berg, 1889:113) e Brasil (GO, MT, AP-RJ), Argentina  
**hirca** (Berg, 1889:116) nw Argentina (JU, SA, CA)  
**hirta** (Kirby, 1818:441) e Brasil (PB-RS), Paraguay, Argentina,  
*vau* Berg, 1889:115 Uruguay  
*oblita* Lameere, 1890: clxxii  
**hudepohli** Martins, 1974:144 Bolivia  
**ilinizae** (Kirsch, 1889:38) Ecuador  
*angusticollis* Bates in Whymper, 1891:37

- koepckei** Franz, 1956:137  
**lacordairei** (Lacordaire, 1869:321)  
**latefasciata** Fonseca-Gessner, 1990:837  
**martinsi** Fonseca-Gessner, 1990:834  
**nicolai** (Aurivillius, 1908:2)  
**punctata** Fonseca-Gessner, 1990:839  
**robertsi** Fonseca-Gessner, 1990:833  
**rotundicollis** Martins, 1995:744  
**sordida** (Erichson, 1847:140)  
*dysoni* White, 1853:106  
**squamifera** Martins, 1967:45  
**subandina** Fonseca-Gessner, 1990:836
- Ecuador, Peru  
se Brasil, Paraguay, Argentina  
Ecuador  
Bolivia  
Bolivia, n Argentina (JU)  
Ecuador  
Ecuador, Peru  
Colombia  
Colombia, Venezuela, Ecuador, Peru, Bolivia
- Parasphaerion** Martins & Napp, 1992:461  
**granulosum** Martins & Napp, 1992:462
- Surinam
- Parastizocera** Linsley, 1961:176  
**procera** (Erichson in Schomburg, 1848:572)  
*suturale* Pascoe, 1866:479  
*rubricollis* Fisher, 1944:6
- Mexico (YU)-Panama, n SAmer
- Parelaphidion** Skiles, 1985:310  
*Elaphidionoides*; Linsley, 1963:86 (part)  
**aspersum** (Haldeman, 1847:32)  
*vicinum* Haldeman, 1847:33  
*flumineus* Casey, 1912:300  
*incertus externus* Casey, 1912:300  
*compactus* Casey, 1914:364  
**incertum** (Newman, 1840:28)  
*neglectum* LeConte, 1850:13  
*brevicornis* Casey, 1912:300  
*obsolescens* Casey, 1924:244  
**mutatum** (Gahan, 1890:32)  
*tomentosum* Chevrolat, 1862:260 (part)  
*lanatum*; Leng, 1890:214 (not Chevrolat, 1862)
- e USA-TX  
e NAmer-TX  
se USA (FL), Cuba, Puerto Rico
- Periboeum** Thomson, 1864:245  
*Nephalius*; Thomson, 1860:245 (not Newman, 1841)  
**acuminatum** (Thomson, 1860:245)  
**aduncum** Napp & Martins, 1984:129  
**atylodes** Salvador, 1978:19  
**bolivianum** Martins & Monné, 1975:289  
**dilectum** Napp & Martins, 1984:128  
**guttigerum** Napp & Martins, 1984:127  
**latericium** Gounelle, 1909:638  
**maculatum** Magno, 1987:433  
**metallicum** Magno, 1987:431  
**obscuricorne** Martins & Monné, 1975:288  
**ocellatum** Gounelle, 1909:640  
**paraense** Napp & Martins, 1984:128  
**paucispinum** (Lameere, 1890: clxx)  
**piliferum** (Erichson, 1847:141)  
**pubescens** (Olivier, 1790:309)  
*ebeninum* Bates, 1870:274  
**terminatum** (Perroud, 1855:374)  
**umbrosum** Gounelle, 1909:640  
**vicinum** (Perroud, 1855:377)
- e Brasil (MG-SP)  
e Brasil (ES)  
se Brasil (RJ)  
Bolivia  
Ecuador  
e Brasil (ES)  
ec Brasil (GO, MT, MG-SP)  
n Argentina (TU)  
wc Brasil (RO, MT)  
Bolivia  
c Brasil (GO, MT), Bolivia, Paraguay  
n Brasil (PA), Fr Guiana  
ec, se Brasil (GO, MG-PR)  
Peru, Bolivia  
Trinidad, Venezuela, nc Brasil (AM), Guianas,  
Peru, Bolivia  
se Brasil (ES-RS), Argentina  
ec Brasil (GO, MT, MG)  
Panama, Colombia
- Piezophidion** Galileo & Martins, 1992:59  
**intricatum** Galileo & Martins, 1992:60
- Paraguay

- Pilisphaerion** Martins & Napp, 1992:470  
**exoticum** Martins & Napp, 1992:471  
n Brasil (PA)
- Poecilomallus** Bates, 1892:151  
**palpalis** Bates, 1892:151  
se Mexico (YU), Guatemala
- Protomallocera** Martins & Napp, 1992:460  
**hilairei** (Gounelle, 1909:648)  
ec Brasil (GO), Paraguay
- Protosphaerion** Gounelle, 1909:634  
**loreum** Gounelle, 1909:636  
**signatipenne** Gounelle, 1909:636  
**variabile** Gounelle, 1909:635  
var. *bimaculata* Gounelle, 1909:635  
var. *bivitta* Gounelle, 1909:635  
var. *fuscipes* Gounelle, 1909:635  
var. *seminigra* Gounelle, 1909:635  
ec Brasil (GO, MT), Fr Guiana  
Fr Guiana, nc Brasil (AM), Peru, Bolivia  
e Brasil (GO, MT, BA-RS), Argentina,  
Uruguay
- Pseudomallocera** Zajciw, 1961:219  
**auriflua** (Klug, 1825:460)  
*assimilis* Zajciw, 1961:220  
e Brasil (ES)
- Pseudoperiboenum** Linsley, 1935:77  
**lengi** (Schaeffer, 1909:101)  
*pullum* Knull, 1958:185  
**subarmatum** Linsley, 1935:77  
sw USA (AZ), nw Mexico (SO)  
Mexico (NA-GR, PU)
- Psyrassa** Pascoe, 1866:481  
*Pseudibidion* Casey, 1912:291  
*Hemistizocera* Linsley, 1961:172  
*Stizocera*; Haldeman, 1847:43 (not Audinet-Serville, 1834)  
**aliena** (Linsley, 1934:235)  
**basicornis** Pascoe, 1866:482  
**brevicornis** Linsley, 1934:164  
*basicornis*; Schaeffer, 1905:161 (not Pascoe, 1866)  
*sallei*; Linsley & Martin, 1933:180 (not Bates, 1885)  
w Mexico (JA)-Belize  
Mexico-El Salvador, Honduras  
sw USA (TX)
- castanea** Bates, 1880:28  
**cribricollis** (Bates, 1885:253)  
**cylindricollis** Linsley, 1935:144  
**ebenina** Linsley, 1935:143  
**jaumei** (Fisher, 1935:193)  
**katsurae** Chemsak & Noguera, 1993:77  
**levicollis** Chemsak & Noguera, 1993:78  
**megalops** Chemsak & Noguera, 1993:79  
**nigricornis** Bates, 1892:153  
**nigripes** Linsley, 1935:78  
**nigroaenea** Bates, 1892:153  
**pertenuis** (Casey, 1924:248)  
**punctulata** Bates, 1892:152  
**rufescens** Nonfried, 1894:139  
**rufofemorata** Linsley, 1935:79  
**sallaei** Bates, 1885:255  
**sinaloae** Linsley, 1935:145  
**sthenias** Bates, 1892:152  
**subglabra** Linsley, 1935:142  
**subpicea** (White, 1853:109)  
**testacea** Linsley, 1935:144  
**texana** Schaeffer, 1905:160  
**tympanophora** Bates, 1885:255  
**unicolor** (Randall, 1838:42)  
**wappesi** Chemsak & Noguera, 1997:7  
e Mexico (VC)  
e Mexico (VC, QR)  
w Mexico (SI, JA)  
El Salvador, Honduras  
Cuba  
w Mexico (JA)  
w Mexico (JA)  
w Mexico (SO, SI, JA, MO)  
sw Mexico (JA, GR)  
c Mexico (ME)  
sw Mexico (CM, GR)  
e USA  
sw Mexico (GR)  
nw Brasil (AM)  
c Mexico (ME)  
sw USA (TX), Mexico  
w Mexico (SI)  
sw Mexico (JA, GR)  
Panama  
Honduras, Nicaragua  
Guatemala-Panama  
sw USA (TX)  
e Mexico (VC), Guatemala  
e USA-TX  
Mexico (JA)



- Psyrassaforma** Chemsak, 1991:473  
**janzeni** Chemsak, 1991:475  
**nitida** Chemsak, 1991:474  
Costa Rica  
se Mexico (VC, QR, GR)- Honduras
- Rhomboidederes** Zajciw, 1963:278  
*Moureana* Zajciw, 1967:529  
**minutus** Napp & Martins, 1984:132  
**ocellicollis** Zajciw, 1963:279  
**ravidus** (Gounelle, 1909:639)  
*reticulicollis* Zajciw, 1963:280  
**unicolor** (Zajciw, 1967:529)  
Guianas, n Brasil (PA), Bolivia  
e Brasil (ES)  
e Brasil (GO, ES-RS), Uruguay  
n Brasil (PA)
- Romulus** Knull, 1948:82  
**globosus** Knull, 1948:83  
se USA (FL)
- Sphaerioeme** Martins & Napp, 1992:473  
**rubristerna** Martins & Napp, 1992:474  
Surinam, Brasil (MT, GO, MG, SP, PR)
- Sphaerion** Audinet-Serville, 1834:68  
*Sphoerion*; Thomson, 1864:244  
*Nephalius* Newman, 1841:93  
**cassum** (Newman, 1841:94)  
**cyanipenne** Audinet-Serville, 1834:68  
**ducale** Bates, 1870:272  
*dubius* Lane, 1951:1  
**exutum** (Newman, 1841:93)  
**inermis** White, 1853:108  
**lentiginosum** Berg, 1889:119  
**myrrheum** Gounelle, 1909:637  
**rusticum** Burmeister, 1865:167  
**sladeni** Gahan in Gahan & Arrow, 1903:253  
e Brasil (GO, MT, MA-PR), Fr Guiana  
e Brasil (PB-SC), Paraguay  
n-se Brasil (PA, ES-SP)  
sw USA (TX), Mexico (CHS)-Argentina  
Brasil, Argentina, Uruguay  
n Argentina (CO), Uruguay  
ec Brasil (GO, MT), Paraguay, Uruguay  
Argentina, Uruguay  
ec Brasil (GO, MT)
- Sphaerionillum** Bates, 1885:256  
**castaneum** Chemsak & Linsley, 1967:42  
**pictum** Bates, 1885:256  
**quadrisignatum** Bates, 1885:257  
s Mexico (OA)-Guatemala  
e Mexico (VC, QR, CHS), Guatemala  
e Mexico (VC)
- Stenelaphus** Linsley, 1936:477  
**alienus** (LeConte, 1875:173)  
sw USA (AZ, NM), Mexico
- Stenosphenus** Haldeman, 1847:39  
*Stenosphenopsis* Linsley, 1935:95  
**beyeri** Schaeffer, 1905:163  
**bivittatus** Giesbert & Chemsak, 1989:276  
**cordovanus** Giesbert & Chemsak, 1989:293  
**cribripennis cribripennis** Thomson, 1860:372  
subsp. **novatus** Horn, 1885:178  
*lucanus* Casey, 1912:346  
**debilis** Horn, 1885:179  
*comus* Bates, 1892:169  
*pruddeni* Casey, 1912:346  
*aridus* Linsley, 1935:166  
*nigricornis* Fisher, 1946:90  
**dolosus** Horn, 1885:179  
*longicollis* Casey, 1891:34  
*castaneus* Casey, 1924:269  
**gaumeri** Bates, 1892:169  
**insulicola** Fisher, 1942:24  
**langurioides langurioides** Bates, 1885:313  
sw USA (AZ, NM)  
s Mexico (CHS, TB, QR), Guatemala  
w Mexico (JA, OA, SI, MI)  
Mexico (widely distributed)-Honduras  
Baja Calif  
sw USA (CA-UT), n Mexico (DU), Baja Calif  
sw USA (TX), Mexico (CO, NL, SLP, TA, VC)  
se Mexico (YU, QR)  
Cuba  
Mexico-Costa Rica

- languroides*; Aurivillius, 1912:443  
*nitidicollis* Linsley, 1935:95  
 subsp. **wappesi** Giesbert & Chemsak, 1989:283  
**lineatus lineatus** Bates, 1885:313  
 subsp. **costaricensis** Giesbert & Chemsak, 1989:285  
**lugens** LeConte, 1862:41  
*hirsutipennis* Bates, 1872:191  
**maccartyi** Giesbert & Chemsak, 1989:289  
**notatus** (Olivier, 1795:61)  
*deflendum* Newman, 1840:6  
*discoideus* Sturm, 1826:199  
*discicollis* Dejean, 1835:330  
*pinorum* Casey, 1924:268  
**ochraceus ochraceus** Bates, 1872:190  
 subsp. **sexlineatus** Bates, 1892:169  
**penicilliventris** Giesbert & Chemsak, 1989: 292  
**proruber** Giesbert & Chemsak, 1989:280  
**protensus** Bates, 1880:66  
**rubidus** Linsley, 1935:94  
**rufipes** Bates, 1872:191  
*sublaevicollis* Bates, 1892:168  
**sobrius** (Newman, 1840:30)
- sobrinus*; Fisher, 1946:94  
*amabile* Newman, 1841:112  
*subtilis* Bates, 1880:66  
*lepidus* Horn, 1885:179  
*basicornis* Linsley, 1934:60  
*arizonicus* Linsley, 1935:165  
*blairi* Linsley, 1935:94  
*rossi* Linsley, 1942:45  
*piceus* Knull, 1947:253  
*texanus* Knull, 1947:254  
**suturalis** Bates, 1872:191  
**trispinosus** Bates, 1872:191  
*ebeninus* Bates, 1872:234  
*erythroderus* Bates, 1885:313  
**vitticollis** Bates, 1892:169
- se Mexico (CHS, QR), Nicaragua  
 Mexico (CHS), Guatemala  
 Costa Rica  
 sw USA (TX), Mexico (CHS,  
 NL, OA, SLP,TA, VC)  
 w Mexico (JA, OA, GR, CM)  
 e NAmer-TX
- Mexico-Costa Rica  
 se Mexico (YU)  
 s Mexico (CHS)  
 w Mexico (JA, OA, GR)  
 Mexico-El Salvador  
 wc Mexico (SI, JA, ME, NA, GR)  
 Mexico (CM, GR, JA, MO, NA, OA, PU, SI)
- sw USA (AZ, NM, TX)-Mexico (widely  
 distributed), Baja Calif, Guatemala
- sc Mexico (MI, PU, OA)  
 Mexico-Costa Rica
- s Mexico (VC, CHS, TB), Guatemala

## **Stizocera** Audinet-Serville, 1834:107

- Stizocera*; Thomson, 1860:188  
*Nesostizocera* Linsley, 1961:170  
*Nephalius*; Lacordaire, 1869:188 (part) (not Newman, 1841)  
**armata** Audinet-Serville, 1834:107  
**armigera** (White, 1853:107)  
**atiaia** (Martins & Napp, 1983:89)  
**bisignata** Zajciw, 1958:237  
**boyi** Melzer, 1927:562  
**caymanensis** (Fisher, 1941:114)  
**consobrina** Gounelle, 1909:642  
**curacaoe** Gilmour, 1968:139  
**diversispinis** Zajciw, 1962:197  
**dozieri** (Fisher, 1947:33)  
**floridana** Linsley, 1949:154  
**fragilis** (Bates, 1870:274)  
**geniculata** (Pascoe, 1866:479)  
**horni** Melzer, 1923:6  
**howdeni** Gilmour, 1963:87  
**insolita** Gilmour, 1968:141  
**insulana** (Gahan, 1895: 106)  
**jassuara** (Martins & Napp, 1983:89)  
**juati** Martins & Napp, 1983:87  
**laceyi** Linsley, 1934:234  
**lissonota** (Bates, 1870:274)
- se Brasil (BA-RS, MS), Argentina  
 se Brasil (ES-SC)  
 e Brasil (ES)  
 wc Brasil (AM, PA, RO)  
 wc Brasil (AM, RO), Ecuador, Bolivia, Paraguay  
 W Indies (Cayman Is)  
 e Brasil (GO, BA-RS)  
 Curaçao  
 se Brasil (ES, RJ)  
 Haiti  
 se USA (FL)  
 se Brasil (RJ-SC)  
 Venezuela, Brasil  
 se Brasil (SP, PR)  
 Trinidad  
 Curaçao  
 Cuba, Jamaica  
 se Brasil (ES, RJ)  
 e Brasil (MG-RJ)  
 Guatemala, Belize  
 Panama, c Brasil, Fr Guiana, Bolivia

**longicollis** Zajciw, 1963:277  
**meinerti** (Aurivillius, 1900:409)  
*tricolor* Gounelle, 1909:644  
**melanura** (Erichson in Schomburg, 1848:572)  
**mojuba** Martins & Napp, 1983:85  
**nigroapicalis** Fuchs, 1961:6  
**nigroflava** Zajciw, 1965:88  
**pantonyssoides** Zajciw, 1968:540  
**phtisica** (Gounelle, 1909:643)  
**plicicollis** (Germar, 1824:506)  
**plumbea** Gounelle, 1909:645  
**poeyi** (Guérin-Méneville, 1838:284)  
var. *conspicillata* Gounelle, 1909:644  
**punctiventris** (Cazier & Lacey, 1952:25)  
**rugicollis** (Guérin-Méneville, 1844:233)  
**rugulosa** Galileo & Martins, 2000: 160  
**seminigra** Martins & Napp, 1983:84  
**spinicornis** (Fairmaire, 1864:274)  
*spiniformis*; Bruch, 1912:191  
**sublaevigata** Zajciw, 1962:198  
**submetallica** (Chemsak & Linsley, 1968:29)  
**suturalis** (Martins & Napp, 1992:464)  
**tristis** (Guérin-Méneville, 1844:233)  
**vanzwaluwenburgi** (Fisher, 1932:46)  
**wagneri** (Gounelle, 1913:21)

se Brasil (RJ)  
Venezuela, ec Brasil (GO, MT, MA-SP),  
Paraguay  
Guyana, Fr Guiana  
se Brasil (ES-SP)  
n Brasil (RR), Fr Guiana  
n Argentina (SA)  
e Brasil (ES), Ecuador  
e Brasil (GO, BA-SP)  
Mexico-Argentina, ec Brasil, Uruguay  
ec Brasil (GO)  
Cuba, Panama, Colombia, Venezuela, Brasil,  
Bolivia, Fr Guiana  
Bahamas  
Nicaragua-Colombia  
Colombia  
e Brasil (BA)  
nc Argentina (SE-SL)  
e Brasil (PB-RJ)  
w Mexico (SI-CHS), Guatemala  
Ecuador, Peru  
c Brasil (RO, GO, MT, SP), Bolivia, Argentina  
Puerto Rico, Virgin Is. (St. Croix)  
Argentina, Paraguay

**Terpnissa** Bates, 1867:25

**listropterina** Bates, 1867:25

s Mexico (CHS)-Brasil, Bolivia, Ecuador

**Trichophoroides** Linsley, 1935:139

*Eutrichophoroides* Linsley, 1961:174

*Neotrichophoroides* Linsley, 1961:179

**albisparsus** (Bates, 1872:175)

**aurivillii** (Linsley, 1961:179)

**decipiens** (Bates, 1880:26)

**jansoni** (Bates, 1885:252)

**niveus** Linsley, 1935:140

**pilicornis** (Fuchs, 1961:1)

w Mexico (JA)-Costa Rica  
Panama  
w Mexico (JA)-Nicaragua  
Nicaragua  
c Mexico (MO)-Costa Rica  
se Mexico (QR)

**Tropimerus** Giesbert, 1987:359

**cyaneus** Giesbert, 1987:360

**hovorei** Giesbert, 1987:360

s Mexico (CHS)  
El Salvador, Costa Rica

**Phoracanthini** Lacordaire, 1869: 298

**Phoracantha** Newman, 1840:19

**recurva** Newman, 1840:19

**semipunctata** (Fabricius, 1775:180)

*inscripta* Germar, 1848:226

Australia. Introduced in sw USA (CA)  
Australia. Introduced in sw USA (CA), Baja  
Calif, SAmer

**Piezocerini** Lacordaire, 1869:324

*Zelliboriinae* Lane, 1951:5

Subtribe **Haruspicina** Martins, 1976:199

**Acruspex** Martins, 1976:225

**spinipennis** (Zajciw, 1970:591)

e Brasil (BA-ES)

**Haruspex** Thomson, 1864:221

**bivittis bivittis** (White, 1855:220)

Fr Guiana, Brasil (AM), Bolivia, Argentina

- maculicornis* Bates, 1870:281  
 subsp. **agnatus** Melzer, 1934:71  
 subsp. **inermis** Belon, 1903:48  
 subsp. **pallidus** Gounelle, 1909:652  
**brevipes** (White, 1855:218)  
**celatus** Lane, 1970:59  
**daithmus** Martins, 1976:207  
**inscriptus** Gahan, 1895:107  
*insularis* Fisher, 1935:195  
*similis* Fisher, 1935:196  
**lineolatus** Bates, 1870:280  
*laevifemoratus* Waterhouse, 1880:294  
**mentitus** Martins, 1976:214  
**modestus** (White, 1855:239)  
**ornatus** Bates, 1870:281  
**pictilis** Martins, 1976:203  
**quadripustulatus** Gounelle, 1909:651  
**submaculatus** (White, 1855:220)
- Costa Rica-Panama  
 Peru, Bolivia  
 ec Brasil (GO, MT, SP)  
 e Brasil (GO, BA-SC)  
 Colombia  
 Colombia  
 Mexico-Colombia, Venezuela, Trinidad,  
 W Indies (Barbados, Grenada)
- Venezuela, Ecuador, Guianas, Peru,  
 nc Brasil (AM), Bolivia  
 Bolivia  
 nc Brasil (AM, PA, GO), Fr Guiana  
 n Brasil (PA)  
 e Brasil (BA, RJ, SP)  
 ec Brasil, Paraguay, Argentina, Uruguay  
 Colombia

### Subtribe **Piezocerina** Lacordaire, 1869:324

- Alienosternus** Martins, 1976:230  
**crystatus** (Zajciw, 1970:592)  
**metallicus** Martins, 1976:232  
**simplex** Martins, 1976:236  
**solitarius** (Gounelle, 1909:655)
- c Brasil (PI, GO, MT)  
 c Brasil (MT)  
 nw Argentina (SA, LR, SJ)  
 ec Brasil (GO, MG)
- Cicatrizocera** Martins, 1976:239  
**bilistrata** (Lane, 1959:303)
- Fr Guiana, nc Brasil (AM, PA)
- Colynthaea** Thomson, 1878:5  
**coriacea** (Erichson in Schomburg, 1848:573)  
*grossa* Thomson, 1878:6
- Guyana, Fr Guiana, Brasil (MA-SC, MT)
- Gorybia** Pascoe, 1866:481  
**acuta** Martins, 1976:332  
**adiaphora** Martins, 1976:325  
**alboapex** Martins, 1976:328  
**apatheia** Martins, 1976:355  
**armata** Martins, 1976:314  
**calcitraba** Martins, 1976:322  
**castanea** (Gounelle, 1909:653)  
**chontalensis** (Bates, 1880:30)  
**echinata** Martins, 1976:320  
**hirsutella** Martins, 1976:313  
**instita** Martins, 1976:305  
**invicta** Martins, 1976:317  
**lissonota** Martins, 1976:319  
**maculosa** Martins, 1976:353  
**martes** Pascoe, 1866:481  
**minima** Martins, 1976:357  
**orygma** Martins, 1976:344  
**pallida** Martins, 1976:346  
**palpalis** Martins, 1976:349  
**picturata** Martins, 1976:352  
**pilosa** Martins, 1976:332  
**procera** Martins, 1976:312  
**proxima** Martins, 1976:336  
**pusilla** (Bates, 1870:282)  
**reclusa** Martins, 1976:341  
**ruficauda** (Gounelle, 1909:654)  
**rugosa** Martins, 1976:358
- e Brasil (ES)  
 e Brasil (GO, PE-RS)  
 Venezuela  
 se Brasil (MG-SP)  
 Colombia, Venezuela  
 n Argentina (FO)  
 ec Brasil (GO, MT, MG, SP)  
 Nicaragua-Panama  
 e Brasil (ES)  
 e Brasil (BA, ES)  
 e Brasil (GO, MA-MG)  
 e Brasil (MG, ES)  
 e Brasil (ES)  
 Paraguay  
 se Brasil (BA-SC), Paraguay, Argentina  
 ne Brasil (PE)  
 n Brasil (AP)  
 Peru  
 s Brasil (PR-RS)  
 se Brasil (SP)  
 sc Brasil (MS)  
 c Brasil (AM, MT)  
 se Brasil, Paraguay  
 Fr Guiana, nc Brasil (AM, PA)  
 Guatemala-Panama  
 ec Brasil (GO, MT, MG, SP)  
 e Brasil (BA)

- semiopaca** Martins, 1976:311  
**sentcosa** Martins, 1976:324  
**separata** Martins, 1976:339  
**simplicior** (Bates, 1870:282)  
**stomias** Martins, 1976:348  
**suturella** Martins, 1976:342  
**thoracica** Martins, 1976:330  
**tibialis** Martins, 1976:328  
**umbella** Martins, 1976:356  
**veneficella** Martins, 1976:307  
**zonula** Martins, 1976:343
- Hemilissa** Pascoe, 1858:238  
**catapotia** Martins, 1976:293  
**cornuta** Bates, 1870:284  
*laevigata* Thomson, 1878:3  
**emblema** Martins, 1976:284  
**fabulosa** Martins, 1985:175  
**gummosa** (Perty, 1832:90)  
**opaca** Martins, 1976:289  
**picturata** Galileo & Martins, 2000: 164  
**quadrispinosa** Gounelle, 1913:213  
**rufa** Melzer, 1934:73  
**sulcicollis** Bates, 1870: 284  
**undulaticollis** Zajciw, 1960:399  
**? violascens** (Perty, 1832:90)
- Migmocera** Martins, 1976:237  
**flavicauda** (Bates, 1885:258)
- Migorybia** Martins, 1985:175  
**miranda** Martins, 1985:175
- Othnocerus** Martins, 1976:276  
**aethes** Martins, 1976:277
- Pharcidodes** Martins, 1976:359  
**divisus** Martins, 1976:362  
**nigripennis** Martins, 1985:177  
**rubiginosus** (Thomson, 1878:4)  
*var. apicalis* Gounelle, 1909:653  
**suturalis** (Gounelle, 1909:653)
- Piezarina** Martins, 1976:250  
**smaragdina** Martins, 1976:250
- Piezasteria** Martins, 1976:245  
**helenae** Martins, 1985:176  
**sternalis** Martins, 1976:246
- Piezocera** Audinet-Serville, 1834:92  
*Pyrgotes* Bates, 1867:27  
**advena** Martins, 1976:268  
**aenea** (Bates, 1867:27)  
**araujosilvai** Melzer, 1935:174  
**ataxia** Martins, 1976:267  
**bivittata** Audinet-Serville, 1834:93  
**costula** Martins, 1976:264  
**flavipennis** (Zajciw, 1970:593)  
**gratiosa** Lameere, 1893:273
- w Brasil (AC), Fr Guiana  
e Brasil (MG)  
e Brasil (BA)  
ec Brasil (GO, MT, ES, RJ)  
se Brasil (RJ)  
c Brasil (MT)  
n Argentina (SA)  
Panama, Venezuela  
e, s Brasil (BA, RS)  
ec Brasil (GO, MT), Bolivia  
e Brasil (MG, SP)
- nc Brasil (AP, PA, MT), Fr Guiana  
Fr Guiana, nc Brasil (AM), Peru, Bolivia
- Venezuela, Bolivia  
Venezuela  
e Brasil (PB-RS, GO, MT), Argentina  
Venezuela, Guianas, nc Brasil (AM)  
Venezuela  
Brasil (AM, MT), Peru, Bolivia, Argentina  
Costa Rica  
Costa Rica-Brasil (AM, RN-SP), Bolivia  
e Brasil (ES)  
e Brasil (BA)
- Guatemala
- Venezuela
- e Brasil (ES)
- se Brasil (RJ, PR)  
e Brasil (BA)  
se Brasil (BA-RJ)
- Brasil (GO, MT, MG), Bolivia, Paraguay,  
Argentina
- Panama, nc Brasil (AM, PA, MT), Fr Guiana
- Costa Rica, Colombia  
ec Brasil (GO, MT, ES), Bolivia
- Venezuela  
nw Brasil (AM)  
e Brasil (BA-RJ)  
Fr Guiana, c Brasil (PA, MT, BA)  
se Brasil (BA-SC), Paraguay  
sc Brasil (MS)  
Peru, n Brasil (PA)  
Venezuela

- monochroa** Bates, 1885:258  
**nodicollis** Melzer, 1934:72  
**serraticollis** Linell, 1897:394  
**silvia** Galileo & Martins, 2000: 163
- s Mexico (VC)- Costa Rica  
se Brasil (ES-RS), Paraguay  
sw USA (TX), n Mexico (CHS, OA)  
Colombia
- Piezogenista** Martins, 1976:255  
**callytra** Martins, 1976:257
- e Brasil (BA)
- Pseudocolynthaea** Martins, 1976:244  
**pectoralis** Martins, 1976:244
- e Brasil (BA-ES), ne Argentina (MI)
- Thyellocerus** Martins, 1976:248  
**fulgidipennis** (Gounelle, 1909:652)
- c Brasil (AM, GO, MT), Peru, Bolivia,  
Paraguay, Argentina
- Zelliboria** Lane, 1951:5  
**daedalea** (Perty, 1832:98)
- Guianas, c Brasil (AM, MT, PI, ES, MG, SP)
- Ibidionini** Thomson, 1860:199
- Division I** Martins, 1967:19
- Calycibidion** Martins, 1971:1432  
**multicavum** Martins, 1971:1433  
**turbidum** Napp & Martins, 1985:122
- e Brasil (BA)  
e Brasil (BA)
- Ctenoplön** Martins, 1967:60  
**x-littera** (Thomson, 1865:575)
- e Brasil (GO, PE-RS), Bolivia, Paraguay,  
Ecuador, Argentina
- Epacroplon** Martins, 1967:54  
**armatipes** (Martins, 1962:280)  
**cruciatum** (Aurivillius, 1899:262)
- Bolivia  
se Brasil (BA-RS), Paraguay, Argentina
- Glyptoceridion** Martins, 1959:270  
**quincunx** (Thomson, 1867:162)
- nc Brasil (AM, PA), Peru, Ecuador
- Glyptoscapus** Aurivillius, 1899:264  
**bivittatus** Gounelle, 1909:660  
**cicatricosus** Aurivillius, 1899:264  
**flaveolus** (Bates, 1870:285)  
**pallidulus** (White, 1855:234)  
**vanettii** Martins, 1959:270
- e Brasil (MG)  
se Brasil (BA-PR)  
nc Brasil (AM, PA)  
Panama, n Brasil (PA), Fr Guiana, Peru  
Colombia, Peru, ec Brasil (GO), Bolivia
- Gnomidolon** Thomson, 1864:219  
**amaurum** Martins, 1967:194  
**analogum** Martins, 1967:192  
**basicoeruleum** Martins, 1962:127  
**biarcuatum** (White, 1855:228)  
*excelsum* Martins, 1962:274  
**bipartitum** Gounelle, 1909:661  
**bonsae** Martins, 1967:268  
**bordoni** Joly, 1991:17  
**brethesi** Bruch, 1908:204  
**cingillum** Martins, 1967:186  
**colasi** Martins, 1967:221  
**conjugatum** (White, 1855:231)  
*eganum* Bates, 1870:287  
**cruciferum** (Gounelle, 1909:659)  
**denticorne** Bates, 1892:155
- Peru  
se Brasil (ES, RJ)  
s Mexico (CHS, QR)-Costa Rica  
Guianas, nc Brasil (AM), Peru
- e Brasil (GO, BA-SP)  
Bolivia  
Venezuela  
c Brasil (GO, MT), Paraguay, Argentina  
Ecuador  
Peru  
Fr Guiana, Peru, nc Brasil (AM), Bolivia
- Peru, e Brasil (GO, PB, BA)  
Panama

<b>elegantulum</b> Lameere, 1885:88 <i>bituberculatum</i> ; Thomson, 1864:219 (not Audinet-Serville, 1834)	e Brasil (GO, BA-RS), Paraguay, Argentina
<b>fraternum</b> Martins, 1971:1426	n Brasil (PA)
<b>fuchsi</b> Martins, 1971:129	Bolivia
<b>glabratum</b> Martins, 1962:273	Colombia, n Brasil (PA)
<b>gounellei</b> Martins, 1967:295	e Brasil (BA)
<b>gracile</b> (Gounelle, 1909:658)	c Brasil (GO, MT)
<b>grantsaui</b> Martins, 1967:234	Venezuela, Bolivia, Paraguay
<b>guianense</b> (White, 1855:225) <i>meinerti</i> Aurivillius, 1900:410	Colombia, Venezuela, Guiana, Brasil
<b>hamatum</b> Linsley, 1935:479	Panama
<b>humerales</b> Bates, 1870:287	Panama, Fr Guiana, Peru, n Brasil (PA)
<b>ignicolor</b> Napp & Martins, 1985:126	e Brasil (MG)
<b>incisum</b> Napp & Martins, 1985:127	Venezuela
<b>insigne</b> Martins, 1967:180	e Brasil (BA, ES)
<b>insulicola</b> Bates, 1885:260 <i>elegantulum</i> ; Aurivillius, 1900:410 (not Lameere, 1884) <i>piceicollis</i> Linsley, 1935:481 <i>seabrai</i> Martins, 1960:2	Panama, Colombia, Venezuela
<b>laetabile</b> Bates, 1885:260	Honduras-Panama
<b>lansbergei</b> (Thomson, 1867:159)	Venezuela
<b>longipenne</b> Martins, 1967:225	Colombia
<b>maculicorne</b> Gounelle, 1909:661	nc Brasil (AM, GO), Fr Guiana
<b>melanosomum</b> Bates, 1870:288 <i>costaricense</i> Martins, 1962:272	Guatemala-Panama, n SAmer-Bolivia
<b>meridanum</b> Napp & Martins, 1985:129	Venezuela
<b>musivum</b> (Erichson, 1847:141) <i>subburneum</i> White, 1855:234 <i>clymene</i> Thomson, 1867:161 <i>confusum</i> Fisher, 1944:6	Venezuela, Ecuador, Peru, nc Brasil (AM), Guianas, Bolivia
<b>nanum</b> Martins, 1962:269	Bolivia
<b>nigratum</b> Martins, 1967:188	Ecuador
<b>nympha</b> Thomson, 1865:575	se Brasil (ES-RS)
<b>oeax</b> Thomson, 1867:160	Guianas, Surinam
<b>opacicolle</b> Napp & Martins, 1985:124	wc Brasil (RO, MT)
<b>ornaticolle</b> Martins, 1960:6	se Brasil (RJ-RS), Paraguay, Argentina
<b>pallidicauda</b> Gounelle, 1909:662	Peru, Brasil (AC-RS), Paraguay
<b>peruvianum</b> Martins, 1960:5	Peru
<b>picipes</b> Bates, 1870:287	nc Brasil (AM, PA), Bolivia
<b>picticorne</b> Martins, 1971:134	Ecuador
<b>pictum</b> (Audinet-Serville, 1834:106)	e Brasil (GO-RS), Paraguay, Argentina
<b>pilosum</b> Martins, 1962:271	n Argentina (TU)
<b>primarium</b> Martins, 1967:190	e Brasil (BA)
<b>proseni</b> Martins, 1962:270	Costa Rica, c Brasil (MT), Bolivia
<b>proximum</b> Martins, 1960:4	Bolivia, n Argentina (SA, JU)
<b>pulchrum</b> Martins, 1960:7	c Brasil (MT), Paraguay, Argentina
<b>rubricolor</b> Bates, 1870:286 <i>pygmaeum</i> Martins, 1962:275	Panama, Venezuela, Peru, nc Brasil (AM)
<b>simplex</b> (White, 1855:230) <i>dubium</i> Bates, 1870:290	Guianas, nc Brasil (AM, PA)
<b>subfasciatum</b> Martins, 1967:184	Peru, nc Brasil (AM, PA)
<b>suturale</b> (White, 1855:222) <i>tricolor</i> Linsley, 1935:481	Panama, Colombia
<b>sylvarum</b> (Bates, 1892:155)	se Mexico (VC)-Honduras
<b>tomentosum</b> Martins, 1971:131	e Brasil (ES)
<b>varians</b> <b>varians</b> Gounelle, 1909:662 <i>micans</i> Fisher, 1937:146 <i>micans</i> var. <i>brunneicaudatum</i> Fisher, 1937:147 subsp. <b>addictum</b> Melzer, 1935:175	Brasil (GO, MT, PB-RS), Paraguay, Bolivia, Argentina, Uruguay
<b>Hexocycnidolon</b> Martins, 1960:27	se Brasil (MG-SC)
<b>unoculum</b> (Bates, 1870:292) <i>vulcanoi</i> Martins, 1960:27 <i>hylaeanum</i> Martins, 1962:134	nc Brasil (AM, PA), Fr Guiana, Peru

- Hexoplon** Thomson, 1864:219  
*Gnomidolon*; Lacordaire, 1869:330 (part)  
**affine** (Thomson, 1865:575)  
*consanguineum* Aurivillius, 1899:261  
**albipenne** Bates, 1872:179  
*colombianum* Martins, 1959:340  
**anthracinum** Martins, 1967:135  
**armatum** Aurivillius, 1899:263  
**bucki** Martins, 1967:106  
**calligrammum** Bates, 1885:259  
*smithi* Bates, 1892:154  
**carissimum** (White, 1855:223)  
**cearense** Martins & Galileo, 1999: 301  
**ctenostomoides** Thomson, 1867:162  
**eximium** Aurivillius, 1899:260  
**illumium** Napp & Martins, 1985:124  
**integrum** Tippmann, 1960:118  
**juno** Thomson, 1865:575  
**leucostictum** Martins, 1959:343  
**longispina** Aurivillius, 1899:261  
**lucidum** Martins, 1962:267  
**navajasi** Martins, 1959:344  
*eganum*; Linsley, 1935:480 (not Bates, 1870)  
**nigricolle** Gounelle, 1909:657  
**nigritarse** Aurivillius, 1899:262  
**nigropiceum** Martins, 1959:343  
**praetermissum** Bates, 1870:442  
var. *simplex* Gounelle, 1909:657  
*lanei* Martins, 1959:345  
**reinhardti** Aurivillius, 1899:262  
**rosalesi** Martins, 1971:1423  
**scutellare** Napp & Martins, 1985:123  
**speciosum speciosum** Fisher, 1937:145  
subsp. **ferruginosum** Martins, 1959:347  
**uncinatum** Gounelle, 1909:659  
**venus** Thomson, 1864:219
- Brasil (MG-RJ)  
Guatemala-Colombia, Venezuela  
Peru  
e Brasil (GO, MT, MG, SP)  
e Brasil (BA-RJ)  
Mexico-Honduras  
Fr Guiana, c Brasil, Peru, Bolivia  
Brasil (CE)  
se Brasil (BA-RS), ne Argentina (MI)  
e Brasil (MG, ES)  
w Brasil (RO)  
Bolivia  
Brasil, Peru, Bolivia, Paraguay, Argentina  
Colombia  
se Brasil (RJ, SP)  
Ecuador  
Panama  
c Brasil (PA, GO, MT)  
e Brasil (PE-SC)  
Paraguay  
Colombia, Brasil (PA, GO, MT, PE-ES)  
Peru, e Brasil (GO, BA-SP)  
Venezuela  
Brasil (BA, MG)  
se Brasil, Bolivia, Paraguay, Argentina  
se Brasil (SP, PR)  
SAmer (widely distributed)  
Colombia, Fr Guiana
- Isostenygra** Martins & Galileo, 1999: 315  
**monnei** Martins & Galileo, 1999: 317
- Brasil (AM)
- Neognomidolon** Martins, 1967:39  
**pereirai** (Martins, 1960:8)  
**poecilum** Martins, 1967:43
- se Brasil (SP)  
e Brasil (MG)
- Notosphaeridion** Martins, 1960:153  
**brevithorax** (Martins, 1960:3)  
**scabrosum** (Gounelle, 1909:663)  
**umbrinum** Martins, 1971:1421  
**vestitum** Martins, 1960:154
- se Brasil (SP, PR), Argentina  
ec Brasil, Bolivia, Paraguay, Argentina  
Venezuela  
e Brasil (PB, BA)
- Ophtalmoplion** Martins, 1965:119  
**aurivillii** Martins, 1965:128  
**diversum** Martins, 1965:123  
**impunctatum** Martins, 1965:126  
**inermis** Martins, 1965:124  
**nigricorne** Napp & Martins, 1985:118  
**spinosum** Martins, 1965:121
- se Brasil (RJ)  
se Brasil (ES, RJ)  
c Brasil (MT)  
Guyana, Fr Guiana, c Brasil (MT)  
e Brasil (BA)  
se Brasil (RJ)
- Pronoplion** Martins, 1967:317  
**rubriceps** (Gounelle, 1909:662)
- c Brasil (MA, GO, MT), Bolivia, Paraguay



- Pseudoplon** Martins, 1971:1418  
**oculatum** Martins, 1971:1419 e Brasil (BA, MG)  
**rasile** Napp & Martins, 1985:116 ne Brasil (RN)  
**transversum** Napp & Martins, 1985:114 e Brasil (BA, MG)
- Spinoplon** Napp & Martins, 1985:119  
**bicolor** Napp & Martins, 1985:121 e Brasil (BA)  
**inuitatum** Napp & Martins, 1985:119 e Brasil (BA, MG)
- Stenygra** Audinet-Serville, 1834:95  
**angustata** (Olivier, 1790:252) Guianas, nc Brasil (AM, PA)  
*coarctatus* Fabrlicius, 1801:349  
**apicalis** Gounelle, 1911:225 se Brasil (BA-SC), Argentina  
**brevispinea** Delfino, 1985:500 Peru  
**conspicua** (Perty, 1832:91) nc,e Brasil (AM, PB-RS), Paraguay,  
*tricolor* Audinet-Serville, 1834:97 Argentina  
**contracta** Pascoe, 1862:355 nw Brasil (AM), Peru  
**cosmocera** White, 1855:221 Brasil, Peru, Bolivia, Paraguay, Argentina  
**euryarthron** Delfino, 1985:497 Peru  
**globicollis** Kirsch, 1889:38 Ecuador  
**histrion** Audinet-Serville, 1834:97 Mexico-Costa Rica  
*histrion nigrina* Franz, 1954:220  
**holmgreni** Aurivillius, 1908:5 nc Brasil (PA), Peru  
**seabrai** Delfino, 1985:498 Peru  
**setigera** (Germar, 1824:516) e Brasil (GO, BA-RS), Paraguay, Argentina
- Tapuruia** Lane, 1973:149  
**beebei** (Fisher, 1944:7) Venezuela, Guianas, Brasil (AM)  
**felisbertoi** Lane, 1973:150 nc Brasil (AM, PA), Fr Guiana  
**jolyi** Napp & Martins, 1985:118 Panama, Venezuela
- Tetraibidion** Martins, 1967:307  
**aurivillii** (Gounelle, 1909:656) e Brasil (PE-RS, GO), Paraguay, Argentina  
*aeneonigrum* Fisher, 1937:147  
**ephimerum** Martins, 1967:312 se Brasil (SP, SC)  
**sahlbergi** (Aurivillius, 1899:260) se Brasil (RJ)
- Tetroplon** Aurivillius, 1899:259  
**caudatum caudatum** Aurivillius, 1899:259 Peru, Brasil, Bolivia, Paraguay, Argentina  
subsp. **nigricornis** Bruch, 1926:340 Bolivia, Argentina (SA, CD)
- Trichoplon** Martins, 1967:66  
**extremum** (Martins, 1959:341) e Brasil (PA, MG-RJ)
- Trinoplon** Zayas, 1975:115  
**bicolor** Zayas, 1975:116 Cuba
- Division II** Martins, 1968:321
- Aetheibidion** Martins, 1968:327  
**hirtellum** (Gounelle, 1913:215) Bolivia, Paraguay, n Argentina (SA,SE)
- Xenoibidion** Martins, 1968:323  
**fasciatum** Martins, 1971:1434 ec Brasil (GO)  
**unicolor** (White, 1855:233) Panama-Colombia, e SAmer-Argentina  
*uniforme* Berg, 1889:112

### Division III Martins, 1968:331

#### **Alcyopsis** Pascoe, 1866:484

**chalcea** Bates, 1874:221

**cyanoptera** Pascoe, 1866:484

**nigromaculata** Aurivillius, 1927:528

**nigrovittata** Gounelle, 1909:685

*pallida* Martins, 1964:141

Mexico (JA, MO, NA)-Costa Rica  
se Brasil, Paraguay, Argentina, Uruguay  
e Brasil (BA)  
ec Brasil (GO, MG, ES)

#### **Diasporidion** Martins, 1968:515

**argentinense** (Martins, 1962:152)

**duplicatum** (Gounelle, 1909:677)

*binoculatum* Linsley, 1935:484

c Brasil (MAG), n Argentina (JU)  
Mexico-Colombia, Venezuela, e Brasil

#### **Gnomibidion** Martins, 1968:580

**araujoi** (Martins, 1962:159)

**armaticolle** (Martins, 1965:211)

**biacutum** Martins, 1968:584

**cylindricum** (Thomson, 1865:570)

*eburnipenne* Linsley, 1935:480

**denticolle** (Dalman, 1823:67)

*gnomoides* Thomson, 1865:570

**digrammum** (Bates, 1870:299)

**fulvipes** (Thomson, 1865:571)

*biplagiatum* Redtenbacher, 1867:198

*monostigma* Bates, 1870:297

**occultum** Martins, 1968:603

**translucidum** (Martins, 1960:93)

n Brasil (PA)  
se Brasil (BA, RJ)  
Guianas  
Panama, Colombia, Venezuela, Peru, Ecuador,  
e Brasil (PE, BA)  
se Brasil (MG-RS, MT), Paraguay,  
Argentina  
Fr Guiana, n Brasil (AM, PA, CE), Peru  
Fr Guiana-Uruguay, Peru, Bolivia

Colombia  
Panama, Fr Guiana, c Brasil (MT)

#### **Homaloidion** Martins, 1968:506

**pinacopterum** (Martins, 1962:298)

se Brasil (BA-RS)

#### **Megapedion** Martins, 1968:573

**lefebvrei** (Gounelle, 1909: 673)

*longitarsi* Martins, 1962:108

**sylphis** (Bates, 1870:305)

e Brasil (GO, BA-SC)

nc Brasil (AM, PA)

#### **Minibidion** Martins, 1968:335

**aquilonium** Martins, 1968:349

**argenteum** Martins & Napp, 1986:6

**basilare** (Martins, 1962:155)

**bondari** (Melzer, 1923:7)

**confine** Martins, 1968:351

**craspedum** Martins, 1971:136

**minimum** Martins & Napp, 1986:7

**minusculum** (Martins, 1962:153)

**punctipenne** Martins, 1968:339

*comatum*; Gounelle, 1909:677 (not Audinet-Serville, 1834)

**rurigena** (Gounelle, 1909:681)

Venezuela  
w Brasil (RO), Fr Guiana  
Peru  
s Brasil (MT, BA-RS)  
e Brasil (BA)  
Ecuador  
c Brasil (MT)  
se Brasil (BA-RS), Paraguay, Argentina  
ec Brasil (GO-SP)  
ec Brasil (GO)

#### **Neotropidion** Martins, 1968:609

**nodicolle nodicolle** (Dalman, 1823:67)

*armandinae* Chabrillac, 1857:198

*biguttatum* Redtenbacher, 1867:198

subsp. **binoculare** (Gounelle, 1909:683)

**pulchellum** Martins, 1968:614

Peru, nc, se Brasil (AM, BA-SP),  
Bolivia

ec Brasil (GO, MG)  
Fr Guiana

#### **Opacibidion** Martins, 1968:498

**opacicolle** (Melzer, 1931:53)

**rugicolle** (Nonfried, 1895:309)

se Brasil (RJ-PR), Paraguay, Argentina  
e Brasil (PB-PR), Paraguay

<b>sulcorne</b> (White, 1855:232)	n Brasil (PA)
<b>Perissomerus</b> Gounelle, 1909:684	
<b>alvarengai</b> Martins, 1961:188	e Brasil (ES)
<b>dasytes</b> Martins, 1968:571	e Brasil (BA)
<b>flammeus</b> Martins, 1971:146	Venezuela
<b>hilairei hilairei</b> Gounelle, 1909:684	c Brasil (GO, MT), Peru, Bolivia
<i>lenkoi</i> Martins, 1962:160	
subsp. <b>bimaculatus</b> Gounelle, 1909:685	se Brasil (BA-PR)
<b>ruficollis</b> Martins, 1961:187	e Brasil (PB, BA)
<b>Phocibidion</b> Martins, 1968:625	
<b>erythrocephalum</b> (White, 1855:224)	Guatemala-Bolivia, Brasil (AM, BA-RJ)
<b>pulcherrimum</b> (Martins, 1962:277)	nw Brasil (AM)
<b>Psiloibidion</b> Martins, 1968:511	
<b>leucogramma</b> (Perty, 1832:92)	c Brasil (PA-SP), Bolivia,
<i>thomsoni</i> Chabrillac, 1857:197	Paraguay, Argentina
<b>Smaragdion</b> Martins, 1968:605	
<b>viride</b> Martins, 1968:606	Peru, c Brasil (PA, RO, MT)
<b>Thoracibidion</b> Martins, 1960:105	
<b>buquetii</b> (Thomson, 1867:139)	Mexico-Peru, Fr Guiana
<i>griseicolle</i> Bates, 1872:180	
<b>fasciiferum</b> (Berg, 1889:110)	Brasil, Bolivia, Paraguay, Argentina
<i>ruficaudatum</i> var. <i>rufa</i> Gounelle, 1909:664	
<b>flavopictum</b> (Perty, 1832:93)	e Brasil, Bolivia, Paraguay, Argentina
<b>franzae</b> Martins, 1968:540	Venezuela
<b>galbum</b> Martins, 1968:554	se Brasil (SP)
<b>insigne</b> Martins, 1968:534	Bolivia
<b>io</b> (Thomson, 1867:141)	n SAmer-se Brasil (RJ)
<i>rugicolle</i> Bates, 1870:296	
<b>lineatocolle</b> (Thomson, 1865:574)	se Brasil (BA-RS), Paraguay, Argentina
<b>pleurostictum</b> (Bates, 1885:261)	Mexico (CHS)-Panama
<b>ruficaudatum</b> (Thomson, 1865:571)	Venezuela, Fr Guiana, Peru, nc Brasil (AM)
<b>striatocolle</b> (White, 1855:224)	Fr Guiana, nc Brasil (AM, PA), Peru
<i>proserpina</i> Thomson, 1867:140	
<b>terminatum</b> Martins, 1968:552	Venezuela
<b>tomentosum</b> Martins, 1960:108	Panama, Colombia
<b>Tropidion</b> Thomson, 1867:134	
<b>abditum</b> Martins, 1968:484	n Argentina (CH)
<b>acanthonotum</b> (Martins, 1962:5)	e Brasil (ES)
<b>atricolle</b> (Martins, 1962:304)	se Brasil (BA-RJ)
<b>aurulentum</b> Martins, 1971:141	Brasil (GO, SC), Paraguay
<b>balfourbrownei</b> Martins, 1968:411	e Brasil (BA)
<b>batesi</b> Martins, 1968:496	e Brasil (ES)
<b>bituberculatum</b> (Audinet-Serville, 1834:105)	se Brasil (MG-SP)
<b>breviusculum</b> (Thomson, 1867:147)	se Brasil (BA-SC), Paraguay, Argentina
<i>borrei</i> Lameere, 1884:88	
<b>brunniceps</b> (Thomson, 1865:571)	Panama, Colombia
<b>calciope</b> (Thomson, 1867:144)	se Brasil (BA-SP)
<b>carinicolle</b> (Bates, 1872:180)	Nicaragua, Panama
<b>castaneum</b> Martins, 1968:383	se Brasil (BA, MG, MS), Bolivia
<b>centrale</b> (Martins, 1962:158)	Panama, Venezuela
<b>cinctulum</b> (Bates, 1870:294)	n Brasil (PA), Fr Guiana
<b>citrinum</b> Martins, 1968:403	e Brasil (BA, ES)
<b>contortum</b> Martins, 1968:442	Bolivia
<b>cruentum</b> Martins & Napp, 1986:8	c Brasil (MT)
<b>elegans</b> (Gounelle, 1909:679)	ec Brasil (GO, MT), Bolivia

- var. *zonata* Gounelle, 1909:679
- enochrum** Martins, 1968:405
- epaphum** (Berg, 1889:111)  
*rubricatum* var. *rubronigra* Gounelle, 1909:681
- erythrurum** (Martins, 1962:276)
- extraordinarium** Martins & Galileo, 1999: 302
- fairmairei** (Gounelle, 1909:680)  
*paraguayensis* Martins, 1962:6
- fernandezi** Joly, 1991:31
- festivum** (Martins, 1962:101)
- flavipenne** (Martins, 1964:139)
- flavipes** (Thomson, 1867:143)
- flavum** (Martins, 1962:304)
- fuscipenne** (Gounelle, 1913:217)  
*immaculipenne* Melzer, 1935:181
- hermione** (Thomson, 1867:144)
- hispidum** Martins, 1971:1441
- igneicolle** (Martins, 1962:10)
- inermis** (Martins, 1962:7)
- intermedium** (Martins, 1962:302)
- investitum** (Martins, 1962:10)  
*clavicorne* Martins, 1962:12
- kjellanderi** (Martins, 1965:208)
- lepidum** Martins, 1971:138
- litigiosum** Martins, 1968:444
- mirabile** Martins, 1971:1439
- nordestinum** (Martins, 1962:105)
- obesum** Martins, 1968:446
- periboeoides** (Thomson, 1867:146)
- persimile** (Martins, 1960:181)
- personatum** (Gounelle, 1909:678)  
*andinum* Martins, 1962:57
- pictipenne** (Martins, 1962:58)
- praecipuum** Martins, 1971:1445
- pubicolle** Martins & Napp, 1986:10
- pulvinum** Martins, 1968:449
- pusillum** (Martins, 1960:178)
- rubricatum** (Gounelle, 1909:680)
- rusticum** (Gounelle, 1909:682)
- salamis** (Thomson, 1867:143)
- semirufum** Martins, 196:422
- signatum signatum** (Audinet-Serville, 1834:104)  
*venezuelae* White, 1855:233  
*femoratum* Lucas, 1857:187  
*vicinum*; Bosq, 1943:31 (not Gounelle, 1909)  
subsp. **punctatum** Martins, 1968:438
- silvestre** (Martins, 1965:210)
- sipolisi** (Gounelle, 1909:681)  
*haliki* Martins, 1962:301
- subcruciatum** (White, 1855:226)  
*spinipenne* Thomson, 1865:570  
*calligrammum* Bates, 1870:294
- supernotatum** (Gounelle, 1909:678)
- validum** (Martins, 1962:104)
- vianai** Martins, 1971:1437
- vicinum** (Gounelle, 1913:216)
- xanthocele** (Martins, 1962:305)
- zonapterum** (Martins, 1962:299)
- e Brasil (BA)
- ec Brasil (GO, MT, MG, SP), Argentina,  
Bolivia, Paraguay
- Panama-n SAMer, Bolivia, se Brasil  
Brasil (DF)
- ec Brasil (GO, MT), Bolivia, Paraguay
- Venezuela
- Bolivia
- s Brasil (MS)
- e Brasil (GO, BA-SP)
- se Brasil (BA-SP), Fr Guiana, Argentina
- Bolivia, n Argentina (SA, SE, ER)
- se Brasil (SP-RS), Paraguay, Argentina
- Venezuela
- se Brasil (MG, SP)
- se Brasil (MT, RJ-PR)
- n Argentina (SA, TU)
- se Brasil (BA-RS), ne Argentina (MI)
- e Brasil (BA)
- c Brasil (MT)
- Colombia, Venezuela
- Venezuela
- ne Brasil (RN)
- e Brasil (BA)
- se Brasil (BA-RJ)
- nc Brasil (PA, GO, MT)
- ec Brasil (GO, MT, SP), Paraguay, Bolivia,  
Argentina
- se Brasil, Bolivia, Paraguay, Argentina
- c Brasil (MT), Bolivia
- Brasil (AM, PA, RO)
- e Brasil (BA)
- Bolivia
- Venezuela, ec Brasil (GO, MT, MG)
- ec Brasil (GO, MG, MT, SP), Paraguay
- se Brasil (BA-RS), Paraguay, Argentina
- Brasil
- se Brasil (BA-RS), Paraguay, Argentina
- ec Brasil (GO, MT), Bolivia
- e Brasil (ES)
- e Brasil (GO, BA-SC), Paraguay
- Guianas, Venezuela, e Brasil (AM, GO, MT,  
PB-PN)
- e Brasil (GO, MT, BA-SP), Bolivia
- Paraguay
- Paraguay
- nc Argentina (JU-CD)
- c Brasil (MT)
- ec Brasil (MT, SP), Bolivia

#### Division IV Martins, 1969:631

- Bomaribidion** Martins, 1962:2
- angusticolle** (Gounelle, 1909:683)
- e Brasil (GO, BA-SC), Paraguay

<b>hirsutum</b> Martins, 1969:670	e Brasil (MG)
<b>Brechmoidion</b> Martins, 1969:639	
<b>exicisifrons</b> (Martins, 1960:88)	Colombia, Ecuador
<b>falcatum</b> Napp & Martins, 1985:131	Venezuela
<b>Coleroidion</b> Martins, 1969:830	
<b>cingulum</b> Martins, 1969:833	Venezuela, Peru
<b>leucotrichum</b> (Martins, 1960:177)	s Brasil (MS), n Argentina (FO, CH)
<b>Compsibidion</b> Thomson, 1864:215	
<i>Lylibaeum</i> Thomson, 1864:216	
<i>Octoplon</i> Thomson, 1864:218	
<b>aegrotum</b> (Bates, 1870:305)	nw Brasil (AM)
<b>amantei</b> (Martins, 1960:179)	Fr Guiana, se Brasil (MG-RJ)
<b>angulare</b> (Thomson, 1867:159)	se Brasil (BA-RJ)
<b>balium</b> Napp & Martins, 1985:136	e Brasil (ES)
<b>baria</b> Joly, 1990: 213	Venezuela
<b>basale</b> (White, 1855:229)	nc Brasil (AM, PA), Fr Guiana
<b>callispilum</b> (Bates, 1870:293)	Venezuela, Fr Guiana, Brasil (PA), Bolivia
<b>campestre</b> (Gounelle, 1909:667)	ec Brasil (GO, MT, PB-MG, SP), Bolivia,
<i>perelegans</i> Melzer, 1933:368	n Argentina (JU, SA)
<b>capixaba</b> (Martins, 1962: 156)	e Brasil (BA-ES)
<b>carenatum</b> Martins, 1969:767	e Brasil (ES)
<b>charile</b> (Bates, 1870:297)	Fr Guiana, nc Brasil (AM,PA)
<b>circunflexum</b> Martins, 1971:1462	Argentina (SA-BA)
<b>cleophile</b> (Thomson, 1865:574)	se Brasil (BA-PR)
<i>adelphum</i> Thomson, 1867:158	
<i>laesicolle</i> ; Thomson, 1864:218 (not Germar, 1824)	
<b>clivum</b> Martins, 1971:1453	Venezuela
<b>concisum</b> Napp & Martins, 1985:138	e Brasil (MG, ES)
<b>crassipede</b> Martins, 1971:1460	ec Brasil (MT, SP), Paraguay, Argentina
<b>decemmaculatum</b> (Martins, 1960:175)	Ecuador
<b>decoratum</b> (Gounelle, 1909:665)	ec Brasil (GO, MT)
<b>derivativum</b> Martins, 1971:1454	c Brasil (MT)
<b>divisum</b> Martins, 1969:769	se Brasil (BA-RJ)
<b>fairmairei</b> (Thomson, 1865:572)	e Brasil (GO, MT, BA-RS), Paraguay,
<i>arcufera</i> Gounelle, 1909:669	Bolivia, Argentina, Uruguay
<b>femoratium</b> Martins, 1971:1457	c Brasil (MT), n Argentina (CH)
<b>graphicum</b> (Thomson, 1867:135)	Brasil (PA, MA-SC, MT), Bolivia, Paraguay,
<i>antennatum</i> Thomson, 1867:156	Argentina
var. (?) <b>rubricolle</b> (Melzer, 1935:176)	s Brasil (RS)
<b>guanabarinum</b> (Martins, 1962:138)	se Brasil (ES, RJ)
<b>ilium</b> (Thomson, 1864:216)	se Brasil (MT, MG-SC), Peru
<b>inornatum</b> (Martins, 1962:302)	se Brasil (BA, SP)
<b>litturatum</b> (Martins, 1960:91)	Panama, Colombia, Venezuela
<b>maronicum</b> (Thomson, 1867:135)	Trinidad, Venezuela, Brasil (AM, MA, MT),
<i>herse</i> Thomson, 1867:136	Guianas, Peru, Bolivia
<i>oedicneme</i> Bates, 1870:298	
<i>rubellum</i> Bates, 1870:298	
<i>leprieuri</i> Bates, 1870:299	
<i>dilectum</i> Bates, 1870:299	
<i>deliciosus</i> Bates, 1870:305	
<b>megarthron</b> (Martins, 1962:279)	se Brasil (MG, SP)
<b>melancholicum</b> Martins, 1969:726	c Brasil (MT)
<b>meridionale</b> Martins, 1969:775	s Brasil (SC)
<b>monnei</b> Martins, 1969:703	Uruguay
<b>multizonatum</b> Martins, 1969:796	n Brasil (PA), Fr Guiana
<b>muricatum</b> Martins, 1971:150	e Brasil (ES)
<b>mysticum</b> Martins, 1969:786	Panama
<b>nigroterminatum</b> (Martins, 1965:206)	se Brasil (BA, RJ)
<b>niveum</b> (Martins, 1962:143)	se Brasil (RJ-SC)
<b>omissum</b> Martins, 1969:701	ec Brasil (GO)

**orpa** (White, 1855:227)  
**paradoxum** Martins, 1971:157  
**paulista** (Martins, 1962:131)  
**polyzonum** (Bates, 1870:291)  
**psydrum** Martins, 1969:806  
**pumilium** Martins & Galileo, 1999: 302  
**quadrisignatum** (Thomson, 1865:574)  
    *amabile* Thomson, 1867:138  
**reichardti** (Martins, 1962:97)  
**rutha** (White, 1855:227)  
**simillimum** Martins, 1969:720  
**singulare** (Gounelle, 1909:671)  
**sommeri** (Thomson, 1865:573)  
**sphaerium** (Bates, 1870:300)  
**tethys** (Thomson, 1867:145)  
    *polychromum* Bates, 1870:295  
**thoracicum** (White, 1855:228)  
**trichocerum** (Martins, 1962:128)  
**triviale** Napp & Martins, 1985:137  
**truncatum** (Thomson, 1865:574)  
    *albocinctum* Thomson, 1865:574  
    *lycoris* Thomson, 1867:153  
**tuberosum** Martins, 1971:153  
**unifasciatum** (Gounelle, 1909:666)  
**vanum** (Thomson, 1867:151)  
    *histrionica* Bates, 1870:302  
**varipenne** Martins, 1969:742  
**virgatum** Martins, 1969:724  
**zikani** (Melzer, 1933:367)

### **Cychnidolon** Thomson, 1864:217

**approximatum** (White, 1855:231)  
**batesianum** (White, 1855:230)  
**bimaculatum** Martins, 1960:22  
**binodosum** Bates, 1870:306  
**bruchi** Napp & Martins, 1985:144  
**caracense** Martins, 1964:129  
**eques** Thomson, 1864:217  
**gounellei** Bruch, 1908:206  
**minutum** Martins, 1960:19  
    *trichotulum* Martins, 1960:71  
**obliquum** Martins, 1969:852  
    *unoculum*; Gounelle, 1909:668 (not Bates, 1870)  
**phormesioides** Martins, 1960:20  
**podicale** (Thomson, 1867:155)  
**pulchellum** (Lameere, 1893:274)  
    *pedunculatum* Martins, 1969:862  
**pumillum** Napp & Martins, 1985:144  
**sericeum** Martins, 1960:21  
    *guimaraesi* Martins, 1964:132  
**spinosum** Napp & Martins, 1985:143  
**trituberculatum** Martins, 1969:850

### **Glomibidion** Napp & Martins, 1985:134

**tumidum** Napp & Martins, 1985:134

### **Ibidion** Audinet-Serville, 1834:103

**comatum** Audinet-Serville, 1834:104

### **Liostola** Zajciw, 1962:241

**nitida** Zajciw, 1962:242

n Brasil (PA)  
Colombia  
se Brasil (SP)  
n Brasil (PA)  
Peru  
Colombia  
e Brasil (GO, ES-SC)  
  
Bolivia  
Fr Guiana, nc Brasil (AM, PA), Peru  
e Brasil (BA-ES)  
ec Brasil (GO)  
e Brasil (GO, BA-SC), Bolivia, Argentina  
nc Brasil (AM, PA)  
Ecuador, Guianas, nw Brasil (AM), Peru  
  
c Brasil (PA, GO, MT), Peru, Bolivia  
se Brasil (BA-RJ)  
se Brasil (MG, SP)  
e Brasil (GO, BA-RS), Bolivia, Paraguay,  
    Argentina  
  
e Brasil (ES)  
e Brasil (GO, ES, SP)  
Mexico-n SAmer, Argentina, Bolivia  
  
Venezuela  
Peru  
se Brasil (BA-RS)

Guianas, nc Brasil (AM), Peru  
Fr Guiana, nc Brasil (AM, PA, MT), Peru  
nc Brasil (AM)  
Panama, nw Brasil (AM)  
e Brasil (ES)  
se Brasil (MG, RJ)  
se Brasil (BA-RJ)  
Bolivia, n Argentina (SA, TU)  
se Brasil (BA-SP), Argentina  
  
Brasil (PA, GO, MT, MA), Fr Guiana, Bolivia  
  
n Argentina (SA, TU)  
Venezuela  
Venezuela  
  
e Brasil (BA, MG)  
Brasil (AM, PA, BA-RJ), Peru, Bolivia  
  
Panama, Colombia  
Costa Rica

c Brasil (MT)

Brasil

Fr Guiana, Brasil (AP, RO, MT), Ecuador

- Megaceron** Martins, 1969:672  
**antennicrassum** (Martins, 1960:53) e Brasil (ES)  
**australe** (Martins, 1960:176) se Brasil (SP-SC), Paraguay
- Neoctoplon** Martins, 1969:826  
**brunnipenne** (Martins, 1960:85) se Brasil (RJ-SC)
- Opthalmibidion** Martins, 1969:661  
**auga** Martins & Galileo, 1999: 302 Brasil (AM)  
**luscum** Martins, 1971:1449 s Brasil (MS)  
**oculatum** Martins, 1969:664 e Brasil (ES)  
**tetrops** (Bates, 1870:291) c, se Brasil (PA, MT, MG-PR), Peru, Bolivia,  
Argentina
- Prothoracibidion** Martins, 1960:109  
**flavozonatum** Martins, 1960:109 Ecuador, Peru  
**plicatithorax** Martins, 1960:111 Colombia  
**xanthopterum** Martins, 1962:281 Bolivia
- Rhysium** Pascoe, 1866:483  
*Rhyzium*; Martins, 1969:650  
**bimaculatum** Pascoe, 1866:483 Peru, Bolivia  
*contracticorne* Martins, 1960:95  
**bivulneratum** (Thomson, 1867:141) Colombia  
*inarmatum* Martins, 1960:94  
**guttiferum** (Thomson, 1867:142) Colombia
- Tetraopidion** Martins, 1960:23  
**geminatum** Martins, 1969:840 Bolivia  
**mucoriferum** (Thomson, 1867:154) e Brasil (GO, PB-RS), Fr Guiana, Paraguay,  
Argentina  
*modestum* Lacordaire, 1869:334 n Argentina (SA)  
**tetraophtalmum** Martins, 1960:26 Venezuela  
**venezuelanum** Martins, 1960:25
- Division V** Martins, 1970:883
- Aphatum** Bates, 1870:308  
**rufulum** (White, 1855:234) nc Brasil (AM, PA)
- Asynapteron** Martins, 1970:1151  
**contrarium** Martins, 1971:1472 Ecuador  
**eburnigerum** (Aurivillius, 1899:265) Guyana  
**equatorianum** (Martins, 1960:89) Ecuador  
**glabriolum** (Bates, 1872:180) Mexico, Nicaragua-Colombia, Ecuador  
**inca** (Martins, 1962:95) Peru  
**ranthum** Martins, 1970:1155 Ecuador
- Cecaibidion** Galileo & Martins, 2001: 94  
**bivittatum** Galileo & Martins, 2001: 95 Panama
- Cephaloplon** Martins & Napp, 1986:236  
**pedunculatum** Martins & Napp, 1986:237 Trinidad & Tobago
- Cicatrion** Martins, 1970:965  
**calidum** Martins & Napp, 1986:235 e Brasil (BA, MG)  
**constricticolle** (Martins, 1962:296) se Brasil (BA, SP)
- Compsa** Perty, 1832:92

- albomaculata** Martins, 1962:282  
**albopicta** Perty, 1832:92  
**amoena** Fisher, 1937:148  
**curtula** Martins & Napp, 1986:230  
**diringshofeni** (Martins, 1960:173)  
**inconstans** Gounelle, 1909:669  
**leucozona** (Bates, 1885:261)  
**macra** (Thomson, 1867:154)  
*delicatulum* Linsley, 1935:486  
**monrosi** (Prosen, 1961:125)  
**montana** Martins, 1971:1465  
**multiguttata** Melzer, 1935:178  
*lineatoguttata* Melzer, 1935:179  
var. *confluens* Melzer, 1935:179  
**nebulosa** Martins, 1970:1010  
**nipha** Martins, & Napp, 1986:231  
**quadriguttata** (White, 1855:226)  
? **flavofasciata** (Thomson, 1867:152)  
? **latifascia** Martins, 1970:1029
- Corimbion** Martins, 1970:883  
**balteum** Martins, 1970:891  
**caliginosum** Martins, 1970:896  
**martinsi** Giesbert, 1998: 50  
**nigroapicatum** Martins, 1970:893  
**supremum** Martins, 1970:889  
**terminatum** Martins, 1970:897  
**vulgare** Martins, 1970:885
- Dodecaibidion** Martins, 1962:91  
**brasiliense** Martins, 1962:92  
**modestum** Martins, 1970:993  
**ornatipenne** Martins, 1970:991
- Engyum** Thomson, 1864:216  
*Phormesium* Thomson, 1864:217  
**aurantium** Martins, 1970:941  
**carinatum** Martins, 1970:931  
**crassum** Martins, 1970:934  
**euchare** (Martins, 1960:55)  
**fusiferum** (Audinet-Serville, 1834:106)  
*eudesmoides* Thomson, 1864:218  
**howdeni** Martins & Napp, 1986:227  
**linsleyi** Martins, 1970:942  
**ludibriosum** Martins, 1970:939  
*albinum*; Gounelle, 1909:668 (not Bates, 1870)  
**melanodacrys** (White, 1855:235)  
**quadrinotatum** Thomson, 1864:217  
**transversum** Martins, 1970:944  
**trinidadense** (Gilmour, 1963:93)  
**virgulatum** (Bates, 1880:31)  
**zonarium** Martins & Napp, 1986:228
- Hadroibidion** Martins, 1967:48  
**nanum** (Gounelle, 1911:226)  
**pullum** (Martins, 1962:93)  
**vulgare** Martins & Napp, 1986:230
- Heterachthes** Newman, 1840:9  
*Ibidion* (*Heterachthon*) Thomson, 1867:133  
*Heterachthon* Aurivillius, 1912:110  
*Heterachthes*; Aurivillius, 1912:110
- Colombia  
ec, se Brasil, Peru, Paraguay, Argentina  
se Brasil (BA-SC), Paraguay, Argentina  
Peru, w Brasil (RO)  
Brasil (MG-SP)  
e Brasil (GO, BA, ES)  
Panama  
Panama, Trinidad & Tobago, Colombia,  
Venezuela  
s Brasil, Paraguay, Argentina, Uruguay  
e Brasil (PB, BA)  
e Brasil (GO, MT, PE-RS), Paraguay,  
Argentina
- Bolivia  
Venezuela, Fr Guiana  
n SAMer-Bolivia, Paraguay  
Colombia, Venezuela  
e Brasil (GO, BA-SC), Bolivia
- e Brasil (BA)  
Venezuela  
Guat, Hond, Costa Rica  
Bolivia  
Venezuela  
Colombia, n Brasil (RR)  
se Brasil (BA-PR)
- se Brasil (RJ)  
ec Brasil (GO), Paraguay  
se Brasil (RJ)
- c Brasil (MT), Fr Guiana  
e Brasil (BA)  
e Brasil (PE)  
Venezuela, Brasil  
se Brasil (BA-RJ)
- Colombia  
Peru  
e Brasil (GO, BA-SP)
- c Brasil (PA, MT)  
se Brasil (BA-RS), Paraguay, Argentina  
Fr Guiana, e Brasil (BA, PE)  
Trinidad  
Mexico-n Samer (Venezuela, Ecuador, Peru)  
s Mexico (CHS)
- Brasil (GO)  
s Brasil (MS)  
e Brasil (BA)



- Brydaeon* Thomson, 1867:134
- aeneolus** Bates, 1885:267
- apicalis** (Blair, 1933:481)  
*arubae* Gilmour, 1968:146
- bilineatus** (Bates, 1885:262)
- candidus** (Bates, 1885:261)
- castaneus** Martins, 1970:1301
- concretus** Martins, 1970:1286
- congener** Martins, 1965:215
- designatus** Martins, 1970:1321  
**dimidiatus** (Thomson, 1865:571)
- ebenus** Newman, 1840:9  
*floridanus* Casey, 1912:307  
*exilissimus* Casey, 1912:307
- erineus** Martins, 1970:1312
- fasciatus** Martins, 1971:1477
- figuratus** Martins, 1970:1219
- flavicornis flavicornis** (Thomson, 1865:571)  
subsp. **bonariensis** (Thomson, 1865:572)  
*implicatum* Thomson, 1867:148  
subsp. **sexsignatus** (Thomson, 1865:572)  
*bellus* Gounelle, 1909:672
- fraterculus** Martins & Napp, 1986:240
- gratiosus** Martins, 1970:1237
- howdeni** Martins, 1970:1327
- hystricosus** Martins, 1971:173
- integripennis** (Bates, 1885:262)  
*usingeri* Linsley, 1935:81
- inustus** Gounelle, 1909:670
- laesicollis** (Germar, 1824:511)  
*phoracanthoides* White, 1855:232  
*quadrifoveolatum* Chabrilac, 1857:197  
*vitreus* Martins, 1962:293
- lateralis** Martins, 1962:295
- lemniscus** Martins, 1970:1229
- leucoacnus** Martins, 1970:1334
- longiscapus** Martins, 1970:1231
- martinsi** Hovore, 1988:10
- mediovittatus** Martins, 1962:292
- mucuni** Martins & Galileo, 1999: 306
- myrrheus** Gounelle, 1910:15
- neocompsoides** Giesbert, 1998: 45
- nigrocinctus** Bates, 1872:182
- nobilis** LeConte, 1862:41
- pallidipennis** (Thomson, 1865:573)
- pelonioides** (Thomson, 1867:149)  
*longipilis* Bates, 1870:304
- picturatus** Martins, 1970:1288
- plagiatus** (Burmeister, 1865:174)
- polingi** (Fall, 1925:182)
- quadrimaculatus** Haldeman, 1847:43  
var. *pallidus* Haldeman, 1847:43  
*rotundipenne* White, 1855:233  
*evanescens* Thomson, 1867:148  
*fluviatilis* Casey 1912:308
- rubricolor** Melzer, 1935:180
- rugosicollis** Martins, 1970:1330
- sablensis** Blatchley, 1920:68
- sejunctus** Gounelle, 1909:673
- sexguttatus** (Audinet-Serville, 1834:105)
- signaticollis** (Thomson, 1865:572)
- similis** Martins, 1965:213
- spilotus** Martins, 1971:170
- symbolus** Martins, 1970:1257
- e Mexico (VC)  
Honduras, Aruba, Colombia, Galapagos Is
- Guatemala  
Panama  
e Brasil (MG)  
Costa Rica, Colombia  
Peru, Bolivia  
Mexico (VC, OA, CHS)  
se Brasil (RJ-PR), Paraguay  
s USA (FL-TX), Mexico-Uruguay, Cuba,  
Bahamas
- w Mexico (SI)  
Venezuela  
Peru  
se Brasil (BA-RJ)  
Argentina, Uruguay
- e Brasil (GO, MG-RS)
- Mexico (CHS, JA, OA)-Costa Rica  
nw Brasil (AM)  
ne Mexico (NL, TA)  
se Brasil (RJ)  
c Mexico (DU-VC)
- ec Brasil (GO)  
se Brasil (BA-RJ)
- Panama, Colombia, n Brasil (PA)  
Ecuador  
ec Mexico (HI)  
e Brasil (BA)  
Baja Calif  
Peru  
Ecuador  
Ecuador  
MX, Guat, Hond  
s Mexico-Panama  
sw USA (TX)  
Peru  
Fr Guiana, nc Brasil (AM)
- Guatemala  
nw Argentina (JU, CD, ME)  
sw USA (AZ), nw Mexico (SO)  
e NAmer
- Costa Rica  
wc Mexico (DU)  
se USA (FL)  
ec Brasil (GO, MT), Fr Guiana, Bolivia  
se Brasil (BA-RJ)  
Colombia, Venezuela  
Bolivia  
n Argentina (TU)  
e Brasil (BA)

<b>tenellus</b> (Burmeister, 1865:175)	n Argentina (JU-BA)
<b>texanus</b> Linsley, 1957:159	sw USA (TX)
<b>tysiphonis</b> (Thomson, 1867:137)	Fr Guiana, nc Brasil (AM), Peru
<i>decipiens</i> Bates, 1870:303	
<b>unituberosus</b> Martins & Galileo, 1999: 306	Bolivia
<b>vauriae</b> Martins, 1971:175	Colombia
<b>viticulus</b> Martins, 1970:1332	ne Mexico (CO-VC), Guatemala
<b>wappesi</b> Martins & Napp, 1986:239	se Mexico (YU, QR)
<b>w-notatus</b> Linsley, 1935:80	c Mexico (NA-PU)
<b>xenocerus</b> Martins, 1960:174	nc Argentina (CD)
<b>x-notatus</b> (Linsley, 1935:109)	Mexico, Belize, Honduras
<i>fisheri</i> Linsley, 1935:485	
<b>xyleus</b> Martins, 1974:149	Bolivia
<b>Heterocompsa</b> Martins, 1965:95	
<b>aquilonia</b> Giesbert, 1998: 48	MX, Guat, Panama
<b>eburata</b> Martins, 1970:914	Bolivia
<b>formosa</b> (Martins, 1962:284)	Paraguay, n Argentina (SA, FO)
<b>geniculata</b> (Thomson, 1865:571)	se Brasil (BA, SP), Paraguay, Argentina
<i>heteracantha</i> Martins, 1962:286	
<b>nigripes</b> (Martins, 1962:283)	se Brasil (SP)
<b>seabrai</b> (Martins, 1962:285)	n Argentina (TU)
<b>stellae</b> (Martins, 1962:145)	s Brasil (PR)
<b>truncaticornis</b> (Martins, 1960:87)	se Brasil (ES-RJ)
<b>Kunaibidion</b> Giesbert, 1998: 51	
<b>panamensis</b> Giesbert, 1998: 51	Panama
<b>Microibidion</b> Martins, 1962:135	
<b>exculptum</b> Martins, 1962:137	se Brasil (SP-RS), Paraguay, Argentina
<b>exiguum</b> Martins, 1962:136	se Brasil (BA-RS), Paraguay, Argentina
<b>fluminense</b> (Martins, 1962:146)	se Brasil (BA-RJ)
<b>mimicum</b> Martins, 1971:161	Bolivia, n Argentina (JU)
<b>muticum</b> (Martins, 1962:147)	se Brasil (ES, RJ, SC)
<b>rubicundulum</b> (Gounelle, 1913:214)	nc Argentina (SE)
<b>Monzonina</b> Giesbert, 1998: 44	
<b>sanmarcosana</b> Giesbert, 1998:45	Guatemala
<b>Neocompsa</b> Martins, 1965:96	
<b>agnosta</b> Martins, 1970:1081	w Mexico (SI, NA, JA)
<b>alacris</b> (Bates, 1885:264)	sw USA (TX), Mexico-Honduras
<b>albopilosa</b> (Martins, 1962:142)	se Brasil (BA-RJ)
<b>aspasia</b> Martins, 1974:148	Ecuador
<b>bimaculata</b> Martins & Napp, 1986:231	Guatemala-Costa Rica
<b>chemsaki</b> Martins, 1970:1117	w Mexico (JA, MO, NA)
<b>clerochroa</b> (Thomson, 1867:156)	sc Mexico (CM, ME, VC, OA, CHS), Guatemala
<i>tenuatum</i> Bates, 1885:263	
<i>semirufum</i> Bates, 1885:265	
<b>comula</b> Martins, 1970:1058	Costa Rica
<b>cylindricollis</b> (Fabricius, 1798:146)	W Indies (Jamaica-Trinidad)
<i>clavipes</i> Fabricius, 1801:316	
<i>submaculatus</i> Lameere, 1884:100	
<i>quadrimaculatum</i> ; Thomson, 1864:215 (not Fabricius, 1792)	
<b>dysthymia</b> Martins, 1970:1074	ne Mexico (NL)
<b>eburioides</b> (Thomson, 1867:152)	Colombia, Venezuela
<b>exclamationis</b> (Thomson, 1860:201)	sw USA (TX), Mexico (CHS,
<i>interrogationis</i> Thomson, 1864:216, (nomen nudum)	DF, JA, OA, SLP, VC)
<b>fefeyei</b> Joly, 1991:67	Venezuela
<b>fulgens</b> (Fisher, 1932:48)	Dominica, Guadeloupe
<b>gaumeri</b> (Bates, 1892:156)	se Mexico (YU)

- giesberti** Martins & Napp, 1986:233  
**glaphyra** Martins, 1970:1100  
**habra** Martins, 1970:1065  
**intricata** Martins, 1970:1088  
**leechi** Martins, 1970:1072  
**lenticula** Martins, 1970:1103  
**limatula** Martins & Napp, 1986:235  
**lineolata** (Bates, 1870:301)  
*dilaticornis* Melzer, 1935:177  
**macroscina** Martins, 1970:1086  
**macrotricha** Martins, 1970:1091  
**magnifica** Martins, 1971:167  
**mendezi** Giesbert, 1998: 46  
**mexicana** (Thomson, 1865:573)  
*hipposioides* Bates, 1885:265  
*ignobile* Bates, 1885:265  
*townsendi* Linell, 1896:395  
**micromacula** Martins & Galileo, 1999: 304  
**mimosa** Martins, 1971:1467  
**ptoma** Martins, 1971:1115  
**puncticollis puncticollis** (LeConte, 1873:188)  
subsp. **asperula** (Bates, 1885:266)  
subsp. **orientalis** Martins & Chemsak, 1966:466  
**pysma** Martins, 1970:1136  
**quadriplagiata** (LeConte, 1873:189)  
*griseolum* Bates, 1892:156  
*pubescens* Casey, 1924:260  
*lecontei* Linsley, 1957:87  
**ruatana** (Bates, 1892:155)  
**santarensis** Martins & Galileo, 1998: 51  
**sericans** (Bates, 1885:264)  
**serrana** (Martins, 1962:140)  
**sinaloana** (Linsley, 1935:484)  
**spinosa** Martins, 1970:1050  
**squalida** (Thomson, 1867:151)  
**tenuissima** (Bates, 1885:266)  
**textilis** (Thomson, 1865:573)  
*mexicanum*; Bates, 1880:32 (not Thomson, 1865)  
**thelgema** Martins, 1971:166  
**tuberosa** Martins, 1970:1098  
**tucumana** (Martins, 1962:290)  
**turnbowi** Giesbert, 1998: 47  
**ventricosa** (Bates, 1885:264)  
**veracruzana** Martins, 1971:1470  
**v-flava** (Melzer, 1931:54)  
**vogti** Martins, 1970:1126  
**wappesi** Giesbert, 1998: 47  
**wernerii** Martins, 1970:1083
- Honduras, Costa Rica  
Costa Rica, Panama  
Venezuela  
sw USA (TX), e Mexico (SLP, VC)  
Peru  
Bolivia  
wc Brasil (RD, MT), Fr Guiana  
Costa Rica-Colombia, Ecuador, Fr Guiana,  
Peru, Brasil (AM, BA-PR)  
w Mexico (SI)  
Mexico (MO, OA, CHS), Guatemala  
Guatemala  
Guatemala  
sw USA (TX) , Mexico-Costa Rica
- Ecuador  
Colombia, Venezuela  
s Mexico (OA, CHS)  
Baja Calif  
sw USA (AZ)-w Mexico (SO-GR)  
sw USA (TX)-Mexico (NL-OA)  
se Mexico (YU, QR)  
sw USA (TX), w Mexico (GR, MO), Baja Calif
- Honduras (Roatan I.)  
Brasil (PA)  
Panama  
s Brasil (MS)  
w Mexico (SI)  
Guatemala, Costa Rica  
Mexico-Colombia, Venezuela  
Mexico (widely distributed)  
Mexico-Costa Rica
- Honduras, Costa Rica  
Guatemala-Colombia  
n Argentina (JU, TU)  
MX  
Costa Rica, Panama  
e Mexico (VC)  
Costa Rica  
Bolivia  
Guat - Hond  
w Mexico (SO, SI)

- Opsibidion** Martins, 1960:115  
**albifasciatum** Giesbert, 1998: 49  
**albinum** (Bates, 1870:307)  
*micron* Martins, 1960:118  
**flavocinctum** Martins, 1960:116
- Panama  
nc Brasil (AM, PA, MT)  
se Brasil (BA-RS), Paraguay, Argentina

- Pygmodeon** Martins, 1970:1163  
**andreae** (Germar, 1824:511)  
*amabile* Thomson, 1867:138 (part)  
**boreale** Martins, 1971:1474  
**buscki** (Linsley, 1935:482)  
**cribripenne** (Bates, 1880:32)  
*chiriquinum* Bates, 1885:266  
**ditelum** (Bates, 1872:181)
- se Brasil (BA-RS)  
c Mexico (ME)  
Panama  
Costa Rica, Panama  
Nicaragua-Panama

**excelsum** Martins & Napp, 1986:238  
**involutum** (Bates, 1870:304)  
**latevittatum** (Bates, 1885:262)  
**m-littera** (Martins, 1962:294)  
**mutabile** (Melzer, 1935:179)  
**obtusum** (Bates, 1874:221)  
var. *segregatum* Bates, 1885:265  
**puniceum** Martins, 1970:1193  
**staurotum** Martins, 1970:1174  
**validicorne** (Bates, 1885:261)

Costa Rica  
Guianas, nc Brasil (AM), Peru, Bolivia  
s Mexico (CHS), Guatemala  
Peru, w Brasil (RO), Bolivia  
El Salvador, Costa Rica  
Mexico-Costa Rica

Colombia, Ecuador  
Venezuela  
Costa Rica, Panama

**Stenoidion** Martins, 1970:1196

**amphigyum** Martins, 1970:1197  
**apicatum** (Martins, 1962:291)  
**corallinum** (Bates, 1870:304)  
var. *chapidense* (Gounelle, 1909:672)  
var. *tricolor* (Belon, 1896:244)

n Brasil (PA)  
Bolivia  
Peru, n Brasil (PA), Fr Guiana  
Brasil (GO, MT, CE-SP)  
Bolivia

**Xalitla** Lane, 1959:15

**azteca** Lane, 1959:15  
**genuina** Martins, 1970:961  
**punctatissima** Martins, 1970:964

w Mexico (SO, NA, JA, GR)  
s Mexico (OA, CHS), Costa Rica  
w Mexico (SI)

**Acangassuini** Galileo & Martins, 2001: 95

**Acangassu** Galileo & Martins, 2001: 97

**diminuta** Galileo & Martins, 2001: 97

s Brasil (RJ)

**Eligmodermini** Lacordaire, 1869:337

**Acanthoibidion** Lane, 1959:17

**chevrolatii** (White, 1855:219)  
*venezuelensis* Lane, 1959:18

Venezuela

**Eligmoderma** Thomson, 1864:246

**convexicolle** Aurivillius, 1923:441  
**ibidionoides** Thomson, 1864:247  
**politum** Nonfried, 1895:310  
**spinicolle** Aurivillius, 1923:441  
**trifasciatum** Aurivillius, 1923:440  
**ziczac** Nonfried, 1895:310

Venezuela  
Colombia  
Panama  
Colombia  
Venezuela  
Panama

**Limozota** Pascoe, 1866:482

**virgata** Pascoe, 1866:482

Colombia

**Trichomallus** Lacordaire, 1869:338

**maculipennis** Lacordaire, 1869:338

SAmer

**Callidiopini** Lacordaire, 1869:340

**Aleiphaquilon** Martins, 1970:47

**castaneum** (Gounelle, 1911:190)  
*unicolor* Martins, 1970:48  
**eburneum** Mermudes & Monné, 1999: 83  
**myrmex** Napp & Martins, 1984:51  
**plaumanni** Martins, 1975:17  
**rugosum** Martins & Galileo, 1994:686  
**taeniatum** Mermudes & Monné, 1999: 83

e Brasil, n Argentina (FO)  
seBrasil (RJ)  
Colombia  
s Brasil (PR, SC)  
se Brasil (RS)  
Brasil (BA)

- tricolor** Martins, 1975:16  
**una** Mermudes & Monné, 1999: 84  
 se Brasil (RJ)  
 se Brasil (RJ)
- Aneuthetochorus** Martins, 1968:25  
**bivestitus** (Martins, 1962:149)  
**conjunctus** Napp & Martins, 1984:53  
**simplex** Martins, 1970:46  
 se Brasil (RJ, SP)  
 nw Brasil (AM)  
 n Brasil (AP), Fr Guiana
- Ceresium** Newman, 1842:322  
*Diatomocephala* Blanchard, 1853:266  
*Rhaphidera* Perroud, 1855:336  
*Rhaphidodera*; Gemminger & Harold, 1872:2831  
*Pneumida* Thomson, 1864:191  
**flavipes** (Fabricius, 1792:327)  
*simplex* Gyllenhal in Schoenherr, 1817:178  
**miserum** (Thomson, 1878:8)  
 Mexico ?  
 Hispaniola
- Coscinedes** Bates, 1885:258  
**gracilis** Bates, 1885:259  
 Mexico (OA, VC)-Panama
- Merostenus** White, 1855:244  
**asperatus** Fisher, 1932:52  
**attenuatus** (Chevrolat, 1862:263)  
**brasiliensis** Napp & Martins, 1984:57  
**decoratus** Zayas, 1975:121  
**elongatus** Fisher, 1932:54  
**exiguus** Zayas, 1975:122  
**howdeni** Napp & Martins, 1984:56  
**mexicanus** Napp & Martins, 1984:55  
**picturatus** Napp & Martins, 1984:57  
**productus** White, 1855:244  
**similis** Fisher, 1932:53  
**tuberculatus** Fisher, 1942:15  
 Haiti  
 W Indies  
 e Brasil (BA)  
 Cuba  
 Cuba  
 Cuba  
 ne Mexico (NL)  
 wc Mexico (DU)  
 Jamaica  
 Jamaica  
 W Indies (Antigua, Barbuda)  
 Jamaica
- Neocoridolon** Melzer, 1930:188  
**borgmeieri** Melzer, 1930:188  
 se Brasil (ES-SC)
- Neocorus** Thomson, 1864:220  
**diversipennis** Belon, 1903:50  
**ibidionoides** (Audinet-Serville, 1834:98)  
*ibidionides*; Gounelle, 1909:685  
**zikani** Melzer, 1920:434  
 se Brasil (SP), Bolivia  
 e Brasil (GO, RJ-RS), Paraguay,  
 Argentina  
 e Brasil (MIN)
- Parommidion** Martins, 1974:151  
**extricatum** Martins, 1974:152  
**inauditum** Napp & Martins, 1984:52  
 ec Brasil (GO), Bolivia, Paraguay  
 Argentina (CD, CA)
- Curiini** LeConte, 1873:304
- Curiosa** Micheli, 1983:261  
**dominicana** Micheli, 1983:262  
 R Dominicana
- Curius** Newman, 1840:17  
**dentatus** Newman, 1840:17  
*concinatus* Haldeman, 1847:43  
**panamensis** Bates, 1885:268  
 se USA (MD-FL)  
 Panama
- Plectromerus** Haldeman, 1847:43  
*Pentomacrus* White, 1855:297

*Curius*; Lacordaire, 1869:352 (not Newman, 1840)

<b>acunai</b> (Fisher, 1936:344)	Cuba
<b>bidentatus</b> Fisher, 1942:16	R Dominicana
<b>costatus</b> Cazier & Lacey, 1952:30	Bahamas
<b>crenulatus</b> Cazier, 1952:1	Haiti
<b>dentipes</b> (Olivier, 1790:268)	se USA (FL-LA), Cuba
<i>dentatum</i> J.E. LeConte, 1824:172	
<i>scambus</i> Newman, 1840:79	
<b>distinctus</b> (Cameron, 1910:186)	Hispaniola
<b>exis</b> Zayas, 1975:123	Cuba
<b>fasciatus</b> (Gahan, 1895:109)	W Indies (Cuba-Grenada)
<b>femoratus</b> (Fabricius, 1792:316)	Jamaica
<i>femoratus</i> White, 1855:297	
<b>ornatus</b> Fisher, 1947:34	Cuba
<b>pinicola</b> Zayas, 1975:125	Cuba
<b>pumilus</b> Cazier & Lacey, 1952:33	Bahamas
<b>punctatus</b> (Fisher, 1932:55)	Cuba
<b>serratus</b> (Cameron, 1910:185)	Haiti
<b>unidentatus</b> Fisher, 1942:17	Jamaica
<b>wappesi</b> Giesbert, 1985:81	se Mexico (QR)

### **Graciliini** Mulsant, 1839:99

**Gracilia** Audinet-Serville, 1834:81

*Nothrus* Haldeman, 1847:43

*Oesyophila* Bedel, 1894:156

<b>minuta</b> (Fabricius, 1781:235)	Europe, introduced in e USA, Argentina and Uruguay
<i>pygmaeum</i> Fabricius, 1792:323	
<i>picea</i> Fabricius, 1792:317	
<i>vini</i> Panzer, 1799:10	
<i>fuscus</i> Haldeman, 1847:43	
<i>approximata</i> Fairmaire, 1883: clix	
<i>obliquata</i> Horn, 1885:174	
<i>albanica</i> Csiki, 1931:278	

**Hypexilis** Horn, 1885:173

**longipennis** Linsley, 1935:82

**pallida** Horn, 1885:173

c Mexico (ME)  
sw USA (TX), Mexico (NL)

**Lianema** Fall, 1907:85

**tenuicornis** Fall, 1907:86

Baja Calif

**Perigracilia** Linsley, 1942:48

**delicata** Knull, 1942:225

**tenuis** Linsley, 1942:49

sw USA (AZ)

Baja Calif

### **Oabriini** Mulsant, 1839:95

**Anobrium** Belon, 1902:333

**oberthuri** Belon, 1902:334

Bolivia

**Araeotis** Bates, 1867:26

**fragilis** Bates, 1867:26

n Brasil (PA)

**Epipodocarpus** Bosq, 1951:193

**andinus** Bosq, 1951:194

Chile

**Limernaea** Thomson, 1878:20

*Lymernaea*; Thomson, 1878: 21  
**picta** Thomson, 1878: 21

Brasil

**Obrium** Dejean, 1821:110

*Phyton* Newman, 1840:19

*Diozodes* Haldeman, 1847:42

**albifasciatum** Bates, 1872:182

**angulosum** Bates, 1885:269

**arciferum** Bates, 1885:270

**balteatum** Hovore & Chemsak, 1980:41

**batesi** Hovore & Chemsak, 1980:40

**beckeri** Knull, 1962:105

**californicum** Van Dyke, 1920:37

**cicatricosum** Gounelle, 1909:686

**clerulum** Bates, 1885:270

**constricticollis** Schaeffer, 1908:338

**cordicollis** Bates, 1870:308

**costaricum** Hovore & Chemsak, 1980:47

**cribripennis** Bates, 1885:271

**cruciferum** Bates, 1885:270

**dimidiatum** Hovore & Chemsak, 1980:45

**discoideum** (LeConte, 1873:190)

**dominicum** Linsley, 1957:85

**giesberti** Hovore & Chemsak, 1980:37

**glabrum** Knull, 1937:41

**maculatum** (Olivier, 1795:32)

*pallidum* Say, 1824:412

*limum* Newman, 1840:18

*lituratum* Bates, 1885:268

*howdeni* Knull, 1955:139

**mozinnae** Linell, 1897:395

**multifarum** Berg, 1889:109

**peninsulare** Schaeffer, 1908:338

*brunneum*; Schaeffer, 1904:223 (not Fabricius, 1792)

**piperitum** Bates, 1885:269

**planicollis** Hovore & Chemsak, 1980:49

**quadrifasciatum** Zajciw, 1965:90

**rubidum** LeConte, 1850:21

**ruficollis** Bates, 1885:270

**rufulum** Gahan, 1908:142

*rubrum*; Leng, 1885: pl.3, fig.16 (not Newman, 1838)

**trifasciatum** Bosq, 1951:98

**vicinum** Gounelle, 1909:686

**xanthum** Hovore & Chemsak, 1980:43

Mexico (VC)-Panama, Ecuador

Panama

Guatemala

wc Mexico (DU)

Mexico (GR, OA), Honduras

sw USA (TX)

w USA (CA, OR)

e Brasil (GO-PE)

Panama

sw USA (AZ), nw Mexico (CHA), Baja Calif

Panama, Venezuela, c Brasil (PA, GO)

Costa Rica

Mexico (OA, TB), Guatemala

Mexico (SI-VC)

wc Mexico (DU)

sw USA (AZ), w Mexico-Honduras, Baja Calif

nw Mexico (SO), Baja Calif

Baja Calif

sw USA (TX)

Canada-Honduras

sw USA (TX), ne Mexico (TA)

s Brasil (RS), Paraguay, ne Argentina (MI)

Baja Calif

Panama

w Mexico (NA)

se Brasil (RJ)

e NAmer

Mexico (DU, JA, SI, SO)-Honduras

e NAmer

n Argentina (FO, TU), Fr Guiana

e Brasil (GO, PE)

s Mexico (CHS), Guatemala

**Urorcites** Thomson, 1878:21

**cribripennis** Thomson, 1878:22

Chile

**Hyboderini** Linsley, 1940: 371

**Hybodera** LeConte, 1873:191

**debilis** LeConte, 1874:66

**tuberculata** LeConte, 1873:191

w USA (CA, OR)

w NAmer (Pacific Cst)

**Lampropterus** Mulsant, 1863:214

*Callimus* Mulsant, 1864:4

*Pilema* LeConte, 1873:191

*Callimellum* Strand, 1928:2

**cyanipennis** (LeConte, 1873:192)

*variipes* Casey, 1912:311

*dehiscens* Casey, 1912:312

w USA (CA, OR)

**ruficollis** (LeConte, 1873:192) w NAmer (Pacific Cst), Baja Calif  
*longicollis* Casey, 1912:310  
*opacipennis* Casey, 1912:311

**Megobrium** LeConte, 1873:192  
**edwardsi** LeConte, 1873:193 w USA (CA)

**Pachymerola** Bates, 1892:161  
**ruficollis ruficollis** Giesbert, 1987:44 Mexico-El Salvador  
    subsp. **humeralis** Giesbert, 1987:47 Costa Rica  
**vitticollis** Bates, 1892:161 sw Mexico (GR)  
**toledo** Chemsak & Noguera, 1997:9 Mexico (CHS)  
**wappesi** Giesbert, 1993:143 Guatemala

**Pseudopilema** Linsley, 1940:373  
**hoppingi** (Van Dyke, 1920:36) w USA (CA)

**Eumichthini** Linsley, 1940:368

**Eumichthus** LeConte, 1873:190  
**oedipus** LeConte, 1873:190 w NAmer (Pacific Cst)  
    var. *ater* Hardy & Preece, 1927:188  
    var. *ruber* Hardy & Preece, 1927:188  
    *funerbrus* Van Dyke, 1920:34  
    *malkini* Fisher, 1942:51

**Poecilobrium** Horn in LeConte & Horn, 1883:291  
**chalybeum** (LeConte, 1873:189) w NAmer (Br Col, CA, CO-NM)  
    *rugosipenne* Linell, 1897:395  
    *minutum* Casey, 1924:261  
    *gibsoni* Hopping, 1931:234

**Phlyctaenodini** Lacordaire, 1869:370

**Ancylodonta** Blanchard in Gay, 1851:494  
*Semnus* Lacordaire, 1869:376  
**almeidai** Mendes, 1946:235 se Brasil (RJ, SP)  
**glabripennis** Zajciw, 1970:502 Uruguay  
**nitidipennis** Germain, 1898:781 Chile  
    *tristis*; Fairmaire & Germain, 1859:510 (not Blanchard, 1851)  
**phlyctaenioides** Lacordaire, 1869:376 ec Brasil (GO, MG, RJ)  
**tristis** Blanchard in Gay, 1851:494 Chile  
    *granulata* Germain, 1898:762

**Marileus** Germain, 1897:555  
**chiloensis** Germain, 1897:557 Chile

**Ommidion** Newman, 1840:196  
*Ommatidion*; Gemminger & Harold, 1872:2826  
**mirim** Martins, 1998: 10 Brasil (RJ)  
**modestum** Newman, 1840:196 Brasil

**Parasemnus** Martins, 1998: 26  
**regalis** Germain, 1894:453 Chile

**Holopterini** Lacordaire, 1869:393



**Holopterus** Blanchard in Gay, 1851:475  
**annulicornis** Philippi & Philippi, 1859:674 Chile, s Argentina (NE, SC)  
*araneipes* Fairmaire & Germain, 1859:500  
**chilensis** Blanchard in Gay, 1851:476 Chile  
**laevigatus** Philippi & Philippi, 1859:675 Chile  
*compressicornis* Fairmaire & Germain, 1859:501

**Neholopterus** Martins & Monné, 1998: 59  
**antarcticus** Aurivillius, 1910:148 Argentina  
**ochraceus** Bruch, 1918:14 s Argentina (CT)  
**reedi** Bruch, 1918:16 w Argentina (ME)  
**richteri** Bruch, 1918:18 s Argentina (CT)

**Stenophantes** Burmeister, 1861: 314  
**herrerae** Cerda, 1987:187 Chile  
**longipes** Burmeister, 1861:314 Bolivia, Argentina  
*cujanus* Burmeister, 1865:174  
*sublineatus* Fairmaire, 1864: 273  
**martinezi** Cerda, 1980:91 w Argentina (NE)  
**patagonicus** Bruch, 1918:12 s Argentina (CT)

**Uracanthini** Lacordaire, 1869: 388

**Uracanthus** Hope, 1833: 64  
**strigosus** Pascoe, 1875: 62 Australia, Ecuador (introduced?)

**Stenoderini** Pascoe, 1869:553  
*Ptérosténides* Lacordaire, 1869:410

**Syllitus** Pascoe, 1859:24  
**beltrani** Cerda, 1968:105 Chile  
**chilensis** Cerda, 1953:136 Chile  
**cylindricus** Germain, 1899:256 Chile  
**elguetae** Cerda, 1991:263 Chile  
**pseudocupes** (Fairmaire & Germain, 1864:393) Chile  
**schajovskoi** Bosq, 1953:73 w Argentina (NE), Chile

**Pseudocephalini** Aurivillius, 1912:154  
*Ametrocephalita* Thomson, 1860:256

**Pseudocephalus** Newman, 1842:353  
*Pseudocephala*; Pascoe, 1862:361  
*Ametrocephala* Blanchard in Gay, 1851:480  
*Orthocephala* Thomson, 1860:257  
*Orthocephalus*; Pascoe, 1862:361  
*Attodera* Thomson in Pascoe, 1862:361  
**auromaculatus** Cerda, 1980:66 Chile  
**monstrosus** (Blanchard in Gay, 1851:481) Chile

**Bimini** Lacordaire, 1869:464  
*Sibyllini* Cerda, 1973:115

**Adalbus** Fairmaire & Germain, 1859:490  
**crassicornis** Fairmaire & Germain, 1859:490 Chile, w Argentina (NE)  
*flavipennis* Fairmaire & Germain, 1859:491  
*dimidiatipennis* Fairmaire & Germain, 1859:492  
*proteus* Germain, 1900:901

**Lautarus** Germain, 1900:863  
**concinus** (Philippi & Philippi, 1859:670) Chile, s Argentina (RN-SC)  
*laevigata* Philippi & Philippi, 1864:376  
*dancoi* Lameere, 1900:112  
*dankoi*; Bruch, 1912:194

**Phantazoderus** Fairmaire & Germain, 1864:391  
**frenatus** Fairmaire & Germain, 1864:392 Chile, s Argentina (CT)

**Sibylla** Thomson, 1858:406  
*Sybilla*; Thomson, 1864:148  
**coemeterii** (Thomson, 1856:482) Chile, c Argentina (RN, NE)  
**flavosignata** Fairmaire & Germain, 1859:489 Chile  
**integra** Fairmaire & Germain, 1859:488 Chile, w Argentina (NE)  
**krahmeri** Cerda, 1973:119 Chile  
**livida** Germain, 1900:890 Chile

**Nathriini** Linsley, 1963:153  
*Gracilaires* Mulsant, 1839:99 (part)  
*Leptideites* Fairmaire in Jacquelin du Val, 1864:148  
*Psébiides* Lacordaire, 1869:479

**Nathrius** Bréthes, 1916:76  
*Leptidea* Mulsant, 1839:105  
*Leptideella* Strand, 1936:169  
*Deuteroleptidea* Paclt, 1946:169  
**brevipennis** (Mulsant, 1839:105) Europe; introduced in w USA, Argentina,  
*minuta* Motschulsky, 1845:84 Chile, Uruguay  
*manca* LeConte, 1850:24  
*rufipennis* Dufour, 1851:351  
*porteri* Bréthes, 1916:77

**Molorchini** Mulsant, 1863:223

**Merionoedopsis** Gounelle, 1911:113  
**aeneiventris** Gounelle, 1911:115 ec, se Brasil, Paraguay, Argentina  
**brevipennis** Melzer, 1934:214 s Brasil (PR, SC), Paraguay, n Argentina (JU)

**Molorchus** Fabricius, 1792:356  
*Heliomanes* Newman, 1840:17  
*Glaphyra* Newman, 1840:19  
*Laphyra* Newman, 1842:418  
*Caenoptera* C.G.Thomson, 1859:150  
*Linomius* Mulsant, 1863:226  
*Sinolus* Mulsant, 1863:228  
*Conchopterus* Fairmaire in Jacquelin du Val, 1864:153  
**bimaculatus bimaculatus** Say, 1824:428 e NAmer-TX  
*affinis* J.E. LeConte, 1824:172  
*obscurus* LeConte, 1850:21  
subsp. **californicus** Linsley, 1963:161 w USA (CA)  
subsp. **ceanothinus** Linsley, 1963:161 w USA (CA)  
subsp. **celti** Knull, 1930:101 ne USA  
subsp. **corni** Haldeman, 1847:45 se USA, Cuba  
*ruficollis* LeConte, 1850:21  
*sanguinicollis* Chevrolat, 1862:257  
subsp. **semiustus** (Newman, 1840:19) s USA (FL-TX)  
**eburneus** Linsley, 1931:37 w USA (CA)  
**longicollis** LeConte, 1873:193 w USA

**Oxycoleus** Lacordaire, 1869:485

*Stenoptrellus* Bates, 1870:314

*Merionoeda*; Bates, 1885:287 (not Pascoe, 1858)

**bicolor** (Melzer, 1934:214)

**brasiliensis** (Tippmann, 1953:223)

**carinatipennis** (Zajciw, 1964:249)

**clavipes** Lacordaire, 1869:485

**culicinus** (Bates, 1870:315)

**gahani** (Gounelle, 1911: 168)

**gratiosus** (Bates, 1885:287)

**laetus** Julio, 1997: 3

**obscurus** Julio, 1997: 4

**piceus** Giesbert, 1993:144

**ruficollis** (Zajciw, 1964, 250)

**tristis** (Melzer, 1933: 373)

*latipennis* (Zajciw, 1964, 253)

Costa Rica

se Brasil (RJ-SC)

s Brasil (SC)

sw Mexico (OA)

Costa Rica, Panama, nw Brasil (AM)

Brasil (MG)

e Mexico (DU, VC)

Brasil (MG, RO)

Brasil (GO, MG)

Guatemala

e Brasil (ES)

se Brasil (SC)

**Psebiini** Lacordaire, 1869:479

**Fron dipedia** Martins & Napp, 1984:321

**charma** Martins & Napp, 1984:322

s Brasil (SC)

**Hovorea** Chemsak & Noguera, 1993:72

**chica** Chemsak & Noguera, 1993:73

w Mexico (JA)

**Nathriobrium** Hovore, 1980:115

**methioides** Hovore, 1980:116

sw USA (TX)

**Paraleptidea** Gounelle, 1913:218

*Cambaia* Lane, 1951:12

*Necydaliella* Zajciw, 1960:55

**femorata** Gounelle, 1913:219

**longitarsis** (Lane, 1951:13)

**sanmartini** (Zajciw, 1960:56)

*femorata*; Monné & Zajciw, 1970:30 (not Gounelle, 1913)

nc Argentina (SE)

se Brasil (RJ, SP)

s Brasil (RS), e Argentina (ER), Uruguay

**Stenopterini** Fairmaire, 1864:150

**Callimoxys** Kraatz, 1863:105

**sanguinicollis sanguinicollis** (Olivier, 1795:9)

*pinorum* Casey, 1924:261

subsp. **fuscipennis** (LeConte, 1861:356)

e NAmer-TX

w NAmer (Pacific Cst)

**Necydalopsini** Blanchard, 1851:473

**Eucharassus** Bates, 1885:308

**bicolor** Melzer, 1934:75

**confusus** Galileo & Martins, 2001:101

**dispar** Bates, 1885:309

**flavotibiale** Galileo & Martins, 2001:98

**nevermanni** Melzer, 1934:74

**nisseri** Aurivillius, 1891:100

Costa Rica

Venezuela

Panama

Colombia

Costa Rica

Colombia

**Lissozodes** Bates, 1870:408

**basalis** (White, 1855:213)

c Brasil (AM, PA)

**Necydalopsis** Blanchard in Gay, 1851:473

*Parepimelitta* Bruch, 1918:23

**barriai** Cerda, 1968:106 Chile  
**cyanipennis** Fairmaire & Germain, 1861:106 Chile, w Argentina (NE)  
**femoralis** Fairmaire & Germain, 1859:499 Chile, w Argentina (NE)  
*valdiviensis* Philippi & Philippi, 1859:674  
*gounellei* Bruch, 1918:24  
**iridipennis** Fairmaire & Germain, 1864:386 Chile  
**trizonatus** Blanchard in Gay, 1851:474 Chile

**Ozodes** Audinet-Serville, 1834:98  
**flavitarsis** Gounelle, 1911:211 ec Brasil (GO), Paraguay  
**ibidiinus** Bates, 1870:409 nc Brasil (PA)  
**infuscatus** Bates, 1870:409 nc Brasil (PA), Fr Guiana  
**malthinoides** Bates, 1870:410 nw Brasil (AM), Fr Guiana  
**multituberculatus** Bates, 1870:409 Guatemala-Panama  
**nigellus** White, 1855:218 Venezuela  
**nodicollis** Audinet-Serville, 1834:99 e Brasil (GO, MG-SP)  
**sexmaculatus** Zajciw, 1967:531 se Brasil (ES, RJ)  
**vestitus** White, 1855:217 Venezuela  
**xanthophasma** Bates, 1872:189 Honduras-Panama

**Sthelenus** Buquet, 1859:621  
**ichneumoneus** Buquet, 1859:622 Fr Guiana, nc Brasil (AM)  
*braconinus* Bates, 1870:315  
**morosus** Pascoe, 1862:356 Venezuela

### Rhinotragini Thomson, 1860:177

**Acorethra** Bates, 1873:126  
**aureofasciata** Gounelle, 1911:164 ec Brasil (GO)  
**erato** (Newman, 1840:21) se Brasil (ES, RJ)  
*chryaspis* Bates, 1873:126  
**zischkai** Tippmann, 1960:130 nc Brasil (AM), Fr Guiana, Ecuador, Bolivia

**Acyphoderes** Audinet-Serville, 1833:549  
**abdominalis** (Olivier, 1795:8) Nicaragua-Panama, c Brasil (AM, GO, MT),  
*olivieri* Bates, 1870:328 Guianas, Ecuador, Peru, Bolivia  
**acutipennis** Thomson, 1860:179 Mexico (CM, OA, VC)-Honduras  
**amoena** Chemsak & Linsley, 1979:74 w Mexico (SI, NA, JA, OA)  
**auricapilla** Fisher, 1947:3 se Brasil (SP, PR), Paraguay  
*azureopallescens* Tippmann, 1953:210  
**aurulenta** (Kirby, 1818:443) se Brasil (GO, BA-RS), Argentina, Uruguay,  
*sericinus* White, 1855:195 Puerto Rico  
*abdominalis*; Gahan, 1895:111 (not Olivier, 1795)  
**ayalai** Chemsak & Linsley, 1988:124 w Mexico (JA)  
**bayanicus** Giesbert, 1991:381 Costa Rica, Panama  
**carinicollis** Bates, 1873:119 se Brasil (GO, BA-RS), Bolivia, Paraguay,  
var. *nigricans* Gounelle, 1911:150 Argentina, Uruguay  
**cracentis** Chemsak & Noguera, 1997:7 Mexico (JA)  
**cribricollis** Bates, 1892:160 Mexico-Costa Rica  
**crinita** (Klug, 1825:474) se Brasil (ES-RS), Bolivia, Paraguay,  
*moestus* Bates, 1873:117 Argentina  
**dehiscens** Chemsak, 1997:15 El Salvador  
**delicata** Horn, 1894:400 Baja Calif  
**fulgida** Chemsak & Linsley, 1979:76 Mexico (VC)-Costa Rica  
**hirtipes** (Klug, 1825:473) se Brasil (BA-RS), Argentina  
*femoratus* Klug, 1825:475  
*brachialis* Pascoe, 1862:369  
*rufofemorata* Fisher, 1930:12  
**longicollis** Chemsak & Noguera, 1993:80 w Mexico (JA)  
**magna** Giesbert, 1991:381 s Mexico (CHS)  
**odyneroides** White, 1855:196 ec Brasil (PA, GO), Fr Guiana, Peru  
**parva** Chemsak & Linsley, 1979:79 Mexico (SI, NA, JA)

- prolixa** Chemsak & Linsley, 1979:78  
**rubrohirsutotibialis** Tippmann, 1953:210  
**sexualis** Linsley, 1934:349  
**suavis** Bates, 1885:290  
**synoecae** Chemsak & Noguera, 1997: 8  
**velutina** Bates, 1885:290  
**yucateca** (Bates, 1892:159)
- w Mexico (CM)  
Bolivia  
Mexico-Panama  
Mexico-Costa Rica  
Mexico (OA)  
Guatemala  
Mexico (CA, CHS, QR, YU), Honduras
- Aechmutes** Bates, 1867:23  
**armatus** Gounelle, 1911:120  
**lycoides** Bates, 1867:23
- Peru  
Panama, w Brasil (AM, RO)
- Apostropha** Bates, 1873:130  
**curvipennis** Bates, 1873:130  
*bivitticollis* Zajciw, 1963:245
- se Brasil (MG-SC)
- Bromiades** Thomson, 1864:165  
**brachyptera** (Chevrolat in Guérin-Méneville, 1838:285)  
*meridionalis* Fisher, 1930:14
- Cuba, Mexico-Colombia
- Cantharoxylumna** Linsley, 1934:346  
*Cantharoxylumna*; Neave, 1939:572  
**bicolor** Linsley, 1934:347  
**linsleyi** Fisher, 1947:47
- Panama  
Costa Rica, Panama
- Catorthontus** Waterhouse, 1880:487  
**collaris** Waterhouse, 1880:487
- Ecuador, nw Brasil (AM)
- Corallancyla** Tippmann, 1960:137  
**neotropica** Tippmann, 1960:138
- se Brasil (SP, SC)
- Crossomeles** Chemsak & Noguera, 1993:82  
**acutipennis** Chemsak & Noguera, 1993:84  
**aureopilis** (Fisher, 1953:16)
- w Mexico-Costa Rica  
Mexico (VC, JA-YU)
- Cylindrommata** Tippmann, 1960:122  
**longissima** Tippmann, 1960:124
- se Brasil (SC, SP)
- Epimelitta** Bates, 1870:330  
*Charis* Newman, 1840:21  
*Charisia* Champion in Bates, 1892:161  
**acutipennis** Fisher, 1947:54  
**aglaia** (Newman, 1840:22)  
var. *rufofemorata* Gounelle, 1911:162  
**barbicrus** (Kirby, 1818:443)  
*aaede* Newman, 1841:91  
**bicolor** (Bates, 1873:124)  
**consobrina** Melzer, 1931:1  
**debilis** (Gounelle, 1911:161)  
**eupheme** (Lameere, 1884:89)  
*cazieri* Fisher, 1952:4  
**euphrosyne** (Newman, 1840:21)  
*hirsutipennis* Zajciw, 1973:14  
**laticornis** (Klug, 1825:469)  
*melete* Newman, 1841:91  
**longipennis** Zajciw, 1963:423  
**manni** (Fisher, 1930:15)  
**melanaria** (Gounelle, 1911:159)  
**meliponica** Bates, 1870:331  
*miranda* Tippmann, 1960:128
- Guyana, Fr Guiana  
se Brasil (MG, ES)
- se Brasil (MG-PR), Paraguay, Argentina
- se Brasil (ES, RJ)  
Costa Rica  
e Brasil (GO, BA, MG)  
s Brasil (SC)
- Brasil (ES, RJ)
- se Brasil (BA-SC), Paraguay, Argentina
- se Brasil (RJ)  
Bolivia  
e Brasil (GO, RJ)  
nw Brasil (AM), Ecuador, Peru

- mimica** (Bates, 1873:123)  
**mneme** (Newman, 1841:90)  
**nigerrima** (Bates, 1892:160)  
    var. *flavipubescentis* Fisher, 1947:56  
**ornaticollis** (Zajciw, 1973:13)  
**postimelina** Giesbert, 1996:334  
**rufiventris** Bates, 1870:331  
**scoparia** (Klug, 1825:469)  
**triangularis** Fuchs, 1961:6  
**viridimicans** Fisher, 1952:2
- se Brasil (RJ)  
se Brasil (ES-SC)  
Mexico (VC)-Costa Rica
- se Brasil (ES, RJ)  
s Mexico (CHS)  
nw Brasil (AM)  
nc Brasil (PA)  
s Brasil  
se Brasil (ES-PR)
- Erythroplatys** White, 1855:201  
**cardinalis** Monné & Fragoso, 1990:730  
**corallifer** White, 1855:202  
**rugosus** (Lucas, 1857:182)  
    *tricolor* Lane, 1951:15  
**simulator** Gounelle, 1911:118
- c Brasil (MT)  
ec Brasil (PA, GO)  
se Brasil (SP)
- ec Brasil (GO), Peru
- Ischasia** Thomson, 1864:163  
**crassitarsis** Gounelle, 1911:156  
    m. *atrocephala* Fuchs, 1956:571  
    m. *nigrovittata* Fuchs, 1956:571  
**cuneiformis** Fisher, 1952:3  
**exigua** Fisher, 1947:52  
**indica** Giesbert, 1991:393  
**ligulatipennis** Gounelle, 1911:158  
**linsleyi** Giesbert, 1996:330  
**nevermanni** Fisher, 1947:53  
**nigripes** Zajciw, 1973:74  
**picticornis** Zajciw, 1973:74  
**rufina** Thomson, 1864:163  
**valida** Gounelle, 1911:155  
    var. *atra* Gounelle, 1911:156
- e Brasil (GO, MT, BA-RS)
- s Brasil (PR, SC)  
Venezuela  
Costa Rica  
c Brasil (RO-MG)  
Panama  
Costa Rica, Panama  
s Brasil (SC)  
se Brasil (RJ-SC)  
Panama, se Brasil (ES-RS)  
ec Brasil (MT-BA)
- Isthmiade** Thomson, 1864:166  
**braconides** (Perty, 1832:94)  
    *hephestionoides* Thomson, 1864:166  
**carinifrons** Zajciw, 1972:138  
**cylindrica** Zajciw, 1972:137  
**ichneumoniformis** Bates, 1870:326  
    ab. *rufithorax* Tippmann, 1960:127  
**laevicollis** Tippmann, 1953:215  
    var. *rubrosignata* Tippmann, 1953:215  
**macilenta** Bates, 1873:122  
**modesta** Gounelle, 1911:153  
**necydalea** (Linnaeus, 1758:399)  
    *glaucescens* Linnaeus, 1767:642  
    *nitida* DeGeer, 1775:153  
**parabraconides** Giesbert, 1991:394  
**perpulchra** Linsley, 1961:65  
**planifrons** Zajciw, 1972:137  
**rubra** Bates, 1873:121  
**rugosifrons** Zajciw, 1972:582  
**vitripennis** Giesbert, 1991:396
- e Brasil (GO, BA-RS), Paraguay, Argentina
- nc Brasil (PA)  
se Brasil (ES)  
nc Brasil (AM, PA, GO), Fr Guiana, Peru,  
    Bolivia  
Peru, Bolivia
- se Brasil, Uruguay  
ec Brasil (GO)  
Surinam, Fr Guiana
- Panama  
Panama  
se Brasil (ES)  
se Brasil (ES-SC)  
se Brasil (SP-SC)  
Panama
- Lygrocharis** Melzer, 1927:566  
**neivai** Melzer, 1927:567  
**nigripennis** Mendes, 1938:117
- se Brasil (RJ-PR)  
s Brasil, Uruguay
- Monneus** Magno, 2001: 1  
**longiventris** Magno, 2001: 2
- Bolivia

**Neophygopoda** Melzer, 1933:371**exilis** Melzer, 1933:372**tibialis** Melzer, 1933:371

Argentina

n Argentina (TU)

**Neoregostoma** Monné & Giesbert, 1992:250*Oregostoma* Audinet-Serville, 1833:551 (part). Type-species, *Oregostoma discoideum* Audinet-Serville, 1833, Thomson designation, 1864:167 (not Thomson, 1860:178)**coccineum** (Gory in Guérin-Méneville, 1831: pl. 44, fig. 7)  
*rubricorne* Audinet-Serville, 1833:553

se Brasil (ES-RS)

**discoideum** (Audinet-Serville, 1833:552)

se Brasil (MG, RJ)

**erythrocallum** (Lane, 1940:1)

e Brasil (GO)

**fasciatum** (Aurivillius, 1920:363)

Paraguay

**luridum** (Klug, 1825:470)

e Brasil (GO, RJ-PR), Paraguay, Argentina,

var. *pallipes* Aurivillius, 1920:362

Uruguay

m. *flavum* Fuchs, 1961:9**spinipenne** (Fuchs, 1961:9)

Fr Guiana

**unicolor** (Aurivillius, 1920:362)

Brasil

**Odontocera** Audinet-Serville, 1833:546**albicans** (Klug, 1825:471)

se Brasil (ES, RJ)

**albitarsis** Melzer, 1922:9

se Brasil (MG-RJ)

**annulicornis** Magno, 2001: 3

se Brasil (MG)

**apicalis** (Klug, 1825:472)

se Brasil, Argentina, Uruguay

**apicula** Bates, 1885:289

Panama

**armipes** Zajciw, 1963:247

nw Brasil (AM)

**aurocincta aurocincta** Bates, 1873:42

Mexico (NA, JA, CHS-VC)

var. *nigroapicalis* Fisher, 1947:52subsp. **arizonensis** Linsley, 1961:163

sw USA (AZ), w Mexico (SO, SI)

**auropilosa** Tippmann, 1953:212

Peru, Bolivia

**baeri** (Gounelle, 1913:222)

s Brasil (RS), Paraguay, Argentina, Uruguay

ab. *flavonotata* Gounelle, 1913:223ab. *biannulata* Gounelle, 1913:223**bilobata** Zajciw, 1965:127

se Brasil (ES, RJ)

**bisulcata** Bates, 1870:326

c Brasil (PA, GO, MT)

*flavocalceata* Gounelle, 1911:148**buscki** Fisher, 1930:4

Panama

**chrysostetha** Bates, 1870:320

n Brasil (AM, PA), Fr Guiana

**clara** Bates, 1873:38

Mexico (CHS, OA, ME)-Nicaragua

*carinicollis* Linsley, 1934:348**colon** (Bates, 1870:319)

n Brasil (AM, PA), Fr Guiana

**compressipes** White, 1855:191

c Brasil (AM, PA, MT), Peru, Bolivia, Ecuador

*planitibialis* Fisher, 1953:15**crocata** Bates, 1873:39

se Brasil (MG-RJ)

**cylindrica** Audinet-Serville, 1833:548

e Brasil (BA-SP)

**darlingtoni** Fisher, 1930:9

Colombia

**dice** Newman, 1841:91

e Brasil (GO, BA-RS)

**dispar** Bates, 1870:321

Panama, nw Brasil (AM)

**exilis** Fisher, 1947:51

s Mexico (CHS)-Panama

**fasciata** (Olivier, 1795:10)

Nicaragua-Colombia, c Brasil (AM, GO,

*vitrea* Audinet-Serville, 1833:547

MT), Guianas, Peru, Bolivia, Argentina

*chrysozone* White, 1855:192**flavicauda** Bates, 1873:40

e Brasil (GO, MG-RS), Paraguay, Argentina,

var. *notatisternis* Gounelle, 1911:142

Uruguay

**flavirostris** Melzer, 1930:195

se Brasil (ES)

**furcifera** Bates, 1870:323

c Brasil (PA, MT), Fr Guiana, Peru

**fuscicornis** Bates, 1885:289

Mexico (JA, TA, VC, CHS)

**globicollis** Zajciw, 1971:19

c Brasil (MT), Bolivia

**gracilis** (Klug, 1825:472)

se Brasil (ES-RS)

var. *perplexa* Melzer, 1922:9*elegans* Guérin-Méneville, 1831: pl. 44, fig. 9**hilaris** Bates, 1873:43

c Brasil (PA, RO)

- punctata*; Bates, 1870:323 (not Klug, 1825)
- hirundipennis** Zajciw, 1962:423
- josemartii** Zayas, 1956:113
- leucothea** Bates, 1873:42
- lineatocollis** Melzer, 1934:220  
ab. *crucifera* Tippmann, 1960:126
- longipennis** Zajciw, 1962:418
- malleri** Melzer, 1934:221
- margaritacea** (Fabricius, 1801:349)
- mellea** White, 1855:188  
*margaritacea* Fabricius, 1801:372  
*sulfureicauda* Gounelle, 1911:146  
*m.flava* Fuchs, 1916:16
- melzeri** Fisher, 1952:8
- meridiana** Fisher, 1953:14
- molorchoides** (White, 1855:200)
- monnei** Zajciw, 1968:48
- monostigma** (Bates, 1869:384)
- nevermanni** Fisher, 1930:8
- nigriclavis** Bates, 1873:41
- ochracea** Monné & Magno, 1988: 447
- ornaticollis** Bates, 1870:323
- paralela** White, 1855:189
- petiolata** Bates, 1873:44  
*paniculata* Monné & Magno, 1988:446
- poecilopoda** White, 1855:191  
*basalis* Aurivillius, 1925:483
- punctata** (Klug, 1825:471)
- pusilla** Gounelle, 1911:140
- quadrivittata** Melzer, 1922:9
- quinquecallosa** Zajciw, 1963:248
- rugicollis** Bates, 1880:43
- sanguinolenta** Bates, 1873:39  
var. *rufifrons* Fisher, 1937:151
- scabricollis** Melzer, 1934:222
- septemtuberculata** Zajciw, 1963:250
- signatipennis** Zajciw, 1971:20
- simplex** White, 1855:189  
*cinctiventris* Bates, 1870:321
- solangae** Magno, 2001: 2
- soror** Gounelle, 1911:143
- subtilis** Monné & Magno, 1988:446
- tibialis** Zajciw, 1971:19
- tridentifera** Gounelle, 1913:221
- triliturata** Bates, 1870:324
- triplaris** Fisher, 1930:3
- trisignata** Gounelle, 1911:145
- tuberculata** Zajciw, 1967:530
- tumidicollis** Zajciw, 1965:128
- typhoeus** Fisher, 1947:5
- villosa** Monné & Magno, 1988:444
- virgata** Gounelle, 1911:141
- vittipennis** Bates, 1873:37  
*subpunctata* Zajciw, 1970:63
- zeteki** Fisher, 1930:6
- zikani** Melzer, 1927:565  
*gibbicollis* Zajciw, 1964:435
- Ommata (Ommata)** White, 1855:194
- elegans** White, 1855:194
- hirtipes** Zajciw, 1965:122
- maia** (Newman, 1841:92)  
*alboscuteolata* Fisher, 1947:4
- paradisiaca** Tippmann, 1953:213
- Peru  
Cuba  
se Brasil (ES-SC)  
se Brasil (ES-SC)
- n Brasil (PA)  
se Brasil (MG-SC)  
SAmer  
c Brasil (AM, GO, MT), Fr Guiana, Peru,  
Ecuador, Bolivia
- s Brasil (SC)  
n Argentina (SA)  
Costa Rica-nc Brasil (AM), Fr Guiana  
Uruguay  
Guatemala-Panama  
Costa Rica  
se Brasil (RJ-RS)  
c Brasil (MT)  
n Brasil (PA), Fr Guiana, Peru  
n Brasil (PA)  
ec Brasil (GO, ES, RJ, MT)  
Guyana, Fr Guiana, n Brasil (PA)
- e Brasil (PA, BA, ES), Fr Guiana  
Panama, e Brasil (GO, BA-RJ)  
se Brasil (MG)  
n Argentina (TU, CO)  
Guatemala  
se Brasil (BA-RS), Paraguay, Argentina,  
Uruguay  
Costa Rica, Panama  
n Argentina (SA, TU)  
Peru  
n Brasil (AM, PA), Fr Guiana
- e Brasil (ES)  
ec Brasil (GO)  
c Brasil (MT), Fr Guiana  
se Brasil (ES, RJ)  
se Brasil, ne Argentina (MI)  
n Brasil (PA), Fr Guiana  
Panama, Colombia  
ec Brasil (GO)  
se Brasil (MG)  
se Brasil (RJ)  
Brasil  
c Brasil (MT), Fr Guiana  
e Brasil (GO, ES-SC), Argentina  
se Brasil (MG, RJ)
- Costa Rica, Panama  
se Brasil (MG, RJ)
- Mexico-Panama, Venezuela, Bolivia  
s Brasil (SC)  
se Brasil (BA-RS), Argentina, Uruguay
- Peru



- quinquemaculata** Zajciw, 1966:89  
**tibialis** Fuchs, 1961:10
- w Brasil (RO), Peru  
s Brasil (SC)
- Ommata (Agaone)** Pascoe, 1859:22  
**notabilis** (White, 1855:199)  
ab. *connexa* Aurivillius, 1922:407  
ab. *fasciata* Aurivillius, 1922:407  
**peruviensis** Fisher, 1952:10  
**viridis** Gounelle, 1911:138
- Guianas, Brasil (AM, ES, RJ), Peru
- Peru  
se Brasil (GO, SP-RS), Paraguay, Argentina
- Ommata (Chariergodes)** Zajciw, 1963:241  
**anceps** Melzer, 1927:563  
**carinicollis** Zajciw, 1963:241  
**flava** Zajciw, 1963:243  
**turrialbae** Giesbert, 1991:388
- se Brasil (MG-SC)  
se Brasil (ES-SP)  
se Brasil (RJ)  
Costa Rica
- Ommata (Chrysaethe)** Bates, 1873: 27  
**amoena** Gounelle, 1911:124  
*laceyi* Fisher, 1952:11  
**asperiventris** Bates, 1872:184  
**atrata** Bates, 1872:184  
**atrocephala** Fisher, 1947:1  
**aurantipennis** Giesbert, 1991:387  
**aurata** Bates, 1870:320  
**aureicollis** Aurivillius, 1920:363  
ab. *discinotata* Aurivillius, 1920:363  
**beltiana** Bates, 1872:184  
**cyanipennis** Bates, 1872:184  
**globulicollis** Melzer, 1935:181  
**iodes** Bates, 1885:288  
**ochraceicollis** Zajciw, 1965:121  
**smaragdina** Bates, 1870: 320  
**viriditincta** Giesbert, 1991:387
- e Brasil (GO), Paraguay
- se Brasil (MG-RJ)  
e Brasil (GO, ES-RS)  
se Brasil (RJ-SC)  
Costa Rica, Panama  
nw Brasil (AM)  
se Brasil (ES, RJ)
- Nicaragua, Costa Rica  
Nicaragua-Panama  
s Brasil (SC)  
Panama  
Peru  
nw Brasil (AM)  
sw Mexico (GR)
- Ommata (Eclipta)** Bates, 1873:29  
**aegrota** (Bates, 1872:233)  
**amabilis** Melzer, 1934:216  
**anoguttata** Bates, 1873: 35  
**atripes** Fisher, 1952:13  
**bicoloripes** Zajciw, 1965:204  
**bifasciata** Zajciw, 1965:123  
**bilineaticollis** Zajciw, 1965:124  
**bipunctata** Melzer, 1934:219  
**bistriaticollis** Zajciw, 1965:125  
**bivittata** Fuchs, 1961:11  
**bivitticollis** (Fisher, 1952:7)  
*curvatovittata* Fuchs, 1961:12  
**brachialis** Bates, 1873:31  
**brasiliensis** Fisher, 1947:2  
**brevipennis** Melzer, 1934:217  
var. *flavofemorata* Fisher, 1937:150  
var. *fulvipes* Fisher, 1947:50  
var. *sanguinicollis* Fisher, 1947:50  
**castanea** Bates, 1873:29  
**championella** Bates, 1880:42  
*rubriventris* Linsley, 1934:347  
**collarti** Fuchs, 1959:1  
**costipennis** Giesbert, 1991:391  
**cribripennis** Bates, 1873:33  
**croceicornis** Gounelle, 1911:127  
**curtipennis** Zajciw, 1966:325  
**cyanea** Bates, 1885:288
- Nicaragua  
s Brasil (RS), Argentina, Uruguay  
se Brasil (RJ-PR)  
s Brasil (SC)  
se Brasil (RJ, SP)  
e Brasil (ES)  
se Brasil (RJ)  
s Brasil (PR-RS)  
se Brasil (RJ)  
s Brasil (SC)  
s Brasil (SC)
- se Brasil (RJ, SP)  
s Brasil (SC)  
se Brasil (SP-RS), Paraguay, Argentina
- se Brasil (RJ)  
Mexico, Guatemala, Costa Rica
- e Brasil (GO)  
Panama  
se Brasil (MG-PR)  
e Brasil (GO)  
se Brasil (RJ)  
Mexico (VC, OA)

- discolor** Gounelle, 1911:136  
**eirene** (Newman, 1841:92)  
**erythrodera** Bates, 1873:33  
**eunomia** (Newman, 1841:92)  
    var. *nigrilatera* Gounelle, 1911:126  
    var. *rufula* Melzer, 1934:76  
    *plaumanni* Fuchs, 1961:13  
**fenestrata** (Lucas, 1857:182)  
**flavicollis** Bates, 1873:30  
**flavipes** Melzer, 1922:6  
**fritschei** Gounelle, 1913:386  
**gracilis** Fisher 1952:15  
**igniventris** Giesbert, 1991:389  
**jejuna** Gounelle, 1911:128  
**lanuginosa** Bates, 1873:32  
**lateralis** Fisher, 1952:12  
**liturifera** Bates, 1873:31  
    *lutifera*; Blackwelder, 1946:576  
**longipennis** Fisher, 1947:2  
**malthinoides** (Bates, 1870:319)  
**melzeri** Zajciw, 1967:199  
**minuens** Giesbert, 1991:390  
**monteverdensis** Giesbert, 1991:392  
**nais** Gounelle, 1911:130  
**nigriventris** Melzer, 1934:218  
    m. *impunctata* Fuchs, 1961:15  
**notaticollis** Gounelle, 1911:133  
**pallidicornis** Zajciw, 1966: 346  
**perplexa** Gounelle, 1911:132  
**picturata** Gounelle, 1911:126  
**poecila** Bates, 1873:35  
    var. *maculicollis* Fisher, 1947:51  
    var. *nigricornis* Fisher, 1947:51  
**prolixa** Bates, 1873:32  
**quadrispinosa** Gounelle, 1913:387  
**ramulicola** Gounelle, 1911:131  
**rectipennis** Zajciw, 1965:202  
**romani** Aurivillius, 1919:3  
**ruficollis** (Bates, 1870:319)  
**sallaei** Bates, 1885:289  
**seabrai** Zajciw, 1960:132  
**semiflammea** Gounelle, 1911:137  
    *bicolor* Fuchs, 1961:15  
    m. *puncticollis* Fuchs, 1961:15  
    m. *transversefasciata* Fuchs, 1961:16  
**seminigra** Gounelle, 1911:134  
**signaticollis** Melzer, 1922:6  
**socia** Melzer, 1934:217  
**subcastanea** Zajciw, 1966:324  
**tenuis** (Burmeister, 1865:173)  
**thoracica** Bates, 1873:30  
**unicoloripes** Zajciw, 1965:205  
**vicina** Melzer, 1927:564  
**vitticollis** Bates, 1873:34  
    *holosericea* Zajciw, 1967:321  
**xantho** Bates, 1873:35
- e Brasil (GO, ES)  
e Brasil (BA-RJ)  
se Brasil (RJ, SP)  
se Brasil (BA-RS), Argentina
- e Brasil (GO, BA-SP)  
se Brasil (RJ-PN)  
se Brasil (MG-RJ)  
Colombia  
Paraguay  
Panama  
e Brasil (GO)  
se Brasil (ES, RJ)  
s Brasil (SC)  
se Brasil (MG-SP)
- s Brasil (SC)  
nw Brasil (AM)  
se Brasil (RJ)  
Panama  
Costa Rica  
e Brasil (GO)  
s Brasil (SC)
- e Brasil (GO)  
se Brasil (RJ)  
e Brasil (GO)  
e Brasil (GO, ES)  
se Brasil, Uruguay
- s Brasil (PR)  
Colombia  
e Brasil (GO)  
s Brasil (SC), Paraguay, Argentina (BA)  
c Brasil (AM, MT)  
nw Brasil (AM)  
e Mexico (VC)-Panama  
se Brasil (ES, RJ)  
e Brasil (GO, SP-SC)
- e Brasil (GO)  
se Brasil (ES-RS)  
se Brasil (MG-SC)  
se Brasil (ES, RJ)  
s Brasil, Paraguay, Argentina, Uruguay  
se Brasil (MG-RS)  
s Brasil (SC), ne Argentina (MI)  
se Brasil (MG)  
se Brasil (RJ-PR)
- s Brasil (PR, SC)
- Ommata (Ecliptophanes)** Melzer, 1934:219  
**bucki** Melzer, 1934:219  
**laticornis** Melzer, 1922:7  
**scopipes** Zajciw, 1965:126  
**silvai** Zajciw, 1958:241  
**tommyi** Hovore, 1989:250
- s Brasil (RS)  
se Brasil (RJ, SP)  
se Brasil (RJ)  
e Brasil (PB)  
Guatemala, Costa Rica, Panama

- Ommata (Oxyommata)** Zajciw, 1970:153  
**collaris** (Audinet-Serville, 1833:553) e Brasil (ES)
- Ommata (Rhopalessa)** Bates, 1873:28  
**clavicornis** Bates, 1873:28 se Brasil, Paraguay, Argentina, Uruguay  
**demissa** Melzer, 1934:215 se Brasil (RJ-RS), Paraguay  
**hirticollis** Zajciw, 1958:239 e Brasil (PB)  
**nigricollis** Zajciw, 1969:405 se Brasil (SP)  
**nigrotarsis** Fisher, 1937:149 s Brasil (SC, RS), Argentina  
**pilosicollis** Zajciw, 1966:345 nw Argentina (SA, TU)  
**rubroscutellaris** Tippmann, 1960:121 Bolivia
- Optomerus** Giesbert, 1996:327  
**bispeculifer** (White, 1855:190) Panama, Fr Guiana, c Brasil (PA, MT)  
**roppai** (Magno, 1995:554) c Brasil (MT)
- Oregostoma** Audinet-Serville, 1833:551  
Type-species, *Oregostoma nigripes* Audinet-Serville, 1833, Thomson designation, 1860:178  
*Ommata (Phoenissa)* Bates, 1873:26 (part)  
**bipartitum** (Bates, 1873:26) se Brasil (MG-RS), Paraguay, Argentina  
var. *basinotata* Melzer, 1934:215  
**nigripes** Audinet-Serville, 1833:552 Brasil  
**nitidiventre** (Gounelle, 1911:123) e Brasil (GO)  
**puniceum** (Newman, 1838:495) se Brasil (ES, RJ)
- Ornistomus** Thomson, 1864:166  
**bicinctus** Thomson, 1864:167 se Brasil (ES-RS), Argentina, Uruguay
- Oxylymma** Pascoe, 1859:21  
*Oxycalymna* Gemminger & Harold, 1872:2888  
**caeruleocincta** Bates, 1885:436 Panama  
**championi** Bates, 1885:288 Guatemala  
**gibbicollis** Bates, 1873:23 e Brasil (BA)  
**lepida** Pascoe, 1859:22 n Brasil (PA)  
**telephorina** Bates, 1870:316 nw Brasil (AM), ECU  
**tuberculicolle** Fisher, 1947:48 Costa Rica
- Pasiphyle** Thomson, 1864:164  
*Pasyphyle*; Lacordaire, 1869:508  
*Pasiphyle*; Bates, 1873:130  
**auricollis** Bruch, 1918:26 e Brasil (PB), Paraguay, n Argentina (SA)  
**mystica** Thomson, 1864:164 e Brasil (GO, MG-SP)
- Phepsia** Bates, 1873:127  
**cercerina** (Bates, 1870:325) c Brasil (AM, PA, MT), Fr Guiana  
**corinna** (Pascoe, 1866: 290) Guatemala-Colombia  
var. *corynna*; Lacordaire, 1869:508  
**gibbosa** Magno, 1992:789 sw Brasil (RO)  
**simulans** Bates, 1873:127 se Brasil (BA-SC)
- Phygopoda** Thomson, 1864:164  
**albitarsis** (Klug, 1825:475) c Brasil (PA, RO), Bolivia  
**fugax** Thomson, 1864:164 se Brasil (MG-RJ)  
**fulvitaris** Gounelle, 1911:163 Fr Guiana  
**jacobi** Fuchs, 1961:16 s Brasil (SC), Paraguay  
**nigritarsis** Gounelle, 1911:164 e Brasil (BA)  
**panamensis** Giesbert, 1996:332 Panama  
**subvestita** (White, 1855:190) nc Brasil (PA), Fr Guiana

- Pseudagaone** Tippmann, 1960:124  
**suturafissa** Tippmann, 1960:126  
Bolivia
- Rhinotragus** Germar, 1824: 513  
**analis** Audinet-Serville, 1833:550  
**apicalis** Guérin-Méneville, 1844:236  
**bizonatus** Gounelle, 1911:117  
ab. *rufithorax* Tippmann, 1960:121  
**conformis** Monné & Fragoso, 1990:732  
**dorsiger** Germar, 1824:513  
*marginatus* Perty, 1832:94  
*anceps* Newman, 1838:495  
var. *collaris* Melzer, 1930:193  
var. *vittatus* Melzer, 1930: 194  
var. *amparensis* Melzer, 1930:194  
**festivus** Perty, 1832:94  
*suturalis* Audinet-Serville, 1833:550  
var. *immaculipennis* Gounelle, 1911:116  
**longicollis** Bates, 1880:41  
*apicalis*; Bates, 1872:183 (not Guérin-Méneville, 1844)  
**lucasii** Thomson, 1860:178  
*zikani* Melzer, 1930:194  
m. *boliviensis* Fuchs, 1961:9  
*sanctijacobi* Huedepohl, 1984:409  
**sulphureus** Giesbert, 1991:385  
**trilineatus** White, 1855:200  
**trizonatus** Blanchard in Griffith, 1832: pl. 66, fig. 1  
Brasil  
s Brasil, Bolivia, Paraguay, Argentina  
c Brasil (GO)  
c Brasil (MT)  
se Brasil (GO, MT, BA-RS), Bolivia,  
Argentina, Uruguay  
se Brasil (GO, MG-SP)  
Nicaragua-Panama  
Fr Guiana, nc Brasil (AM), Bolivia  
Panama  
c Brasil (PA, RO)  
SAmer
- Sphecomorpha** Newman, 1838:396  
*Sphecoaster* Lacordaire, 1869:471  
**chalybea** Newman, 1838:397  
*biplagiatus* Lacordaire, 1869:472  
**forficulifera** (Gounelle, 1913:388)  
*propinquus* Linsley, 1934:350  
**murina** (Klug, 1825:473)  
**rufa** Gounelle, 1911:151  
**vespiventris** (Bates, 1880:43)  
Surinam, Fr Guiana, Brasil (PA)  
Panama, Colombia  
e Brasil (GO-RS), Paraguay, Argentina  
ec Brasil (GO)  
Guatemala
- Stenochariergus** Giesbert & Hovore, 1989:348  
**dorianae** Giesbert & Hovore, 1989:348  
**hollyae** Giesbert & Hovore, 1989:349.  
Panama  
Costa Rica
- Stenopseustes** Bates, 1873:131  
**aeger** Bates, 1873:131  
**gibbicollis** Fisher, 1947:5  
**sericinus** Bates, 1880:44  
s Brasil (PR)  
se Brasil (SP-SC)  
Mexico, Guatemala
- Tomopterus** Audinet-Serville, 1833:544  
**albopilosus** Zajciw, 1964:423  
*ornatipennis* Zajciw, 1971:314  
**aurantiacosignatus** Zajciw, 1969:411  
**basimaculatus** Zajciw, 1964:425  
*tuberculicollis* Zajciw, 1964:427  
**brevicornis** Giesbert, 1996:325  
**clavicornis** Magno, 1995:556  
**consobrinus** Gounelle, 1911:166  
**exilis** Chemsak & Linsley, 1979:70  
**flavofasciatus** Fisher, 1947:56  
**grossefoveolatus** Zajciw, 1964:426  
**kunayala** Giesbert, 1996:322  
**larroides** White, 1855:177  
se Brasil (ES-SP)  
se Brasil (ES)  
Bolivia, n Argentina (TU)  
s Mexico (CHS), Costa Rica  
n, w Brasil (PA, RO)  
ec Brasil (GO), Fr Guiana, Peru, Bolivia  
se Mexico (QR)  
se Brasil, Paraguay, Argentina, Uruguay  
Panama, nc Brasil (PA), Fr Guiana  
Panama  
c Brasil (PA, GO, MT), Bolivia, Paraguay,

*vittipennis* Fisher, 1930:17 Argentina  
*subvespoides* Zajciw, 1971:316  
**longicornis** Zajciw, 1969:413 se Brasil (RJ)  
**obliquus** Bates, 1870:329 c Brasil, Fr Guiana, Paraguay, Argentina  
**pictipennis** Zajciw, 1969:415 Peru  
**quadratipennis** Bates, 1873:128 se Brasil (RJ)  
**rufotibialis** (Zajciw, 1968:541) se Brasil (ES)  
**seabrai** Magno, 1995:559 se Brasil (ES, RJ)  
**servillei** Magno, 1995:555 n Brasil (PA)  
**similis** Fisher, 1930:19 nc Brasil (AM, PA), Fr Guiana, Bolivia  
**staphylinus** Audinet-Serville, 1833:545 se Brasil (ES-RS), Argentina, Uruguay  
*pretiosus* Newman, 1840:21  
*vespoides*; Burmeister, 1865:173 (not White, 1855)  
*quadratipennis*; Costa Lima, 1936:302 (not Bates, 1873)  
*tuberculatus* Zajciw, 1971:313  
**tetraspilotus** Magno, 1995:557 w Brasil (RO, AM), Peru  
**vespoides** White, 1855:176 Mexico-Panama

**Xenocrasis** Bates, 1873:131  
**badeni** Bates, 1873:132 se Brasil (ES-RS)  
*apicicornis* Fisher, 1952:6  
**fulvicollis** (Lacordaire, 1869:503) nw, se Brasil (AM, ES-SC)  
*obscuripennis* Zajciw, 1963:254  
**panamensis** Giesbert, 1991:383 Panama  
**politipennis** (Zajciw, 1971:305) Fr Guiana, nw Brasil (AM)  
**pubipennis** (Fisher, 1952:16) Peru  
**vestitipennis** Zajciw, 1963:252 se Brasil (RJ)

**Eroschemini** Lacordaire, 1869:515

**Tethlimmena** Bates, 1872:185  
**aliena** Bates, 1872:185 Guatemala-Panama  
**basalis** Gahan, 1895:111 W Indies (St. Vincent)  
**gahani** Gounelle, 1911: 168 Brasil (GO, SC), Ecuador?  
*var. tristis* Melzer, 1933: 373

**Callichromatini** Blanchard, 1845:148

**Beaveria** Lane, 1970: 51  
**nacta** Lane, 1970:52 wc Brasil (RO, MT)  
**sagda** Monné & Martins, 1972:76 c Brasil (PA, MT)

**Callichroma** Latreille, 1816:24  
*Pallene* Gistel, 1848:130  
**atroviride** Schmidt, 1924:319 Colombia  
**auricomum** (Linnaeus, 1767:629) Colombia, Fr Guiana-c Brasil (MT)  
*suturalis* Fabricius, 1781:212  
*suturatus*; Gmelin, 1790:1824  
*auricomum cyanescens* Schmidt, 1924:320  
*auricomum rubescens* Schmidt, 1924:320  
*auricomum viridescens* Schmidt, 1924:320  
*auronicum*; Williams, 1931:226  
**batesi** Gahan, 1894:118 Honduras-Panama  
*cosmicum*; Bates, 1872:186 (not White, 1853)  
**brachiale** Bates, 1870:334 nw Brasil (AM)  
**collarti** Fuchs, 1959:2 Colombia  
**cosmicum** White, 1853:158 Honduras, Nicaragua, Costa Rica  
**gounellei gounellei** Achard, 1910:279 Fr Guiana  
 subsp. **rubricrus** Schmidt, 1924:317 c Brasil (AM, MT)  
**gisteli** Schmidt, 1923:276 se Brasil (ES)  
**hoffmannsi** Schmidt, 1924:316 nw Brasil (AM)

- minima** Podany, 1965:36  
**nigricans** Aurivillius, 1908:2  
**onorei** Giesbert, 1998: 60  
**sericeum** (Fabricius, 1792:253)  
**velutinum** (Fabricius, 1775:167)  
*spectabilis* Voet, 1778:12  
*porphyrogenitum* Bates, 1870:333  
**viridipes** Bates, 1879:404
- Nicaragua  
Peru, Bolivia  
Ecuador  
se Brasil, Paraguay, Argentina, Uruguay  
Venezuela, Guianas, c Brasil (MT),  
West Indies  
Panama, Colombia
- Cnemidochroma** Schmidt, 1924:299  
**buckleyi** (Bates, 1879:404)  
**coeruleum** (Achard, 1910:280)  
**fulgidum** (Schmidt, 1924:380)  
**lopesi** Fragoso & Monné, 1989:209  
**ohausi** (Schmidt, 1924:381)  
**phylloides** (Schmidt, 1924:381)  
**phyllopus** (Guérin-Méneville, 1844:220)  
*corvina* Burmeister, 1865:169
- Ecuador, Bolivia  
Surinam, Fr Guiana  
nc Brasil (PA)  
c Brasil (GO, MT)  
se Brasil (ES-SP)  
c Brasil (GO, MT)  
se Brasil (BA-RS), Paraguay, Argentina,  
Uruguay
- Diotecnon** Schmidt, 1924:300  
**iris iris** (Taschenberg, 1870:194)  
*purpuratum* Lameere, 1884:106  
*fulgens* Lameere, 1884:106  
*trilineatum octolineatum* Podany, 1965:37  
subsp. **trilineatum** (Bates, 1879:403)
- Costa Rica-Colombia, Venezuela  
SAmer (widely distributed)
- Linsleychroma** Giesbert, 1998: 61  
**monnei** Giesbert, 1998: 61
- Panama
- Mionochroma** Schmidt, 1924:299  
**aureotinctum** (Bates, 1870:335)  
**aurosum** (Schmidt, 1924:308)  
**chloe** (Gounelle, 1911:167)  
**decipiens** (Schmidt, 1924:311)  
**elegans** (Olivier, 1790:298)  
var. *gahani* Aurivillius, 1912:311  
**equestre equestre** (Gounelle, 1911:170)  
subsp. **aterrimum** (Gounelle, 1911:172)  
subsp. **subnitescens** (Gounelle, 1911:171)  
*subnitens*; Podany, 1965:40  
**flachi** (Schwarzer, 1923:257)  
**novella** (Bates, 1885:293)  
**ocreatum** (Bates, 1870:335)  
**omissum** (Schmidt, 1924:313)  
**pseudovittatum** (Schwarzer, 1923:258)  
**rufescens** (Gahan, 1895:113)  
var. *aureotinctum* Bates, 1885:293  
**rufitarsis** (Schwarzer, 1929:356)  
**spinosissimum** (Schmidt, 1924:313)  
**subaurosum** (Zajciw, 1966:347)  
**vittatum vittatum** (Fabricius, 1775:166)  
*viridiaurea* Degeer, 1775:145  
*ochropus* Voet, 1778:12  
*aureum* Gmelin, 1790:1877  
*rugicollis* Guérin-Méneville, 1844:220  
*assimilatum* White, 1853:158  
*scitulum* Pascoe, 1866:292  
*vittatum* f. *rufiventris* Schmidt, 1924:305  
subsp. **electrinum** (Gounelle, 1911:176)  
**wilkei** (Schmidt, 1924:309)
- Mexico (VC), Panama, nc Brasil (PA), Fr Guiana  
nw Brasil (AM), Fr Guiana  
se Brasil (BA-RS)  
se Brasil (ES)  
Guadeloupe, Grenada, Dominica, St. Lucia  
e Brasil (GO, MG-RJ)  
se Brasil (SP, PR)  
se Brasil (SP)  
se Brasil (ES-SC)  
Nicaragua-Panama  
Fr Guiana, nw Brasil (AM), Peru, Ecuador  
se Brasil (ES-SC)  
se Brasil (ES)  
W Indies (St. Lucia, St. Thomas, Guadeloupe,  
Martinique), Mexico (VC)  
Bolivia  
Peru  
Peru  
Mexico-c Brasil  
s Brasil, Paraguay, Argentina, Uruguay  
Panama, Ecuador

- Philematium** Thomson, 1864:171  
**femorale** (Olivier, 1790:297) Africa, introduced in Cuba  
*albitarsis* Fabricius, 1801:267  
*leucodactyla* Chevrolat, 1862:257  
**festivum** (Fabricius, 1775:166) Africa, introduced in Guadeloupe  
*festus* Gmelin, 1790:1823
- Plinthocoelium** Schmidt, 1924:300  
*Plinthocoelium*; Arnett, 1962:860  
*Callichroma*; LeConte, 1850:37 (not Latreille, 1816)  
**chilensis** (Blanchard in Gay, 1851:465) Chile  
**cobaltinum** (LeConte, 1873:195) Baja Calif, nw Mexico  
**domingoensis** (Fisher, 1922:52) R Dominicana  
**koppei** Schmidt, 1924:385 Mexico  
**sapphirum** (Bates, 1879:402) w Mexico (SO, SI, DU, OA, PU, JA, CHS)  
**schwarzi** (Fisher, 1914: 97) sw USA (TX)  
**suaveolens suaveolens** (Linnaeus, 1768:224) se USA (DE-FL-TX)  
*elegans*; Haldeman, 1847:31 (not Olivier, 1790)  
*splendidum* LeConte, 1850:37  
*virescens* Leng, 1886:61  
*plicatum*; Craighead, 1923:64 (not LeConte, 1853)  
subsp. **plicatum** (LeConte, 1853:233) sw USA (TX, NM, AZ), n Mexico (SO)  
*smaragdina* Casey, 1912:314  
*suaveolens smaragdinoides* Schmidt, 1924:384  
**virens** (Drury, 1770:89) Cuba, Hispaniola, Jamaica, Bahamas  
*columbinum* (Guérin-Méneville, 1838:282)  
**xanthogastrum** (Bates, 1880: 45) Nicaragua, Costa Rica  
*columbinum*; Bates, 1872:186 (not Guérin-Méneville, 1838)
- Schmidtianum** Podany, 1965:40  
**distinguendum** (Gounelle, 1911:165) se Brasil (MG-PR)  
**seiunctum** (Schmidt, 1924:314) Peru
- Schwarzerion** Schmidt, 1924:300  
**cyanomelas** (White, 1853:164) Mexico-Panama  
**euthalia** Bates, 1879:403 Panama  
**holochlorum holochlorum** (Bates, 1872:185) Mexico (JA-CHS)-Colombia, Venezuela  
*opiparum* Bates, 1874:222  
*chiriquina* Bates, 1879:402  
*compressipes* Casey, 1912:314  
*regalis* Casey, 1912:314  
*carinatum* Schmidt, 1924:387  
subsp. **melancholicum** (Bates, 1872:186) Mexico (PU, VC, QR)  
ab. *rufovarium* Aurivillius, 1912:312
- Xenochroma** Schmidt, 1924:300  
**azurea** Demets, 1976:136 Mexico-Costa Rica  
**hovorei** Giesbert, 1998: 62 Costa Rica  
**seabrai** Fragoso & Monné, 1989:210 se Brasil (MG)  
**subpulvereum** (Schmidt, 1924:379) se Brasil (MG-SP)  
*subcomosum* Schmidt, 1924:380  
*difficilis* Schwarzer, 1929:357  
**tibialis** Giesbert, 1987:36 Costa Rica  
**uniforme** (Gounelle, 1911:169) se Brasil (ES-SC)  
*schmidti* Melzer, 1926:11
- Xystochroma** Schmidt, 1924:299  
**bouvieri** (Gounelle, 1911:174) Panama, Colombia, ec Brasil (GO)  
**buprestoides** (Bates, 1885:293) Mexico (VC)  
**chloropus** (Bates, 1879:404) Panama, Venezuela  
**clypeatum** (Schwarzer, 1923:256) Costa Rica, Panama, Venezuela

**cuprisuturatum** (Zajciw, 1965:552) se Brasil (SP)  
**equestriforme** (Schmidt, 1924:302) se Brasil (RJ)  
**gracilipes** (Bates, 1879:404) s Brasil (PR)  
**minutum** (Zajciw, 1965:551) se Brasil (RJ)  
**neglectum** (Gounelle, 1911:172) e Brasil (GO, ES-SP)  
*roeri* Podany, 1965:35  
**planipenne** (Schmidt, 1924:303) se Brasil (SP)  
**setigerum** (Schmidt, 1924:302). Colombia  
**zikani** (Zajciw, 1965:553) se Brasil (RJ)

**Rosaliini** Fairmaire 1864:137

**Rosalia** Audinet-Serville, 1833:561

**funebri** Motschulsky, 1845:87 w NAmer (NM, CA-Alaska)  
*alpina*; LeConte, 1852:177 (not Linnaeus, 1758)  
*funebri mandibularis* Casey, 1912:313  
*funebri acomana* Casey, 1912:313

**Dryobiini** Linsley, 1964:7

**Dryobius** LeConte, 1850:23

**sexnotatus** Linsley, 1957:287 e NAmer  
*sexfasciatum*; Say, 1824:415 (not Olivier, 1792)

**Ornithia** Thomson, 1864:213

**mexicana mexicana** (Sturm, 1843:354) sw USA (TX), Mexico-Panama  
*chevrolatii* Guérin-Méneville, 1844:228  
subsp. **zapotensis** Tippmann, 1960:135 w Mexico (JA)-Guatemala

**Compsocerini** Thomson, 1864:260

**Achenoderus** Napp, 1979:582

**octomaculatus** (Fairmaire & Germain, 1861:107) Chile, sc Argentina (NE, CT)

**Aglaoschema** Napp, 1994: 658

**albicorne** (Fabricius, 1801:269) nc Brasil (PA), Fr Guiana  
**basale** (Melzer, 1933:369) n Argentina (JU, SE)  
**collorata** (Napp, 1993:653) w Brasil (RO)  
**concolor** (Gounelle, 1911:177) ec Brasil (GO)  
**cyaneum** (Pascoe, 1860:62) n Brasil (AM, PA), Peru  
*bicoloricorne* Fuchs, 1959:3  
**dulce** (Napp & Martins, 1988:483) s Brasil (MS)  
**erythrocephala** (Napp & Martins, 1988:484) se Brasil (SP-RS), Argentina  
**erythrogaster** (White, 1853:146) se Brasil (ES, RJ)  
**haemorrhoidale** (Germar, 1824:496) se Brasil (BA-PR), Argentina  
**mourei** (Napp, 1993:655) e Brasil (BA)  
**nigricorne** (Bates, 1870:393) se Brasil (MG)  
**prasinipenne** (Lucas, 1857:185) s Brasil (PR-RS)  
*viridipennis* Thomson, 1860:254  
**prasiniventre** (Gounelle, 1911:178) e Brasil (BA-ES)  
**ruficeps** (Bates, 1870:393) se Brasil (MG-RS)  
**rufiventre** (Germar, 1824:495) se Brasil (ES-RS), Argentina  
**tarnieri** (Bates, 1870:392) nc Brasil (PA), Fr Guiana  
**tibiale** (Aurivillius, 1920:364) Brasil  
**ventrale** (Germar, 1824:494) se Brasil (BA-RS), Paraguay, Argentina  
**violaceipenne** (Aurivillius, 1897:244) s Brasil (SC)

**Caperonotus** Napp, 1993:657

**cardinalis** (Bates, 1870:393) nw Brasil (AM), Peru



- superbum** (Aurivillius, 1897:245) Brasil
- Chaetosopus** Napp & Martins, 1988:480  
**contiguus** Napp & Martins, 1988:483 s Brasil (PR)  
**infalsatus** Napp & Martins, 1988:481 se Brasil (MG, RJ)  
**violaceus** (Martins, 1973:208) se Brasil (SP)
- Chariergus** White, 1855:216  
**caeruleus** Napp & Reynaud, 1998:155 e Brasil (MG, BA, ES)  
**paranaensis** Napp & Reynaud, 1998:156 se Brasil (PR, SC, RS)  
**quadripunctatus** Lucas, 1857:188 se Brasil (MG-RS)  
**signaticornis** Lucas, 1857:188 e Brasil (GO, MG-RS), n Argentina (MI)  
**tabidus** (Klug, 1825:461) e Brasil, Uruguay, ec Argentina (CO, ER)
- Chenoderus** Fairmaire & Germain, 1859:532  
*Cycnoderus*; Blanchard in Gay, 1851:479 (not Audinet-Serville, 1834)  
*Chenoblacus* Thomson, 1868:201  
**bicolor** Fairmaire & Germain, 1861:107 Chile  
**testaceus** (Blanchard in Gay, 1851:479) Chile, s Argentina (RN-SC)  
**tricolor** (Fairmaire & Germain, 1859:502) Chile, wc Argentina (NE)  
**venustus** Fairmaire & Germain, 1861:107 Chile
- Chlorethe** Bates, 1867:24  
*Chimoreia* Lane, 1956:15  
**brachyptera** Zajciw, 1963:416 s Brasil (MS, PR)  
**ingae** Bates, 1867:24 nw Brasil (AM), Peru, Ecuador, Bolivia  
*mandibularis* Lane, 1956:16  
**scabrosa** Zajciw, 1963:418 s Brasil (MS, PR)
- Compsoceridius** Bruch, 1908:207  
**gounellei** (Bruch, 1908:208) s Brasil (PR-RS), Paraguay, Argentina, Uruguay
- Compsocerus** Lepeletier & Audinet-Serville in Lacordaire, 1830:175  
*Orthostoma* White, 1853:146 ( part )  
*Compsocera*; Thomson, 1860:253  
*Orthostoma (Orthostomidius)* Bruch, 1908:209  
**barbicornis** Audinet-Serville, 1834:62 se Brasil (ES, RJ)  
*opacipennis* Gounelle, 1910:140  
**bicoloricornis** Schwarzer, 1923:258 se Brasil (ES)  
**chevrolati** Gounelle, 1910:141 s Brasil (PR-RS)  
**deceptor** Napp, 1976:20 se Brasil (MG, RJ)  
*barbicornis*; Melzer, 1918:420 (not Audinet-Serville, 1834)  
**parviscopus** (Burmeister, 1865:169) nw Argentina (JU-CA)  
*vicinus* Bosq, 1951:100  
**proximus** Napp, 1977:97 Bolivia, s Brasil (PR), nw Argentina (SA)  
**violaceus** (White, 1853:147) e Brasil (GO, BA-RS), Paraguay, Argentina, Uruguay  
*igneum* White, 1853:147  
*aulica* Thomson, 1860:253  
*thysophora* Burmeister, 1865:169  
*equestris*; Gounelle, 1911:181 (not Guérin-Ménéville, 1844)
- Cosmisomopsis** Zajciw, 1960:135  
**viridis** Zajciw, 1960:136 e Brasil (PB, BA), n Argentina (SA, MI)
- Dilocerus** Napp, 1980:193  
**marinonii** Napp, 1980:195 Bolivia, n Argentina (JU)
- Ethemon** Thomson, 1864:262  
**basale** (Burmeister, 1865:170) Bolivia, n Argentina (JU-CD)

- basirufum** Napp, 1979:907 se Brasil (MG, RJ)  
**brevicorne** Napp & Reynaud, 1998:157 c Argentina (CD)  
**imbasale** Tippmann, 1960:133 Bolivia  
**lepidum lepidum** Thomson, 1864:262 se Brasil (MG, RJ)  
*diversipennis* Burmeister, 1865:170  
subsp. **rufofemorale** Napp, 1979:906 se Brasil, nw Argentina (CA)  
**weiseri** Bruch, 1926:340 nw Argentina (CA)
- Hylorus** Thomson, 1864:261  
**armatus** (Chabrillac, 1857:199) e Brasil (GO, MG, RJ)  
*hamaticornis* Chevrolat, 1859:28
- Maripanus** Germain, 1898:653  
**quadrimaculatus** (Germain, 1892: clxvi) Chile, w Argentina (NE)  
*decoratus* Germain, 1898:656
- Mimochariergus** Zajciw, 1960:57  
**carbonelli** Zajciw, 1960:58 se Brasil (RJ), Uruguay  
**fluminensis** Napp & Mermudes, 1999: 82 se Brasil (RJ)
- Orthostoma** Lepeletier & Audinet-Serville in Lacordaire, 1830:174  
*Maxillaria* Gistel, 1848:  
*Orthoschema* Thomson, 1860:253  
*Orthoschema (Orthoprasis)* Aurivillius, 1910:159  
**abdominale** (Gyllenhal in Schoenherr, 1817:157) Brasil (AM, BA, RJ), Ecuador?, Paraguay  
*tenuicorne* (Bates, 1870:392)  
**chryseis** (Bates, 1870:393) nc Brasil (PA), Fr Guiana  
**vittata** (Aurivillius, 1910:156) Venezuela
- Paromoeocerus** Gounelle, 1910: 139  
*Compsocerus*; Laporte, 1840:435 (not Lepeletier & Audinet-Serville, 1830)  
**barbicornis** (Fabricius, 1792:311) se Brasil (MG-RS), Paraguay, Argentina,  
*plumigera* Olivier, 1795:13 Uruguay  
*equestre* Guérin-Méneville, 1844: 231  
**notabilis** Melzer, 1918:431 s Brasil (PR, SC)  
**scabricollis** Melzer, 1927:568 se Brasil (SP-SC)  
**stictonotus** Napp, 1976:32 se Brasil (MG, RJ)  
**vestitus** Gounelle, 1910:139 e Brasil (GO, SP)
- Parunxia** Napp, 1977:134  
**scopifera** (Klug, 1825:461) se Brasil (MG-RS), Uruguay  
*simplex* Aurivillius, 1911:188
- Rierguscha** Viana, 1970:145  
**bicolor** Viana, 1970:148 nw Argentina (SA)  
**viridipennis** (Bruch, 1925:209) nw Argentina (CA)
- Unxia** Thomson, 1860:233  
**gracilior** (Burmeister, 1865:171) se Brasil, Paraguay, Argentina, Uruguay  
**insignis** (Guérin-Méneville, 1844:232) Brasil  
**laeta** (Guérin-Méneville, 1844:232) se Brasil (MG-RS)
- Callidiini** Mulsant, 1839:27
- Callidiellum** Linsley, 1940:254  
**cupressi** (Van Dyke, 1923:48) w USA (CA)  
**virescens** Chemsak & Linsley, 1966:152 sw USA (AZ)

- Callidium** Mulsant, 1839:42 (not Fabricius, 1775)  
*Meridion* des Gozis, 1886:32  
*Callidium (Callidostola)* Reitter, 1912:37
- angustipennis** Chemsak, 1964:187 w USA (CA, NE)
  - antennatum antennatum** Newman, 1838:393 e NAmer-WY
  - subsp. **hesperum** Casey, 1912:288 w NAmer-CO
  - biguttatum** Sallé, 1856:688 R Dominicana
  - californicum** Casey, 1912:289 w USA (CA)
  - cicatricosum** Mannerheim, 1853:246 w NAmer (Alaska-OR), Rocky Mts.
  - subopacum* Swaine, 1919:12E
  - vancouverense* Van Dyke, 1927:104
  - duodecimsignatum** Perroud, 1855:385 Brasil
  - frigidum** Casey, 1912:289 e NAmer
  - lacustre* Casey, 1912:289
  - hoppingi** Linsley, 1957:33 w NAmer (Br Col-UT)
  - juniperi** Fisher, 1920:157 wc USA (OK, NM, UT)
  - leechi** Linsley & Chemsak, 1963:209 w USA (CA)
  - powelli** Linsley & Chemsak, 1963:207 w USA (CA)
  - pseudotsugae** Fisher, 1920:155 w USA (CA, OR)
  - rufipenne** Motschulsky, 1860:19 Japan, introduced in w Canada (Br Col.)
  - schotti** Schaeffer, 1917:184 ne USA, s Canada
  - sempervirens** Linsley, 1942:192 w USA (CA)
  - sequoiarium** Fisher, 1920:156 w USA (CA)
  - texanum** Schaeffer, 1917:185 e USA-AZ, CA, NE
  - janthinum*; Leng, 1884:113 (not LeConte, 1850)
  - vandykei** Linsley, 1957:287 w USA (CA)
  - pallidum*; Van Dyke, 1928:111 (not Say, 1823)
  - violaceipenne** Linsley & Chemsak, 1963:208 w USA (CA)
  - violaceum** (Linnaeus, 1758:395) Europe, Asia, e NAmer, introduced in Uruguay
  - janthinum* LeConte, 1850:34
  - viridocyaneum** Linsley & Chemsak, 1963:208 wc USA (SD)
- Calydon** Thomson, 1864:263  
*Callidium*; Blanchard in Gay, 1851:497 (not Mulsant, 1839)
- globithorax** (Fairmaire & Germain, 1861:108) Chile, sc Argentina (NE, CT)
  - skottsbergi* Aurivillius, 1911:189
  - skottsbergi nigricollis* Schwarzer, 1930:106
  - submetallicum** (Blanchard in Gay, 1851:497) Chile, s Argentina (RN-SC)
- Elatotrypes** Fisher, 1919:38  
**hoferi** Fisher, 1919:39 wc USA (CO, NE)
- cicatricosum*; Leng, 1884:112 (not Mannerheim, 1853)
- Hylotrupes** Audinet-Serville, 1834:77  
**bajulus** (Linnaeus, 1758:396) Europe, introduced in e NAmer, s Brasil, Argentina, Uruguay
- var. *bullatus* Haldeman, 1847:36
  - inaequalis* Casey, 1924:233
  - latus* Casey, 1924:233
  - nematocerus* Casey, 1924:234
  - puncticollis* Casey, 1924:234
  - incertus* Casey, 1924:234
  - pedicellatus* Casey, 1924:235
  - minutus* Casey, 1924:235
  - caudata* Degeer, 1775:86
  - linneiana* Laicharting, 1784:69
  - livida* Mulsant, 1839:56
  - puella* Villa, 1833:36
  - similis* Marsham, 1802:335
- Meriellum** Linsley, 1957:287  
*Merium*; LeConte, 1873:296 (not Kirby, 1837)
- proteus** (Kirby in Richardson, 1837:172) ne NAmer, w NAmer (Alaska-CO)

*simile* Kirby in Richardson, 1837:172  
*bifossulatum* Casey, 1912: 287

- Phymatodes** Mulsant, 1839:47 (not Dejean, 1835)  
*Poecilium* Fairmaire in Jacquelin du Val, 1864:134  
*Phymatodes (Melasmetus)* Reitter, 1912:39  
*Phymatodes (Phymatoderus)* Reitter, 1912:39  
*Phymatodes (Phymatodellus)* Reitter, 1912:40  
*Phymatodina* Casey, 1912:281  
*Microcallidium* Casey, 1912:283  
*Pseudopoecilium* Planet, 1924:226  
*Paraphymatodes* Plavilstshikov, 1934:215
- aeneus** LeConte 1854:18 w NAmer (Pac Cst)  
**aereus** (Newman 1838:393) e NAmer  
*pallipes* Haldeman, 1847:37  
**amoenus** (Say, 1824:413) e NAmer  
*coccineicollis* Haldeman, 1847:39  
*amoenus hudsonicus* Casey, 1912:284
- ater** LeConte, 1884:22 e NAmer (Nova Scotia-PA)  
**blandus blandus** (LeConte, 1859:79) w USA (CA, OR)  
subsp. **concolor** Linsley, 1934:181 w USA (CA)  
subsp. **picipes** Linsley, 1934:165 w USA (CA)  
subsp. **propinquus** Linsley, 1934:181 w USA (CA)  
**decussatus decussatus** (LeConte, 1857:61) w NAmer (Pac Cst)  
*obliquus* Casey, 1891:26  
*harfordi* Casey, 1912:279  
*collaris* Casey, 1924:240  
var. *latifasciatus* Hardy & Preece, 1927:191  
subsp. **australis** Chemsak, 1963:40 w USA (CA), Baja Calif  
subsp. **posticus** Van Dyke, 1920:36 w USA (CA)  
**dimidiatus** (Kirby in Richardson, 1837:173) e USA, w NAmer (Alaska-CA)  
*kalmi* Schoenherr, 1817: 442  
*palliatus* Haldeman, 1847:41  
*mannerheimi* LeConte, 1857:60
- fulgidus** Hopping, 1928:246 sw Canada (Br Col)  
**hirtellus hirtellus** (LeConte, 1873:172) w USA (CA, OR), Baja Calif  
subsp. **densipennis** Casey, 1912:284 w NAmer (Br Col-SD, NM)  
**infuscatus** (LeConte, 1859:285) w USA (CA, OR)  
**juglandis** Leng, 1890:214 w USA (CA, OR)  
*fasciapilosus* Van Dyke, 1920:33
- lecontei** Linsley, 1938:109 w NAmer (Pac Cst), Baja Calif  
*obscurum*; LeConte, 1859:79 (not Fabricius, 1787)  
*grandis* Casey, 1912:277
- lengi** Joutel, 1911:200 e NAmer (Atl Cst)  
**maculicollis** LeConte, 1878:614 e USA-w NAmer (Br Col-CA)  
*hardyi* Van Dyke, 1928:112  
*elongatus* Hopping, 1937:8
- mohavensis** Linsley & Chemsak, 1963:210 w USA (CA)  
**nigerrimus** Van Dyke, 1920:35 w USA (CA)  
**nitidus** LeConte, 1874:66 w NAmer (Pac Cst)  
*crucialis* Casey, 1912:282  
*elegans* Casey, 1912:282  
*exilis* Casey, 1912:283
- oregonensis** Chemsak, 1963:39 nw USA (OR)  
**rainieri** Van Dyke, 1937:113 nw USA (WA)  
**shareeae** Cope, 1984:63 sw USA (NM)  
**testaceus** (Linnaeus, 1758:396) Europe, e NAmer  
*variabilis* Linnaeus, 1761:192  
var. *ventralis* Haldeman, 1847:37
- tysoni** Chemsak & Linsley, 1984:73 w USA (CA)  
**ursae** Knull, 1940:556 wc USA (WY)  
**varius** (Fabricius, 1776:232) e NAmer-sw USA (TX, AZ, UT)  
*varians*; Bland, 1862:275  
*versicolor* Gmelin, 1790:1852

- subfasciellum* White, 1855:322  
*albofasciatum* Bland, 1862: 274  
*semicircularis* Bland, 1862:275  
*varius diffidens* Casey, 1912:280  
*latipennis* Casey, 1912:280  
**vilitatis** Linsley, 1940:253 w USA (CA, OR)  
*vile*; LeConte, 1873:172 (not Newman, 1842)  
**vulneratus** (LeConte, 1857:60) w NAmer (Pac CSt)  
*concinus* Casey, 1912:278  
var. *nigrescens* Hardy & Preece, 1927:190

**Physocnemum** Haldeman, 1847:38

- Dularius* Thomson, 1860:258  
**andreae** (Haldeman, 1847:36) e NAmer (Atl Cst)  
*luscus* Thomson, 1860:259  
**brevilineum** (Say, 1824:413) e NAmer-TX  
*compressipes* Casey, 1912:269  
*densum* Casey, 1912:270  
*pictum* Casey, 1924:239  
*longitarse* Casey, 1924:239  
*angulatum* Casey, 1924:239  
**violaceipenne** Hamilton, 1896:286 ne NAmer

**Pnigomenus** Bosq, 1951:195

- kuscheli** Bosq, 1951:196 Chile

**Pronocera** Motschulsky, 1859:494

- Pronocerus*; Motschulsky, 1875:148  
*Pseudophymatodes* Pic, 1901:12  
*Protocallidium* Csiki, 1904:99  
*Potocallidium*; Reitter, 1912:38  
*Gonocallus* LeConte, 1873:171  
**collaris collaris** (Kirby in Richardson, 1837:141) e NAmer-WA, Alaska  
*lepidus* LeConte, 1850:34  
subsp. **lecontei** Chemsak, 1963:38 w USA (CA)

**Ropalopus** Mulsant, 1839:39

- Rhopalopus*; Redtenbacher, 1845:110  
*Euryoptera* Horn, 1860:571  
**sanguinicollis** (Horn, 1860:571) ne USA, s Canada

**Semanotus** Mulsant, 1839:54

- Sympiezocera* Lucas, 1851: cvi  
*Xenodorum* Marseul, 1856:48  
*Hylotrupes*; LeConte, 1873:296 (part)  
*Anocomis* Casey, 1912:271  
*Anacomis*; Leng, 1920: 275  
*Hemicallidium* Casey, 1912:274  
**amethystinus** (LeConte, 1853:234) w NAmer (Pac Cst)  
**australis** Giesbert, 1993:146 Guatemala  
**japonicus** Lacordaire, 1869: 47 Japan, introduced in Canada (Br Col)  
**juniperi** (Fisher, 1915:77) . w USA (AZ, CA, NE, ID)  
**ligneus ligneus** (Fabricius, 1787:153) e NAmer  
*russicum* Stephens, 1831:248  
*nicolas* White, 1855:321  
subsp. **amplus** (Casey, 1912:273) w NAmer (Pac Cst)  
*ampla angusta* Casey, 1912:273  
*ampla obliviosa* Casey, 1924:237  
*ampla terracensis* Casey, 1924:237  
subsp. **basalis** (Casey, 1924:237) nw USA  
*ligneus thujae* Van Dyke, 1927:103  
subsp. **parvicollis** (Casey, 1912:272) w USA (AZ, UT)

<i>ampla conformis</i> Casey, 1924:236	
<i>ampla arizonae</i> Casey, 1924:236	
subsp. <b>sequoiae</b> Van Dyke, 1923:51	w USA (CA)
<b>litigiosus</b> (Casey, 1891:25)	NAmer
<i>terminata</i> Casey, 1912:274	
<i>canadensis</i> Casey, 1924:238	
<b>Thrichocalydon</b> Bosq, 1951:58	
<b>havrylenkoi</b> (Bosq, 1951:58)	Chile, w Argentina (NE)
<b>Xylocrius</b> LeConte, 1873:172	
<i>Hylocrius</i> ; Lameere, 1883:38	
<b>agassizi</b> (LeConte, 1861:357)	w NAmer (Br Col-CA, NM), Rocky Mts
<b>cribratus</b> LeConte, 1873:172	w USA (CA, NE)
?	
<b>Callidium bifasciatum</b> Fabricius, 1787:152	"America occidentali"
<b><u>Clytini</u></b> Mulsant, 1839:70	
<b>Anthoboscus</b> Chevrolat, 1860:455	
<i>Clytanthus</i> Thomson, 1864:190	
<b>tricolor</b> (Chevrolat, 1835:75)	Mexico (CHA)-Panama
<b>oculatus</b> Giesbert, 1992:158	s Mexico (CHS)
<b>Calloides</b> LeConte, 1873:319	
<b>lorquini</b> (Buquet, 1859:629)	w USA (CA, NE, OR)
<b>nobilis nobilis</b> (Harris, 1837:84)	e NAmer
subsp. <b>mormonus</b> Schaeffer, 1911:124	sw USA (AZ, CO, UT)
<i>biformis</i> Casey, 1912:358	
<i>muliebris</i> Casey, 1912:358	
<i>coloradensis</i> Casey, 1912:358	
<b>regalis</b> (Chevrolat, 1860:488)	Mexico (OA)
<b>Chlorophorus</b> Chevrolat, 1863:290	
<b>annularis</b> (Fabricius, 1787:156)	Asia, introduced in USA and se Brasil
<b>Clytoleptus</b> Casey, 1912:350	
<i>Clytanthus</i> ; LeConte, 1873:319 (not Thomson, 1864)	
<b>albofasciatus</b> (Laporte & Gory, 1835:96)	e NAmer
<i>gracilicornis</i> Casey, 1912:371	
<i>tristis</i> Casey, 1912:371	
<b>Clytopsis</b> Casey, 1912:350	
<b>dimidiaticornis</b> (Chevrolat, 1860:487)	Mexico (widely distributed)
<i>nimbata</i> Casey, 1912:373	
<b>Clytus</b> Laicharting, 1784:88	
<b>blaisdelli</b> Van Dyke, 1920:39	w USA (CA)
<b>canadensis</b> Hopping, 1928:264	w NAmer (Br Col-OR-CO)
<b>chemsaki</b> Hovore & Giesbert, 1974:142	w USA (CA)
<b>clitellarius</b> (Van Dyke, 1920:40)	w USA (CA)
<b>marginicollis</b> Laporte & Gory, 1835:41	e NAmer
<i>vespoides</i> Haldeman, 1847:40	
<i>carolinensis</i> Casey, 1912:372	
<b>montesuma</b> Laporte & Gory, 1835:42	Mexico
<i>montezuma</i> ; White, 1855:264	
<b>pacificus</b> (Van Dyke, 1920:38)	w NAmer (Pac Cst)
<b>planifrons</b> (LeConte, 1874:67)	w NAmer (Pac Cst)

<b>ruricola</b> (Olivier, 1795:65) <i>hamatus</i> Say, 1824:423 <i>catulus</i> Casey, 1912:370	e NAmer
<b>Dexithea</b> Thomson, 1864:185 <b>fabricii</b> (Chevrolat, 1860:490) <b>humeralis</b> Chemsak & Noguera, 2001: 50 <b>klugii</b> (Laporte & Gory, 1835:51)	Mexico (ME, VC) Mexico (MX, NL, CS) Mexico, Guatemala
<b>Euryscelis</b> Dejean, 1835:331 <b>suturalis</b> (Olivier, 1795:62) <i>dejeanii</i> Chevrolat, 1862:530 <i>megalopus</i> Casey, 1924:271 <i>subtropica</i> Casey, 1924:271	se USA (FL), W Indies (Bahamas, Hispaniola, Puerto Rico, Cayman Is)
<b>Glycobius</b> LeConte, 1873:319 <i>Arhopalus</i> ; Lacordaire, 1869:64 (not Audinet-Serville, 1834) <i>Plagionotus</i> ; LeConte & Horn, 1883:304 (not Mulsant, 1842) <b>speciosus</b> (Say, 1828:53) (not Adams, 1817) <i>hayii</i> Gray in Griffith, 1831: pl. 65, fig. 6 <i>haiji</i> ; Gray in Griffith, 1832:118	ne USA, s Canada
<b>Isotomus</b> Mulsant, 1863:143 <i>Caloclytus</i> Fairmaire in Jacquelin du Val, 1864:145 <b>comptus</b> (Mannerheim in Hummel, 1825:36) <i>perspicillus</i> Fischer, 1832:438 <i>pubicollis</i> Laporte & Gory, 1835:73 <i>insularis</i> Laporte & Gory, 1835:74	Europe, introduced in Hispaniola
<b>Mecometopus</b> Thomson, 1860:222 <b>accentifer</b> Gounelle, 1910:15 <b>aesopus</b> (Chevrolat, 1860:502) <b>amaryllis</b> Chevrolat, 1861:387 <b>aurantisignatus</b> Zajciw, 1964:307 <b>batesii</b> (White, 1855:257) <b>bicinctus</b> Aurivillius, 1920:367 <b>bolivianus</b> Belon, 1899:156 <b>curtus</b> (Laporte & Gory, 1835:34) <i>crassicornis</i> Chevrolat, 1862:519 <b>femoralis</b> Fuchs, 1963:454 <b>flavius</b> Bates, 1870:399 <b>giesberti</b> Chemsak & Noguera, 1993:86 <b>globicollis</b> (Laporte & Gory, 1835:32) <i>troglogytes</i> Laporte & Gory, 1835:33 <b>gracilis</b> Zajciw, 1958:244 <b>granulipennis</b> Zajciw, 1963:178 <b>insignis</b> Chevrolat, 1862:65 <b>ion</b> (Chevrolat, 1860:496) <i>jon</i> ; Chevrolat, 1860:496 var. <i>ionides</i> Bates, 1885:300 <b>jansoni</b> Bates, 1870:399 <b>laetus</b> (Fabricius, 1801:348) <b>latecinctus</b> Bates, 1870:398 <b>leprieuri</b> (Laporte & Gory, 1835:29) <i>consanguineus</i> Chevrolat, 1862:523 <b>ludicrus</b> Melzer, 1934:224 <b>macilentus</b> Bates, 1872:187 <b>melanion</b> Bates, 1885:300 <b>mendosus</b> Galileo & Martins, 1996:58 <b>mniszechii</b> Chevrolat, 1862:64 <b>mundus</b> (Chevrolat, 1860:498) <b>nubicollis</b> Zajciw, 1964:308	Ecuador Mexico (VC)-Nicaragua Colombia, Ecuador nc Brasil (PA), Fr Guiana nc Brasil (PA) se Brasil (ES) Bolivia Fr Guiana  Peru, Brasil nc Brasil (PA) w Mexico (JA) Fr Guiana, nc Brasil (PA)  se Brasil (SP, PR) Peru, Bolivia se Brasil (MG-SC) Mexico (ME)-Nicaragua  Nicaragua-Panama, Fr Guiana Colombia, Guianas, nc Brasil (PA) nw Brasil (AM) Fr Guiana  s Brasil (SC) Nicaragua-Panama e Mexico (VC) se Brasil (MG-SC), Paraguay Brasil Guatemala, Honduras Peru

**palmatus** (Olivier, 1795:29)  
*festivus* Fabricius, 1801:348  
**placens** Chevrolat, 1862:64  
**polygenus** Thomson, 1860:223  
**purus** Bates, 1870:398  
*ellifranzae* Fuchs, 1963:456  
**quadrifasciatus** (Chevrolat, 1861:386)  
**remipes** Bates, 1885:300  
**rhinotragoides** Thomson, 1860:224  
*amabilis* Chevrolat, 1862:521  
**riveti** Gounelle, 1910:16  
var. *pilosa* Gounelle, 1910:16  
**rubefactus** Bates, 1870:398  
**sarukhani** Chemsak & Noguera, 1993:87  
**simoni** Lameere, 1893:274  
**solidicornis** Bates, 1885:300  
**triangularis** (Laporte & Gory, 1835:31)  
*maronensis* Chevrolat, 1862:522  
*funereus* Chevrolat, 1862:523  
**tumulifer** Aurivillius, 1908:3  
**wallacei** (White, 1855:259)

Panama, Paraguay, Argentina, Guianas,  
nc Brasil (PA)  
se Brasil (RJ)  
nw Brasil (AM), Fr Guiana  
nw Brasil (AM), Bolivia

Colombia  
Panama  
Fr Guiana

Colombia, Ecuador

nw Brasil (AM)  
w Mexico (JA)  
Venezuela  
Costa Rica, Panama  
Fr Guiana, nc Brasil (PA), Ecuador

Bolivia  
Guianas, nw Brasil (AM)

### **Megacheuma** Mickel, 1919:198

**brevipennis** (LeConte, 1873:197)  
*melanosticum* Mickel, 1919:199  
subsp. **tiemanni** Hovore, 1979:459

w USA (UT, NE)  
sw USA (CA)

### **Megacyllene (Megacyllene)** Casey, 1912:348

*Cyllene*; Newman, 1840: 7 (not Gray, 1834)

**acuta** (Germar, 1821:170)  
*exsanguis* Chevrolat, 1862:527  
*consimilis* Chevrolat, 1862:52  
**amazonica** (Bates, 1870:395)  
**anacantha** (Chevrolat, 1862: 52)  
**andesiana** (Casey, 1912:352)  
**angulata** (Fabricius, 1775:192)  
*boliviana* (Chevrolat, 1862:525)  
*cayennensis* Laporte & Gory, 1835:10  
*caracasensis* Chevrolat, 1861:380  
*chiliensis* (Laporte & Gory, 1835:11)  
*chilensis*; Blanchard in Gay, 1851:486  
**angulifera** (Casey, 1912:354)  
**antennata** (White, 1855:252)  
*eurystethus* LeConte, 1858:82  
**bonplandi** (Gounelle, 1911:185)  
**boryi** (Laporte & Gory, 1835:12)  
**caryae** (Gahan, 1908:141)  
**castanea** (Laporte & Gory, 1835:10)  
**chalybeata** (White, 1855:250)  
**cleroides** (Melzer, 1931:194)  
**comanchei** Rice & Morris, 1992:200  
**congener** (Laporte & Gory, 1835:8)  
**costaricensis** (Thomson, 1860:218)  
**cryptofrasciata** Di Iorio, 1998:5  
**decora** (Olivier, 1795:63)  
*charus* Say, 1835:193  
*infaustus* LeConte, 1850:17  
ab. *castelnaui* Aurivillius, 1912:384  
ab. *horni* Aurivillius, 1912:384  
ab. *mediana* Aurivillius, 1912:384  
*chara kansana* Casey, 1912:355  
*chara solida* Casey, 1912:355  
*chara genitiva* Casey, 1912:355

Brasil (GO, MT, BA-RS), Paraguay, Uruguay  
n Argentina (SA-BA)

nc Brasil (AM), Peru, Ecuador  
se Brasil (RJ-RS)  
Ecuador  
Mexico-Panama, Fr Guiana, nw Brasil (AM),  
Bolivia, Venezuela, W Indies (Dominica), Chile

c NAmer (Alberta-KS)  
sw USA (CA-TX), n Mexico (SO), Baja Calif

se Brasil (MG, RJ), n Argentina (SA-MI)  
Chile  
e NAmer-TX, n Mexico  
s Brasil (RS), e Argentina (MI-BA), Paraguay  
se Brasil (ES), Fr Guiana  
se Brasil (SP, PR)  
sw USA (TX)  
se Brasil (MG, RJ)  
Costa Rica  
n, c Argentina (TU, CA, RN)  
e NAmer-TX, Alberta



**designata** (Chevrolat, 1862:50)  
**ellifranziana** (Fuchs, 1961:448)  
**falsa** (Chevrolat, 1862:51)  
*acutus*; Laporte & Gory, 1835:9 (not Germar, 1821)  
**hoffmanni** (Laporte & Gory, 1835:13)  
**insignita** (Perroud, 1855:388)  
**lanei** (Tippmann, 1953:218)  
**latreillei** (Laporte & Gory, 1835:91)  
*unicoloricollis* Fuchs, 1961:447  
**lutosa** (LeConte, 1861:356)  
**magna** Di Iorio, 1997: 389  
**mellyi** (Chevrolat, 1862:54)  
*castroi* Prosen, 1947:255  
ab. *modesta* Tippmann, 1960:135  
**menalaspis** (Chevrolat, 1861:378)  
**minuta** (Chevrolat, 1862:62)  
**multiguttata** (Burmeister, 1865:176)  
*megaspilota* Martins, 1974:153  
**murina** (Burmeister, 1879:201)  
**neblinosa** Di Iorio, 1995:320  
**panamensis** (Bates, 1885:295)  
**patruelis** (Chevrolat, 1862:53)  
**powersi** Linsley & Chemsak, 1963:211  
*infausta*; Hopping, 1937:445 (not LeConte, 1850)  
**proxima** (Laporte & Gory, 1835:5)  
*elongata* Chevrolat, 1861:379  
**robiniae** (Forster, 1771:43)  
*pictus* Drury, 1773:91  
*flexuosum* Fabricius, 1775:191  
**robusta** Linsley & Chemsak, 1963:211  
**rufipes** (Laporte & Gory, 1835:8)  
**rufemorata** Di Iorio, 1997: 394  
**sahlbergi** (Aurivillius, 1913:237)  
**snowi snowi** (Casey, 1912:353)  
subsp. **zuniana** (Casey, 1912:353)  
**spinifera** (Newman, 1840:8)  
*nebulosus* Laporte & Gory, 1835:11  
**spixii** (Laporte & Gory, 1835:92)  
**trifasciata** Viana, 1994:165  
**unicolor** Fuchs, 1955:49  
*lateripilosa* Zajciw, 1963:171  
**ziczac** (Voet, 1778:21)

se Brasil (RJ, SP)  
Costa Rica  
e Brasil (GO, BA-RS), ne Argentina (FO, MI),  
Uruguay, Paraguay  
s Brasil (PR-RS), Paraguay  
s Brasil (RS), c Argentina (SL-BA), Uruguay  
se Brasil (SP-RS)  
s Brasil (RS), Uruguay

wc USA (CO, KS, IA)  
n Argentina (SA, CA, LR)  
se Brasil (MG-RS), Bolivia, Paraguay,  
Argentina (SA-BA), Uruguay

Colombia, Ecuador  
s Brasil (RS), e Argentina (BA), Uruguay  
Bolivia, Paraguay, w Argentina (SA, CA, SE, CO, LR,  
ME)  
Paraguay, nc Argentina (SA, ER, SE, SF), Uruguay  
n Argentina (SA, TU), Bolivia, se Brasil (RJ)  
Panama  
Brasil  
wc USA (ND)

Venezuela, Ecuador, Brasil, Paraguay,  
n Argentina (SA-MI)  
e NAmer

sw USA (NM, AZ)  
se Brasil (RJ-RS), n Argentina, Uruguay  
n Argentina (SA, CA, TU, CO)  
Brasil  
w USA (CO, AZ), n Mexico  
sw USA (NM)  
Brasil (GO, MT, PR-RS), Paraguay,  
Bolivia, Argentina, Uruguay  
s Brasil (RS), Paraguay, Argentina, Uruguay  
n Argentina (CA)  
s Brasil (RS), ne Argentina (CO, ER),  
Paraguay, Uruguay  
"America"

### **Megacyllene (Sierracyllene)** Tippmann, 1960:133

**abnormis** (Aurivillius, 1920:365)  
var. *montana* Tippmann, 1953:217  
**horioni** Tippmann, 1960:133  
ab. *bifasciata* Tippmann, 1960:134  
ab. *suturaalba* Tippmann, 1960:134  
**quinquefasciata** (Melzer, 1931:55)  
**rotundicollis** Zajciw, 1963:174  
**tafivallensis** Di Iorio, 1998:9

Bolivia

Bolivia

Bolivia, n Argentina (SA, JU), Chile  
n Argentina (TU)  
n Argentina (TU, CA)

### **Mygalobas** Chevrolat, 1862:66

**ferrugineus** Chevrolat, 1862:66

se Brasil (RJ, SP)

### **Neoclytus** Thomson, 1860:67

*Rhopalopachys* Chevrolat, 1860:457  
*Rhopalomerus* Chevrolat, 1860:457  
*Plagithmysus*; Horn, 1875:150  
**acteon** (Chevrolat, 1860:499)  
*actaeon*; Bates, 1880:58  
**acuminatus acuminatus** (Fabricius, 1775:194)

e Mexico (VC), Guatemala

e NAmer-Manitoba-TX

<i>erythrocephalum</i> Fabricius, 1787:156	
<i>americanus</i> Gmelin, 1790:1854	
<i>aspericolle</i> Germar, 1824:517	
subsp. <b>hesperus</b> Linsley, 1935:163	w USA (TX-CO), n Mexico
<b>amazonicus</b> Fuchs, 1975:1	nw Brasil (AM)
<b>angelicus</b> Van Dyke, 1927:107	w USA (CA)
<b>approximatus</b> (LeConte, 1862:42)	c USA (OK, MO, KS)
<b>araneiformis</b> (Olivier, 1795:61)	Hispaniola, Puerto Rico, Guadeloupe, Saba
<i>koechlini</i> Hagenbach, 1822:12	
<b>armaticollis</b> Zajciw, 1964:305	Bolivia, nw Argentina (JU)
<b>augusti</b> (Chevrolat, 1835:73)	sw USA (TX), Mexico-Guatemala
<i>abbreviatus</i> Schaeffer, 1908:340	
<i>dubius</i> Chevrolat, 1835:74	
<b>aulai</b> Bruch, 1911:168	nc Argentina (SF)
<b>bahamicus</b> Cazier & Lacey, 1952:36	Bahamas
<b>balteatus</b> LeConte, 1873:201	w NAmer (Pac Cst)
<i>magnus</i> ; Van Dyke, 1927:109 (not Schaeffer, 1904)	
<i>interruptus</i> ; Van Dyke, 1927:109 (not LeConte, 1873)	
<b>basalis</b> Chevrolat, 1861:384	Venezuela
<b>beltianus</b> Bates, 1885:301	Nicaragua
<i>lebasii</i> ; Bates, 1872:186 (not Chevrolat, 1861)	
<b>bruchi</b> Melzer, 1927:570	se Brasil (RJ-RS)
<b>burmeisteri</b> Chevrolat, 1862:57	se Brasil (MG)
<b>cacicus</b> (Chevrolat, 1860:493)	Mexico-Panama, Venezuela
<b>caprea</b> (Say, 1824:424)	e NAmer-AZ, UT
<i>gibbicollis</i> Laporte & Gory, 1835:24	
<i>elevatus</i> Laporte & Gory, 1835:32	
<b>centurio</b> (Chevrolat, 1862:58)	se Brasil (ES-RS), ne Argentina (MI),
<i>accensus</i> Chevrolat, 1862:59	Uruguay
<b>chevrolatii</b> (Laporte & Gory, 1835:26)	Cuba
<b>clavatus</b> Chevrolat, 1861:386	Venezuela
<b>clavipes</b> (Chevrolat, 1860:495)	Guatemala
<b>columbianus</b> Fuchs, 1963:451	Panama, Colombia
<b>conjunctus</b> (LeConte, 1857:61)	w NAmer (Pac Cst)
<i>conjunctus occiduus</i> Casey, 1912:369	
<i>tularensis</i> Casey, 1912:369	
<b>cordifer</b> (Klug, 1829: 13)	se USA (GA, FL), Cuba
<i>rufescens</i> Laporte & Gory, 1835:16	
<i>devastator</i> Laporte & Gory, 1835:17	
<b>cristatus</b> Chevrolat, 1861:384	Colombia
<b>curtulus</b> (Chevrolat, 1860:497)	Mexico
<b>curvatus</b> (Germar, 1821:171)	e Brasil, Paraguay, ne Argentina (ER), Uruguay
<b>delicatus</b> (Gounelle, 1911:188)	e Brasil (GO, PE-RS), n Argentina (MI), Uruguay
<b>discretus</b> Melzer, 1934:223	se Brasil (RJ)
<b>distinctus</b> Zajciw, 1963:425	se Brasil (RJ)
<b>dorsalis</b> (Laporte & Gory, 1835:23)	e Brasil (GO, ES, RJ)
<b>englemani</b> Giesbert, 1989:270	Panama
<b>guianensis</b> (Laporte & Gory, 1835:22)	Fr Guiana, Venezuela, ne Argentina (MI)
<b>hoegei</b> (Bates, 1880:56)	Mexico (PU, SLP, VC), Guatemala
<b>horridus</b> (LeConte, 1862:42)	e NAmer-TX
<i>confusus</i> Van Dyke, 1937:115	
<i>longipes</i> ; LeConte, 1873:200 (not Drury, 1773)	
<i>kirbyi</i> ; Hopping, 1932:558 (not Aurivillius, 1912)	
<i>fulguratus</i> Casey, 1912:367	
<b>ictericus</b> (Gounelle, 1911:187)	ec Brasil (GO), Ecuador, Fr Guiana
<b>impar</b> (Germar, 1824:571)	se Brasil (ES-SC)
<b>interruptus</b> LeConte, 1873:201	w USA (CA)
<b>irroratus</b> (LeConte, 1858:26)	sw USA (CA), n Mexico-Honduras, Baja Calif
<i>morosus</i> Chevrolat, 1860:501	
<b>jekeli</b> (White, 1855:254)	Peru, Ecuador, Chile
<i>longipes</i> ; Laporte & Gory, 1835:16 (not Drury, 1773)	
<b>jibacoense</b> Zayas, 1975:137	Cuba
<b>jouteli jouteli</b> Davis, 1904:34	e USA (NJ-VA-TN)
subsp. <b>simplarius</b> Blatchley, 1917:240	se USA (GA, FL)

**justini** Chevrolat, 1861:382  
**lebasii** Chevrolat, 1861:381  
**leucozonus leucozonus** Laporte & Gory, 1835:90  
*muricatus* Kirby in Richardson, 1837:177  
*muricatus*; Haldeman, 1847:41  
*longipes*; Kirby in Richardson, 1837:176 (not Drury, 1773)  
*kirbyi* Aurivillius, 1912:392  
*ascendens* LeConte, 1878:462  
subsp. **infans** Casey, 1912:368  
**longipes** (Drury, 1773:84)  
*drurii* Fabricius, 1775:181  
*angulatum* Fabricius, 1792:335  
*rhombofifer* Olivier, 1795:46  
*hopei* Laporte & Gory, 1835:18  
**magicus** (Perty, 1832:93)  
**magnus** Schaeffer, 1904:224  
**modestus modestus** Fall, 1907:81  
*carus* Fall, 1907:81  
subsp. **zebratus** Van Dyke, 1927:108  
**moritzii** Thomson, 1860:225  
**mucronatus mucronatus** (Fabricius, 1775:193)  
*luscum* Fabricius, 1798:152  
*maculosus* Gmelin, 1790:1854  
*humeralis* Newman, 1838:394  
*luscus strictulus* Casey, 1912:369  
subsp. **vogti** Linsley, 1957:35  
**mulleri** Fuchs, 1955:50  
**niger** Aurivillius, 1920:366  
**nubilus** Linsley, 1933:93  
*modestus*; Fall, 1907:81 (part)  
**olivaceus** (Laporte & Gory, 1835:30)  
**pallidicornis** Fisher, 1932:58  
**patagonicus** (Bruch, 1911:169)  
**peninsularis** Schaeffer, 1905:133  
**personatus** Chemsak & Linsley, 1974:132  
**plaumanni** Fuchs, 1966:9  
**podagricus** (White, 1855:254)  
**provoanus** Casey, 1924:272  
*basalis* Van Dyke, 1927:106  
*basillaris* Van Dyke, 1929:136  
**pubicollis** Fisher, 1932:59  
**purus** Bates, 1885:302  
**pusillus** (Laporte & Gory, 1835:22)  
  
**regularis** Chevrolat, 1861:385  
**resplendens** Linsley, 1935:163  
**rufitarsis** (Chevrolat, 1860:494)  
**rufus** (Olivier, 1795:28)  
var. *meridionalis* Aurivillius, 1926:3  
**scenicus** Pascoe, 1866:294  
**scutellaris** (Olivier, 1790:266)  
*elegans* Haldeman, 1847:40  
**senilis** (Fabricius, 1798:152)  
**smithi** Bates, 1892:164  
**sobrinus** (Laporte & Gory, 1835:29)  
**steelei** Chemsak & Linsley, 1978:138  
**stillatus** Aurivillius, 1908:4  
*parumnotatus* Zajciw, 1963:176  
**suturalis** Fuchs, 1963:453  
**tapajonus** Bates, 1870:395  
**tenuiscriptus** Fall, 1907:82  
**torquatus** LeConte, 1873:200  
**unicolor** (Laporte & Gory, 1835:34)  
**vanduzeei** Van Dyke, 1927:107

Panama, Colombia, Venezuela  
Costa Rica, Panama, Colombia, Venezuela  
NAmer (boreal)  
  
w USA (CA, OR)  
se USA (GA, FL), Cuba, Jamaica  
  
se Brasil (BA-SP)  
sw USA (CA), n Baja Calif  
w USA (CA)  
  
w USA (CA, OR)  
Venezuela  
e USA-TX  
  
sw USA (TX, AZ), ne Mexico (NL)  
s Brasil (SC), n Argentina (SA-CO), Paraguay  
e Brasil (BA)  
w USA (CA)  
  
e Brasil (GO, MT, BA-SC), Paraguay  
Haiti  
s Argentina (CT, CH)  
Baja Calif  
Costa Rica  
nc Brasil (PR)  
Hispaniola  
w USA (Pac Cst-UT)  
  
Cuba  
Mexico (VC), Guatemala  
Brasil, Bolivia, Paraguay, Argentina, Uruguay,  
Peru  
Trinidad, Venezuela  
w USA (CA)  
Guatemala  
Panama-n Argentina  
  
Colombia  
e NAmer-KS-TX  
  
Fr Guiana  
sw Mexico (NA-OA)  
se Brasil, Paraguay, n Argentina, Uruguay  
Mexico (Revillagigedo Is., Socorro I.)  
Bolivia, n Argentina (JU, SA, TU, CA), Paraguay  
  
Brasil  
nc Brasil (AM)  
w USA (CA, AZ, UT), n Mexico  
sw USA (TX)  
Peru  
sw USA (AZ)

- vitticollis** Aurivillius, 1920:365  
**ypsilon** Chevrolat, 1862:63  
*famelicus* Burmeister, 1865:176
- Peru  
s Brasil (SC, RS), Paraguay, Argentina
- Ochraethes** Chevrolat, 1860:454  
*Ochroesthes*; Chevrolat, 1860:472  
*Ochraesthes*; Thomson, 1860:219  
*Ochrestes*; Lacordaire, 1869:65  
*Ochresthes*; Bates, 1880:50
- brevicornis** (Chevrolat, 1860:480)  
**citrinus** (Chevrolat, 1860:474)  
*sigmoideus* Bates, 1885:298  
**clerinus** Bates, 1892:162  
**cristorforii** (Chevrolat, 1860:477)  
*christofori*; Aurivillius, 1912:386  
**litura** Bates, 1885:298  
**nigrescens** Chemsak & Linsley, 1974:134  
**nigritus** Bates, 1892:162  
**nigropunctatus** (Chevrolat, 1860:486)  
**obliquus** (Chevrolat, 1860:473)  
**obscuricornis** Bates, 1892:163  
**octomaculata** Chemsak & Noguera, 2001: 51  
**palmeri** Bates, 1880:52  
**picticornis** Bates, 1880:52  
**pollinosus** (Chevrolat, 1835:71)  
**sommeri** (Chevrolat, 1835:72)  
*tibialis* Laporte & Gory, 1835:71  
*circuliferus* Chevrolat, 1860:472  
*circulifer*; Aurivillius, 1912:386  
**tomentosus** (Chevrolat, 1860:479)  
**tulensis** Bates, 1892:163  
**umbratilis** Bates, 1885:297  
**virescens** (Chevrolat, 1860:481)  
**viridiventris** (Chevrolat, 1860:479)  
**zebratus** Bates, 1885:298  
**z-littera** (Chevrolat, 1860:476)  
*z-litterata*; Linsley, 1935:86
- Mexico  
sw USA (TX), Mexico-Honduras
- sw Mexico (GR)  
c Mexico (MO)
- Guatemala  
wc Mexico (DU)  
sw Mexico (GR)  
Mexico  
Mexico (VC)  
sw Mexico (GR)  
Mexico (GU, OA)  
ec Mexico (JA, SLP)  
Guatemala  
Mexico (CHS, VC)-Panama  
Mexico (SI, PU, HI, GU)
- c Mexico (PU)  
ec Mexico (JA, HI)  
Guatemala  
Mexico  
sw Mexico (OA)  
Guatemala  
e Mexico (VC)
- Placoclytus** Chemsak & Linsley, 1974:129  
**championi** (Bates, 1885:302)  
**distortus** (Chevrolat, 1860:500)  
**virgulatus** Chemsak & Linsley, 1974:130
- s Mexico (CHS), Guatemala  
Mexico  
wc Mexico (MI)
- Placosternus** Hopping, 1937:447  
**crnicornis** (Chevrolat, 1860:460)  
var. *sanguinipes* Chevrolat, 1860:460  
*similiguttatus* Chevrolat, 1861:380  
**difficilis** (Chevrolat, 1862:263)  
*crnicornis*; Horn, 1880: 134 (not Chevrolat, 1860)  
*reducta* Casey, 1912:351  
*filicornis* Casey, 1912:352  
**erythropus** (Chevrolat, 1835:4)  
*mexicanus* Laporte & Gory, 1835:6  
*variegatus* Laporte & Gory, 1835:6  
**guttatus** (Chevrolat, 1860:459)
- Mexico-Colombia, Venezuela
- s USA (CA-FL), n Mexico, Cuba, Bahamas
- sw USA (TX), Mexico-Guatemala
- Mexico-Colombia, Venezuela
- Plagionotus** Mulsant, 1842:1  
*Platynotus* Mulsant, 1839:71  
*Plagyonotus*; Thomson, 1860:220  
*Echinocerus* Mulsant, 1863:143  
**astecus** (Chevrolat, 1860:489)
- Mexico (VC, MO, GR, CM)

- Plesioclytus** Giesbert, 1993:129  
**relictus** Giesbert, 1993:129 se USA (FL)
- Sarosesthes** Thomson, 1864:185  
*Arhopalus*; LeConte, 1873: 319 (not Audinet-Serville, 1834)  
**fulminans** (Fabricius, 1775:192) e NAmer
- Tanyochraethes** Chemsak & Linsley, 1965:148  
**anthophilus** (Chevrolat, 1860:485) sw Mexico (OA)  
**cinereolus** (Bates, 1892:162) Mexico (JA, GR, VC)  
**clathratus** (Chevrolat, 1860:483) Mexico  
**hololeucus** (Bates, 1892:163) n Mexico (CO)  
**ochrozona** (Bates, 1885:299) Guatemala-Costa Rica  
**smithi** Chemsak & Linsley, 1965:151 w Mexico (JA)  
**tildeni** Chemsak & Linsley, 1965:148 sw USA (TX)  
**truquii** (Chevrolat, 1860:484) Mexico
- Trichoxys** Chevrolat, 1860:454  
**abbreviatus** Bates, 1880:50 Mexico, Guatemala  
**apelles** (Newman, 1838:394) s Mexico (CHS)  
**atripes** (Chevrolat, 1860:469) Mexico  
**bilineatus** (Chevrolat, 1860:461) sw Mexico (OA, GR)  
**hirtellus** (Chevrolat, 1860:467) Mexico  
**labyrinthicus** (Chevrolat, 1860:463) w Mexico (DU, OA, CM)  
**longipes** Chemsak & Linsley, 1974:135 sw Mexico (OA)  
**melanotelus** (White, 1855:273) Mexico  
*flexus* Chevrolat, 1860:468  
**ochraetheoides** Linsley, 1935:85 c Mexico (ME)  
**pellitus** (White, 1855:272) sw Mexico (OA)  
**rubripes** (White, 1855:273) sw Mexico (OA)  
**sulphurifer** (Chevrolat, 1860:470) c Mexico (ME)  
**viridicollis** (Chevrolat, 1860:464) Guatemala-Panama  
**vitticollis** (Laporte & Gory, 1835:7) nc Mexico (DU, GU, OA, ZA)  
*fortunatus* Chevrolat, 1860:465  
**westwoodii** (Chevrolat, 1860:471) sw Mexico (ME, OA, VC)
- Triodoclytus** Casey, 1913:387  
*Paraclytus*; Casey, 1912:351 (not Bates, 1884)  
*Synclytus* Lucas, 1920:480  
**lanifer** (LeConte, 1873:198) w USA (CA, OR)  
*brevitarsis* Casey, 1912:375  
*crucialis* Casey, 1912:375
- Tylcus** Casey, 1912:348  
**hartwegii** (White, 1855:252) sw USA (TX, AZ), Mexico, Guatemala
- Xylotrechus** Chevrolat, 1860:456  
**aceris** Fisher, 1917:215 ne NAmer  
**albonotatus** Casey, 1912:361 w USA (CA), Baja Calif  
*cinereus* Van Dyke, 1920:41  
*abietis* Van Dyke, 1929:136  
**annosus annosus** (Say, 1826:277) e NAmer-Rocky Mts  
subsp. **emotus** Brown, 1952:335 w NAmer (Br Col-CA, CO)  
**bowditchi bowditchi** Hopping, 1928:247 w USA (AZ, UT, CO)  
subsp. **hoppingi** Linsley, 1957:35 w USA (NM, CO)  
*mormonus*; Hopping, 1932:540 (not LeConte, 1861)  
*obliteratus* Hopping, 1932:542 (part)  
**colonus** (Fabricius, 1775:191) e NAmer-TX  
*coloreum*; Fabricius, 1801:345  
*campestre* Olivier, 1795:65

<i>villicum</i> Olivier, 1795:64	
<i>terminans</i> Fabricius, 1798:151	
<i>upsilon</i> Stephens, 1831:244	
<i>agrestis</i> LeConte, 1850:28	
<b>convergens</b> LeConte, 1873:198	e NAmer
<b>durangoensis</b> Chemsak & Linsley, 1974:137	wc Mexico (DU)
<b>gemellus</b> Casey, 1893:590	c USA (IN)
<b>insignis</b> LeConte, 1873:199	w USA (WA, OR, CA), Baja Calif
<i>obliteratus</i> ; Leng, 1887:199 (not LeConte, 1873)	
<i>planifrons</i> ; Fall, 1901:147 (not LeConte, 1874)	
<i>diruptus</i> Casey, 1912:367	
var. <b>incongruens</b> Casey, 1912:366	w USA (CA)
<b>integer</b> (Haldeman, 1847:41)	ne NAmer
<i>fuscus</i> ; LeConte, 1850:27 (not Kirby, 1837)	
<i>frosti</i> Van Dyke, 1937:114	
<b>lengi</b> Schaeffer, 1908:340	w NAmer (Pac Cst)
<b>longitarsis</b> Casey, 1912:362	w NAmer (Br Col-CA, CO)
<i>inflaticollis</i> Casey, 1912:360	
<i>montanicus</i> Casey, 1912:361	
<i>columbianus</i> Casey, 1912:361	
<i>undulatus</i> ; Hardy, 1926:23 (not Say, 1824)	
<b>mormonus</b> (LeConte, 1861:357)	w NAmer (Yukon-CA, UT)
<i>obliteratus</i> Hopping, 1932:534 (part)	
<b>nautilus</b> (Mannerheim, 1843:305)	w USA (Pac Cst), Baja Calif
<i>gramineus</i> Haldeman, 1847:40	
<b>nitidus</b> (Horn, 1860:570)	ne USA-TX
<b>nunenmacheri</b> Van Dyke, 1920:43	nw USA (OR)
<i>uniformis</i> Casey, 1924:270	
<b>obliteratus</b> LeConte, 1873:199	w USA (Rocky Mts)
<b>quadrimaculatus</b> (Haldeman, 1847:41)	ne NAmer
<b>quercus</b> Schaeffer, 1905:163	sw USA (AZ, NM), nw Mexico (CHA, SI)
<b>robustus</b> Hopping, 1941:29	w USA (AZ, CO)
<b>sagittatus sagittatus</b> (Germar, 1821:171)	e NAmer-NM
<i>sagittarius</i> ; Thomson, 1860:226	
<i>pubescens</i> Haldeman, 1847:40	
<i>cylindrus</i> Casey, 1912:364	
<i>salebrosus</i> Casey, 1912:364	
subsp. <b>chiricahuae</b> Chemsak, 1959:114	sw USA (AZ), w Mexico (DU)
<b>sartorii</b> (Chevrolat, 1860: 492)	Mexico (NL, VC), Guatemala
<b>schaefferi</b> Schott, 1925:224	ne NAmer
<b>undulatus</b> (Say, 1824:291)	ne NAmer-Alaska
<i>sayi</i> Laporte & Gory, 1835:55	
<i>interruptus</i> Laporte & Gory, 1835:57	
<i>lunulatus</i> Kirby in Richardson, 1837:175	
<i>undatus</i> Kirby in Richardson, 1837:176	
<i>fuscus</i> Kirby in Richardson, 1837:176	
?	
<b>Clytus carinatus</b> Laporte & Gory, 1835:19	"North America"

**Anaglyptini** Lacordaire, 1869: 84

<b>Aphysotes</b> Bates, 1885:307	
<i>Amphysotes</i> ; Linsley, 1935:87	
<b>tubericollis</b> Bates, 1885:308	Panama
<b>Clytoderus</b> Linsley, 1935:89	
<b>pygmaeus</b> Linsley, 1935:90	c Mexico (ME)
<b>Cyrtophorus</b> LeConte, 1850:29	
<b>verrucosus</b> (Olivier, 1795:67)	e NAmer-TX

<b>Diphyrama</b> Bates, 1872:187	
<b>singularis</b> Bates, 1872:188	Guatemala-Panama
<b>Microclytus</b> LeConte, 1873:320	
<b>compressicollis</b> (Laporte & Gory, 1835:106)	ne NAmer
<i>compressicornis</i> ; Leng, 1918:207	
<i>gibbulus</i> LeConte, 1850:234	
<i>niger</i> LeConte, 1850:29	
<i>gazellula</i> ; Horn, 1884:148 (not Haldeman, 1847)	
<i>insinuans</i> Casey, 1893:591	
<i>frosti</i> Casey, 1912:375	
<b>gazellula</b> (Haldeman, 1847:42)	ne NAmer
<b>Pempteurys</b> Bates, 1885:304	
<b>sericans</b> Bates, 1885:304	Guatemala, Costa Rica
<b>Tilloclytus</b> Bates, 1885:303	
<i>Tilomorpha</i> ; Chevrolat, 1860:503 (not Blanchard in Gay, 1851)	
<b>balteatus</b> (Chevrolat, 1860:503)	e Mexico (VC)-Honduras
<b>bruneri</b> Fisher, 1932:60	Cuba
<b>clavipes</b> Bates, 1885:304	Guatemala
<b>cleroides</b> (White, 1855:290)	Colombia, Venezuela
<b>conradti</b> Bates, 1892:164	Guatemala
<b>cubae</b> Fisher, 1932:63	Cuba
<b>elongatus</b> Zayas, 1975:143	Cuba
<b>geminatus</b> (Haldeman, 1847:42)	ne NAmer
<i>duplicatus</i> LeConte, 1850:29	
<b>haematocephalus</b> (Chevrolat, 1862:534)	e Mexico (OA, VC)
<b>minutus</b> Fisher, 1932:62	Puerto Rico
<b>nivicinctus</b> (Chevrolat, 1862:264)	Cuba
<b>pilosus</b> Zayas, 1975:144	Cuba
<b>puertoricensis</b> Fisher, 1935:51	W Indies (Puerto Rico, St. John)
<b>rufipes</b> Fisher, 1942:20	Cuba
<b><u>Tilломорфини</u></b> Lacordaire, 1869: 88	
<b>Arawakia</b> Villiers, 1981:105	
<b>inopinata</b> Villiers, 1981:106	Guadeloupe
<b>Bonfilsia</b> Villiers, 1979:98	
<b>tricolor</b> Villiers, 1979:98	Guadeloupe
<b>Calliclytus</b> Fisher, 1932:65	
<b>schwarzi</b> Fisher, 1932:66	Cuba
<b>Epropetes</b> Bates, 1870:400	
<b>amazonica</b> Galileo & Martins, 2000: 166	Brasil (AM)
<b>atlantica</b> Martins, 1975:9	se Brasil (MG-SC)
<b>deterima</b> Martins & Napp, 1984:436	s Brasil (PR)
<b>elongata</b> Martins, 1975:11	nc Brasil (PA), Fr Guiana
<b>hirsuta</b> Martins & Napp, 1984:437	se Brasil (RJ, SP)
<b>howdenorum</b> Galileo & Martins, 2000: 165	Colombia
<b>latifascia</b> (White, 1855:218)	c Brasil (PA, MT), Fr Guiana
<b>metallica</b> Martins, 1975:12	c Brasil (MT)
<b>ozodiformis</b> Martins & Napp, 1984:438	s Brasil (MS)
<b>serrana</b> Martins & Napp, 1984:434	se Brasil (MG, RJ)
<b>velutina</b> Martins, 1975:10	se Brasil (MG, SP)
<b>zonula</b> Martins & Napp, 1984:435	se Brasil (MG, SP)

**Euderces** LeConte, 1850:30

*Eplophorus* Chevrolat, 1861:248

*Apelocera* Chevrolat, 1862:61

*Apilocera*; Chevrolat, 1862:535

*Cleozona* Bates, 1874:223

**acutipennis** Bates, 1885:305

**andersoni** Giesbert & Chemsak, 1997:225

**aspericollis** (Chemsak, 1969:311)

**auricaudus** Giesbert & Chemsak, 1997:227

**azureus** Giesbert & Chemsak, 1997:228

**basimaculatus** Giesbert & Chemsak, 1997:230

**batesi** Giesbert & Chemsak, 1997:231

**bellus** Giesbert & Chemsak, 1997:233

**bicinctus bicinctus** (Linsley, 1935:88)

*balli* Knull, 1935:192

subsp. **peninsularis** (Linsley, 1942:56)

**biplagiatus** Giesbert & Chemsak, 1997:235

**boucardi** (Chevrolat, 1862:535)

**brailovskyi** Giesbert & Chemsak, 1997:237

**cleriformis** (Bates, 1885:306)

*breviformis* Bates, 1892:165

*auricomis* Chemsak, 1969:309

**cribellatus** (Bates, 1885:306)

**cribripennis** Bates, 1892:165

*fenyesi* Linsley, 1957:37

**dilutus** Martins, 1975:18

**dimidiatipennis** (Melzer, 1932:216)

**disparicrus** Giesbert & Chemsak, 1997:244

**elvirae** Giesbert & Chemsak, 1997:245

**grossistriatus** Giesbert & Chemsak, 1997:246

**guatemalenus** Giesbert & Chemsak, 1997:247

**guerinii** (Chevrolat, 1862:535)

**hoegei** (Bates, 1885:305)

**howdeni** Chemsak, 1969:314

**laevicauda** Bates, 1885:304

*cribratus* Bates, 1885:304

**linsleyi** Giesbert & Chemsak, 1997:252

**longicollis** (Linsley, 1935:88)

**magnus** (Bates, 1885:305)

**nelsoni** Chemsak, 1969:315

**noguerai** Giesbert & Chemsak, 1997:256

**obliquefasciatus** Giesbert & Chemsak, 1997:257

**parallelus** LeConte, 1873:202

**paraposticus** Giesbert & Chemsak, 1997:259

**perplexus** Giesbert & Chemsak, 1997:260

**picipes** (Fabricius, 1787:157)

*picipes occidentalis* Linsley, 1957:38

**pini** (Olivier, 1795:71)

*piniadeus* Fabricius, 1801:353

var. *testaceipes* Haldeman, 1847:41

**posticus** (Pascoe, 1866:295)

**postipallidus** Giesbert & Chemsak, 1997:264

**propinquus** Giesbert & Chemsak, 1997:265

**proximus** Giesbert & Chemsak, 1997:266

**pulchra** (Bates, 1874:223)

var. *rufipes* Bates, 1885:307

**pusillus** Giesbert & Chemsak, 1997:269

**reichei** LeConte, 1873:202

*exilis* Casey, 1893:591

**reticulatus** (Bates, 1885:306)

**rubellus** (Bates, 1885:307)

**sculpticollis** (Bates, 1885:306)

**spinicornis** (Chevrolat, 1835:4)

*elegans* Laporte & Gory, 1835:124

Guatemala

sw Mexico (GR)

w Mexico (SI, DU, JA, GR, MI, OA)

w Mexico (OA, GR)

Guatemala

w Mexico (CO, NA, DU, MI, OA, GR)

c Mexico (PU, OA)

Guatemala, Honduras

sw USA (AZ), nw Mexico

Baja Calif

c Mexico (PU, OA)

s Mexico (CHS)-Costa Rica

ec Mexico (HI, SLP)

s Mexico-Panama

Costa Rica, Panama

w Mexico (NA-GR, MO)

Bolivia

Nicaragua, Costa Rica

s Mexico (OA, CHS)-Honduras

sw Mexico (OA)

e Mexico (VC)

Guatemala, Honduras

Colombia

Mexico (VC, CHS)

wc Mexico (DU)

s Mexico (OA, CHS), Guatemala

Costa Rica, Panama

sw Mexico (SI-GR)

Guatemala

sw Mexico (SI-CHS)

se Mexico (QR, YU), Belize

sw Mexico (GR)

Baja Calif

Colombia

sc Mexico (GR, OA, MO)

e NAmer-OK, TX

e USA-TX

Panama, Colombia

sw Mexico (OA)

sw Mexico (OA)

Guatemala

nw Mexico (SO)-Nicaragua

s Mexico (CHS)-Costa Rica

nc USA-TX, n Mexico

s Mexico (VC, CHS), Guatemala, Belize

Guatemala, Nicaragua

Guatemala

e Mexico, Guatemala, Honduras



- succinus** Giesbert & Chemsak, 1997:275  
**tibialis** Giesbert & Chemsak, 1997:275  
**turnbowi** Giesbert & Chemsak, 1997:277  
**velutinus** (Fisher, 1931:100)  
**venezuelensis** Giesbert & Chemsak, 1997:279  
**waltli** (Chevrolat, 1862:62)  
**wappesi** Giesbert & Chemsak, 1997:280  
**westcotti** Hovore, 1988:13  
**yucatecus** (Bates, 1892:165)
- Guatemala  
se Mexico (VC, CHS), Guatemala  
s Mexico (CHS), Guatemala  
Honduras  
Venezuela  
Brasil  
s Mexico (CHS), Guatemala  
Baja Calif  
se Mexico (YU)
- Gourbeyrella** Lane, 1959:13  
**romanowskii** (Fleutiaux & Salle, 1889:464)
- Guadeloupe
- Hormathus** Gahan, 1890:32  
**cinctellus** Gahan, 1890:33
- R Dominicana
- Lamproclytus** Fisher, 1932:67  
**elegans** Fisher, 1932:68  
**oakleyi** Fisher, 1935:52
- Puerto Rico, R Dominicana  
Puerto Rico
- Myrmeocorus** Martins, 1975:14  
**allodapus** Martins, 1975:15
- s Brasil (SC)
- Pentanodes** Schaeffer, 1904:222  
**albofasciatus** Fisher, 1932:64  
**dietzii** Schaeffer, 1904:222
- Cuba  
sw USA (TX)
- Tetranodus** Linell, 1897:396  
*Tetranodes*; Schaeffer, 1904:223  
**angulicollis** Chemsak, 1969:307  
**copei** Chemsak & Linsley, 1988:126  
**niveicollis** Linell, 1897:396  
*mexicanus* Linsley, 1935:90  
**reticeps** (Bates, 1880:59)  
**rugipennis** Chemsak, 1969:306  
**tropipennis** Chemsak, 1977:124  
**xanthocollis** Chemsak, 1977:125
- Honduras  
w Mexico (JA, OA)  
sw USA (Tex), Mexico (OA, VC)  
s Mexico (CHS), Guatemala  
w Mexico (SI)-Guatemala  
Panama  
Panama, Colombia
- Tilloglomus** Martins, 1975:18  
**spectabilis** Martins, 1975:19
- s Brasil (SC)
- Tillomorpha** Blanchard in Gay, 1851:482  
**corticina** Chevrolat, 1862:60  
**lineoligera** Blanchard in Gay, 1851:483  
**myrmicaria** Fairmaire & Germain, 1859:503  
**roitmani** Cerda, 1993:14  
**testaceicornis** (Fairmaire & Germain, 1859: 505)
- Brasil  
Chile  
Chile  
Chile  
Chile
- Cleomenini** Lacordaire, 1869:97
- Aguassay** Napp & Mermudes, 2001: 6  
**collaris** (Klug, 1825:459)
- c Brasil (PA, RO)
- Dihammaphora** Chevrolat, 1859:50  
*Diammaphora*; Chevrolat, 1859:50  
*Dihammaphora*; Bates, 1870:403  
*Diammatophora*; Gemminger & Harold, 1872:2947  
*Diammatophora*; Bruch, 1912:201

- aepytus** Chevrolat, 1859:64  
**arnaudi** Bosq, 1951:102  
**auratopilosa** Bruch, 1908:214  
**auricollis** Martins, 1981:211  
**aurovittata** Bates, 1880:61  
    var. *debilis* Melzer, 1935:184  
**binodula** Chevrolat, 1859:54  
**bivittata** Gounelle, 1911:197  
**bivitticollis** Zajciw, 1964:436  
**brevis** Chevrolat, 1859:54  
**bruchii** Aurivillius, 1922:423  
**chaquensis** Bosq, 1951:101  
**chontalensis** Bates, 1872:188  
**cylindricollis** Chemsak & Noguera, 1993:85  
**dispar** Chevrolat, 1859:52  
**glabripennis** Gounelle, 1911:196  
**gracicolis** Chevrolat, 1859:53  
    *gracilicornis*; Lacordaire, 1869:109  
    *gracilicollis*; Aurivillius, 1912:430  
**gutticollis** Gounelle, 1913:389  
**hispidula** Bates, 1885:308  
**ibirijarai** Mermudes, 1998: 98  
**laterilineata** Zajciw, 1965:9  
**lineigera** Chevrolat, 1859:53  
**marginicollis** Chevrolat, 1859:51  
**meissneri** Melzer, 1934:222  
**minuta** Chevrolat, 1859:53  
**nigrita** Chevrolat, 1859:52  
**nigrovittata** Fisher, 1937:151  
**nitidicollis** Bates, 1870:403  
**parana** (Gemminge, 1873:146)  
    *perforata*; Burmeister, 1865:173 (not Klug, 1825)  
**perforata** (Klug, 1825:459)  
**peruviana** Martins, 1981:212  
**pilosifrons** Gounelle, 1911:195  
**pusilla** Bates, 1870:403  
**ruficollis** Chevrolat, 1859:52  
**scutata** Gounelle, 1911:199  
**signaticollis** Chevrolat, 1859:51  
    var. *basinotata* Gounelle, 1911:195  
    var. *bipunctata* Gounelle, 1911:195  
    var. *furcata* Gounelle, 1911:195  
    var. *intermedia* Gounelle, 1911:195  
    var. *interrupta* Gounelle, 1911:195  
    var. *punctata* Gounelle, 1911:195  
    var. *sejuncta* Gounelle, 1911:195  
**vittatithorax** Gounelle, 1911:198
- Dihammaphoroides** Zajciw, 1967:202  
    **sanguinicollis** Zajciw, 1967:202
- Fregolia** Gounelle, 1911:192  
    **listropteroides** Gounelle, 1911:192
- Haenkea** Tippmann, 1953:220  
    **atra** (Chevrolat, 1855:180)  
    **thoracica** (Chevrolat, 1855:179)  
        *scheerpeltzi* Fuchs, 1958:52  
    **zischkai** Tippmann, 1953:222
- Listroptera** Audinet-Serville, 1834:71  
    **carbonaria** Chevrolat, 1855:178
- ne Argentina (BA)  
n Argentina (TU)  
nw Argentina (CA)  
n Argentina (SA, TU)  
Guatemala-Costa Rica
- Argentina, Uruguay  
e Brasil (GO, PE, BA), Uruguay  
Uruguay  
SAmer  
Paraguay, nw Argentina (CA)  
n Argentina (TU, CH)  
Nicaragua-Panama  
w Mexico (JA)  
sw USA (TX), Mexico, Guatemala  
ec Brasil (GO)  
Bolivia
- Colombia  
sw Mexico (OA, GR)  
Colombia  
e Brasil (PB)  
Panama, Colombia  
se Brasil (RJ)  
s Brasil (SC, RS)  
Colombia  
s Brasil (PR-RS), Paraguay  
s Brasil (SC)  
Panama, nw Brasil (AM)  
Argentina
- nc Brasil (PA)  
Peru  
e Brasil (GO, SP)  
nw Brasil (AM)  
Brasil  
ec Brasil (GO)  
e Brasil (GO, MG, RS), Argentina, Uruguay
- e Brasil (GO, BA)
- se Brasil (RJ)
- Brasil, ne Argentina (MI)
- se Brasil (BA, ES, RJ)  
Costa Rica, Panama, Venezuela
- nw Brasil (AM), Bolivia, Peru, Ecuador
- Venezuela, Ecuador

*germari* White, 1855:209  
**tenebricosa** (Olivier, 1790:309) Mexico (VC) – Ecuador, Uruguay, n Argentina  
*tenebrosum* Fabricius, 1792:322  
*aterrima* Germar, 1824:497  
*angulata* White, 1855:208

**Pandrosos** Bates, 1867:23  
*Leptorrhopala* Kolbe, 1893:253  
**phthisicus** (Klug, 1825:460) Panama, c Brasil (AM, GO, MT, BA)  
*exilis* White, 1855:201

**Timabiara** Napp & Mermudes, 2001: 61  
**bahiensis** Napp & Mermudes, 2001: 63 so Brasil (BA, MG)

**Rhopalophorini** Blanchard, 1845:152

**Argyrodines** Bates, 1867:24  
**aurivillii** (Gounelle, 1905:295) ec Brasil (GO)  
**pulchella** Bates, 1867:24 nw Brasil (AM), Fr Guiana

**Closteropus** Guérin-Méneville, 1844:222  
**argentatus** Bates, 1879:418 Venezuela  
**blandus** Guérin-Méneville, 1844:223 Brasil  
**herteli** Tippmann, 1960:131 Peru, Bolivia, Ecuador  
*herteli flavitarsis* Tippmann, 1960:132  
**speciosus** (Klug, 1825:457) se Brasil (ES)

**Coremia** Audinet-Serville, 1834:22  
**plumipes** (Pallas, 1772:5) Nicaragua-c Brasil, Fr. Guiana, Ecuador, Bolivia  
*hirtipes* Olivier, 1795:14  
**signaticollis** Buquet in Guérin-Méneville, 1844: 232 e Brasil (GO, MG-SP)

**Cosmisoma** Audinet-Serville, 1834:19  
*Cosmius* Perty, 1832:89  
*Cosmosoma*; Gemminger & Harold, 1872:2948  
**acuminatum** Zajciw, 1958:246 c Brasil (PA, RO), Peru  
**aeneicollis** Erichson in Schomburg, 1848:572 Guianas, n Brasil (AP, PA)  
*subvirescens* White, 1855:214  
*semicupreum* Chevrolat, 1859:28  
**albohirsutotibialis** Fuchs, 1966:11 Peru  
**ammiralis** (Linnaeus, 1767:625) Guianas, c Brasil (AM, MT, GO), Peru,  
*plumifer* Voet, 1806:26 Bolivia  
*formosa* Blanchard, 1843:209  
*diana* Bates, 1870:404  
**angustipenne** Zajciw, 1958:247 wc Brasil (AM, AC), Fr Guiana, Peru  
**argyreum** Bates, 1870:405 nc Brasil (AM), Peru  
**batesi** Zajciw, 1962:304 Brasil (RO, GO, MG-SC)  
**brullei** (Mulsant, 1863:215) Brasil (RO, MT, GO, PB-RS), Paraguay,  
*nodicollis* Burmeister, 1865:171 Argentina, Uruguay  
**cambaia** Monné & Magno, 1988:6 se Brasil (MG, ES)  
**capixaba** Monné & Magno, 1988:4 se Brasil (ES)  
**chalybeipenne** Zajciw, 1962:293 se Brasil (SP, MT Sul)  
**compsoceroides** Gounelle, 1911: 205 e Brasil (GO, MG, SP)  
**cyaneum cyaneum** Gounelle, 1911:207 ec Brasil (GO)  
subsp. **psilocerum** Monné & Magno, 1988:13 e Brasil (PB)  
subsp. **rubriventre** Monné & Magno, 1988:14 sw Brasil (RO, MT), Paraguay, Argentina  
**debile** Monné & Magno, 1988:11 w Brasil (RO)  
**fasciculatum** (Olivier, 1795:14) Fr Guiana, nc Brasil (AM, PA)  
*leprieurii* Buquet in Guérin-Méneville, 1844:231  
**flavipes** Zajciw, 1962:297 s Brasil (SC)  
**gratum** Monné & Magno, 1988:9 c Brasil (MT)

- hirtipes** Zajciw, 1962:299  
**humerales** Bates, 1870:407  
**leucomelas** Monné & Magno, 1988:7  
**lineatum** (Kirsch, 1875:285)  
**lineellum** Bates, 1870:405  
**lividum** Monné & Magno, 1988:10  
**martyr** Thomson, 1860:180  
*martyra*; Bates, 1872:189  
*nudicorne* Bates, 1892:166  
**militaris** Giesbert & Chemsak, 1993:54  
**nitidipenne** Zajciw, 1962:295  
**ochraceum** (Perty, 1832:89)  
**persimile** Gounelle, 1911:209  
**pulcherrimum** Bates, 1870:406  
**plumicorne** (Drury, 1782:74)  
**reticulatum** Bates, 1885:311  
*alboscuteolata* Linsley, 1935:92  
**rhaptos** Giesbert & Chemsak, 1993:56  
**scopipes** (Klug, 1825:457)  
**scopulicorne** (Kirby, 1818:442)  
**seabrai** Monné & Magno, 1988:2  
**speculiferum** (Gory in Guérin-Ménéville, 1831: pl. 4, fig. 2) Fr  
**taunayi** Melzer, 1923: 4  
**tenellum** Aurivillius, 1920:368  
**tibiale** Aurivillius, 1920:367  
**titania** Bates, 1870:407  
**violaceum** Zajciw, 1962:290
- se Brasil (MG-SP)  
se Brasil (MG-SC)  
c Brasil (MT)  
wc Brasil (RO, MT), Peru  
nc Brasil (AM, GO)  
e Brasil (BA, MG)  
Guatemala-Panama
- Costa Rica, Panama  
s Brasil (SC, RS), Uruguay  
e Brasil, Paraguay, ne Argentina (MI)  
e Brasil (GO, SP)  
nw Brasil (AM)  
Honduras-Colombia  
Mexico-Panama
- Panama, Colombia  
se Brasil (SP)  
se Brasil (MG-RJ)  
e Brasil (BA, MG)  
Fr Guiana, nc Brasil (AM)  
Fr Guiana, nc Brasil (AM)  
e Brasil (PB-RS)  
se Brasil (ES, RJ)  
Nicaragua-Panama  
nc Brasil (PA)
- Cynoderus (Cynoderus)** Audinet-Serville, 1834:101  
**brevicollis** Giesbert & Chemsak, 1993:49  
**chlorizans** Chevrolat, 1859:56  
var. *concolor* Gounelle, 1911:202  
var. *semirufus* Gounelle, 1911:202  
**copei** Giesbert & Chemsak, 1993:50  
**expeditus** Chevrolat, 1859:55  
*intincta* Pascoe, 1866:291  
**guatemalicus** Giesbert & Chemsak, 1993:50  
**lividus** Giesbert & Chemsak, 1993:51  
**moestulus** (Pascoe, 1866:292)  
**rufithorax** Gounelle, 1911:202  
**tenuatus** Audinet-Serville, 1834:102  
*taeniatus*; Lacordaire, 1869:112  
**virginiae** Giesbert & Chemsak, 1993:51
- w Mexico (JA)  
e Brasil (GO, RJ-RS)
- w Mexico (GR, JA)  
Colombia
- Guatemala  
w Mexico (GR, CM)  
Colombia  
e Brasil (PB-ES)  
se Brasil (GO, BA-RS), Paraguay, Uruguay,  
Argentina  
s Mexico (CHS, OA)
- Cynoderus (Ulododerus)** Gounelle, 1911:203  
**barbatus** Gounelle, 1911:203  
**dispar** Gounelle, 1911:205
- Costa Rica-Panama, ec Brasil (GO)  
e Brasil (BA, ES)
- Dirocoremia** Marques, 1994:311  
**bruchi** (Gounelle, 1905:227)  
**ingae** (Marques, 1994:312)  
**simplicipes** (Gounelle, 1911:183)
- s Brasil (SC, RS), Argentina, Uruguay  
se Brasil (SP-RS), Argentina (CO)  
e Brasil (PA, MG, BA-SP), Bolivia, n Argentina
- Disaulax** Audinet-Serville, 1833:562  
**hirsuticornis** (Kirby, 1818:442)
- e Brasil (GO, MG-RJ), Paraguay
- Elaphopsis** Audinet-Serville, 1834:101  
**earinus** Martins & Napp, 1989:57  
**rubidus** Audinet-Serville, 1834:101
- se Brasil (ES)  
se Brasil (ES, RJ)
- Gurubira** Napp & Marques, 1999: 35

<b>atramentarius</b> (White, 1855:208) <i>vidua</i> Chevrolat, 1859:59	n Brasil (PA, AM)
<b>axillaris</b> (Klug, 1825:458)	Brasil (BA, GO, MG-PR), Fr Guiana,
<b>erythomos</b> Napp & Marques, 1999: 43	Brasil (PA)
<b>spectabilis</b> (Martins & Napp, 1989:59)	Peru
<b>tristis</b> (Chevrolat, 1859:58)	s Brasil (PR-RS), Argentina, Uruguay
<b>violaceomaculatus</b> (Gounelle, 1911:200)	s Brasil, Argentina, Uruguay
<b>Ischionodonta</b> Chevrolat, 1859:58	
<i>Brachyrhopala</i> Burmeister, 1865:171	
<i>Brachyrrhopala</i> ; Gemminger & Harold, 1872:2915	
<b>amazona</b> Chevrolat, 1859:63	wc Brasil (AM, RO), Fr Guiana
<b>brasiliensis</b> Chevrolat, 1859:62	Brasil (AM)
<b>colombiana</b> Napp & Marques, 1999: 116	Colombia
<b>dimidiata</b> Chevrolat, 1859:63	Colombia
<b>earina</b> Napp & Marques, 1998:128	n Brasil (PA)
<b>iridipennis</b> (Chevrolat, 1859:26) <i>aurivitta</i> Burmeister, 1865:172	Venezuela, Brasil (GO, ES-RS), Argentina, Uruguay
<b>lansbergei</b> Lameere, 1884:107	Venezuela
<b>mexicana</b> Giesbert & Chemsak, 1993:59	sw Mexico (JA, CHS)
<b>paraibensis</b> Napp & Marques, 1998:131	ne Brasil (PB)
<b>platensis</b> Chevrolat, 1859:63 <i>aenescens</i> Burmeister, 1865:172 <i>aenescens</i> ; Lacordaire, 1869:42 <i>plaumanni</i> Fisher, 1937:152 <i>semirubra</i> (Burmeister, 1865:172) <i>versicolor</i> ; Berg, 1886:239 (not Chevrolat, 1859)	se Brasil (MG-RS), Argentina, Uruguay
<b>pustulosa</b> White, 1855:206	Venezuela
<b>rufomarginata</b> Fisher, 1937:153	se Brasil (ES-SC)
<b>serratula</b> Napp & Marques, 1999: 117	Brasil (PA, RO)
<b>serripes</b> Bates, 1872:188	Nicaragua-Panama, Colombia
<b>smaragdina</b> Martins & Napp, 1989:63	s Brasil (ES, MS)
<b>spincornis</b> Zajciw, 1970:839	se Brasil (ES)
<b>torquata</b> Chevrolat, 1859:63	Peru, Chile
<b>versicolor</b> Chevrolat, 1859:62	Nicaragua-Colombia, Brasil
<b>viridinigra</b> Napp & Marques, 1998:128	se Brasil (ES)
<b>Lathusia</b> Zajciw, 1959:278	
<b>ferruginea</b> (Bruch, 1908:213)	se Brasil (CE, SP), Paraguay, n Argentina (SA)
<b>parvipilipes</b> (Zajciw, 1959:279)	ne Brasil (PB)
<b>Merocoremia</b> Marques, 1994:345	
<b>monnei</b> Marques, 1994:350	e Brasil (BA, ES)
<b>Muxbalia</b> Giesbert & Chemsak, 1993:60	
<b>monzoni</b> Giesbert & Chemsak, 1993:60	Guatemala
<b>Neozodes</b> Zajciw, 1958:249	
<b>signatus</b> Zajciw, 1958:250	nw Brasil (AM), Ecuador, Fr Guiana
<b>Parozodes</b> Aurivillius, 1897:245	
<b>erythrocephalus</b> Aurivillius, 1897:246	e Brasil (BA)
<b>pilosus</b> Fuchs, 1956:573	s Brasil (MS)
<b>Rhopalina</b> Monné, 1989:740	
<b>bicolorata</b> Monné, 1989:740	e Brasil (BA, MG, SP)
<b>discollis</b> (Chevrolat, 1859:60)	se Brasil (ES)
<b>Rhopalophora</b> Audinet-Serville, 1834:100	

*Rhopalophorus*; LeConte, 1873:307

*Tinopus* LeConte, 1850:19

- angustata** Schaeffer, 1905:162  
**apicalis** Fuchs, 1966:10  
**baracoana** Zayas, 1975:162  
**bicolorella** Knull, 1934:336  
**casignata** Martins & Napp, 1989:62  
**collaris** (Germar, 1824:498)  
*sanguinicollis* Audinet-Serville, 1834:101  
*bicolor* Guérin-Méneville, 1839:330  
**cupricollis** Guérin-Méneville, 1844:235  
*laevicollis* (LeConte, 1873:193)  
**dyseidia** Martins & Napp, 1989:60  
**eximia** Bates, 1892:166  
**lineicollis** Chevrolat, 1859:60  
**longipes** (Say, 1824:426)  
*porosa* White, 1855:296  
**meeskei** Casey, 1891:30  
**miniatocollis** Chevrolat, 1859:61  
**neivai** Mendes, 1940:380  
**nigriventris** Bates, 1885:310  
**occipitalis** Chevrolat, 1859:59  
**paraensis** Martins & Napp, 1989:58  
**prolixa** Monné, 1989:737  
**prorubra** Knull, 1944:91  
**pulverulenta** Guérin-Méneville, 1844:235  
**punctatipennis** Linsley, 1935:92  
**rubecula** Bates, 1880:62  
*venezuelensis*; Bates, 1874:224 (not Chevrolat, 1859)  
**rugicollis rugicollis** (LeConte, 1858: 83)  
*rugulosus*; Knull, 1934:336  
subsp. **hovorei** Giesbert & Chemsak, 1993:43  
**serripennis** Giesbert & Chemsak, 1993:43  
**tenuis** (Chevrolat, 1855:181)  
*incrustedata* Chevrolat, 1859:62  
**venezuelensis** Chevrolat, 1859:60  
**yucatan** Giesbert & Chemsak, 1993:46

**Rhopalophorella** Linsley, 1942:57

- fasciata** (LeConte, 1873:171)  
*bicincta* Horn, 1895:245

**Thalusia** Thomson, 1864:168

- atrata** (Melzer, 1918:432)  
**erythromera** (Audinet-Serville, 1834:23)

**Heteropsini** Lacordaire, 1869: 121

**Allodemus** Zajciw, 1962:200

- centromaculatus** Zajciw, 1968:553  
**tricolor** (Perty, 1832:91)  
*flavofasciatus* Zajciw, 1962: 200

**Alloesia** Chevrolat, 1862:761

- bicolor** Waterhouse, 1880:488  
**bivittata** Chevrolat, 1862:763  
**chlorophana** Chevrolat, 1862:762  
*var. aeneipenne* Chevrolat, 1862:762  
*var. hilare* Chevrolat, 1862:762  
*var. nitidipenne* Chevrolat, 1862:762  
**vittata** (Fabricius, 1801:309)

**Callideriphus** Blanchard in Gay, 1851:487

*Callideriphus*; Bruch, 1912:202

**atricollis** Melzer, 1931:56

**bipunctatus** (Perty, 1832:91)

**bivittatus** Melzer, 1934:77

**carinatus** Zajciw, 1970:265

**clathratus** Fairmaire & Germain, 1860:5

**collaris** Philippi & Philippi, 1864:382

**flavicollis** Fisher, 1938:135

m. *quadripunctatus* Fuchs, 1961:8

m. *reductus* Fuchs, 1961:8

**flavipennis** Melzer, 1934:78

**grossipes** Blanchard in Gay, 1851:487

var. **brasiliensis** Melzer, 1923:10

**laetus** Blanchard in Gay, 1851:488

**maculatus** Cerda, 1988:69

**marginatus** Zajciw, 1970:266

**niger** Philippi & Philippi, 1864:383

**picticollis** Gounelle, 1911:216

**rubricollis** Melzer, 1934:79

**signaticollis** Melzer, 1934:80

m. *frontalis* Fuchs, 1961:8

**tenuis** Blanchard in Gay, 1851:489

**transversalis** Fairmaire & Germain, 1864:389

Brasil (MG-RS), Paraguay, Argentina

se Brasil (MG-RS)

Argentina, Uruguay

se Brasil (RJ)

Chile

Chile

s Brasil (SC, RS), Uruguay

s Brasil (SC, RS)

Chile

se Brasil (MG, SP)

Chile, s Argentina (RN-CT)

Chile

se Brasil (SP)

Chile, s Argentina (CT)

e Brasil (GO, RJ), ne Argentina (MI)

s Brasil (SC, RS)

s Brasil (SC, RS)

Chile

Chile

**Championa** Bates, 1880:69

**aliciae** Noguera & Chemsak, 1997:2

**aurata** Bates, 1880:69

**badeni** Bates, 1892:170

**bifasciata** Noguera & Chemsak, 1997:3

**chemsaki** Martins & Napp, 1992:461

**ctenostomoides** Bates, 1885:315

**elegans** Chemsak, 1967:45

**suturalis** Chemsak, 1967:47

**westcotti** Noguera & Chemsak, 1997:3

Mexico (JA)

Guatemala

Mexico

Mexico (CHS)

s Mexico (CHS)

Mexico (VC, GR)

w Mexico (SI)

Mexico (DU)

Mexico (PU, OA)

**Chrysoprasis** Audinet-Serville, 1834:5

*Chrysoprasus*; Perty, 1832:89

**aneicollis** (Buquet in Guérin-Méneville, 1844:226)

*ignicollis* Bates, 1870:417

**aneiventris** Bates, 1870:416

**abyara** Napp & Martins, 1998: 477

**airi** Napp & Martins, 1997:36

**atrata** Bates, 1872:190

**aurata** Aurivillius, 1910:164

**aureicollis** White, 1853:149

*brevicornis* Bates, 1870:415

**aurigena** (Germar, 1824:496)

*latemarginata* Zajciw, 1960:349

**auriventris auriventris** Redtenbacher, 1868:195

*chrysogastra* Bates, 1870:416

subsp. **longipes** Aurivillius, 1910:163

*chlorota* Gounelle, 1911:214

**basalis** Chevrolat, 1859:27

**beraba** Napp & Martins, 1997:20

**bicolor** (Olivier, 1790:258)

*flavicollis* Martins, 1964:53

**bipartita** Zajciw, 1963:281

**catarina** Napp & Martins, 1998: 489

**chalybea** Redtenbacher, 1868:195

**chevrolati** Lameere, 1884:108

**collaris** Chevrolat, 1859:27

Fr Guiana, n Brasil (PA)

se Brasil, Argentina, Paraguay, Uruguay

Brasil (RO,AM,PA)

Bolivia, n Argentina (SA, TU)

Venezuela

s Brasil (RS), n Argentina (SA), Uruguay

Guianas, n Brasil (AM, PA)

e Brasil(MA-BA), Paraguay, Argentina, Uruguay

se Brasil (ES-RS), Paraguay, Argentina

e Brasil (BA,GO)

e Brasil, Paraguay, Argentina

n Brasil (PA)

e Brasil (BA, ES)

nc Brasil (AM, PA), Fr Guiana

Brasil (SC)

e Brasil (PA, RJ, SP, MG)

Colombia

s Brasil (ES, MS)

<b>concolor</b> Redtenbacher, 1868:194 <i>punctiventris</i> Bates, 1870:417	se Brasil (GO, MG-RS), Paraguay, Argentina, Uruguay
<b>cuiciuna</b> Napp & Martins, 1998: 468	Venezuela
<b>dutreuxi</b> Lameere, 1884:108	Venezuela
<b>festiva</b> Audinet-Serville, 1834:7 var. <i>caerulescens</i> Gounelle, 1911:215	Panama, Fr Guiana, Brasil, Bolivia
<b>globulicollis</b> Zajciw, 1958:252	e Brasil (PB)
<b>guerrerensis</b> Bates, 1892:167	sw Mexico (GR)
<b>hirtula</b> White, 1853:150 <i>jacintha</i> Bates, 1880:65 <i>hirtula</i> ; Bates, 1872:190 (not White, 1853)	Nicaragua-Panama, Venezuela
<b>hispidula</b> Bates, 1870:416	nw Brasil (AM)
<b>hypocrita</b> Erichson, 1847:142 <i>auronitens</i> Bates, 1870:411 <i>bouchardi</i> Pascoe, 1866:292 <i>sthenias</i> Bates, 1870:411 var. <i>chalybeomera</i> Aurivillius, 1910:170 <i>nomen nudum</i> var. <i>leptosthenias</i> Bates, 1892:167	Mexico-Uruguay
<b>ibaca</b> Napp & Martins, 1997:23	w Brasil (RO)
<b>icuará</b> Napp & Martins, 1998: 470	Brasil (PA)
<b>itaiuba</b> Napp & Martins, 1997:22	nc Brasil (AM, PA)
<b>linearis</b> Bates, 1870:417	se Brasil (BA-RS), Paraguay, Argentina
<b>marta</b> Napp & Martins, 1999: 151	Colombia
<b>melanostetha</b> Bates, 1870:414	nc Brasil (AM, PA)
<b>moerens</b> White, 1853:150 <i>floralis</i> Bates, 1870:415	nc Brasil (AM, PA, MA), Venezuela, Fr Guiana
<b>nana</b> Bates, 1870:414	nc Brasil (PA)
<b>nigrina</b> Bates, 1870:417	se Brasil (ES, RJ)
<b>nigristernis</b> Zajciw, 1960:291	se Brasil (RJ)
<b>nitidisternis</b> Zajciw, 1960:350 (emended name) <i>nitidisternis</i> Zajciw, 1960:350 (error)	e Brasil (PB)
<b>nymphula</b> Bates, 1870:417	se Brasil (GO-RS), Argentina, Uruguay
<b>obiuna</b> Napp & Martins, 1997:28	n Brasil (MT)
<b>pacifica</b> Napp & Martins, 1995:907	Ecuador
<b>para</b> Napp & Martins, 1998: 483	Brasil (PA)
<b>piriana</b> <b>piriana</b> Napp & Martins, 1999: 155 subsp. <b>margarita</b> Napp & Martins, 1999: 159	Colombia
<b>pitanga</b> Napp & Martins, 1999: 159	Venezuela
<b>poticuara</b> Napp & Martins, 1997:19	Venezuela
<b>potiuna</b> Napp & Martins, 1997:19	n Brasil (PA)
<b>punctulata</b> Bates, 1870:413	n Brasil (PA)
<b>quadrimaculata</b> Gounelle, 1913:419	nc Brasil (AM, PA), Fr Guiana
<b>reticulicollis</b> Zajciw, 1958:254	Colombia
<b>ritcheri</b> Gounelle, 1913:226 <i>aspericollis</i> Melzer, 1931:56 <i>parumbilobata</i> Zajciw, 1960:351	e Brasil (PB)
<b>rotundicollis</b> Bates, 1870:411	e Brasil (PB), Paraguay, n Argentina (SE, TU)
<b>rugulicollis</b> Bates, 1870:417	
<b>sapphirina</b> Gounelle, 1911:214	Panama, nc Brasil (AM), Fr Guiana, Peru
<b>seticornis</b> Bates, 1880:65 <i>sobrina</i> ; Bates, 1872:190 (not Bates, 1870)	se Brasil (RJ, SP)
<b>sobrina</b> Bates, 1870:415	ec Brasil (GO, MG, MS)
<b>suturalis</b> Lameere, 1884:107	Nicaragua, Costa Rica
<b>suturella</b> White, 1853:149	nw Brasil (AM)
<b>tendira</b> Napp & Martins, 1998: 470	Venezuela
<b>timapeba</b> Napp & Martins, 1997:25	Colombia, Venezuela
<b>tobiuna</b> Napp & Martins, 1998: 482	Brasil (MG)
<b>tybyra</b> Napp & Martins, 1998: 479	se Brasil (ES, RJ)
<b>valida</b> Bates, 1870:416	Bolivia
<b>variabilis</b> Zajciw, 1958:256	Brasil (MG)
<b>viridis</b> Fisher, 1944:8	se Brasil (MS, ES, RJ, MG, SP, SC)
<b>vittata</b> Aurivillius, 1910:164	e Brasil (RN, PB, CE, PE)
	Venezuela
	Venezuela

**Eburiola** Thomson, 1864:203



- geminata** (Fabricius, 1787:144)  
*maculosus* Olivier, 1790:305  
*erythrocephala* Thomson, 1864:203  
Jamaica, R Dominicana
- Eriphosoma** Melzer, 1922:10  
**barbiellinii** Melzer, 1922:11  
**bipartitum** (Buquet in Guérin-Méneville, 1844:226)  
var. *axillaris* Melzer, 1922:11  
**sellatum** (Buquet in Guérin-Méneville, 1844: 226)  
*plagiatus* White, 1855:293  
*jacobi* Fuchs, 1961:17  
se Brasil (RJ, SP)  
se Brasil (MG-RJ)  
se Brasil (MG-RS), Paraguay, Argentina
- Erythrochiton** Zajciw, 1957:305  
**jucundum** (Gounelle, 1913: 225)  
ab. *dalessandroi* Prosen, 1947:256  
**nigrosignatum** Zajciw, 1957:307  
**rubronigrum** Napp & Santos, 1996:238  
Argentina, Uruguay  
se Brasil (ES, RJ)  
e Brasil (MG, ES)
- Erythropterus** Melzer, 1934:76  
**amabilis** Melzer, 1934:76  
se Brasil (ES-RS), Paraguay, Argentina
- Eupempelus** Bates, 1870:401  
**illuminus** Mermudes & Napp, 2001: 250  
**olivaceus** Bates, 1870:401  
**spinithorax** Mermudes & Napp, 2001: 251  
Bolivia  
nw Brasil (AM)  
Ecuador
- Heterops** Blanchard, 1842:51  
**bicolor** Fisher, 1936:346  
**bipartitus** Lacordaire, 1869:128  
**cubaecola** Fisher, 1947:36  
**dimidiatus** (Chevrolat, 1838:283)  
*subangulata* Chevrolat, 1838:283  
**duvali** Fisher, 1947:35  
*lanieri*; Jacquelin du Val, 1857:263 (not Chevrolat, 1838)  
**hispaniolae** Fisher, 1932:72  
**lanieri** (Chevrolat, 1838:283)  
*lasnieri*; Chevrolat, 1862:264  
**loreyi** (Duponchel, 1837:309)  
**robusta** Cazier & Lacey, 1952:43  
Cuba  
Cuba  
Cuba  
se USA (FL), Bahamas, Cuba  
Cuba  
Hispaniola  
Cuba  
Cuba  
Bahamas
- Homogenes** Thomson in Chevrolat, 1862:751  
**albolineatus** (Buquet in Guérin-Méneville, 1844:226)  
**leprieurii** (Buquet in Guérin-Méneville, 1844:226)  
*thoracicum* White, 1853:111  
*rubricolle* Bates, 1870:410  
**mimus** Napp & dos Santos, 1996:433  
**rubrogaster** Napp & dos Santos, 1996:434  
e Brasil (BA, RJ)  
Fr Guiana, c Brasil (AM, MT, GO), Peru  
w Brasil (RO)  
w Brasil (RO, MT)
- Mallosoma** Audinet-Serville, 1834:68  
**piptadeniae** Giacomel, 1976:2  
**scutellare** White, 1853:110  
**zonatum** (Sahlberg, 1823:52)  
*vinculatus* Germar, 1824:501  
*elegans* Audinet-Serville, 1834:69  
*fuligineum* Newman, 1840:7  
se Brasil (SP-SC)  
Fr Guiana, nc Brasil (AM), Peru  
Brasil (GO, MT, PE-RS), Paraguay,  
Argentina, Uruguay
- Monnecles** Napp & Santos, 1999: 281  
**apollinari** (Gounelle, 1913:420)  
Costa Rica, Colombia

- Neopociloderma** Monné & Martins, 1981:186  
*Pociloderma*; Jacquelin du Val in Sagra, 1857:267 (not White, 1853)  
**lepturoides** (Jacquelin du Val in Sagra, 1857:267) Cuba, Hispaniola
- Plectrocerum** Dejean, 1835:330  
**cribratum** Sallé, 1856:689 R Dominicana  
**spinicorne** (Olivier, 1795:68) Haiti
- Pociloderma** White, 1853:122  
*Olbius* Thomson, 1864:204  
**sexfasciatum** (Olivier, 1790:265) Jamaica, R Dominicana  
*quadrifasciatum* Schoenherr, 1817:460
- Purpuricenopsis** Zajciw, 1968:551  
**humeralis** Zajciw, 1968:552 se Brasil (ES)
- Stratone** Thomson, 1864:335  
*Paracalydon* Zajciw, 1961:219  
**aurantia** Galileo & Martins, 1992:60 Paraguay  
**rufotestacea** Thomson, 1864:336 Fr Guiana, nw Brasil (AM)  
**transversalis** (Chevrolat, 1862:752) Fr Guiana, nc Brasil (PA)  
*succinctum* Zajciw, 1961:220
- Tobipuranga** Napp & Martins, 1996:201  
**auricollis** (Dalman in Schoenherr, 1817:156) Guianas, nc Brasil (PA)  
*nigriventris* Bates, 1870:413  
**auripes** (Bates, 1870:413) c Brasil (AM, PA)  
**belti** (Bates, 1872:190) Nicaragua-Panama  
**chlorogaster** (Aurivillius, 1910:165) Fr Guiana  
**ignea** (Bates, 1870:413) Fr Guiana  
**longicornis** (Bates, 1870:412) Peru, nw Brasil (AM), Ecuador  
*frontalis* Kirsch, 1875:286  
**ruficoxis** (Bates, 1870:412) Peru, Bolivia, Ecuador, c Brasil (AM - MT)  
**ybyra** Napp & Martins, 1996:205 Brasil (PA, RO, MT, GO, SP)
- Trichrous** Chevrolat, 1858:210  
**basalis** (White, 1853:122) Jamaica  
**bicolor** (Sallé, 1856:687) R Dominicana  
**brevicornis** Zayas, 1975:148 Cuba  
**dimidiatipennis** (Chevrolat, 1838:282) Cuba  
**divisus** Chevrolat, 1858:210 Cuba  
**fisheri** Monné & Giesbert, 1992:251 Hispaniola  
*bicolor*; Fisher, 1932:70 (not Sallé, 1856)  
**irroratus** (Olivier, 1795:70) Cuba, Hispaniola  
**jaegeri** Chevrolat, 1858:211 R Dominicana  
**jamaicensis** Chevrolat, 1858:211 Jamaica  
**lineolatus** (White, 1853:122) Jamaica  
*leucogrammus* White, 1855:294  
**major** Gahan, 1895:117 Jamaica  
**nigripes** Fisher, 1942:21 R Dominicana  
**pilipennis** Chevrolat, 1862:262 Cuba, Bahamas  
**prasinus** Cazier & Lacey, 1952:41 Bahamas  
**terminalis** (White, 1853:123) Jamaica  
**violaceipennis** Fisher, 1942:22 R Dominicana  
**vittatus** Fisher, 1932: 69 Cuba

**Thyrsiini** Marinoni & Napp, 1984:44

**Thyrsia** Dalman, 1819:117

**lateralis** Dalman, 1819:118

se Brasil (RJ)

**Agallissini** LeConte, 1873:321

**Agallissus** Dalman, 1823:66

*Agalissus*; Thomson, 1864:205

*Aplectrus* Chevrolat in Orbigny, 1844:12

*Cryptopleura* LeConte, 1850:6

**lepturoides** (Chevrolat in Orbigny, 1844:12)

*grata* Haldeman, 1853:363

*clytoides* Lacordaire, 1869:134

**melaniodes** Dalman, 1823:66

var. *quadrimaculatus* White, 1853:61

var. *concolor* Bates, 1880:67

var. *trifasciatus* Bates, 1880:67

sw USA (TX), Mexico-Honduras

Mexico-Honduras

**Osmopleura** Linsley, 1964:194

**chamaeropsis** (Horn, 1893:138)

se USA (GA, FL)

**Zagymnus** LeConte, 1873:204

**clerinus** (LeConte, 1873:321)

*floridanus* Casey, 1912:376

**rugicollis** Chemsak & Linsley, 1968:38

**variatus** Chemsak & Linsley, 1968:39

se USA (GA, FL), Cuba

Belize

w Mexico (SI)

**Platyarthrini** Bates, 1870:419

*Coelarthrides* Lacordaire, 1869:138

**Platyarthron** Guérin-Méneville, 1844:230

*Coelomarthron* Thomson, 1860:199

*Coelarthron* Lacordaire, 1869:142

*Platyarthrum* Agassiz, 1846:295

**bilineatum** Guérin-Méneville, 1844:230

**chilense** (Thomson, 1860:200)

*quadrinotatum* Bates, 1869:385

**laterale** Bates, 1885:316

**rectilineum** Bates, 1880:70

**semivittatum** Bates, 1885:316

**villiersi** Delfino, 1985:500

Mexico (VC)-Honduras  
Nicaragua, Costa Rica

Nicaragua, Costa Rica  
s Mexico(CHS), Guatemala  
Costa Rica, Panama  
Ecuador

**Pteroplatini** Thomson, 1860:254

**Aphylax** Lacordaire, 1869:165

**lyciformis** (Germar, 1824:502)

*mentiens* Lacordaire, 1869:165

*lyciformis bahiae* Aurivillius, 1926:3

e Brasil (GO, BA-RS), Paraguay, Argentina,  
Uruguay

**Corynellus** Bates, 1885:318

**aureus** Linsley, 1961:6

**cinnabarinus** Chemsak & Linsley, 1979:269

**mimulus** Bates, 1885:319

**ochraceus** Bates, 1885:319

Colombia  
Guatemala-Costa Rica  
Mexico  
Panama

**Cosmoplatidius** Gounelle, 1911:233

**annulipes** (Blanchard, 1843:207)

*lycoides* Guérin-Méneville, 1844:233

**mandibularis** (Gounelle, 1911:234)

**ochraceus** Linsley, 1961:5

**sellatus** (White, 1853:82)

Fr Guiana, c Brasil (AM, GO, MT), Bolivia

ec Brasil (GO), Bolivia  
Colombia

Mexico (CHS, PU, VC)-Panama

**Cosmoplatus** Aurivillius, 1891:101  
**brasilianus** Zajciw, 1963:62  
**peruvianus** Aurivillius, 1891:102

nw Brasil (AM)  
Peru

**Deltosoma** Thomson, 1864:258  
**flavidum** Aurivillius, 1925:489  
**guatemalense** Bates, 1880:72  
**lacordairei** Thomson, 1864:258  
**xerophila** Di Iorio, 1995:208

Costa Rica, Panama  
s Mexico (CHS)-Honduras  
Fr Guiana, nw Brasil (AM), n Argentina, Paraguay  
n Argentina

**Pteroplatus** Buquet, 1840:287  
**adustus** Burmeister, 1865:165  
**anchora** Belon, 1903:52  
**arrogans** Buquet, 1840:287  
**atroviolaceus** Kirsch, 1889:39  
**bilineatus** Buquet, 1841:154  
**dimidiatipennis** Buquet, 1841:153  
**elegans** Buquet, 1841:152  
**fasciatus** Buquet, 1841:151  
**gracilis** Buquet, 1840:287  
**nigriventris** Breme, 1844:309  
**pulcher** Buquet, 1840:287  
**quadriscopulatus** Bates, 1880:73  
*terminalis* Bates, 1885:317  
**radiatus** Haase, 1892: pl. 13, fig. 104  
**rostainei** Buquet, 1840:287  
**simulans** Bates, 1870:428  
**suturalis** Buquet, 1840:287  
**transversalis** Breme, 1844:309  
**variabilis** Sallé, 1849:430

se Brasil, Paraguay, Argentina, Uruguay  
Bolivia  
Colombia  
Colombia  
Colombia  
Colombia  
Colombia  
Colombia  
Colombia  
Colombia  
Colombia  
Colombia  
s Mexico (VC, CHS), Guatemala  
  
Brasil  
Colombia  
nw Brasil (AM), Ecuador  
Colombia  
Colombia  
Venezuela

**Thelgetra** Thomson, 1864:258  
**latipennis** Thomson, 1864:258

se Brasil (BA-RS), Paraguay, Argentina,  
Uruguay

**Holopleurini** Chemsak & Linsley, 1974:183

**Holopleura** LeConte, 1873:193  
**marginata** LeConte, 1873:194  
*helena* LeConte, 1873:194

w NAmer (Br Col-CA)

**Lissonotini** Thomson, 1860:212

**Lissonotus** Dalman in Schoenherr, 1817:364  
**andalgalensis** Bruch, 1908:218  
**biguttatus** Dalman in Schoenherr, 1817:159  
**bisignatus** Dupont, 1836:13  
**confinis** Aurivillius, 1915:325  
**corallinus** Dupont, 1836:11  
*m. nigriventris* Fuchs, 1966:13  
**cruciatus** Dupont, 1836:8  
**ephippiatus** Bates, 1870:437  
**equestris** (Fabricius, 1787:153)  
*unidentatus* Olivier, 1795:20  
*cinctus* Panzer in Voet, 1798:2  
*cingulatus* Panzer in Voet, 1798:2  
*biserratus* Voet, 1806:29  
*shepherdi* Pascoe, 1859:16

Paraguay, w Argentina (CA, SE, ME)  
Brasil  
Brasil, Fr Guiana  
nc Brasil (PA)  
Panama, Colombia, Venezuela

Fr Guiana  
nw Brasil (AM), Peru  
Venezuela, Guianas, n Brasil (AM, PA), Ecuador

**fallax** Bates, 1870:436  
**flabellicornis** (Germar, 1824:504)  
**flavocinctus flavocinctus** Dupont, 1836:9  
    subsp. **multifasciatus** Dupont, 1836:10  
    subsp. **puncticollis** Bates, 1885:333  
        *lucanus* Casey, 1912:317  
        *multifasciatus*; Leng, 1886:62 (not Dupont, 1836)  
**nigrofasciatus** Aurivillius, 1925:508  
**princeps** Bates, 1870:438  
**rubidus** White, 1853:63  
**rubripes** Tippmann, 1960:150  
**rugosus** Fuchs, 1958:53  
**simplex** Bates, 1870:438  
**spadiceus** Dalman, 1823:65  
    *purpuratus* Germar, 1824:503  
**unifasciatus** Gory in Guérin-Méneville, 1831: pl 43, fig. 1  
    *abdominalis* Dupont, 1836:12  
**zellibori** Tippmann, 1953:331

nw Brasil (AM)  
ec, se Brasil, Paraguay, Argentina  
Bolivia, Colombia, Venezuela  
Mexico (widely distributed)-Panama  
sw USA (CA-TX), n Mexico, Baja Calif

Venezuela  
Bolivia  
nc Brasil (PA)  
e Brasil (AL, BA)  
Argentina  
nw Brasil (AM)  
se Brasil (BA-RS), Paraguay, Argentina

se Brasil (ES, RJ), Bolivia  
nc Brasil (PA)

**Torneutini** Thomson, 1860:272  
*Thaumasides* Thomson, 1864:314

**Subtribe Torneutina** Thomson, 1860:272

**Chrotoma** Casey, 1891:27  
    **dunniana** Casey, 1891:27

sw USA (TX-CA), Baja Calif

**Diploschema** Thomson, 1858:404  
    *Phaenicocerus* Audinet-Serville, 1834:28 (part)  
    **brunnea** Martins & Monné, 1980:343  
    **howdeni** Martins & Monné, 1980:343  
    **klagesi** Lane, 1966:86  
    **maculata** Martins & Monné, 1980:342  
    **mandibulare** Fuchs, 1964:6  
        *weyrauchi* Lane, 1966:80  
    **rotundicolle** (Audinet-Serville, 1834:29)  
        *costicollis* Audinet-Serville, 1834:29  
        *flavipennis* Thomson, 1858:406  
        *fulvipennis*; Lacordaire, 1869:240

Guianas, Brasil  
Colombia  
Panama, Colombia, nw Brasil, Fr Guiana  
nw Brasil (AM)  
Fr Guiana, nc Brasil (AM), Peru, Paraguay

se Brasil (GO, MT, PE-RS), Paraguay,  
Argentina, Uruguay

**Dragomiris** Gounelle, 1913:206  
    *Monrosia* Bosq, 1953:31  
    **major** Martins & Monné, 1980:347  
    **quadricornutus** Gounelle, 1913:207  
    **subandinus** (Bosq, 1953:32)

n Argentina (SE)  
n Argentina (SE)  
wc Argentina (CA, LR, ME, RN)

**Dragoneutes** Martins & Monné, 1980:347  
    **baculus** (Gounelle, 1913:202)  
    **obscurus** (Guérin-Méneville, 1843:301)

Bolivia, Paraguay, n Argentina (SE)  
sw Argentina (NE, CT)

**Gigantotrichoderes** Tippmann, 1953:197  
    *Mielkea* Zajciw, 1965:85  
    **conicicollis** Tippmann, 1953:199  
    **flabellicornis** (Zajciw, 1965:87)

s Mexico-Colombia, Ecuador, Peru  
Costa Rica-Colombia, Guianas, n Brasil (PA-MA)

**Gnathopraxithea** Seabra & Tavakilian, 1986:227  
    **sarryi** Seabra & Tavakilian, 1986:229

Fr Guiana, n Brasil (AP, PA), Ecuador

**Macellidiopygus** Gounelle, 1913:204  
    **debilis** Gounelle, 1913:205

n Argentina (SE)

- Praxithea** Thomson, 1864:254  
*Praxythea*; Gounelle, 1909:606  
*Phaenicocerus* Audinet-Serville, 1834:28 (part)  
**angusta** Lane, 1966:91  
**beckeri** Martins & Monné, 1980:340  
**borgmeieri** Lane, 1938:95  
**chavantina** Lane, 1949:34  
**derourei** (Chabrillac, 1857:196)  
*collare* Burmeister, 1865:166  
**fabricii** (Audinet-Serville, 1834:29)  
*japuhya* Lane, 1956:5  
**guianensis** Tavakilian & Monné, 2002: 13  
**javetii** (Chabrillac, 1857:195)  
*mourei* Lane, 1938:92  
**lanei** Joly, 1999: 184  
**melzeri** Lane, 1956:8  
*javetii*; Lane, 1938:90 (not Chabrillac, 1857)  
**morvanae** Tavakilian & Monné, 2002: 15  
**peruviana** Lane, 1966:88  
**seabrai** Tavakilian & Monné, 2002: 18  
**thomsonii** (Chabrillac, 1857:195)  
**thouvenoti** Tavakilian & Monné, 2002: 22  
**travassosi** Lane, 1939:73
- e Brasil (BA-RJ)  
Ecuador, nw Brasil (AM), Venezuela  
ec Brasil (GO, MT-MG), Ecuador, Fr Guiana  
ec Brasil (GO, MT-MG), Fr Guiana  
e Brasil (GO, PE-RS), Paraguay, Argentina,  
Uruguay  
se Brasil (RJ)
- Fr Guiana  
se Brasil (RJ-SC)
- Venezuela  
e Brasil (GO, MG)
- Fr Guiana. Peru  
Venezuela, Peru, c Brasil (PA, MT)  
Fr Guiana  
se Brasil (MG-SC)  
Fr Guiana, nBrasil (PA)  
Guianas, c Brasil (AM, MT), Ecuador, Venezuela,  
Bolivia, Costa Rica
- Psygmatoceus** Perty, 1828:737  
*Phaenicocerus* Latreille, 1829:113  
*Phoenicocerus*; Latreille in Cuvier, 1832:475  
*Badariottia* Giglio-Tos, 1893:1  
**guianensis** Tavakilian & Monné, 2002: 24  
**pubescens** Bruch, 1926:338  
**wagleri** Perty, 1828:740  
*suturalis* Perty, 1832:88  
*dejeanii* Gray in Griffith, 1831: pl. 65, fig. 3  
*gianelli* Giglio-Tos, 1893:4  
*elegans* Lane, 1939:74
- Fr Guiana  
nw Argentina (CA)  
se Brasil (AL-RS, MG), Paraguay, Argentina
- Ranqueles** Gounelle, 1906:140  
**gounellei** Bosq, 1947:296  
**mus** Gounelle, 1906:141  
**steparius** Di Iorio, 1996: 142
- nc Argentina (CA-CD)  
nw Argentina (CA-ME)  
Argentina (NE)
- Scapanopygus** Gounelle, 1913:203  
**cinereus** Gounelle, 1913:204
- n Argentina (SE)
- Spathopygus** Lacordaire, 1869:239  
**eburioides** (Blanchard, 1843:209)
- s Argentina (NE, CT)
- Thaumasus** Reiche, 1853:420  
**gigas** (Olivier, 1792:267)
- Guatemala-Colombia, nw Brasil (AM), Ecuador
- Torneucerus** Martins & Monné, 1980:344  
**armatus** Martins & Monné, 1980:345
- Guianas, Brasil (RO, PA, MT)
- Torneutes** Reich, 1837:9  
**pallidipennis** Reich, 1837:12  
*bouchanti* Buquet, 1843:299
- Brasil (MA-AL, PR), Paraguay, Uruguay,  
Argentina
- Torneutopsis** Martins & Monné, 1980:341

- translucidus** Martins & Monné, 1980:341 Fr Guiana, nw Brasil (AM)
- Xenambyx** Bates, 1879:14
- lansbergei lansbergei** (Thomson, 1865:576) Colombia, Venezuela, Guianas, c Brasil (PA, MT, GO), Bolivia
- laticauda meridionalis* Franz, 1954:216 Guatemala-Panama
- subsp. **laticauda** Bates, 1879:14

Subtribe **Bothriospilina** Lane, 1950:370

- Bothriospila** Aurivillius, 1923:437
- elegans** Aurivillius, 1923:438 e Brasil (BA-SP), Paraguay
- Chlorida** Audinet-Serville, 1834:31
- Tetracanthus* Hope, 1835:107
- cincta** Guérin-Méneville, 1844:259 Mexico-Colombia, Ecuador
- costata** Audinet-Serville, 1834:32 se Brasil, Paraguay, Argentina, Uruguay
- curta** Thomson, 1857:288 Fr Guiana, nc Brasil (AM), Ecuador
- parvula* Thomson, 1860:243
- denticulata** Buquet, 1860:623 Guianas
- fasciata** Bates, 1870:263 nw Brasil (AM)
- festiva** (Linnaeus, 1758:389) se USA (FL), CAmer, SAmer, W Indies
- spinus* Degeer, 1775:100 (widely distributed)
- sulcatus* Sulzer, 1776:45
- africanus* Voet, 1778:17
- obliqua** Buquet, 1852:655 Colombia
- spinosa** Aurivillius, 1887:191 Colombia
- transversalis** Buquet in Guérin-Méneville, 1844:221 Colombia

- Coccoderus** Buquet, 1840:293
- amazonicus** Bates, 1870:249 Costa Rica, Ecuador, nc Brasil (AM, PA), Fr Guiana
- sexguttatus* Waterhouse, 1880:292
- biguttatus** Martins, 1985:173 Bolivia
- bisignatus** Buquet, 1840:294 Guianas, nc Brasil (PA)
- guianensis** Tavakilian & Monné, 2002: 27 Fr Guiana
- longespincornis** Fuchs, 1964:7 Venezuela, Peru, c Brasil (AM, MT, MG), Fr Guiana
- spinus* Lane & Martins, 1965:17
- novempunctatus** (Germar, 1824:505) e Brasil (GO, MT, RN-RS), Paraguay, Argentina, Uruguay
- tuberculatus* Buquet, 1840:295
- sexmaculatus** Buquet, 1840:295 e Brasil (BA-RJ)
- sicki** Lane, 1949:36 c Brasil (PA, GO, MT)
- speciosus** Gounelle, 1909:606 ec Brasil (GO, MT, BA)
- teixeirai* Lane, 1939:74

- Delemodacrys** Martins & Napp, 1979:91
- mourei** Martins & Napp, 1979:93 Fr Guiana, nc Brasil (PA)

- Gnaphalodes** Thomson, 1860:235
- trachyderoides** Thomson, 1860:236 sw USA (TX), Mexico-Panama
- var. *inermis* Bates, 1884:243

- Knulliana** Linsley, 1962:109
- Cerasphorus*; Dejean, 1835:326 (not Audinet-Serville, 1834)
- Chion*; Newman, 1840:23 (not Scopoli, 1777)
- cincta cincta** (Drury, 1773:85) e NAmer-TX, n Mexico (NL, SO)
- balteatus* Degeer, 1775:111
- garganicus* Fabricius, 1775:178
- rusticus* Fabricius, 1781:228
- uricola* Gmelin, 1790:1860
- quadrispinus* Haldeman, 1847:32

*filicorne* Casey, 1924:256  
subsp. **sonorensis** (Schaeffer, 1908:332)  
subsp. **spinifera** (Fabricius, 1792:275)  
*ochracea* Bates, 1885:243

sw USA (TX, AZ), n Mexico  
se USA, ne Mexico, W Indies (Bahamas)

**Taygayba** Martins & Galileo, 1998: 49  
*venezuelensis* Martins & Galileo, 1998: 50

Venezuela

**Trachyderini** Dupont, 1836:1  
*Purpuricenitae* Thomson, 1860:203  
*Megaderitae* Thomson, 1860:213  
*Metopocoilitae* Thomson, 1864:255  
*Sternacanthitae* Thomson, 1864:259  
*Tropidosomitae* Thomson, 1864:256  
*Poecilopéplides* Lacordaire, 1869:147  
*Dorcacérides* Lacordaire, 1869:192  
*Sténaspides* Lacordaire, 1869:166  
*Tyloses* LeConte, 1873:315

**Subtribe Ancylocerina** Thomson, 1864:210  
*Ancylocérides*, Lacordaire, 1869: 135  
*Ancylocerini*, LeConte, 1873: 308

**Ancylocera** Audinet-Serville, 1834:107

**amplicornis** Chemsak, 1963:107  
**bicolor** (Olivier, 1795:32)  
*rugicollis* Fabricius, 1801:317  
*lividipennis* Haldeman, 1847:44  
*brevicornis* Casey, 1893:586  
*bicolor spissicornis* Casey, 1924:262  
**bruchi** Viana, 1971:162  
**cardinalis** (Dalman, 1823:67)  
*purpurea* Perty, 1832:93  
**michelbacheri** Chemsak, 1963:108  
**nigella** Gounelle, 1913:421  
**sallei** Buquet, 1857:332  
**sergioi** Monné & Napp, 2001: 993  
**spinula** Monné & Napp, 2001: 994

s Mexico (CHS)-Honduras  
se USA-TX

n Argentina (SE, TU)  
e Brasil (GO, PB-RS), Paraguay, Uruguay  
Argentina  
w Mexico (SI, JA, MO, OA)  
Colombia, Panama  
se Mexico (YU)  
Brasil (MG, RO, PA)  
Colombia

**Assycuera** Napp & Monné, 2001: 978

**macrotela** Bates, 1880:68  
*rugicollis*; Bates, 1872:191 (not Fabricius, 1801)  
**rubella** Bates, 1892:170  
**scabricollis** Chemsak, 1963:106  
**waterhousei** White, 1855:211

Mexico (MO, PU, CHS)-Costa Rica

sw Mexico (JA, GR)  
c Mexico (ME)  
nc Brasil (AM)

**Callancyla** Aurivillius, 1912:446

*Callopisma*; Thomson, 1864:212 (not Dumeril, 1853)  
*Lallancyca* Viana, 1971:189

**atrocoerulea** Zajciw, 1970:27  
**bimaculata** (Gounelle, 1911:221)  
**capixaba** Monné, 1997:100  
**cribellum** (Bates, 1885:315)  
**croceicollis** (White, 1855:292)  
*ruficollis* Bates, 1870:419  
**curvicollis** (Buquet, 1857:138)  
**malleri** Fuchs, 1966:11  
**tucumana** Viana, 1971:184

se Brasil (RJ)  
ec Brasil (GO), Paraguay, ne Argentina (MI)  
e Brasil (ES)  
Panama  
Brasil (PA, MT), Fr Guiana  
se Brasil (ES-RS), Argentina  
s Brasil (BA-SC)  
n Argentina (TU)

**Ceralocyna** Viana, 1971:165



- amabilis** Monné & Napp, 1999: 34  
**coccinea** Monné & Napp, 1999: 30  
**cribricollis** (Bates, 1885:314)  
**foveicollis** (Buquet, 1854:345)  
*fulvicornis* (Burmeister, 1865:172)  
**fulvipes** Viana, 1971:173  
**margareteae** Martins & Galileo, 1994:78  
**militaris** (Gounelle, 1911:218)  
**nigricollis** (Gounelle, 1911:218)  
**nigricornis** (Gounelle, 1911:217)  
**nigropilosa** Monné & Napp, 1999: 33  
**parkeri** (Chemsak, 1964:108)  
**seticornis** (Bates, 1870:418)  
**terminata** (Buquet, 1854:344)  
**variegata** Monné & Napp, 1999: 35
- Brasil (PA)  
Brasil (BA)  
Mexico (MO, JA, GR, VC), Nicaragua  
Colombia, Paraguay, Argentina, Uruguay  
n Argentina (SA, TU, ME)  
n Brasil (TO, MG)  
e Brasil (GO, MI)  
ec Brasil (GO, MG)  
e Brasil (GO, BA, MI, MG, DF), Uruguay  
seBrasil (SP,RJ)  
sw Mexico (OA)  
nc Brasil (PA)  
Brasil  
Brasil (RO)
- Cercoptera** Spinola, 1839: pl. 12  
**banonii** Spinola, 1839: pl. 12  
**sanguinicollis** Gounelle, 1911:219
- Costa Rica, Venezuela, Fr Guiana  
ec Brasil (GO)
- Exallancyla** Monné & Napp, 2000: 356  
**tuberculicollis** Aurivillius, 1920:369  
*tubericollis*; Viana, 1971:190
- Bolivia, Peru
- Mimonneticus** Monné & Napp, 2000: 355  
**guianae** Monné & Napp, 2000: 356
- Fr. Guiana, Brasil (PA)
- Subtribe Trachyderina** Dupont, 1836:1
- Aegoidus** Buquet, 1838:253  
*Oegoidus*; Guérin-Méneville, 1844:218  
*Aegoidius*; Lacordaire, 1869:197  
**calligrammus** Bates, 1885:331  
**debauvei** (Guérin-Méneville, 1838:287)
- Panama  
Panama, Colombia, Guianas, n Brasil (RR)  
*venustus* Newman, 1840:3  
Colombia  
Peru
- earlii** Guérin-Méneville, 1840:334  
**pacificus** Tippmann, 1960:142  
ab. *corallithorax* Tippmann, 1960:144  
**peruvianus** Buquet, 1838:254  
*peruanus* Erichson, 1847:139  
**weyrauchi** Tippmann, 1953:316
- Peru  
Peru
- Aethecerinus** Fall & Cockerell, 1907:154  
*Aethecerus*; Chevrolat, 1862:532 (not Wesmael, 1844)  
**hornii** (Lacordaire, 1869:184)  
**latecinctus** (Horn, 1880:134)  
**wilsonii** (Horn, 1860:570)
- se USA (FL)  
sw USA (CA, AZ), n Mexico, Baja Calif  
sw USA (TX)
- Allopeplus** Zajciw, 1961:222  
**cordifer** Zajciw, 1961:222
- nw Brasil (AM)
- Amannus** LeConte, 1858:24  
**atriplicis** Linsley, 1957:160  
**pectoralis** LeConte, 1858:25  
**vittiger** LeConte, 1858:24  
*brevis* Casey, 1924:267
- sw USA (TX)  
sw USA (AZ, CA, NE), Baja Calif  
w USA (TX, NM, AZ, UT)
- Amphionthe** Bates, 1879:395  
**brevicollis** Bates, 1885:291
- Mexico

- caudalis** Schwarzzer, 1929:359  
**chiriquina** Achard, 1913:38  
**dejeani** Gounelle, 1912:115  
**doris** Bates, 1879:396  
**oberthuri** Achard, 1913:35
- Ancylosternus** Dupont in Audinet-Serville, 1834:49  
**morio morio** (Fabricius, 1787:133)  
*scutellaris* Olivier, 1795:16  
 subsp. **albicornis** Erichson, 1847:139
- Andrachydes** Huedepohl, 1985:36  
**transandinus** (Tippmann, 1953:324)
- Andraegoidus** Aurivillius, 1920:369  
**cruentatus** (Dupont, 1838:26)  
*cardinalis* Dupont, 1838:28  
*humeralis* Aurivillius, 1920:370  
**distinguendus** Huedepohl, 1985:46  
**homoplatus homoplatus** (Dupont, 1838:26)  
*humeralis* Aurivillius, 1908:7  
 subsp. **hassenteufeli** Fuchs, 1958:52  
**lacordairei lacordairei** (Dupont, 1838:10)  
*latreillei* Dupont, 1838:11  
*nigripes* Dupont, 1838:12  
*simplicipennis* Dupont, 1838:29  
*testaceus* Dupont, 1838:13  
*globicollis* Bates, 1870:432  
*impunctipennis* Bates, 1870:432  
 subsp. **punctipennis** Huedepohl, 1985:50  
**laticollis** Tippmann, 1953:314  
**rufipes rufipes** (Fabricius, 1787:133)  
 var. *axillaris* Dupont, 1838:8  
 var. *brunnipennis* Dupont, 1838:9  
*boisduvalii* Dupont, 1838:5  
*ebeninus* Dupont, 1838:7  
 subsp. **fabricii** (Dupont, 1838:1)  
 subsp. **fulvipennis** (Dupont, 1838:9)  
 subsp. **richteri** (Bruch, 1908:215)  
 subsp. **zonatus** (Dalman, 1823:63)  
*cinctus* Dupont, 1838:6  
*equestris* Dupont, 1838:5  
**variegatus** (Perty, 1832:88)  
*nigrofasciatus* Gory in Guérin-Méneville, 1832: pl.43, fig. 3  
*audouinii* Dupont, 1838:2  
*gloriosus* Dupont, 1838:4  
 var. *malleri* Tippmann, 1953:320  
 var. *biniromaculatus* Tippmann, 1953:321  
 var. *cordiger* Tippmann, 1953:321  
 var. *dimidiatus* Tippmann, 1953:321  
 var. *bisbiflavomaculatus* Tippmann, 1953:322  
 var. *flavocinctus* Tippmann, 1953:322  
*variegatus biflavomaculatus* Tippmann, 1953:323
- Athetesis** Bates, 1870:428  
**angulicollis** (Zajciw, 1961:402)  
**prolixa** Bates, 1870:428
- Axestoleus** Bates, 1892:180  
**meridionalis** (Bates, 1880:87)  
**quinquepunctatus** Bates, 1892:181
- Costa Rica  
 Panama  
 Fr Guiana  
 Colombia  
 Colombia
- Colombia, Venezuela, Fr Guiana  
 Peru, c Brasil (RO, GO, MT), Bolivia
- Ecuador, Peru
- Paraguay, Argentina, Uruguay  
 e Brasil (MG)  
 e Brasil (GO, MT, PB-MG)  
 Paraguay, Argentina, Uruguay  
 Fr Guiana, nc Brasil (AM, PA)  
 Venezuela  
 Colombia  
 se Brasil (GO, MS, BA-RS), Paraguay,  
 Argentina  
 e Brasil (BA-ES)  
 e Brasil (AL-BA)  
 Bolivia, Argentina  
 e Brasil (BA-ES)  
 e Brasil (GO, MT, CE-RS), Paraguay,  
 Bolivia, Argentina, Uruguay
- nc Brasil (PA)  
 nw Brasil (AM)
- Mexico (JA, VC, OA)  
 w Mexico (JA, GR)

**Batus** Thunberg, 1822:307*Lophonocerus* Latreille in Cuvier, 1829:112*Lophocerus*; Chenu, 1870:311**barbicornis** (Linnaeus, 1764:68)*guianus* Goeze, 1777:464*speciosus* Voet, 1778:12*barbicornis itaitubensis* Tippmann, 1953:227ab. *picticornis* Tippmann, 1953:228**hirticornis** (Gyllenhal in Schoenherr, 1817:176)*hirticornis* Kirby, 1818:441*tuberculicollis* Chabrillac, 1857:198ab. *melancholicus* Tippmann, 1953:228**latreillei** (White, 1853:83)*barbicornis*; Olivier, 1795: pl. 7, fig. 48 (not Linnaeus, 1764)Colombia, Venezuela, Ecuador, Guianas,  
nw Brasil (AM), Peru

se Brasil (BA-RS), Paraguay, Argentina

e Brasil (BA-RJ)

**Batyle** Thomson, 1864:201*Batyleoma* Casey, 1912:326**ignicolis ignicolis** (Say, 1824: 412)*sanguinicolle* Germar, 1824:515*seclusa* Casey, 1912:327*punctipennis* Casey, 1912:328*acomana* Casey, 1912:328subsp. **australis** Linsley, 1957:33subsp. **oblonga** Casey, 1912:328**knowltoni** Knull, 1968:233**laevicollis** Bates, 1892:181**rufiventris** Knull, 1928:126**suturalis suturalis** (Say, 1824:411)*miniatum* Germar, 1824:515*rubrum* Newman, 1838:383*fontinalis* Casey, 1912:330subsp. **cylindrella** Casey, 1893: 587*rubra* LeConte, 1858:82subsp. **infuscatus** Linsley, 1957:33subsp. **melanicollis** Linsley, 1957:34subsp. **pearsalli** (Bland, 1862:272)subsp. **remota** (Casey, 1924:264)subsp. **rutilans** (LeConte, 1850:18)

w USA (TX, MT, CO)-OH

se USA (AL, MS, FL)

w USA (AZ, UT)

w USA (UT)

Mexico (PU, VC-JA, CM)

sw USA (AZ)

e NAmer-NM

sw USA (TX)

w USA (CO)

sw USA (TX), n Mexico (CHA)

nc NAmer (CO-Alberta, Saskatchewan)

w USA (NE, UT)

sw USA (AZ, NM)

**Callona** Waterhouse, 1840:228**basilea** (Bates, 1880:75)*thoracicus*; Bates, 1880:75 (not White, 1853)**championi** (Bates, 1885:320)*iridescens*; Bates, 1880:74 (not White, 1853)**iridescens** (White, 1853:80)**lampros** (Bates, 1885:321)*tricolor*; Bates, 1880:75 (not G. R. Waterhouse, 1840)**praestans** (Casey, 1912:320)*semiplicatus* Casey, 1912:320**rimosa** (Buquet, 1840:142)*splendens* LeConte, 1854:441**rutilans** (Bates, 1869:384)**thoracica** (White, 1853:78)**tricolor** G. R. Waterhouse, 1840:228

sw Mexico (OA, YU)

Guatemala

Guatemala

Panama

sw Mexico (GR)

sw USA (TX), n Mexico

Mexico-Nicaragua

Honduras

Venezuela

**Ceragenia** Audinet-Serville, 1834:32*Cerogenia*; Gemminger & Harold, 1872:2964**aurulenta** Monné & Martins, 1991:199**bicornis** (Fabricius, 1801:274)*striatus* Olivier, 1795:27

c Brasil (PA, MT)

Venezuela, Ecuador, Guianas-c Brasil

- insulana** Fisher, 1943:12  
**leprieurii** Buquet in Guérin-Méneville, 1844:219  
*spinipennis* Bates, 1870:427  
Panama  
Fr Guiana, nw Brasil (AM)
- Cervilissa** Monné & Monné, 2000: 1  
**versicolor** Monné & Monné, 2000: 2  
Brasil (MG)
- Charinotes** Dupont in Audinet-Serville, 1834:39  
**fasciatus** Dupont in Audinet-Serville, 1834:40  
e Brasil (MG-RJ)
- Chemsakia** Linsley, 1967:168  
**semicostata** (Bates, 1872:195)  
**subarmata** Linsley, 1967:170  
w Mexico (OA)-Nicaragua  
s Mexico (CHS)
- Chevrolatella** Zajciw, 1969:119  
**tripunctata** (Chevrolat, 1862:759)  
*ornaticollis* Chevrolat, 1862:759  
e Brasil (PB-RS, GO), Bolivia, Paraguay,  
Argentina
- Chlorotherion** Zajciw, 1962:202  
**consimilis** Zajciw, 1962:203  
**punctatus** Monné, 1998: 303  
se Brasil (SP)  
Brasil (MG)
- Chydarteres** Huedepohl, 1985:72  
**bicolor** (Voet, 1778:10)  
**costatus** (Aurivillius, 1908:7)  
**dimidiatus dimidiatus** (Fabricius, 1787:133)  
*scapularis* Dupont, 1836:47  
*conformis* Dupont, 1836:9  
*ocellatus* Dohrn, 1879:459 (part)  
subsp. **altissimus** Huedepohl, 1985:79  
subsp. **notatus** (Dupont, 1836:50)  
subsp. **taeniatus** (Germar, 1824:512)  
**octolineatus** (Thunberg, 1822: 305)  
*germarii* Dupont, 1836:41  
*herteli* Tippmann, 1953:330  
**striatellus** Huedepohl, 1985:82  
**striatus striatus** (Fabricius, 1787:133)  
*strigosus* Gmelin, 1790:1822  
*lineolatus* Dupont, 1836:45  
*proximus* Dupont, 1836:43  
subsp. **schaeferi** (Bosq, 1947:298)  
**strigatus** (Dupont, 1836:42)  
Fr Guiana, ec Brasil (PE, MT, GO, BA)  
n Argentina (CH, SE)  
Colombia, Guianas-Argentina, Uruguay  
Peru  
e Brasil (ES-SP)  
se Brasil, Paraguay, Argentina, Uruguay  
se Brasil (ES-PR)  
e Brasil (BA)  
Brasil (GO, MT, BA-RS), Fr Guiana,  
Paraguay, Argentina, Uruguay  
Bolivia, Argentina  
se Brasil (RJ, SP)
- Cosmocerus** Guérin-Méneville, 1844:219  
**strigosus** Guérin-Méneville, 1844:219  
se Brasil (MG-RS), ne Argentina (MI)
- Crioprosopus** Audinet-Serville, 1834:53  
**amoenus** Jordan, 1895:220  
**cacicus** Bates, 1885:319  
**divisus** Bates, 1885:320  
**gaumeri** Bates, 1892:172  
**lateralis** LeConte, 1884:22  
**magnificus** (LeConte, 1875:173)  
**nieti** Chevrolat, 1857:103  
*nietoi*; Bates, 1880:74  
**nigricollis** Bates, 1892:173  
**saundersii** White, 1853:79  
**servillei** Audinet-Serville, 1834:54  
Costa Rica  
Panama, Colombia  
e Mexico (VC)  
se Mexico (YU)  
sw USA (TX)  
sw USA (AZ), n Mexico (SO)  
Mexico (VC, OA), Costa Rica  
e Mexico (VC)  
Mexico, Honduras  
Mexico

**viridipennis** (Latreille, 1811:163)

Colombia

**Crossidius** LeConte, 1851:102

*Oxoplus* LeConte, 1862:41

**ater** LeConte, 1861:356

**coralinus coralinus** LeConte, 1862:42

subsp. **ascendens** Linsley, 1957:43

subsp. **caeruleipennis** Linsley, 1957:43

subsp. **coccineus** (Casey, 1893:588)

subsp. **ferruginosus** Chemsak & Linsley, 1959:178

subsp. **fulgidus** Chemsak & Linsley, 1959:179

subsp. **jocosus** (Horn, 1885:175)

subsp. **monoensis** Linsley & Chemsak, 1961:39

subsp. **obfuscipennis** Chemsak & Linsley, 1959:179

subsp. **parviceps** (Casey, 1924:264)

subsp. **ruficollis** Linsley, 1943:147

subsp. **tejonicus** Chemsak & Linsley, 1959:178

subsp. **temprans** Linsley & Chemsak, 1961:39

**discoideus discoideus** (Say, 1824:411)

*pulchrrior* Bland, 1862:272

subsp. **blandi** Casey, 1893:589

subsp. **sayi** Casey, 1912:340

*sayi bilenticulatus* Casey, 1912:340

*submetallicus* Casey, 1912:341

**hirtipes hirtipes** LeConte, 1854:18

subsp. **allgewahri** LeConte, 1878:461

subsp. **bechteli** Linsley & Chemsak, 1961:59

subsp. **brunneipennis** Linsley, 1943:148

subsp. **cerarius** Chemsak & Linsley, 1959:177

subsp. **flavescens** Chemsak & Linsley, 1959:180

subsp. **francesae** Chemsak & Linsley, 1959:181

subsp. **immaculatus** Chemsak & Linsley, 1959:182

subsp. **immaculipennis** Chemsak & Linsley, 1959:180

subsp. **macswaini** Linsley & Chemsak, 1961:58

subsp. **nigripennis** Chemsak & Linsley, 1959:180

subsp. **nubilus** Linsley, 1957:42

subsp. **rhodopus** Linsley, 1955:54

subsp. **rubrescens** Linsley & Chemsak, 1961:58

subsp. **setosus** Chemsak & Linsley, 1959:181

subsp. **wickhami** Casey, 1912:337

*truncatellus* Casey, 1912:338

*curticollis* Casey, 1924:265

*parallelus* Casey, 1924:265

**humeralis humeralis** LeConte, 1858:24

subsp. **quadrivittatus** Penrose, 1974:251

**hurdi** Chemsak & Linsley, 1959:176

**mexicanus** Chemsak & Noguera, 1997:10

**militaris** Bates, 1892:177

*inflaticollis* Linsley, 1957:159

**mojavensis mojavensis** Linsley, 1955:63

subsp. **linsleyi** Chemsak, 1959:112

**pulchellus** LeConte, 1861:356

*palmeri* Bates, 1880:81

*nitidicollis* Casey, 1891:33

*pulchellus sinuosus* Casey, 1912:339

*pulchellus retractus* Casey 1912:339

*pulchellus vegasensis* Casey, 1912:339

*debilis* Casey, 1912:339

*lanaticollis* Casey, 1912:339

**punctatus** LeConte, 1873:197

*crassipes* Casey, 1891:32

*plagiatus* Casey, 1912:336

*hirsuticollis* Casey, 1924:266

*vinosus* Casey, 1924:266

w USA

w USA (NM, CO)

sw USA (CA)

sw USA (CA)

w USA (UT)

sw USA (CA)

w USA (UT)

w USA (CO)

w USA (CA)

w USA (ID)

w USA (UT)

w USA (CA)

sw USA (CA)

w USA (CA, NE)

w NAmer (CO-Canada)

w NAmer (Alberta, UT)-c Mexico

w NAmer (Rocky Mts)

nw USA (OR, WA)

w USA (ID, UT, WY)

w USA (NE)

w USA (NE)

w USA (NE)

w USA (CA)

w USA (CA)

w USA (CA, NE, OR)

w USA (NE)

w USA (NE)

nw USA (WA, ID, WY)

w USA (CA)

w USA (CA)

w USA (NE)

w USA (CA)

sw USA (AZ, NE, UT)

sw USA (TX, NM)-n Mexico

sw USA (TX)

sw USA (AZ, NM)

Mexico (CO, ZA, NL)

sw USA (TX, NM)-c Mexico (DU)

sw USA (CA)

Baja Calif

w, c NAmer, n Mexico (CHA, NL, ZA)

w NAmer

- suturalis suturalis** LeConte, 1858:83  
*longipennis* Casey, 1891:31  
*aegrotus* Bates, 1892:178  
 subsp. **intermedius** LeConte, 1873:196  
 subsp. **melanipennis** Penrose, 1984:62  
 subsp. **minutivestis** Linsley, 1957:44  
 subsp. **pubescens** Linsley, 1957:44  
**testaceus testaceus** LeConte, 1851:102  
 subsp. **australis** Linsley, 1942:61  
 subsp. **maculicollis** Casey, 1912:337  
 sw USA (TX, NM, AZ), n Mexico (SO)
- Cryptobias** Dupont in Audinet-Serville, 1834:35  
*Cryptobius*; Chenu, 1870:311  
*Nosophloeus* Dupont, 1836:15  
*Nosophtaeus*; Dupont, 1838: ix  
**coccineus** Dupont in Audinet-Serville, 1834:36  
*concinus* Dupont, 1836:16  
*ocellatus* Dohrn, 1879:459 (part)  
 se Brasil (RJ)
- Ctenodes** Olivier, 1807:779  
**decemmaculata** Olivier, 1807:781  
*miniata* Klug, 1825:455  
*minuta*; Latreille in Cuvier, 1836:108  
**geniculata** Klug, 1825:456  
*thoracicus* Redtenbacher, 1867:201  
**zonata** Klug, 1825:454  
*isabellina* Bates, 1870:424  
 Fr Guiana, Brasil (AM, PA, MA)  
 e Brasil (GO, MG)  
 Brasil (PA, AM)
- Cyphosterna** Chevrolat, 1862:756  
*Dioxiotes* Chevrolat, 1862:757  
**quadrilineata** Chevrolat, 1862:757  
 Mexico (YU)
- Deltaspis** Audinet-Serville, 1834:7  
*Eudoxilus* Lacordaire, 1869:172  
**alutacea** Bates, 1885:323  
*nigrescens* Chemsak, 1959:113  
**auromarginata** Audinet-Serville, 1834:8  
**cruentus** (LeConte, 1862:42)  
*cruentatus*; Horn, 1894:338  
*marginatus* LeConte, 1862:42  
**cyanipes** Bates, 1885:322  
**disparilis** Bates, 1891:160  
**ivae** Beierl & Barchet-Beierl, 1999: 5  
**marginella** Bates, 1891:160  
**moesta** Bates, 1885:323  
**nigripennis** Bates, 1880:77  
**rubens** Bates, 1885:323  
*fulva* Bates, 1892:174  
*tuberculicollis* Bates, 1892:175  
**rubriventris** Bates, 1880:77  
**rufostigma** Bates, 1892:173  
**subopaca** Chemsak & Linsley, 1982:74  
**thoracica** White, 1853:148  
**tumacacorii** (Knull, 1944:91)  
**variabilis** Bates, 1891:161  
 wc Mexico (SI-PU)  
 Mexico  
 sw USA (CA), Baja Calif  
 Mexico  
 Mexico (DU, SI, GR)  
 swUSA (CA), Baja Calif norte  
 Mexico (DU)  
 Mexico  
 e Mexico (ME, VC, CHS, GR)  
 Mexico (DU, GU)  
 Mexico (DU, SI, GR)  
 sw Mexico (GR)  
 Mexico (PU, GR)  
 e Mexico (VC, GR, MO)  
 sw USA (AZ)  
 sw Mexico (OA, GR)
- Deretrachys** Huedepohl, 1985:27  
**chilensis** (Bosq, 1949:79)  
*penai* Cerda, 1953:135  
**juvencus** (Dupont, 1840:7)  
**montanus** (Tippmann, 1953:327)  
 Chile  
 Colombia  
 Peru

<i>itzingeri</i> Tippmann, 1953:328	
<b>pellitus pellitus</b> (Kirsch, 1889:39)	Ecuador, Peru
<i>vermiculatus</i> Bates in Whympfer, 1891:38	
<i>bonplandi</i> Gounelle, 1910:17	
subsp. <b>meridionalis</b> Huedepohl, 1985:33	Ecuador
<b>villiersi</b> Huedepohl, 1985:29	Ecuador, Peru
<b>Desmoderus</b> Dupont in Audinet-Serville, 1834:37	
<i>Didymaeus</i> Thomson, 1860:211	
<b>variabilis</b> Dupont in Audinet-Serville, 1834:38	e Brasil (GO, BA-RJ)
<b>Dicranoderes</b> Dupont, 1836:25	
<b>annulatus</b> Dupont 1836:26	e Brasil (GO, BA-SP)
<b>Dorcadocerus</b> Germar, 1824:501	
<b>barbatus</b> (Olivier, 1790:300)	Mexico?-Brasil, Argentina
<i>auricomus</i> Germar, 1821:168	
<b>Drychateres</b> Huedepohl, 1985:65	
<b>bilineatus</b> (Olivier, 1795:17)	Brasil (widely distributed), Paraguay, Argentina, Uruguay
<i>scabricollis</i> Dalman, 1823:64	
<i>dejeani</i> Dupont, 1838:15	
<i>solieri</i> Dupont, 1838:16	
<i>duponti</i> Dupont, 1838:17	
<i>olivieri</i> Dupont, 1838:18	
<i>puncticollis</i> Dupont, 1838:20	
<i>vauthieri</i> Dupont, 1838:22	
<i>dorbignyi</i> Dupont, 1838:23	
<i>nigripennis</i> Dupont, 1838:24	
<i>signaticollis</i> Dupont, 1838:25	
<b>Elaterosoma</b> Tippmann, 1953:205	
<b>longissimum</b> Tippmann, 1953:206	Venezuela
<b>Elytroleptus</b> Dugès, 1879:182	
<b>apicalis</b> (LeConte, 1884:24)	sw USA (AZ-TX), n Mexico
<b>dichromaticus</b> Linsley, 1961:13	ec Mexico (QE, HI)
<b>divisus</b> (LeConte, 1884:23)	sw USA (TX), ne Mexico (NL, TA)
<b>floridanus</b> (LeConte, 1862:42)	e NAmer-TX
<b>grandis</b> Linsley, 1935:97	e Mexico (ME, MO, VC)-Costa Rica
<b>humeralis</b> Linsley, 1961:14	n Mexico (CHA)
<b>ignitus</b> (LeConte, 1884:24)	sw USA (AZ), n Mexico (CHA, DU, SO)
<b>immaculipennis</b> Knull, 1935:99	sw USA (TX), wc Mexico (DU)
var. <i>obliquus</i> Knull, 1950:91	
<b>limpianus</b> Skiles & Chemsak, 1982:67	sw USA (Tex)
<b>luteicollis</b> Skiles & Chemsak, 1982:66	n Mexico (CHA)
<b>luteus luteus</b> Dugès, 1879:185	nw Mexico (SO-ME)-Honduras
subsp. <b>davisi</b> Knull 1940:558	sw USA (AZ-TX), wc Mexico (DU)
<i>lineatus</i> Knull, 1950:91	
<b>metallicus</b> (Nonfried, 1894:140)	Honduras
<b>nigripennis</b> Bates, 1885:318	sw Mexico (OA)
<b>pallidus pallidus</b> (Thomson, 1860:255)	Mexico (widely distributed)
<i>alfredi</i> Dugès, 1879:185	
subsp. <b>villosus</b> Linsley, 1961:15	w Mexico (ME, MI)
<b>peninsularis</b> Hovore, 1988:16	Baja Calif
<b>rufipennis</b> (LeConte, 1884:23)	sw USA (AZ)-Mexico (widely distributed)
<i>longipennis</i> Bates, 1885:318	
<i>eros</i> Bates, 1885:318	
<b>scabricollis</b> Bates, 1892:172	Mexico (widely distributed)-Guatemala
<b>similis</b> Chemsak & Linsley, 1965:197	c Mexico (PU, OA)

- Entomosterna** Chevrolat, 1862:752  
*Dithymia* Chevrolat, 1862:753  
**cruentata** Chevrolat, 1862:753 e Mexico (VC, CHS), Guatemala
- Eriocharis** Aurivillius, 1912:483  
*Eriosoma*; Blanchard, 1843:207 (not Leach, 1818)  
**devestivus** Monné & Martins, 1973:75 Peru  
**lanaris** (Blanchard, 1843:207) Bolivia, Argentina  
*flavocomus* Fairmaire, 1864:272  
*aurulentus* Burmeister, 1865:162  
**richardii** (Dupont, 1838:32) Brasil, Argentina  
*costatus* Dupont, 1838:33  
*haematicus* Fairmaire, 1864:271
- Eriphus** Audinet-Serville, 1834:88  
**bahiensis** Chevrolat, 1862:749 e Brasil (BA, ES)  
**bisignatus** (Germar, 1824:516) se Brasil (GO, BA, MG-SP)  
*luctuosus* Chevrolat, 1862:750  
*niger* Fuchs, 1974:243  
**cardinalis** Monné & Fragoso, 1996:115 sw Brasil (RO, MT)  
**clarkei** Tippmann, 1960:141 Bolivia  
**dimidiatus** White, 1855:293 Brasil (PA)  
**haematoderus** Chevrolat, 1862:750 Bolivia  
**immaculicollis** Audinet-Serville, 1834:89 e Brasil (GO-SC)  
**lineatocollis** Chevrolat, 1862:750 Fr Guiana, nc Brasil (PA)  
*xanthoderus* Bates, 1870:429  
**longicollis** Zajciw, 1961:403 Bolivia, n Argentina (SA, TU)  
**metallicus** Zajciw, 1960:141 se Brasil (ES, RJ)  
**mexicanus** Audinet-Serville, 1834:89 se Brasil (ES, RJ)  
*unipunctatus* Buquet in Guérin-Méneville, 1844:226  
**prolixus** Bates, 1872:193 Nicaragua  
**purpuratus** Chevrolat, 1862:748 se Brasil (BA-RS), Paraguay, Argentina  
**smaragdinus** Monné & Fragoso, 1996:116 w Brasil (PA, RO)  
**variegatus** Monné & Fragoso, 1996:117 e Brasil (BA, MG)  
**viridis** Monné & Fragoso, 1996:116 e Brasil (MG, ES)
- Galissus** Dupont, 1840:1  
**azureus** Monné & Martins, 1981:186 c Brasil (MT)  
**cyanopterus** Dupont, 1840:1 Fr Guiana, n Brasil (AP, PA)
- Gambria** Chevrolat, 1862:760  
**bicolor** (Chevrolat, 1862:758) Mexico (VC)  
**leucozona** Bates, 1880:86 w Mexico (SO, CM, YU)  
**nigripennis** (Chevrolat, 1862:760) se Brasil, Paraguay, Argentina
- Georgiana** Aurivillius, 1912:450  
*Georgia*; Thomson, 1857:21 (not Baird & Girard, 1853)  
**xanthomelaena** (White, 1856:408) Fr Guiana, n Brasil (AM, GO)  
*citrina* Thomson, 1857:21
- Giesbertia** Chemsak & Linsley, 1984:284  
**rugosa** Chemsak & Linsley, 1984:286 Mexico (MO, MI, GR)
- Gonyacantha** Thomson, 1858:407  
**rubronigra** Thomson, 1858:498 se Brasil (ES-SC)  
*nigrorubra*; Lacordaire, 1869:212  
*richteri* Fischer, 1888:490
- Gortonia** Hovore, 1987:151



- linsleyi** Hovore, 1987:152  
Costa Rica, Panama
- Hoegea** Bates, 1885:326  
**distigma** Bates, 1885:327  
Mexico (VC, CHS)
- Ischnocnemis** Thomson, 1864:199  
**caerulescens** Bates, 1885:328  
**costipennis** Thomson, 1864:199  
*tripunctata* Thomson, 1864:199  
**cribellatus** (Bates, 1892:179)  
**cyaneus** Bates, 1892:178  
**eyai** Chemsak & Noguera, 1997:11  
**glabra** Chemsak & Linsley, 1988:132  
**luteicollis** (Bates, 1885:329)  
**minor** Bates, 1880:83  
**sexualis** Bates, 1885:328  
**similis** Chemsak & Noguera, 1997:12  
sw Mexico (JA, GR)  
Mexico  
e Mexico (VC)  
c Mexico (MO)  
Mexico (JA)  
w Mexico (JA)  
Mexico (SI, JA, GU)  
Mexico (PU, CHS)  
w Mexico (JA, GU)  
Mexico (JA)
- Linsleyella** Chemsak, 1984:114  
**michelbacheri** Chemsak, 1984:117  
**ricei** Chemsak, 1984:115  
**virens** (Bates, 1885:323)  
**virgulata** Chemsak, 1987:145  
Mexico (CO, ZA)  
sw USA (TX, NM)  
Mexico (MO, PU, OA)  
Mexico (PU)
- Lissonoschema** Martins & Monné, 1978:65  
**fasciatum** (Fisher, 1944:9)  
**macrocolum** Martins & Monné, 1978:65  
**solangeae** Monné & Monné, 2000: 161  
Venezuela, Fr Guiana  
e Brasil (ES)  
Brasil (MG)
- Lissonotypus** Thomson, 1864:211  
*Lissonototypus*; Gemminger & Harold, 1872:2982  
**brasiliensis** (Buquet, 1860:622)  
**tetraspilotus** (White, 1853:64)  
*quadrisignatus* Buquet, 1860:621  
e Brasil (ES, RJ)  
e Brasil (ES, RJ), ne Argentina (MI)
- Lophalia** Casey, 1912:333  
*Entomosterna*; LeConte, 1873:314 (not Chevrolat, 1862)  
**auricomis** Chemsak & Linsley, 1979:267  
**cribricollis** (Bates, 1892:179)  
**cyanicollis** (Dupont, 1838:59)  
**prolata** Chemsak & Linsley, 1988:127  
**quadrivittata** (Bates, 1892:179)  
Honduras  
sw Mexico (GR)  
sw USA (TX, AZ)-s Mexico (VC, ME, CHS)  
w Mexico (SI-GR)  
sw Mexico (JA, GR)
- Mannophorus** LeConte, 1854:442  
**forreri** Bates, 1885:327  
**laetus** LeConte, 1854:442  
*ferreus* Bates, 1880:82  
sw USA (AZ), nw Mexico (CHA, DU)  
sw USA (TX), nc Mexico (SLP)
- Martinsellus** Huedepohl, 1985:131  
**signatus** (Gyllenhal in Schoenherr, 1817:177)  
Brasil, Paraguay, Argentina, Uruguay
- Megaderus** Dejean, 1821:106  
**bifasciatus** Dupont, 1836:5  
*corallifer* Newman, 1840:195  
**stigma** (Linnaeus, 1758:395)  
*ab. bimaculatus* Tippmann, 1960:151  
*ab. interruptefasciatus* Tippmann, 1960:151  
*latifasciatus* Bates, 1870:438  
sw USA (TX)-Guatemala  
Nicaragua-Argentina, Uruguay

<b>Metaleptus</b> Bates, 1872:192	
<b>angulatus</b> (Chevrolat, 1834:67)	n Mexico-Nicaragua
<i>marginellus</i> Bates, 1872:193	
<i>binoculus</i> Bates, 1872:193	
<i>binoculatus</i> ; Linsley, 1935:98	
<i>coccinatus</i> Bates, 1872:193	
<b>batesi</b> Horn, 1885:174	sw USA (AZ, CA), n Mexico
<b>brasiliensis</b> (Schaufuss, 1871:210)	s Brasil (RS)
<b>discoideus</b> Linsley, 1935:98	c Mexico (ME)
<b>hondurae</b> Nonfried, 1894:138	Honduras
<b>lecontei</b> (Casey, 1912:325)	Honduras
<b>pyrrhulus</b> Bates, 1880:79	s Mexico (CHS), Guatemala
<b>Metopocoilus</b> Audinet-Serville, 1832:170	
<i>Metopocoellus</i> ; Laporte, 1840:410	
<i>Metopocoelus</i> ; Lacordaire, 1869:244	
<i>Coptocephalus</i> Gray in Griffith, 1832:113	
<b>corumbaensis</b> Lane, 1956:8	Brasil (PB, CE, MS)
<i>rojasi</i> ; Lane, 1943:102 (not Sallé, 1853)	
<b>giganteus</b> Nonfried, 1894:137	nw Brasil (AM)
<b>maculicollis</b> Audinet-Serville, 1832:171	se Brasil (SP-RS)
<i>brasiliensis</i> Gray in Griffith, 1832:113	
<b>picticornis</b> Melzer, 1923:3	se Brasil (MG-SP)
<b>quadrispinosus</b> (Buquet, 1860:619)	se Brasil (SP-RS), Argentina
var. <i>basimaculatus</i> Tippmann, 1953:208	
<b>rojasi</b> Sallé, 1853:650	Venezuela
<b>Micropelta</b> Zajciw, 1961:399	
<b>rugosicollis</b> Zajciw, 1961:400.	Peru, w Brasil (RO)
<b>Molitones</b> Gounelle, 1913:422	
<b>flavipennis</b> Gounelle, 1913:423	Colombia
<b>Monneellus</b> Huedepohl, 1985:136	
<b>rhodopus</b> (Bates, 1870:431)	c Brasil (AM, MT), Peru, Bolivia
<i>vagus</i> Melzer, 1927:571	
<b>Muscidora</b> Thomson, 1864:202	
<b>tricolor</b> Thomson, 1864:202	Mexico
<b>Neochrysoprasia</b> Franz, 1969:1	
<b>zajciwi</b> Franz, 1969:1	se Brasil (SP), Bolivia
<b>Neocrossidius</b> Chemsak, 1959:131	
<b>trivittatus</b> (Bates, 1880:82)	wc Mexico (DU, DF, CO, MI)
<b>Neogalissus</b> Monné & Martins, 1981:187	
<b>pelidnos</b> Monné & Martins, 1981:188	Surinam, Fr Guiana
<b>Neotaphos</b> Fisher, 1936:324	
<b>rachelis</b> Fisher, 1936:325	Chile
<b>Neotaranomis</b> Chemsak & Linsley, 1982:71	
<b>atropurpurea</b> Chemsak & Noguera, 2001: 51	Honduras
<b>australis</b> Chemsak & Linsley, 1982:74	w Mexico (SI, OA, CHS)
<b>sinaloae</b> Chemsak & Linsley, 1982:72	w Mexico (SI, NA, JA, CHS)

- Noguerana** Chemsak & Linsley, 1988:129  
**aliciae** Chemsak & Linsley, 1988:130  
w Mexico (JA)
- Oxymerus** Dupont in Audinet-Serville, 1834:50  
**aculeatus aculeatus** Dupont, 1838:38  
*confusus* Dupont, 1838:39  
*nigricornis* Dupont, 1838:40  
*klugii* Dupont, 1838:44  
subsp. **lebasii** Dupont, 1838:47  
subsp. **meridionalis** Huedepohl, 1979:23  
**basalis** (Dalman, 1823:65)  
*deletus* Dupont, 1838:48  
**bruchii bruchi** Gounelle, 1913:229  
subsp. **seabrai** Huedepohl, 1985:142  
**chevrolatii** Dupont, 1838:36  
*obliquatus* Burmeister, 1865:163  
*saundersii* Waterhouse, 1886:500  
**lineatus** Dupont, 1838:41  
*approximatus* Dupont, 1838:44  
*elongatus* Dupont, 1838:45  
*distinguendus* Dupont, 1838:48  
*aculeatus lineatus* Hüdepohl, 1979:20  
**luteus luteus** (Voet, 1778:17)  
*quadrioculatus* Schaller, 1783:289  
*porcatus* Weber, 1801:88  
*rivulosus* Germar, 1824:512  
*flavescens* Thunberg, 1822:304  
subsp. **abdominalis** Dupont, 1838:37  
*lateriscriptus* Burmeister, 1865:164  
subsp. **australis** Huedepohl, 1979:34  
subsp. **nigriventris** Dupont, 1838:43  
subsp. **occidentalis** Huedepohl, 1979:34  
**pallidus** Dupont, 1838:49  
**punctatus** Gounelle, 1911:240  
**vianai** Huedepohl, 1979:51  
**virgatus** Gounelle, 1913:228  
e Brasil (GO, MT, MG-SP)  
Nicaragua-n SAmer, s W Indies  
c SAmer (Bolivia-Uruguay)  
Venezuela, Guianas-c Brasil, Bolivia  
Brasil (MT, RS), Paraguay, Argentina  
ec Brasil (GO)  
s Brasil (PR-RS), Paraguay, Argentina,  
Uruguay  
Colombia, e Brasil (BA), Fr Guiana  
se Brasil (RJ-RS), Paraguay, Argentina  
e Brasil (BA-SP)  
Argentina, Uruguay  
Fr Guiana, Brasil  
Peru, Bolivia  
se Brasil (RJ), Argentina, Uruguay  
e Brasil (GO, MG)  
nc Argentina (CD)  
s Brasil (RS), Paraguay, Argentina, Uruguay
- Ozodera** Dupont, 1840:10  
**callidioides** Dupont, 1840:42  
*xanthospilos* Dupont, 1840:10  
*bipartita* Buquet, 1840:111  
Colombia
- Palaeotrachyderes** Tippmann, 1960:147  
**laticornis** Tippmann, 1960:148  
Panama
- Panchylissus** Waterhouse, 1880:294  
**cyaneipennis** Waterhouse, 1880:295  
**nigriventris** Lane, 1965:289  
Costa Rica, Panama, Ecuador , Peru  
Ecuador
- Parabatyle** Casey, 1912:326  
**sanguiniventris** (Chevrolat, 1862:754)  
e Mexico (VC)
- Paraethecerus** Bruch, 1926:342  
**sexmaculatus** Bruch, 1926: 343  
nw Argentina (CA)
- Paragortonia** Chemsak & Noguera, 2001: 52  
**leptoforma** Chemsak & Noguera, 2001: 52  
s Mexico (OA)

- Parathetesis** Linsley, 1961:7  
**convergens** (Bates, 1892:171) sw Mexico (GR, CM)
- Parevander** Aurivillius, 1912:453  
*Evander*; Lacordaire, 1869:160 (not Thomson, 1860)  
**hovorei** Giesbert, 1984:59 sw USA (TX), ne Mexico (TA, CO, NL, SLP)  
**nietii** (Guérin-Méneville, 1844:257) Mexico (VC), Guatemala  
*nietoi*; Gemminger & Harold, 1872:2964  
**nobilis** (Bates, 1872:192) Mexico, Nicaragua  
**unicolor** (Bates, 1880:71) Costa Rica  
**xanthomelas** (Guérin-Méneville, 1844:258) Mexico (PU, OA, GR), Guatemala
- Paroxoplus** Chemsak, 1959:111  
*Oxoplus*; Bates, 1880:80 (not LeConte, 1862)  
**ornaticollis** (Lacordaire, 1869:180) sw Mexico (OA, GR, MO)  
**poecilus** (Bates, 1880:80) sw Mexico (OA)
- Parozodera** Bruch, 1940:116  
**chemsaki** Huedepohl, 1985:25 n Argentina (SA)  
**farinosa** (Burmeister, 1865:161) c Argentina (SL, ME, RN)  
*Uragus hamaticollis*; Tippmann, 1953:209 (not Guérin-Méneville, 1844)
- Perarthrus** LeConte, 1851:101  
**linsleyi** (Knull, 1942:226) sw USA (CA, AZ), n Baja Calif  
**pallida** (Schaeffer, 1905:132) Baja Calif  
**vittatus** LeConte, 1851:102 sw USA (CA), n Baja Calif
- Phaedinus** Dupont in Audinet-Serville, 1834:38  
**abnormalis** Tippmann, 1953:317 s Brasil (SC)  
**carbonelli** Monné, 1999: 26 s Brasil (PE)  
**corallinus** Gounelle, 1911:237 ec Brasil (GO)  
**flavipes** (Thunberg, 1822:306) e Brasil (GO, MG-SP)  
*microthorax* Perty, 1832:88  
**hirtipes** Tippmann, 1960:144 Bolivia  
**lanio** Guérin-Méneville, 1838:287 Fr Guiana, Brasil (MA)  
**martii** (Perty, 1832:86) e Brasil (GO, MG-SC), Argentina  
*biplagiatus* Buquet, 1840:142  
*moestus* Newman, 1840:195  
**pictus** White, 1853:65 Venezuela  
**schaufussi** Nonfried, 1890:20 Colombia  
**tricolor** Dupont in Audinet-Serville, 1834:39 Fr Guiana, n Brasil (AM)  
var. *superbus* Tippmann, 1953:317  
m. *bicoloricornis* Fuchs, 1961:96
- Phimosia** Bates, 1870:420  
**ebenina** Bates, 1870:421 c Brasil (PA, RO, MT), Ecuador
- Phoenicus** Lacordaire, 1869:174  
**sanguinipennis** Lacordaire, 1869:174 CAmer ?
- Phoenidnus** Pascoe, 1866:293  
**lissonotoides** Pascoe, 1866:293 Panama, Colombia, c Brasil (MT)
- Pleuromenus** Bates, 1872:194  
**baccifer** Bates, 1872:194 Mexico-Costa Rica
- Plionoma** Casey, 1912:333  
*Sphaenothecus*; LeConte, 1873:316 (not Dupont, 1838)

- basalis** (Horn, 1894:401)  
**rubens** (Casey, 1891:34)  
**suturalis** (LeConte, 1858:25)  
*degener* Casey, 1912:334
- Baja Calif  
sw USA (TX-CA), n Mexico, Baja Calif  
sw USA (TX-CA), Baja Calif, n Mexico
- Pocillopeplus** Dejean, 1835:319  
**batesi** White, 1853:56  
**corallifer** (Sturm, 1826:79)  
*versicolor* Laporte, 1840:412  
**flavescens** Rosenberg, 1898:92  
**fontanieri** (Lucas, 1857:178)  
**haemopterus** (Lucas, 1857:178)  
**intricatus** (Blanchard, 1843:207)  
**martialis** Rosenberg, 1898:92  
**tardifi** Michard, 1887:139
- nc Brasil (PA)  
se Brasil (MG-RS)
- Ecuador  
Colombia  
se Brasil (MG-RS, GO), Argentina  
Bolivia  
Costa Rica, Panama  
Colombia
- Polyschisis** Audinet-Serville, 1833:564  
*Polyschisus*; Blackwelder, 1946:578  
**hirtipes** (Olivier, 1792:460)  
**melanaria** White, 1853:145  
**rufitarsalis** Waterhouse, 1880:294  
*rufitarsis*; Lameere, 1883:33
- Panama, Fr Guiana, nc Brasil (PA)  
se Brasil (RJ, SP)  
Ecuador, nw Brasil (AM)
- Prodontia** Audinet-Serville, 1834:64  
**dimidiata** Audinet-Serville, 1834:65
- se Brasil (RJ)
- Pseudodeltaspis** Linsley, 1935:99  
**cyanea** Linsley, 1935:99
- w Mexico (SI, ME)-Guatemala
- Pseudoeriphus** Zajciw, 1961:405  
*Pseuderiphus*; Villiers, 1971:344  
**collaris** (Erichson in Schomburg, 1848:572)  
*balachowskyi* Villiers, 1971:344  
**ochraceicollis** Zajciw, 1961:407  
**sanguinicollis** Zajciw, 1961:406
- Guyana, Fr Guiana, Ecuador  
c Brasil (PA, MT)  
nw Brasil (AM)
- Pseudophimosia** Delfino, 1990:695  
**eburioides** (White, 1853:61)  
**sexlineata** (Buquet, 1859:624)
- Colombia, Venezuela  
Colombia
- Pseudostenaspis** Melzer, 1932:420  
**hermanni** Melzer, 1932:421
- se Brasil (SP)
- Pteracantha** Newman, 1838:392  
*Amallocerus* Guérin-Méneville, 1844:218  
**fasciata** Newman, 1838:393  
*spinus* Guérin-Méneville, 1844:218
- se Brasil (MG-RJ)
- Pteroplatidius** Linsley, 1961:8  
**octocostatus** (Bates, 1880:73)
- e Mexico (VC)
- Pujolia** Lane, 1973:380  
*Lissonomimus* Viana & Martinez, 1992:28  
**auratopilosus** (Di Iorio, 1998: 28)  
**megaderina** Lane, 1973:382  
*narcisoi* Viana & Martinez, 1992:30
- Argentina  
ec Brasil (GO), Paraguay
- Purpuricenus** Dejean, 1821:105

- Cyclodera* White, 1846:510  
*Philagathes* Thomson, 1864:196  
**axillaris** Haldeman, 1847:31  
**dimidiatus** LeConte, 1884:23  
**humeralis** (Fabricius, 1798:143)  
**linsleyi** Chemsak, 1961:183  
**opacus** (Knull, 1937:306)  
**paraxillaris** MacRae, 2000: 150
- e NAmer  
sw USA (CA)  
e NAmer  
sw USA (TX)  
sw USA (TX)  
e NAmer
- Rachidion** Audinet-Serville, 1834:54  
*Rhachidion*; Germar in Guérin-Méneville, 1839:330  
*Rachidium*; Chenu, 1870:310  
*Calodus* Lucas, 1857:184  
**gagatinum** (Germar, 1824:504)  
**nigritum** Audinet-Serville, 1834:55  
**obesum** Newman, 1840:195  
*granulicollis* Chabrilac, 1857:198  
*varians* Lucas, 1857:185  
**ramulicorne** Lacordaire, 1869:213
- Brasil  
e Brasil (MG)  
ec Brasil (GO, MT, MG), Paraguay  
  
Brasil
- Retrachydes** Huedepohl, 1985:68  
**thoracicus thoracicus** (Olivier, 1790:300)  
*morio*; Dalman in Schoenherr, 1817:365 (part)  
*virens* Thunberg, 1822:306  
*m. testaceus* Fuchs, 1961:96  
subsp. **densepilosus** Huedepohl, 1985:72  
subsp. **sulcatus** (Burmeister, 1865:162)
- e Brasil (GO, MT, MA-RS), Paraguay,  
Bolivia, Argentina, Uruguay  
  
Bolivia  
s Brasil (MS), Bolivia, Paraguay,  
Argentina, Uruguay
- Rhodoleptus** Linsley, 1962:123  
**comis** (Bates, 1892:175)  
**femoratus** (Schaeffer, 1909:384)  
*gracilior* Fall, 1909:164  
**nigripennis** Giesbert, 1993:147  
**umbrosus** Chemsak & Linsley, 1982:391
- w Mexico (SO-OA)-Guatemala  
sw USA (AZ)-w Mexico (SO, SI)  
  
s Mexico (CHS), Guatemala  
sw Mexico (OA)
- Schizax** LeConte, 1873:195  
**senex** LeConte, 1873:196
- sw USA (CA, AZ, NM, TX)
- Scythroleus** Bates, 1885:324  
**picticornis** Bates, 1885:325
- w Mexico (SI, OA)
- Seabraellus** Huedepohl, 1985:60  
**gracilis** Huedepohl, 1985:60  
**splendidior** Huedepohl, 1985:63
- e Brasil (PB-MG), Fr Guiana  
e Brasil (BA, ES)
- Seabraia** Zajciw, 1958:257  
**sanguinicollis** Zajciw, 1958:259  
**zajciwi** Lane, 1965:282
- nw Brasil (AM)  
nc Brasil (PA)
- Seabriella** Zajciw, 1960:138  
**fasciata** Zajciw, 1960:139
- se Brasil (RJ)
- Sphaenothecus** Dupont, 1838: xii  
*Sphenothecus*; White, 1853:85  
*Sphoenothecus*; Thomson, 1864:205  
*Taranomis* Casey, 1912:333  
*Iscnocnemis*; LeConte, 1873:316 (not Thomson, 1864)  
**argenteus** Bates, 1880:84  
**bivittata** Dupont, 1838:58
- w Mexico (SI-CHS)-Guatemala  
sw USA (CA-TX), Mexico-Nicaragua ,

- bilineata* (Gory in Guérin-Méneville, 1831: pl. 45, fig. 9) n Baja Calif  
*cylindricollis* Casey, 1924:267  
*nematocera* Casey, 1924:268
- facetus** Chemsak & Noguera, 1998:21  
**maccartyi** Chemsak & Noguera, 1998:20  
**picticornis** Bates, 1880:84  
**toledo** Chemsak & Noguera, 1998:19  
**trilineatus** Dupont, 1838:57  
*tomentosus* Dupont, 1838:56  
*lateralis* Bates, 1885:329
- Steinheilia** Lane, 1973:377  
**mandibularis** Lane, 1973:379
- Stenaspis** Audinet-Serville, 1834:51  
*Smileceras* LeConte, 1850:8  
**castaneipennis** Dupont, 1838:52  
**pilosella** Bates, 1892:173  
**plagiata** Waterhouse, 1877:12  
**solitaria** (Say, 1824:410)  
*unicolor* Dupont, 1840:11  
*lugubris* Casey, 1912:318  
**superba** Aurivillius, 1908:5  
**validicornis** Casey, 1912:319  
**verticalis verticalis** Audinet-Serville, 1834:52  
*superbus* Newman, 1838:493  
subsp. **arizonicus** Casey, 1912:318  
subsp. **insignis** Casey, 1924:262
- Stenobatyle** Casey, 1912:326  
*Leptobatyle* Linsley, 1935:101  
**eburata** (Chevrolat, 1862:755)  
*trucidata* Chevrolat, 1862:755  
*unicostata* Casey, 1912:332  
**gracilis** Chemsak, 1980:116  
**inflaticollis** (Linsley, 1935:101)  
**miniatocollis** (Chevrolat, 1862:756)  
*cribrata* Casey, 1912:331  
**prolixa** (Bates, 1892:180)
- Sternacanthus** Audinet-Serville, 1832:172  
**allstoni** Bates, 1870:426  
**batesi** Pascoe, 1862:355  
**pivicornis** Thomson, 1860:209  
**picticornis** Pascoe, 1857:95  
**sexmaculatus** Bates, 1870:426  
**undatus** (Olivier, 1795:32)  
**unifasciatus** Aurivillius, 1922:162
- Stiphilus** Buquet, 1840:172  
**quadripunctatus** Buquet, 1840:172  
*quadrisignatus*; Thomson, 1864:297
- Streptolabis** Bates, 1867:23  
**hispidoides** Bates, 1867:23
- Tamenes** Gounelle, 1912:133  
**sarda** Gounelle, 1912:134
- Guatemala, Costa Rica  
w Mexico (JA, SI)  
c Mexico (MI-VC, OA)  
s Mexico (CHS, OA), Honduras, Costa Rica  
sw USA (TX)-Mexico( VC, SI, OA)
- Panama, Colombia
- sw Mexico (OA)  
sw Mexico (GR)  
Guatemala  
sw USA (AZ), n Mexico (DU, SO), Baja Calif
- Bolivia  
sw Mexico (GR)  
Mexico (MO, PU, SO, VC), Honduras  
sw USA (AZ)  
sw USA (TX)
- n Mexico (widely distributed)-Costa Rica
- w Mexico (JA, GR)  
Mexico (ME, GR)  
Mexico (SO-OA, VC)  
sw Mexico (JA-CHS)
- nc Brasil (AM, PA)  
nc Brasil (PA)  
Peru  
Ecuador, Peru, nc Brasil (AM, PA)  
nc Brasil (PA)  
Guianas, nc Brasil (PA)  
nc Brasil (PA)
- e Brasil (RJ)
- wc Brasil (AM, RO, MT), Ecuador
- Panama

- Trachelissa** Aurivillius, 1912:449  
*Trachelia*; Audinet-Serville, 1834:25 (not Scopoli, 1769)  
**maculicollis** (Audinet-Serville, 1834:26) se Brasil (GO, MT, RJ-RS), Paraguay, Argentina, Uruguay  
var. *rufiventris* Gounelle, 1911:227 e Brasil (BA-SP)  
**pustulata** (Audinet-Serville, 1834:25)  
*octolineata* Audinet-Serville, 1834:26  
**rugosipennis** (Gounelle, 1911:228) e Brasil (GO, BA)
- Trachyderomorpha** Tippmann, 1960:149  
**notabilis** Tippmann, 1960:150 Bolivia
- Trachyderes (Trachyderes)** Dalman in Schoenherr, 1817:364  
**armatus** Monné & Martins, 1973:71 Brasil (AM, PA, RJ, SP), Paraguay  
**badius** Dupont, 1840:9 Colombia  
*spadiceus* Dupont, 1840: pl. 36  
**cauaburi** Huedepohl, 1985:101 nw Brasil (AM)  
**cingulatus** Klug, 1825:456 Brasil (AM, MT), Peru, Bolivia  
*reichii* Dupont, 1836:31  
*reichei peruvianus* Tippmann, 1953:323  
ab. *reducta* Tippmann, 1960:146  
**distinctus** Bosq, 1951:105 Bolivia, Paraguay, n Argentina (TU)  
*cochabambae* Tippmann, 1960:146  
**elegans elegans** Dupont, 1836:30 Mexico (ME, OA, PU, VC)-Panama, Ecuador  
*subpilosus* Bates, 1880:89  
var. *eximius* Bates, 1885:332  
subsp. **blandus** Dupont, 1840:8 Costa Rica-Colombia, Venezuela  
subsp. **nigerrimus** Huedepohl, 1985:124 Peru  
**hermani** Huedepohl, 1985:104 Panama, Colombia  
**hilaris** Bates, 1880:90 Costa Rica, Colombia, Ecuador  
*colombiana* Lane, 1973:374  
**leptomerus leptomerus** Aurivillius, 1908:6 Peru  
subsp. **batesi** Martins, 1975:87 Ecuador  
subsp. **boliviensis** Aurivillius, 1908:6 Peru, Bolivia  
**melas** Bates, 1870:432 nc Brasil (PA), Fr Guiana  
**pacificus** Huedepohl, 1985:117 Ecuador  
**politus** Bates, 1870:432 Mexico-Colombia, Venezuela, Fr Guiana  
**succinctus succinctus** (Linnaeus, 1758:391) Nicaragua-Argentina, W Indies  
*zonarius* Houttuyn, 1766:566 (widely distributed)  
*cayennensis* Dupont, 1836:34  
*transversalis* Dupont, 1836:35  
*intermedius* Dupont, 1836:35  
*rubripes* Dupont, 1836:37  
*interruptus* Dupont, 1836:38  
*subfasciatus* Dupont, 1836:38  
*nigricornis* Aurivillius, 1908:6  
subsp. **duponti** Aurivillius, 1912:481 Brasil, Paraguay, Argentina  
*mm-ornata* Tippmann, 1960:146  
subsp. **flaviventris** Aurivillius, 1908:6 Peru  
*nigricornis*; Martins, 1975:83 (not Aurivillius, 1908)  
subsp. **latecinctus** Martins, 1975:88 nw Brasil (AM)  
subsp. **melzeri** Schwarzer, 1929:363 s Brasil (MS), Paraguay, Argentina
- Trachyderes (Dendrobias)** Dupont in Audinet-Serville, 1834: 41  
*Dendrobias*; LeConte, 1858:40  
**mandibularis mandibularis** Dupont in Audinet-Serville, 1834:42 sw USA (TX-CA), nw Mexico, Baja Calif  
*testaceus* Dupont, 1836:24  
*basalis* Dupont, 1840:6  
*quadrimaculatus* Dupont, 1836:22  
*spinicollis* Bates, 1885:332  
*debilicollis* Casey, 1912:316  
*peninsularis* Casey, 1912:316  
subsp. **reductus** Casey, 1912:316 sw USA (CA,AZ), Baja Calif



- subsp. **virens** Casey, 1912: 316  
**maxillosus** Dupont in Audinet-Serville, 1834:44  
**steinhauseni** (Huedepohl, 1987:199)
- sw USA (TX)  
 Martinique, Nicaragua (?)  
 Honduras, Costa Rica
- Tragidion** Audinet-Serville, 1834:89  
*Trichoscelis* Bates, 1885:324  
**annulatum** LeConte, 1858: 83  
**armatum armatum** LeConte, 1858:25  
*texanum* Schaeffer, 1932:152  
 subsp. **brevipenne** Linsley, 1957:33  
**auripenne** Casey, 1893:586  
*fulvipenne*; Casey, 1893:586 (not Say, 1824)  
*hirsuticolle* Casey, 1912:321  
*densiventre* Casey, 1912:322  
*parowanum* Casey, 1924:263  
**bicolor** Bates, 1885:324  
**carinatum** Thomson, 1860:204  
**coquus** (Linnaeus, 1758:393)  
*lynceum* Fabricius, 1775:191  
*fulvipenne* Say, 1824:414  
*melsheimeri* Germar, 1824:502  
*coquus filicornis* Casey, 1912:323  
*fulvipenne nubifer* Casey, 1912:323  
*fulvipenne levipes* Casey, 1912:323  
*apicatum* Casey, 1912:323  
**cyanovestis** Chemsak & Linsley, 1979:268  
**dichromaticum** Linsley, 1957:38  
**gracilipes** Linsley, 1940:136  
**peninsulare peninsulare** Schaeffer, 1908:339  
*annulatum*; Casey, 1893:856 (not LeConte, 1858)  
 subsp. **californicum** Linsley, 1940:137
- sw USA (TX, AZ), n Mexico (SO), Baja Calif  
 sw USA (TX-CA), Baja Calif  
 sw USA (CA)  
 sw USA (AZ, NM, UT)  
 c Mexico (GU)  
 sw Mexico (OA)  
 e Namer-NM  
 Honduras  
 sc Mexico (MO, JA, GR)  
 sw USA (CA)  
 sw USA (CA), Baja Calif  
 sw USA (CA)
- Triacetelus** Bates, 1892:176  
*Paramphionthe* Zajciw, 1964:437  
**emarginatus** (Chevrolat, 1862:758)  
**sericatus** Bates, 1892:176  
*moestula* Zajciw, 1964:438  
**viridipennis** Chemsak & Linsley, 1976:217
- se Mexico (YU)  
 w Mexico (SI, OA, NA, ME, JA, GR)-Honduras  
 w Mexico (MI)
- Tropidosoma** Perty, 1832:85  
*Alloцерus* Audinet-Serville, 1832:180  
**bicarinatum** Monné & Monné, 1998: 531  
**dilaticorne** (Gory, 1832:384)  
*penniferum* Bates, 1870:423  
**spencei** (Kirby, 1818:438)
- Argentina  
 Fr Guiana, nw Brasil (AM)  
 e Brasil (RJ-RS, GO), Paraguay,  
 Argentina, Uruguay
- Tuberorachidion** Tippmann, 1953:332  
**lanei** Tippmann, 1953:335  
**pumilio** (Gounelle, 1911:242)  
*zellibori* Tippmann, 1953:334
- e Brasil (MG-SP)  
 e Brasil (GO, BA-PR)
- Tylosis** LeConte, 1850:9  
**dimidiata** Bates, 1892:177  
**hilaris** Linsley, 1957:34  
**jimenezii** Dugès, 1879:186  
**maculatus** LeConte, 1850:9  
*sellatus* LeConte, 1858:25  
*robusta* Casey, 1912:342  
*argus* Casey, 1912:342  
*sexualis* Casey, 1912:343  
*texana* Casey, 1912:343  
*subtruncata* Casey, 1912:343
- se Mexico (YU)  
 Mexico  
 sw USA (TX)-c Mexico (CO, DU, GU)  
 sw USA (AZ-TX), n Mexico (SO)

- brevicollis* Casey, 1912:344  
*medialis* Casey, 1912:344  
*medialis bifasciata* Casey, 1912:344  
*conjuncta* Casey, 1912:344  
*conjuncta parva* Casey, 1912:345  
**oculatus** LeConte, 1850:9  
**puncticollis** Bates, 1885:325  
*angusticollis* Bates, 1885:325  
*maculata*; Bates, 1880:81 (not LeConte, 1850)  
*sellata*; Bates, 1880:81 (not LeConte, 1858)  
*puncticollis arizonicus* Linsley, 1957:34  
**suturalis** White, 1853:141  
**triangularis** Monné & Martins, 1981:188
- sw USA (TX), Mexico (DU, ME, PU, VC)  
sw USA (AZ), Mexico (widely distributed)
- c Mexico (GU)  
wc Mexico (DU)
- Uragus** Guérin-Méneville, 1844:230  
**hamaticollis** Guérin-Méneville, 1844:231
- s Argentina
- Weyrauchia** Tippmann, 1953:226  
**nobilis** Tippmann, 1960:142  
**viridimicans** Tippmann, 1953:227  
 ab. *rubra* Tippmann, 1960:141
- Peru  
Peru
- Xylocaris** Dupont in Audinet-Serville, 1834:47  
**oculata** Dupont in Audinet-Serville, 1834:48  
*elegantulus* Dupont, 1838:30  
*argentinus* Bruch, 1908:216
- se Brasil (MG-RS), Paraguay, Argentina,  
Uruguay
- Zalophia** Casey, 1912:335  
**funeris** (Bates, 1880:85)  
*spissicornis* Casey, 1912:336
- s Mexico (CHS), Guatemala, Ecuador
- Zenochloris** Bates, 1885:311  
**barbicauda** Bates, 1892:168  
**densepunctata** Fuchs, 1976:58  
**freyi** Fuchs, 1966:36  
**paradoxa** Bates, 1885:312  
**vandykei** Linsley, 1935:92
- Mexico (GR)  
Mexico (PU)  
Mexico (PU)  
Panama  
Mexico (SI)
- Zonotylus** Gahan in Grimshaw, 1898:9  
**interruptus** (Olivier, 1790:307)
- nc Brasil (PA)

**Basipterini** Fragoso, Monné & Seabra, 1987:201

- Basiptera** Thomson, 1864:204  
*Baseoptera*; Gemminger & Harold, 1872:2976  
*Anosternus* Burmeister, 1879:198  
**castaneipennis** Thomson, 1864:205  
*sanguinolentus* Burmeister, 1865:162
- Paraguay, Argentina
- Diastrophosternus** Gounelle, 1911:233  
**bruchii** Gounelle, 1911:234
- Paraguay, n Argentina (MI, SE)

**Cerambycine taxa presently without definite tribal assignment**

- Dolichopterus** Tippmann, 1953: 335  
**bucki** Lane, 1973:112  
**olivascens** Lane, 1973:113  
**rhamnusioides** Tippmann, 1953:337
- Brasil (MT), Costa Rica, Panama, Ecuador  
e Brasil (MG, ES)  
se Brasil (MG-SC)

**Ideratus** Thomson, 1864:183  
**cyanipennis** Thomson, 1864:183 Colombia

### Cerambycine taxa of uncertain identity

**Callidium brevicorne** Olivier, 1790:261 North America  
**Callidium fulvicolle** Fabricius, 1792:324 Surinam  
**Cerambyx castaneus** Voet, 1778:18 America  
**Cerambyx clavipes** Forster, 1771:42 North America  
**Cerambyx ferruginosus** Goeze, 1777:477 America  
**Cerambyx lucidus** Olivier, 1790:309 America  
**Cerabyx praepes** Voet, 1778:22 America  
**Cerambyx rufus** Voet, 1806:25 America  
**Cerambyx umbraticus** Olivier, 1795:129 Fr Guiana  
**Elaphidion pusillum** Haldeman, 1847:34 NAmer

### Subfamily Lepturinae Latreille, 1804:305

*Rhagiadae* Kirby in Richardson, 1837:178

*Dérécéphalides* Mulsant, 1839:212

*Stenocoritae* Thomson, 1864:142

### Desmocerini Blanchard, 1845:163

*Dorcasomides* Lacordaire, 1869:456

### **Desmocerus** Dejean, 1821:111

**aureipennis aureipennis** Chevrolat, 1855:187 w USA (CA, OR)  
*auripennis*; LeConte, 1857:23  
subsp. **cribripennis** Horn, 1881:vii w NAmer (Br Col, WA, OR, n CA)  
subsp. **lacustris** Linsley & Chemsak, 1972:11 nw USA (OR)  
subsp. **piperi** Webb, 1905:104 w NAmer (n Rocky Mts)  
**californicus californicus** Horn, 1881:vii w USA (CA)  
subsp. **dimorphus** Fisher, 1921:207 w USA (CA)  
**palliatus** (Forster, 1771:40) e NAmer  
*blandus* Fabricius, 1775:182  
*cyaneus* Fabricius, 1775:823  
*elongatus* Bland, 1862:269

### Necydalini Latreille, 1825:401

### **Atelopteryx** Lacordaire, 1869:473

**compsoceroides** Lacordaire, 1869:474 se Brasil (RJ-RS), Paraguay, Argentina

### **Callisphyrus** Newman, 1840:1

*Callisphyrus*; Thomson, 1864:151

**apicicornis** Fairmaire & Germain, 1859:497 Chile, wc Argentina (NE)  
*vespa* Fairmaire & Germain, 1861:106  
**crassus** Barriga & Peña, 1994:93 Chile  
**ficheti** Barriga & Peña, 1994:93 Chile  
**fritzi** Cerda, 1968:101 Chile  
**leptopus** Philippi, 1859:673 Chile, sw Argentina (NE-SC)  
*semicaligatus* Fairmaire & Germain, 1859:496  
*schytei* Philippi, 1862:412  
*schythei*; Philippi & Philippi, 1864:380  
**macropus** Newman, 1840:1 Chile, wc Argentina (NE)  
*auriventris* Cerda, 1993:13  
**molorchoides** (Guérin-Méneville, 1838:66) Chile, wc Argentina (NE)  
*annulatus* Philippi & Philippi, 1864:380

<b>odynerooides</b> Fairmaire & Germain, 1864:385	Chile, wc Argentina (NE)
<i>uretai</i> Cerda, 1963:3	
<b>pepsiooides</b> Barriga & Peña, 1994:92	Chile
<b>rufiventer</b> Philippi, 1859:673	Chile
<i>concolor</i> Fairmaire & Germain, 1861:105	
<i>testaceipes</i> Fairmaire & Germain, 1864:286	
<i>asphaltinus</i> Fairmaire & Germain, 1859:497	
<b>Cauarana</b> Lane, 1974:528	
<b>iheringi</b> (Gounelle, 1910:46)	se Brasil
<b>Hephaestion</b> Newman, 1840:10	
<b>annulatum</b> Philippi, 1859:672	Chile, wc Argentina (NE)
<b>auratum</b> Cerda, 1968:103	Chile
<b>bullocki</b> Cerda, 1968:102	Chile
<b>chalybeum</b> Philippi, 1865:653	Chile
<b>corralensis</b> Philippi & Philippi, 1864:379	Chile
<b>cyanopterum</b> Philippi & Philippi, 1864:377	Chile
<b>flavicornis</b> Philippi & Philippi, 1864:378	Chile
<b>fuscescens</b> Philippi & Philippi, 1864:379	Chile
<b>holomelas</b> Philippi & Philippi, 1864:379	Chile
<b>lariosi</b> Bosq, 1951:194	Chile
<b>nigricornis</b> Fairmaire & Germain, 1861:105	Chile
<b>ocreatum</b> Newman, 1840:10	Chile, wc Argentina (NE)
<b>pallidicornis</b> Fairmaire & Germain, 1859:493	Chile
<b>tolhuaca</b> Cerda, 1995:75	Chile
<b>versicolor</b> Philippi, 1859:671	Chile
<b>violaceipennis</b> Fairmaire & Germain, 1861:105	Chile, wc Argentina (NE)
<i>iopterus</i> Philippi & Philippi, 1864:368	
<b>Hephaestioides</b> Zajciw, 1961:217	
<b>cyanipennis</b> Zajciw, 1961:218	se Brasil (RJ)
<b>Mendesina</b> Lane, 1974:526	
<b>carinithorax</b> (Mendes, 1938:118)	c Brasil (GO)
<b>Necydalis</b> Linnaeus, 1758:421	
<b>acutipennis</b> Van Dyke, 1923:51	w USA (CA, OR)
<b>barbarae</b> Rivers, 1890:112	w USA (CA)
<b>cavipennis</b> LeConte, 1873:204	w NAmer, nw Mexico, Baja Calif
<b>diversicollis diversicollis</b> Schaeffer, 1932:152	w NAmer
<i>laevicollis</i> ; Van Dyke, 1923:52 (not LeConte, 1869)	
subsp. <b>californica</b> Linsley, 1940:279	w USA (CA)
<b>laevicollis</b> LeConte, 1869:383	w NAmer
<i>laevicollis seminiger</i> Linsley, 1940:277	
<b>mellita</b> (Say, 1835:194)	e NAmer
<i>melitta</i> ; Hamilton, 1895:338	
<i>americanus</i> Haldeman, 1847:44	
<b>rudei</b> Linsley & Chemsak, 1972:19	w USA (CA)
<b>Parahephaestion</b> Melzer, 1930:192	
<b>brasiliensis</b> (Melzer, 1923:8)	se Brasil (MG)
<b>malleri</b> (Melzer, 1930:191)	s Brasil (SC)
<b>zikani</b> (Melzer, 1923:7)	se Brasil (MG)
<b>Planopus</b> Bosq, 1953:78	
<b>laniniensis</b> Bosq, 1953:78	Chile, wc Argentina (NE)
<i>lugubris</i> Prosen, 1962:147	
<b>octaviusbarrosi</b> Cerda, 1968:102	Chile

**Platynocera** Blanchard in Gay, 1851:471

*Stenorhopalus* Blanchard in Gay, 1851:477

*Stenorrhopalus*; Gemminger & Harold, 1872:2880

**andina** Cerda, 1968:104

Chile

**annulata** Philippi & Philippi, 1864:381

Chile

**bicolor** Philippi, 1865:652

Chile

**flavicans** (Fairmaire & Germain, 1859:495)

Chile

**gracilipes** (Blanchard in Gay, 1851:469)

Chile, wc Argentina (NE)

**gracilis** (Blanchard in Gay, 1851:478)

Chile, wc Argentina (NE)

**lepturoides** Blanchard in Gay, 1851:473

Chile

**macer** (Newman, 1840:10)

Chile, Argentina

**monsalvei** Cerda, 1954:94

Chile

**nigriceps** Philippi, 1859:673

Chile

**opaca** (Fairmaire & Germain, 1859:494)

Chile

**rubriceps** Blanchard in Gay, 1851:472

Chile

**rufefemorata** (Fairmaire & Germain, 1859:494)

Chile

**rugosa** (Fairmaire & Germain, 1861:106)

Chile, wc Argentina (NE)

**valdiviensis** Cerda, 1995:76

Chile

**virescens** (Fairmaire & Germain, 1859:495)

Chile

**Rhathymoscelis** Thomson, 1860:160

**batesi** Lane, 1965:277

Guatemala

*haldemani*; Bates, 1885:287 (not Thomson, 1860)

**dormei** Gounelle, 1910:48

se Brasil (MG)

**haldemani** Thomson, 1860:161

sw Mexico (GR)

**melzeri** Costa Lima, 1922:22

se Brasil (RJ)

**peruibensis** Lane, 1951:8

s Brasil (SP)

**rothschildi** Lane, 1965:281

sw Mexico (OA)

**taunayi** Lane, 1936:772

s Brasil (SP)

**wheeleri** Lane, 1974:524

Guyana

**zikani** Melzer, 1931:54

nw Brasil (AM)

**Ulochaetes** LeConte, 1854:82

**leoninus** LeConte, 1854:82

w NAmer (Br Col, WA, ID, OR, CA), Baja Calif

**Lepturini** Latreille, 1804:305

*Encyclopinini* LeConte, 1873:326

*Rhagii* Boppe, 1921:14

*Toxotini* Boppe, 1921:14

**Acmaeops** LeConte, 1850:235

**discoideus** (Haldeman, 1847:60)

e NAmer

**proteus proteus** (Kirby in Richardson, 1837:186)

NAmer (montane regions)

*sublineata* Haldeman, 1847:60

*gibbula* LeConte, 1861:356

*pinicola* Schaeffer, 1908:341

*parkeri* Casey, 1913:242

*lacustrina* Casey, 1913:242

*obsoleta* Casey, 1913:243

*puncticeps* Casey, 1913:243

*aurora* Casey, 1913:244

*coloradensis* Casey, 1913:244

*cavicollis* Casey, 1913:244

*scutellata* Casey, 1924:276

subsp. **durangoensis** Linsley & Chemsak, 1972:98

nw Mexico (DU)

**Acmaeopsoides** Linsley & Chemsak, 1976:166

**rufula** (Haldeman, 1847:60)

ne NAmer

**Alosternida** Podany, 1961:27

**chalybaea** (Haldeman, 1847:60)

e USA

- Analeptura** Linsley & Chemsak, 1976:26  
**lineola** (Say, 1824:421) e NAmer  
*indirecta* Newman, 1841:71  
*cincta* Haldeman, 1847:63  
*cincta* var. *obsoleta* Haldeman, 1847:63  
*cincta* var. *lateralis* Haldeman, 1847:63
- Anastrangalia** Casey, 1924:280  
**haldemani** (Casey, 1891:42) sw USA (AZ, NM), nw Mexico (DU)  
*lucifera* Hopping, 1922:163  
**laetifica** (LeConte, 1859:89) w NAmer, n Baja Calif  
*lugens* LeConte, 1859:89  
**sanguinea** (LeConte, 1859:89) s Canada, w USA  
*boulderensis* Casey, 1913:252  
*apicata* Casey, 24:280
- Anthophylax** LeConte, 1850:326  
*Anthophilax*; LeConte in Agassiz, 1850:236  
**attenuatus** (Haldeman, 1847:59) se Canada, ne USA  
**cyaneus** (Haldeman, 1847:151) e NAmer  
*malachiticus* Haldeman, 1847:64  
**hoffmani** Beutenmüller, 1903:518 se USA  
**viridis** LeConte, 1850:326 e NAmer  
*viridis viridipennis* Casey, 1918:416
- Bellamira** LeConte, 1873:328  
**scalaris** (Say, 1826:278) e NAmer, Puerto Rico (?)  
*coarctatus* Haldeman, 1847:59
- Brachyleptura** Casey, 1913:247  
**champlaini** Casey, 1913:254 e USA  
*vagans* Swaine & Hopping, 1928:63 (part)  
**circumdata** (Olivier, 1795:32) e USA  
*subquadrata* Casey, 1913:251  
**dehiscens** (LeConte, 1859:89) w NAmer  
**pernigra** (Linell, 1897:397) w USA (s CA)  
**rubrica** (Say, 1824:418) e NAmer  
*erythroptera* Germar, 1824:522  
**vagans** (Olivier, 1795:31) e NAmer  
*brevis* Kirby in Richardson, 1837:182  
*cuneatula* Casey, 1913:253  
*fusella* Casey, 1913:254  
*puella* Casey, 1913:254  
*puella tetrica* Casey, 1913:255  
**vexatrix** (Mannerheim, 1853:250) w NAmer, s Alaska  
*quadrillum* LeConte, 1859:88  
*convolvens* Casey, 1913:250
- Brachysomida** Casey, 1913:219  
**atra** (LeConte, 1850:323) sw Canada, nw USA (WA-CO)  
*morata* Casey, 1913:222  
*aterrima* Casey, 1924:276  
**bivittata** (Say, 1824:416) s Canada, e USA  
*nigripennis* LeConte, 1850:323  
*varians* LeConte, 1850:324  
*fusciceps* LeConte, 1850:324  
*incertus* Bland, 1863:321  
*oblongus* Casey, 1913:218  
**californica** (LeConte, 1851:101) w USA (CA, OR, WA)  
*subaeneus* LeConte, 1851:101

*tumida* LeConte, 1857:63  
*fusca* LeConte, 1857:62  
*subcyanea* LeConte, 1857:63  
*lugens* LeConte, 1857:62  
*viola* LeConte, 1860:321  
*mollipilosa* LeConte, 1860:321  
*pinguis* LeConte, 1873:210  
*celestina* Casey, 1913:222  
*corpulenta* Casey, 1913:222  
*lanatula* Casey, 1913:224  
*francisca* Casey, 1913:225  
*californica proxima* Casey, 1913:225  
*brevicornis* Casey, 1913:226  
*trinitatis* Casey, 1913:226  
*tumidiceps* Casey, 1913:227  
*caerulea* Casey, 1913:227  
*caerulea chalybea* Casey, 1913:228  
*robustula* Casey, 1913:228  
*protensicollis* Casey, 1913:228  
*hirsuta* Casey, 1913:228  
*lepidula* Casey, 1913:229  
*versicolor* Casey, 1913:229  
**rugicollis** Linsley & Chemsak, 1972:135 nc USA (Rocky Mts)  
**vittigera** Linsley & Chemsak, 1972:127 w USA (CA)  
*corpulenta*; Hopping, 1943:119 (not Casey, 1913)

### **Centrodera** LeConte, 1850:325

*Rhamnusium*; Haldeman, 1847:58  
*Centrodera (Apatophysis)*; Gressitt, 1947:191  
*Parapachyta* Casey, 1913:216  
**autumnata** Leech, 1963:173 w USA (CA)  
**dayi** Leech, 1963:178 w USA (WA, OR, n CA)  
**decolorata** (Harris, 1841:93) e NAmer  
*rubidus* Haldeman, 1847:58  
*decolorata lacustris* Casey, 1918:416  
**minima** Linsley & Chemsak, 1972:40 wc USA (CO)  
**nevadica nevadica** LeConte, 1873:205 w USA  
 subsp. **arizonica** Linsley & Chemsak, 1972:42 sw USA (AZ)  
**oculata oculata** Casey, 1913:202 w USA (c CA)  
*nevadica*; Fall, 1901:148 (not LeConte, 1873)  
*arida* Van Dyke, 1946:89  
 subsp. **blaisdelli** Van Dyke, 1927:102 w USA (s CA)  
**osburni** Knull, 1947:73 w USA (CA)  
**quadrimaculata** (Champlain & Knull, 1922:147) e USA (OH)  
**spurca** (LeConte, 1857:63) w NAmer (Br Col, WA, OR, CA, UT), Baja Calif  
*cervinus* Walker, 1866:332  
**sublineata** LeConte, 1862:40 e USA  
**tenera** Casey, 1913:203 w USA (CA)  
*pilosa* Van Dyke, 1927:101

### **Charisalia** Casey, 1913:247

**americana** (Haldeman, 1847:63) e USA

### **Chontalia** Bates, 1872:233

**cyanicollis** Bates, 1872:233 Guatemala-Costa Rica  
*cyanipennis*; Linsley & Chemsak, 1971:23  
*cyanicolor*; Linsley & Chemsak, 1971:23

### **Choriolaus** Bates, 1885:283

*Euryptera* LeConte & Horn 1883:313 (part)  
**aegrotus** Bates, 1885:283 sw Mexico (OA)  
**auratus** Giesbert & Wappes, 1999: 9 Guatemala

**celestae** (Chemsak & Linsley, 1974:37)  
**derhami** Chemsak & Linsley, 1976:40  
**filicornis** (Linsley & Chemsak, 1971:4  
**flavirostris** (Bates, 1880:40)  
**fulveolus** (Bates, 1885:283)  
**gracilis** (Chemsak & Linsley, 1974:39)  
**hirsutus** (Bates, 1885:283)  
**howdeni** Giesbert & Wappes, 1999: 8  
**laticens** Bates, 1885:284  
**nigripennis** Giesbert & Wappes, 1999: 10  
**ruficollis** (Pascoe, 1866:289)  
**sabinoensis** (Knull, 1954:129)  
**sulcipennis** Linsley, 1970:139  
**suturalis** Giesbert & Wappes, 1999: 11  
**yucatanus** Giesbert & Wappes, 1999: 12

s Mexico (CHS)  
 sw Mexico (OA)  
 s Mexico (CHS)-Honduras  
 Guatemala  
 Guatemala  
 Costa Rica  
 Mexico (CHS, OA, VC)  
 Mexico (CH)  
 sw Mexico (OA)  
 Guatemala  
 Colombia  
 sw USA (AZ)  
 se Mexico (VC)  
 Guatemala, Honduras  
 Mexico (YU, QR)

### **Comacmaeops** Linsley & Chemsak, 1972:88

**brunnea** (Knull, 1962:107)  
**parva** Linsley & Chemsak, 1972:89

sw USA (TX)  
 Mexico (HI, GR)

### **Cortodera** Mulsant, 1864:188

*Acmaeops* LeConte, 1850:321 (part)

*Leptacmaeops* Casey, 1913:219

*Leptacmaeops (Acmaeopsilla)* Casey, 1913:240

**barri** Linsley & Chemsak, 1972:120  
**bivittata** Linsley & Chemsak, 1972:121  
**coniferae** Hopping & Hopping, 1947:233  
**cubitalis** (LeConte, 1861:355)  
*basalis* LeConte, 1873:211  
*basalis dichroma* Casey, 1913:231  
*cuneata* Casey, 1913:232  
*auricollis* Casey, 1913:232  
*elegantula* Casey, 1913:232  
*quadrinotata* Casey, 1913:233  
*tenuis* Casey, 1913:233  
*temporalis* Casey, 1913:233  
*minima* Casey, 1913:234

wc USA (OR, NE, ID)  
 sw USA (AZ)  
 sw Canada, w USA (OR, CO)  
 w USA (CA)

**falsa** (LeConte, 1860:80)  
**ferrea** Linsley & Chemsak, 1972:115  
**fraudis** Linsley & Chemsak, 1972:121  
**funerea** Linsley & Chemsak, 1972:118  
**impunctata** Hopping & Hopping, 1947:222  
**longicornis** (Kirby in Richardson, 1837:185)

sw USA (CA), n Baja Calif  
 sw USA (CA)  
 w USA (CA, NE)  
 w USA (CA)  
 nw USA (WA, OR)  
 w NAmer

*dorsalis* LeConte, 1859:21  
*vincta* LeConte, 1861:356  
*ligata* LeConte, 1873:211  
*marginalis* LeConte, 1857:23  
*punctiventris* Casey, 1913:238  
*alticola* Casey, 1913:239  
*suturalis* Casey 1924:277  
*oregonensis* Hopping & Hopping, 1947:227  
*harneyensis* Hopping & Hopping, 1947:228  
*bakeri* Hopping & Hopping, 1947:229

**militaris militaris** (LeConte, 1850:322)  
 subsp. **constans** Linsley & Chemsak, 1972:110  
 subsp. **variipes** (Casey, 1891:38)  
*berkeleyensis* Hopping & Hopping, 1947:226

w NAmer (Br Col, WA, OR, n CA)  
 w USA (n CA)  
 w USA (CA)

**nitidipennis** (Casey, 1913:236)  
**placereensis** Hopping & Hopping, 1947:223  
*sierrae* Hopping & Hopping, 1947:224

nw USA (WA, OR)  
 w USA (CA)

**robusta** Hopping & Hopping, 1947:234  
**spuria** (LeConte, 1873:228)  
**stolida** (Casey, 1924:277)

nw USA (WA)  
 nw USA (ID-CO)  
 w USA (CA, NE)



- subpilosa** (LeConte, 1850:322) w NAmer (Br Col, WA, OR, CA, UT)  
*lupina* LeConte, 1860:321  
*intermedia* Casey, 1913:236  
*pugetana* Casey, 1913:237  
*quadriceps* Casey, 1913:237
- thorpi** Linsley & Chemsak, 1972:123 w USA (NE)  
**tuberculicollis** Linsley & Chemsak, 1972:118 sw USA (NM)  
**vanduzeei** Linsley & Chemsak, 1972:122 w USA (CA)
- Cosmosalia** Casey, 1913:267
- chrysocoma** (Kirby in Richardson, 1837:179) Canada, w USA, n USA, n Mexico  
*auripilis* LeConte, 1850:339  
*aureola* Casey, 1913:268  
*auripilis densepilosa* Casey, 1924:281
- nigrolineata nigrolineata** (Bland, 1865:383) wc USA (NM, CO)  
 subsp. **truxali** (Papp, 1955:217) sw USA (NM)
- Cyphonotida** Casey, 1913:247
- rostrata rostrata** (Bates, 1872:183) Colombia, w Mexico-Panama  
*laevicollis* (Bates, 1880:39)  
 subsp. **borealis** Linsley & Chemsak, 1976:135 sw USA (AZ), n Mexico  
*ventralis*; Casey, 1913:260 (not Horn, 1894)  
 subsp. **ventralis** (Horn, 1894:401) Baja Calif  
 subsp. **texana** Giesbert & Hovore, 1998: 19 sTX
- Dorcasina** Casey, 1913:269
- grossa** (LeConte, 1873:225) w USA (CA)  
**matthewsii** (LeConte, 1869:384) w NAmer (Pac Cst)  
*macrocera* Casey, 1913:270
- Encyclops** Newman, 1838:392
- Microrhabdium* Kraatz, 1879:118  
*Microrhabdium*; Plavilststshikov, 1936:108
- caerulea** (Say, 1826:280) e NAmer  
*pallipes* Newman, 1838:392  
**californica** Van Dyke, 1920:45 w USA (CA, OR)
- Eurylemma** Chemsak & Linsley, 1974:40
- auricollis** Chemsak & Linsley, 1974:40 s Mexico (CHS)
- Euryptera** Lepeletier & Audinet-Serville in Latreille, 1828:687
- albosterna** Chemsak & Linsley, 1974:42 Costa Rica  
**atripennis** Bates, 1870:313 nw Brasil (AM)  
**bicolor** Gounelle, 1911:109 c Brasil (GO)  
**brasiliensis** Fuchs, 1956:568 se Brasil (RJ)  
**latipennis** Lepeletier & Aud.-Serville in Latreille, 1828:688 se Brasil (ES-RS), Argentina  
 var. *virgata* Gounelle, 1911:107  
**leonina** Gounelle, 1911:108 c Brasil (GO)  
**nigrosuturalis** Melzer, 1935:183 s Brasil (SC)  
**unilineatocollis** Fuchs, 1956:567 s Brasil (SP, SC)  
**venusta** Breme, 1844:311 Colombia
- Evodinus** LeConte, 1850:325
- Brachyta* Fairmaire in Jacquelin du Val, 1864:185
- lanhami** Lewis, 1976:227 nc USA (WY)  
**monticola monticola** (Randall, 1838:27) e NAmer  
*carolinensis* Casey, 1924:275  
 subsp. **vancouveri** Casey, 1913:216 w Canada, Alaska, nw USA
- Fortuneleptura** Villiers, 1979:25

<b>cameneni</b> Villiers, 1979:26	Martinique
<b>Gaurotes</b> LeConte, 1850:324	
<b>cyanipennis</b> (Say, 1824:423)	e NAmer
<i>laportei</i> Guérin-Méneville, 1831: pl.46, fig.6	
<i>servillei</i> Audinet-Serville, 1835:214	
<i>ione</i> Newman, 1840:30	
<i>leonardii</i> Haldeman, 1847:60	
ab. <i>canadensis</i> Podany, 1962:246	
ab. <i>aurata</i> Podany, 1962:246	
<b>thoracica</b> (Haldeman, 1847:60)	e NAmer
<b>Gnathacmaeops</b> Linsley & Chemsak, 1972:135	
<b>pratensis</b> (Laicharting, 1784:172)	NAmer (boreal regions)
<i>strigilata</i> Fabricius, 1792:341	
<i>longiceps</i> Kirby in Richardson, 1837:187	
<i>semimarginata</i> Randall, 1838:30	
<i>fulvipennis</i> Mannerheim, 1853:251	
<b>Grammoptera</b> Audinet-Serville, 1835:215	
<i>Parallelina</i> Casey, 1913:247	
<b>exigua</b> (Newman, 1841:73)	ne USA
<i>saucia</i> LeConte, 1862:40	
<b>haematites</b> (Newman, 1841:73)	e NAmer-Manitoba
<i>nana</i> Newman, 1841:73	
<i>ruficeps</i> LeConte, 1862:40	
<b>militaris</b> (Chevrolat, 1855:187)	w USA (CA), n Baja Calif
<i>molybdica</i> LeConte, 1873:218 (part)	
<b>molybdica</b> (LeConte, 1850:101)	w NAmer
<b>rhodopus</b> (LeConte, 1874:68)	w USA (OR, CA, NE)
<i>campanifera</i> Casey, 1913:256	
<b>subargentata</b> (Kirby in Richardson, 1837:184)	NAmer (boreal)
<i>similis</i> Kirby in Richardson, 1837:185	
<i>rufibasis</i> LeConte, 1862:40	
<i>quebecensis</i> Couper, 1864:88	
<i>filicornis</i> Casey, 1913:255	
<b>Idiopidonia</b> Swaine & Hopping, 1928:15	
<b>pedalis</b> (LeConte, 1861:355)	e NAmer
<b>Judolia</b> Mulsant, 1863:496	
<b>cordifera</b> (Olivier, 1795:25)	e USA
var. <i>lunaris</i> Haldeman, 1847:59	
<i>deceptiva</i> Casey, 1924:283	
<i>longior</i> Casey, 1924:284	
<b>gaurotoides gaurotoides</b> (Casey, 1893:592)	wc USA (Rocky Mts)
<i>vivarium</i> Casey, 1924:282	
<i>knulli</i> Swaine & Hopping, 1928:46	
subsp. <b>auripilis</b> Linsley & Chemsak, 1976:50	w USA (OR, CA, NE)
<b>impura</b> (LeConte, 1857:64)	w USA (OR, CA)
<b>instabilis</b> (Haldeman, 1847:59)	W NAmer, nw Mexico (DU)
<i>convexa</i> LeConte, 1850:332	
<i>quadrata</i> ; Horn, 1886:xiii (not LeConte, 1873)	
<i>flaviventris</i> Schaeffer, 1908:342	
<i>pacifica</i> Casey, 1913:249	
<i>trajecta</i> Casey, 1913:250	
<b>montivagans montivagans</b> (Couper, 1864:87)	NAmer (boreal regions)
<i>sexmaculata</i> ; Kirby in Richardson, 1837:182 (not Linnaeus, 1758)	
<i>seminigra</i> Casey, 1924:283	
subsp. <b>barberi</b> (Fall, 1907:250)	w USA (OR, CA)
<b>quadrata</b> (LeConte, 1873:225)	w Canada-nc USA (CO)
<b>scapularis</b> (Van Dyke, 1920:43)	w USA, n Baja Calif

- isabellae* Hopping, 1922:162  
**sexspilota** (LeConte, 1859:80) sw USA (CA), n Baja Calif  
*minuta* Casey, 1924:284  
**swainei swainei** (Hopping, 1922:163) w USA (CA), n Baja Cqalif  
 subsp. **jacintana** (Linsley, 1940:256) sw USA (CA)
- Leptalia** LeConte, 1873:204  
**macilenta** (Mannerheim, 1853:253) w Alaska, w NAmer (Pac Cst)  
*frankenhaeuseri* Mannerheim, 1853:252  
*fuscicollis* LeConte, 1857:65
- Leptochoriolaus** Chemsak & Linsley, 1976:47  
**opacus** Chemsak & Linsley, 1976:47 Costa Rica
- Leptorhabdium** Kraatz, 1879:118  
*Leptorrhadium*; Ganglbauer, 1881:686  
*Leptorhabdium*; Ganglbauer, 1881:716  
*Psilorhabdium* Kraatz, 1879:118  
**pictum** (Haldeman, 1847:58) e USA
- Leptura (Leptura)** Linnaeus, 1758:397  
*Stenura* Haldeman, 1847:62 (part)  
*Strangalia*; LeConte, 1850:327 (part)  
*Nakanee* Ohbayashi, 1963:9  
**abdominalis** (Haldeman, 1847:63) e USA  
*atrovittata* Bland, 1864:255  
**anthracina** LeConte, 1875:174 w USA (OR, CA)  
*subcostata* Fall, 1907:249  
**hovorei** Linsley & Chemsak, 1976:103 w USA (CA)  
**kerniana** Fall, 1907:249 w USA (OR, CA)  
**obliterata obliterata** (Haldeman, 1847:62) sw Canada (Br Col), w USA  
*vitiosa* LeConte, 1854:18  
*perductor* Walker in Lord, 1866:333  
*idahoensis* Casey, 1913:259  
 subsp. **deleta** (LeConte, 1850:328) ne USA  
 subsp. **soror** LeConte, 1873:223 w USA (CA)  
**pacifica** (Linsley, 1940:255) sw USA (CA)  
**plagifera** LeConte, 1873:224 w NAmer  
**plebeja** Randall, 1838:28 se Canada, ne USA  
**propinqua** Bland, 1865:384 w NAmer, Alaska  
*regularis* Casey, 1913:259  
*miniscula* Casey, 1913:260  
**sequoiae** (Hopping, 1934:115) w NAmer (CA)  
**subhamata** Randall, 1838:44 se Canada, ne USA  
*interrupta* Newman, 1841:72  
*elegans* Haldeman, 1847:63  
*armata* Haldeman, 1847:63
- Leptura (Stenura)** Dejean, 1837:381  
*Leptura (Megaleptura)* Casey, 1913:267  
**emarginata** Fabricius, 1787:158 e USA  
**gigas** LeConte, 1873:223 sw USA (TX), n Mexico (CHA)  
**splendens** Knull, 1935:191 sw USA (AZ)
- ?
- bonaerensis** Burmeister, 1865:177 Argentina (?)
- Lepturopsis** Linsley & Chemsak, 1976:158  
**biforis** (Newman, 1841:70) e NAmer  
*laurentica* Casey, 1913:271  
**dolorosa** (LeConte, 1861:355) w NAmer (Pac Cst)

- Lycidocerus** Chemsak & Linsley, 1976:44  
**sanguineus** Chemsak & Linsley, 1976:45  
 Costa Rica
- Lycochoriolaus** Linsley & Chemsak, 1976:34  
**angustatus** (Melzer, 1935:183)  
**angustisternis** (Gounelle, 1911:111)  
 var. *nigrum* Gounelle, 1911:112  
**aurifer** (Linsley, 1970:139)  
**costulatus** (Bates, 1885:284)  
**lateralis** (Olivier, 1795:22)  
*distans* Germar, 1824:524  
*flavatra* Blatchley, 1914:92  
*subintegra* Casey, 1924:285  
**lyciformis** (Pascoe, 1866:289)  
**mimulus** (Bates, 1885:285)  
**rotundipennis** (Fuchs, 1956:570)  
**sericeus** (Bates, 1885:285)  
**similis** (Linsley, 1970:140)  
**xantho** (Bates, 1885:282)  
 s Brasil (SC)  
 c Brasil (GO)  
 ne Mexico (TA)  
 sw Mexico (OA, VC)  
 se USA-TX, Mexico (TA, OA, VC)
- Lycomorhoides** Linsley, 1970:133  
**simulans** Linsley, 1970:133  
 Costa Rica, Panama
- Lygistropteroides** Linsley & Chemsak, 1971:21  
**longipennis** (Bates, 1885:286)  
 wc Mexico (DU)
- Macrochoriolaus** Linsley, 1970:134  
**elegans** Linsley, 1970:135  
 sw Mexico (GR)
- Megachoriolaus** Linsley, 1970:128  
**chemsaki** Linsley, 1970:129  
**cruentus** (Martin, 1930:70)  
*cruentata*; Hopping, 1937:27  
*cruneta*; Knull, 1954:129  
**flammatu**s (Linsley, 1961:137)  
**ignitus** (Schaeffer, 1908:341)  
*breviceps* (Linsley, 1961:139)  
**imitatrix** Linsley, 1970:131  
**lineaticollis** Chemsak & Linsley, 1974:36  
**nigricollis** Chemsak & Linsley, 1974:36  
**patricia** (Bates, 1885:286)  
*princeps* Bates, 1885:286  
**spiniferus** (Linsley, 1961:136)  
**texanus** (Knull, 1941:388)  
**unicolor** (Bates, 1892:159)  
 w Mexico (SI, JA, OA)  
 sw USA (AZ)  
 sc Mexico (MO)  
 sw USA (AZ)  
 c Mexico (SLP)  
 Panama  
 sw Mexico (OA)  
 Mexico (VC)-Panama  
 Guatemala-Panama  
 sw USA (TX)  
 sw Mexico (GR)
- Meloemorpha** Chemsak & Linsley, 1976:177  
**aliena** (Bates, 1880:38)  
 var. *erythrogaster* Bates, 1885:278  
**anomala** (Bates, 1885:279)  
 Mexico (DF, HI, ME, MI, MO, NL, VC),  
 Guatemala  
 Guatemala
- Metacmaeops** Linsley & Chemsak, 1972:137  
**vittata** (Swederus, 1787:198)  
*quadrivittata* Schoenherr, 1817:497  
*quadrivittata* var. *pallida* Haldeman, 1847:65  
*directa* Newman, 1841:71  
 e USA
- Mimiptera** Linsley, 1961:139  
**fulvella** (Bates, 1885:286)  
*planicoxis* Bates, 1892:159  
 Costa Rica, Panama

*costaricensis* Melzer, 1935:182

- Mordellistenomimus** Chemsak & Linsley, 1976:43  
**nanus** (Bates, 1885:284) Mexico, Guatemala
- Neanthophylax** Linsley & Chemsak, 1972:78  
*Anthophilax* Horn in Leng, 1890:98 (part)  
**mirificus** (Bland, 1865:382) w NAmer (Rocky Mts), Costa Rica  
*venustus* Bland, 1865:383  
*costaricensis* Bates, 1885:277  
**pubicollis** Linsley & Chemsak, 1972:81 wc USA (ID)  
**subvittatus** (Casey, 1891:37) wc USA (CO)  
**tenebrosus tenebrosus** (LeConte, 1873:208) w USA (OR, CA)  
subsp. **nigrolineatus** (Van Dyke, 1917:36) sw Canada, nw USA (WA, OR)  
subsp. **orientalis** Linsley & Chemsak, 1972:81 nw USA (OR, UT)
- Nemognathomimus** Chemsak & Linsley, 1976:42  
**breviceps** Giesbert, 1997:39 Panama  
**michelbacheri** Chemsak & Giesbert, 1986:33 w Mexico (JA)  
**opacipennis** Chemsak & Noguera, 1993:88 w Mexico (JA)  
**pallidulus** (Linsley, 1935:82) Mexico-El Salvador  
*pubicollis* Linsley, 1935:83
- Nealosterna** Podany, 1961:27  
**capitata** (Newman, 1841:71) e NAmer  
**rubida** (LeConte, 1873:224) w NAmer  
*keeni* Casey, 1913:257
- Neobellamira** Swaine & Hopping, 1928:15  
**delicata delicata** (LeConte, 1874:68) w USA (OR, CA)  
subsp. **australis** Linsley & Chemsak, 1976:5 sw USA (CA)
- Neoleptura** Thomson, 1860:153  
**alpina** Chemsak & Linsley, 1976:186 w Mexico (DU, SI)  
**auripennis** Chemsak & Linsley, 1976:183 w Mexico (MI)  
**lecontei** Thomson, 1860:153 sw Mexico (OA)  
**minutipunctis** Chemsak & Linsley, 1976:185 sw Mexico (OA)
- Noctileptura** Chemsak & Linsley, 1984:281  
**seriata** Chemsak & Linsley, 1984:283 Guatemala  
**squamosa** Chemsak & Linsley, 1984:282 s Mexico (CHS)
- Orthochoriolaus** Linsley & Chemsak, 1976:36  
**chihuahuae** (Bates, 1885:285) sw USA (AZ)-w Mexico (CHA, DU)  
*huachucae* Schaeffer, 1905:164  
*batesi* Linsley, 1961:134
- Ortholeptura** Casey, 1913:204  
**insignis** (Fall, 1907:251) w USA (CA), n Baja Calif  
**obscura** (Swaine & Hopping, 1928:56) nw USA (WA, OR, ID)  
**valida** (LeConte, 1857:64) w NAmer (Pac Cst), n Baja Calif  
*oculea* Casey, 1913:204
- Pachyta** Dejean, 1821:112  
*Argaleus* LeConte, 1850:319  
*Acmaeops*; Thomson, 1866:55 (not LeConte, 1850)  
*Anthophylax*; Blessig, 1873:232 (not LeConte, 1850)  
*Neopachyta* Bedel, 1906:93  
*Pachyta (Linsleyana)* Podany, 1964:43

- armata** LeConte, 1873:207 w USA (Pac Cst)  
**lamed** (Linnaeus, 1758:391) Europe, Siberia  
*pedella* Degeer, 1775:129  
*spadicea* Paykull, 1800:101  
*lamed* ab. *bohemica* Sláma, 1963:55  
 subsp. **laturata** Kirby in Richardson, 1837:178 Canada, Alaska, w USA  
*nitens* LeConte, 1850:319  
*conflagrata* Motschulsky, 1860:147  
*lamed americana* Podany, 1964:50
- Pidonia (Pidonia)** Mulsant, 1863:570  
*Grammoptera*; Thomson, 1864:141 (not Audinet-Serville, 1835)  
*Pseudopidonia* Pic, 1900:81  
*Hapalosalia* Casey, 1913:200  
*Pidnota*; Bayer & Shenefelt, 1969:5  
**aurata** (Horn, 1860:570) e USA  
**densicollis** (Casey, 1914:366) e USA  
**ruficollis** (Say, 1824:421) e NAmer  
*sphaericollis* Say, 1826:280  
*vibex* Newman, 1841:72  
*allecta* Newman, 1841:73  
*paupercula* Newman, 1841:72  
*nitidicollis* Horn, 1860:570  
*straussi* Webb, 1908:41  
*vibex fragilis* Casey, 1913:202  
*lineicornis* Casey, 1913:201  
*laeviceps* Casey, 1913:202  
**scripta** (LeConte, 1869:384) w NAmer
- Pidonia (Thesalia)** Casey, 1891:36  
**gnathoides** (LeConte, 1873:228) sw Canada (Br Col), w USA  
*lisa* Leng, 1890:108  
*rubriceps* Casey, 1913:198
- Pidonia (Ceratopidonia)** Linsley & Chemsak, 1976:119  
**quadrata** (Hopping, 1931:233) sw Canada (Br Col), nw USA
- Piodes** LeConte, 1850:318  
**coriacea** LeConte, 1850:318 nw USA (WA, OR, ID)
- Platerosida** Linsley, 1970:135  
**howdeni** Linsley, 1970:137 w Mexico (DU)
- Pseudogaurotina** Plaviltstshikov, 1958:720  
*Gaurotes* Lacordaire, 1869:442 (part)  
**abdominalis** (Bland, 1862:270) se Canada, ne USA  
 ab. *micans* Podany, 1962:226  
**cressoni cressoni** (Bland, 1864:69) sw Canada, wc USA (Rocky Mts)  
 ab. *howdeni* Podany, 1962:237  
 ab. *amethystina* Podany, 1962:238  
 ab. *nigrita* Podany, 1962:238  
 subsp. **lecontei** (Casey, 1913:219) w USA (Pac Cst)
- Pseudophistomis** Linsley & Chemsak, 1971:35  
**pallida** (Bates, 1872:183) Nicaragua
- Pseudostrangalia** Swaine & Hopping, 1928:24  
**cruentata** (Haldeman, 1847:64) e NAmer-TX  
*maneei* Casey, 1914:367

- Pseudotypocerus** Linsley & Chemsak, 1971:34  
**ater** Chemsak & Linsley, 1981:486 Costa Rica  
**inflaticollis** Chemsak & Linsley, 1976:174 Panama  
**nitidicollis** Chemsak & Linsley, 1976:172 El Salvador  
**proxater** Giesbert, 1997:17 Panama  
**pubipennis** Bates, 1885:279 Guatemala  
**rufiventris** (Bates, 1872:183) Mexico (VC)-Panama  
**virescens** Chemsak & Linsley, 1976:173 Costa Rica, Panama  
*auricornis* Chemsak & Linsley, 1981:488  
**vittatus** Chemsak & Linsley, 1981:487 Panama
- Pygoleptura** Linsley & Chemsak, 1976:59  
**brevicornis** (LeConte, 1873:226) w USA (OR, CA)  
**carbonata** (LeConte, 1861:355) sw Canada (Br Col), w USA  
**nigrella nigrella** (Say, 1826:279) Canada, Alaska, n USA  
*lacustris* Casey, 1891:43  
*praestans* Casey, 1913:267  
*serricornis* Casey, 1924:279  
subsp. **oregonensis** Linsley & Chemsak, 1976:62 nw USA (OR)
- Pyrotrichus** LeConte, 1862:41  
**vitticollis** LeConte, 1862:41 w NAmer (Pac Cst)  
*cribripennis* Casey, 1913:198
- Rhagium** Fabricius, 1775:182  
*Stenocorus* Geoffroy, 1762:221  
*Stencorus*; Lamarck, 1817:312  
*Hargium* Samouelle, 1819:210  
*Harpium*; Reitter, 1912:6  
*Allorhagium* Kolbe, 1884:270  
**inquisitor inquisitor** (Linnaeus, 1758:393) Holarctic: NAmer (boreal regions)  
*lineatus* Olivier, 1795:13  
*investigator* Mannerheim, 1852:283  
*californicum* Casey, 1913:195  
*crassipes* Casey, 1913:195  
*parvicorne* Casey, 1913:195  
*boreale* Casey, 1913:195  
*cariniventre* Casey, 1913:196  
*thoracicum* Casey, 1913:196  
*montanum* Casey, 1913:197  
*mexicanum* Casey, 1913:197  
*canadense* Podany, 1964:30  
*americanum* Podany, 1964:32  
*quadricostatum* Podany, 1964:34  
*nigra* Podany, 1978:4
- Sachalinobia** Jacobson, 1899:39  
*Pseudopachyta* Swaine & Hopping, 1928:16  
**rugipennis rugipennis** (Newman, 1844:476) e Canada, ne USA
- Stenocorus** Fabricius, 1775:178  
*Stenochorus*; Reitter, 1912:6  
*Toxotus* Dejean, 1821:112  
*Anisorus* Mulsant, 1863:467  
*Minaderus* Mulsant, 1863:467  
*Toxotochorus* Reitter, 1907:208  
*Stenocorus (Toxotopsis)* Casey, 1913:206  
*Stenocorus (Eutoxotus)* Casey, 1913:206  
**alteni** Giesbert & Hovore, 1998: 16 CA  
**cinnamopterus** (Randall, 1838:45) ne USA-TX  
*aesculi* Haldeman, 1847:59

- copei** Linsley & Chemsak, 1972:54 sw USA (NM)  
**cylindricollis** (Say, 1824:417) e NAmer  
*dives* Newman, 1841:68  
*atratus* Haldeman, 1847:58  
*dentipennis* Haldeman, 1847:58
- flavolineatus** (LeConte, 1854:18) sw Canada (Br Col), nw USA  
*flavolimbatus*; LeConte, 1857:23
- nubifer** (LeConte, 1859:80) w NAmer  
*lateralis* Casey, 1891:37  
*pacificus* Casey, 1913:209  
*tenellus* Casey, 1913:210  
*hesperus* Casey, 1913:210  
*parviceps* Casey, 1913:210  
*truncatulus* Casey, 1913:211  
*apiciventris* Casey, 1913:211  
*rufipennis* Casey, 1913:212  
*plagiatus* Casey, 1924:273  
*uteanus* Casey, 1924:273  
*marginellus* Casey, 1924:274  
*morio* Casey, 1924:274  
*spinus* Hopping, 1940:32
- obtusus** (LeConte, 1873:206) sw Canada, nw USA  
*brevicollis* Casey, 1913:214
- schaumii** (LeConte, 1850:320) se Canada, ne USA  
*schaumii* var. *croceus* Leng, 1890:68
- testaceus** Linsley & Chemsak, 1972:51 wc USA (UT)  
**trivittatus** (Say, 1824:422) sc Canada, nc USA  
**vestitus** (Haldeman, 1847:59) w NAmer  
*vestitus* var. *ater* Leng, 1890:68  
*virgatus* LeConte, 1874:67  
*aureatus* Casey, 1913:213  
*aureatus gilvicornis* Casey, 1913:213  
*sericatus* Casey, 1913:213  
*subpinguis* Casey, 1913:213  
*oregonensis* Casey, 1913:214  
*flaccidus* Casey, 1913:212
- vittiger** (Randall, 1838:29) se Canada, ne USA  
*trivittatus*; Haldeman, 1847:58 (not Say, 1824)  
*trivittatus* var. *nigripes* Haldeman, 1847:58  
*virgatus*; Leng, 1890:69 (not LeConte, 1874)
- Stenostrophia** Casey, 1913:248  
**amabilis** (LeConte, 1857:64) sw Canada (Br Col), w USA  
**coquilletti** (Linell, 1897:398) sw USA (CA)  
**tribalteata tribalteata** (LeConte, 1873:224) w USA (CA, NE)  
subsp. *serpentina* (Casey, 1891:41) w NAmer (Rocky Mts)  
subsp. *sierrae* Linsley & Chemsak, 1976:113 w USA (CA, OR)
- Stictoleptura** Casey, 1924:280  
**canadensis canadensis** (Olivier, 1795:8) se Canada, ne USA  
*erythroptera* Kirby in Richardson, 1837:180  
*cinnamoptera* Haldeman, 1847:64  
*tenuicornis* Haldeman, 1847:64  
subsp. **cribripennis** (LeConte, 1859:21)  
*coccinea* LeConte, 1873:226  
*canadensis* form *ebena* Leng, 1890:197  
*cribripennis divisa* Casey, 1924:281  
subsp. **arizonensis** Linsley & Chemsak, 1976:144 sw USA (AZ, NM)
- Strangalepta** Casey, 1913:247  
**abbreviata** (Germar, 1824:523) e NAmer  
*vittata*; Olivier, 1792:523 (not Swederus, 1787)  
*semivittata* Kirby in Richardson, 1837:183



*gulosa* Kirby in Richardson, 1837:184  
*nitidipennis* Provancher, 1877:616  
*vittata* var. *saratogensis* Rau, 1935:63  
**pubera** (Say, 1826:279) e NAmer

**Strangalia** Audinet-Serville, 1835:220

*Ophistomis* Thomson, 1857:319

*Ophiostomis*; Gemminger & Harold, 1872:2875

*Strangalina* Aurivillius, 1912:245

**acuminata** (Olivier, 1795, 20) e NAmer

*emaciata*; Newman, 1841:68 (not Bates, 1880)

*unicolor* Haldeman, 1847:62

**albicollis** (Pascoe, 1860:63)

**anneae** Chemsak & Linsley, 1981:490

**antennata** Schaeffer, 1908:342

**auriflua** (Redtenbacher, 1867:190)

**auripilis** Chemsak, 1969:6

**beierli** Giesbert, 1997:21

**beltii** (Bates, 1872:182)

*maculifrons* Giesbert, 1985:276

**benitoespinali** Chalumeau, 1985:148

**biannulata** (Linsley, 1935:83)

**bicolor** (Swederus, 1787:197)

*bicolorata*; Tarton, 1806:352

*bicolor* Say, 1824:418

*simulans* Casey, 1913:278

**bicolorella** Chemsak, 1969:2

*pulchra* Chemsak, 1969:5

**bivittata** (Bates, 1870:311)

**bonfilsi** Villiers, 1979:24

**brachialis** (Bates, 1885:280)

*nigrita* Linsley, 1935:110

**cambrei** Linsley & Chemsak, 1976:20

**cantharidis** (Chemsak & Linsley, 1976:174)

**cavaventra** Chemsak, 1969:8

**cavei** Chemsak & Linsley, 1981:489

**dimidiata** (Redtenbacher, 1867:189)

var. *atra* Gounelle, 1911:107

*dimidiata* (Chemsak & Linsley, 1981:487)[hom.]

**discophora** (Redtenbacher, 1867:191)

**dolicops** Chemsak, 1969:3

**doyeni** Chemsak & Linsley, 1976:223

**eickworti** Chemsak & Noguera, 1997:12

**elegans** Giesbert, 1997:22

**emaciata** (Bates, 1880:39)

**famelica famelica** Newman, 1841:68

*obsoleta* Haldeman, 1847:61

*obsoleta* var. *flaviceps* Haldeman, 1847:61

var. *confluenta* Haldeman, 1847:61

*ochreipennis* Casey, 1913:278

subsp. **solitaria** Haldeman, 1847:61

**flavocincta** (Thomson, 1860:155)

**flavovittata** (Melzer, 1926:10)

*rustica* Melzer, 1926:10

**fulvicornis** (Bates, 1872:183)

**guindoni** Giesbert, 1989:463

**hamatipes** Giesbert, 1986:140

**hondurae** Chemsak & Linsley, 1979:271

**hovorei** Giesbert, 1997:24

**instabilis** Giesbert, 1985:285

**insularis** (Fisher, 1932:56)

**irene** (Gounelle, 1911:103)

**lachrymans** (Bates, 1885:280)

**lapidicina** Giesbert, 1997:25

e NAmer

n Brasil (PA)  
Costa Rica, Panama  
sw USA (AZ)  
se Brasil (ES, RJ)  
w Mexico (DU, SI)  
Mexico (CHS)  
Nicaragua-Panama

WIndies (Montserrat I.)  
sc Mexico (ME, GR, MO, OA)  
e USA-Colorado

w Mexico (SI, JA, CM)

nw Brasil (AM)  
Guadeloupe  
Mexico (CHS, OA, QR, VC)-Belize

se USA (MS)  
Costa Rica, Panama  
w Mexico (JA, OA, CHS)  
El Salvador  
se Brasil (GO, RJ-RS), Argentina,  
Uruguay  
Panama  
se Brasil (ES, RJ)  
sw Mexico (OA, CHS), Guatemala  
w Mexico (JA, OA, CHS), Guatemala  
Mexico (CHS)  
Mexico (VC), Costa Rica  
Costa Rica  
e USA

se USA  
se Brasil (ES)  
se Brasil (MG-PR)

se Brasil, Uruguay, Argentina  
Costa Rica, Panama  
w Mexico (JA-CHS)  
Honduras  
Costa Rica  
Panama  
W Indies (Dominica)  
c Brasil (GO)  
Guatemala  
Guatemala

<b>latifasciata</b> (Melzer, 1926:9)	se Brasil (RJ, SP)
<b>luteicornis</b> (Fabricius, 1775:197)	e NAmer-TX
<i>eversa</i> Casey, 1913:277	
<i>carolinae</i> Casey, 1913:277	
<b>lyrata</b> (Redtenbacher, 1867:190)	se Brasil (RJ)
<b>melampus</b> (Bates, 1885:280)	Guatemala
<i>histrion</i> Bates, 1885:281	
<b>melanophthisis</b> (Berg, 1889:107)	Argentina, Uruguay
<b>melanostoma</b> (Bates, 1870:312)	nw Brasil (AM)
<b>melanura</b> (Redtenbacher, 1867:189)	se Brasil
var. <i>furcata</i> Melzer, 1930:191	
var. <i>nigripennis</i> Melzer, 1930:191	
<b>montivaga</b> Chemsak & Linsley, 1976:226	wc Mexico (DU, SI)-El Salvador
<b>monzoni</b> Giesbert, 1997:27	Guatemala
<b>occidentalis</b> Linsley & Chemsak, 1976:15	sw USA (AZ), nw Mexico (CHA)
<b>ochroptera</b> (Bates, 1870:312)	nw Brasil (AM)
<b>opleri</b> Chemsak & Linsley, 1976:227	Guatemala, Costa Rica
<b>palaspina</b> Chemsak, 1969:3	w Mexico (SI, NA, JA)-Guatemala
<b>pallifrons</b> Giesbert, 1997:28	Guatemala
<b>panamensis</b> Giesbert, 1985:278	Panama
<b>paraensis</b> (Bates, 1870:311)	n Brasil (PA)
<b>pectoralis</b> (Bates, 1885:282)	Mexico (CHS, OA, VC)-Belize
<b>picticornis</b> (Bates, 1869:384)	Nicaragua-Panama
<i>felix</i> Bates, 1885:282	
<b>pseudocantharidis</b> Giesbert, 1985:284	Costa Rica, Panama
<b>rubiginosa</b> (Gounelle, 1911:105)	c Brasil (GO)
<b>rubricollis</b> (Bates, 1870:312)	nw Brasil (AM), Peru
<b>sallaei</b> (Bates, 1885:280)	Mexico
<b>saltator</b> (Bates, 1885:281)	Costa Rica, Panama
<b>semifulva</b> (Bates, 1870:313)	nw Brasil (AM)
<b>sexnotata</b> Haldeman, 1847:61	s USA (FL-AZ)
<i>montana</i> Casey, 1891:40	
<i>texana</i> Casey, 1913:276	
<i>evanescens</i> Casey, 1913:276	
<b>sinaloae</b> Chemsak & Linsley, 1981:490	w Mexico (SI)
<i>gracilis</i> ; Chemsak, 1969:7 (not Gressitt, 1934)	
<b>splendida</b> (Aurivillius, 1920:361)	nw Brasil (AM)
<b>strigosa</b> Newman, 1841:68	se USA (FL)
<b>suavis</b> (Melzer, 1926:7)	nw Brasil (AM)
<b>succincta</b> (Redtenbacher, 1867:190)	se Brasil (RJ)
<b>thoracica</b> (Fleutiaux & Sallé, 1889:465)	Guadeloupe
<b>tristis</b> (Melzer, 1922:5)	se Brasil (MG-SC)
<b>variabilis</b> (Melzer, 1926:8)	se Brasil (RJ-SC)
<b>virilis</b> LeConte, 1873:212	sc USA (TX, OK)
<b>westcotti</b> Chemsak & Linsley, 1976:231	w Mexico (NA)
<b>xanthotela</b> (Bates, 1892:158)	sw Mexico (GR)
<b>zacapensis</b> Giesbert, 1997:30	Guatemala
<b>zikani</b> (Melzer, 1922:5)	se Brasil (MG-SC)

<b>Strangalidium</b> Giesbert, 1997:34	
<b>chemsaki</b> Giesbert, 1997:35	Panama
<b>kunaium</b> Giesbert, 1997:36	Guatemala (?), Costa Rica, Panama
<b>linsleyanum</b> (Giesbert, 1986:142)	Panama
<i>linsleyi</i> ; Giesbert, 1985:280 (not Gressitt, 1951)	
<b>nigellum</b> (Bates, 1872:233)	Nicaragua-Panama

<b>Strophiona</b> Casey, 1913:248	
<b>laeta</b> (LeConte, 1857:64)	w USA (WA-CA-NM)
<i>ostenta</i> Casey, 1913:265	
<b>nitens</b> (Forster, 1771:45)	e NAmer-CO
<i>zebra</i> ; Provancher, 1877:614 (not Olivier, 1795)	
<i>zebrata</i> ; Haldeman, 1847:62 (not Fabricius, 1801)	
<i>quagga</i> Germar, 1824:521	

- bellina* Casey, 1913:265  
**tigrina** Casey, 1913:266  
*reducta* Casey, 1913:266  
w USA (WA, OR, CA), n Baja Calif
- Tomentgaurotes** Podany, 1962:242  
**batesi** (Aurivillius, 1912:194  
*donacioides* Bates, 1880:37  
*batesi m. mexicana* Podany, 1962:243  
Mexico (DF, HI, ME, PU, OA, VC)  
**maculosus** (Bates, 1885:277)  
Mexico (HI, CHS)  
**multiguttatus** (Bates, 1892:158)  
Mexico (GR, PU)  
ab. *nigrita* Podany, 1962:244  
**ochropus** (Bates, 1880:37)  
Mexico  
**plumbeus** Chemsak & Linsley, 1963:85  
Mexico (OA, VC)
- Trachysida** Casey, 1913:271  
**aspera aspera** (LeConte, 1873:228)  
Alaska-w USA (OR, CO, NM)  
var. *parkeri* Hippisly, 1922:66  
subsp. **brevifrons** (Howden, 1959:158)  
se Canada, ne USA (MI, NY)  
subsp. **rufescens** Linsley & Chemsak, 1976:117  
w USA (CA)  
**mutabilis** (Newman, 1841:71)  
e NAmer-sc Canada (Alberta)  
*luridipennis* Haldeman, 1847:63  
*quadricollis* LeConte, 1850:339  
*laetifia* Provancher, 1877:620  
*mutabilis ab. provancheri* Aurivillius, 1912:223
- Trigonarthris** Haldeman, 1847:65  
*Leptura (Cercolia)* Casey, 1913:268  
**atrata** (LeConte, 1850:339)  
se USA-TX, KS  
*liebecki* Hopping, 1922:164  
**minnesotana** (Casey, 1913:269)  
e NAmer  
**proxima** (Say, 1824:420)  
e NAmer  
*subpubescens* Kirby in Richardson, 1837:180  
*kempiana* Casey, 1924:281
- Typocerus** LeConte, 1850:333  
**acuticauda acuticauda** Casey, 1913:274  
e NAmer  
*thoracicus* Casey, 1913:274  
subsp. **standishi** Knull, 1938:141  
sc USA (KS-TX-MS)  
*oklahomensis* Hopping, 1940:33 (part)  
**badius** (Newman, 1841:69)  
se USA (GA, FL)  
**balteatus** Horn, 1878:55  
wc NAmer  
subsp. **diana** Lewis, 2001: 11  
sw USA (TX)  
**confluens** Casey, 1913:272  
c USA  
*caligans* Casey, 1913:273  
**deceptus** Knull, 1929:144  
ec USA  
**fulvocinctus** Knull, 1956:338  
se USA (FL)  
*flavocinctus*; Linsley & Chemsak, 1976:84  
**gloriosus** Hopping, 1922:166  
wc USA (CO, UT, NM, AZ)  
**lugubris** (Say, 1824:419)  
e NAmer  
**lunulatus lunulatus** (Swederus, 1787:197)  
e USA  
*arcuata* Olivier, 1795:32  
*lunata* Fabricius, 1801:360  
*lunatus fractus* Hoffman, 1958:220  
subsp. **texanus** Linsley & Chemsak, 1976:84  
sc USA (LA, TX, AR)  
**octonotatus** (Haldeman, 1847:62)  
e, c USA  
*sinuatus*; LeConte, 1850:335 (not Newman, 1841)  
*arapahoe* Casey, 1924:278  
**serraticornis** Linsley & Chemsak, 1976:69  
wc USA (UT, ID, NE)  
**sinuatus** (Newman, 1841:70)  
se USA-NM, CO  
*brunnicornis* LeConte, 1873:214  
*brunnicornis inflatus* Knull, 1959:47  
**sparsus** LeConte, 1878:614  
sc Canada, nc USA (Great Lakes)

- velutinus velutinus** (Olivier, 1795:18) e NAmer  
*fugax* Fabricius, 1798:153  
*tenuior* Kirby in Richardson, 1837:181  
*manitobensis* Swaine & Hopping, 1928:35  
 subsp. **nobilis** (Newman, 1841:69) se USA-GA, OK  
*trimaculatus* Champlain & Knull, 1922:304  
*oklahomensis* Hopping, 1940:33 (part)
- zebra** (Olivier, 1795:19) e USA-TX  
*zebrata* Fabricius, 1801:364  
*carolina* Weber, 1801:91  
*aurigera* Newman, 1841:70
- Vesperoctenus** Bates, 1891:159  
**flohri** Bates 1891:160 w Mexico (DU), Baja Calif
- Xestoleptura** Casey, 1913:248  
**behrensii** (LeConte, 1873:227) sw Canada (Br Col), w USA  
**cockerelli** (Fall, 1907:251) wc USA (AZ, UT, CO, NM)  
**crassicornis** (LeConte, 1873:227) w USA-ID  
*corusca* Casey, 1913:261  
**crassipes** (LeConte, 1857:65) w NAmer  
*xanthogaster* LeConte, 1859:88  
*fasciventris* LeConte, 1861:355  
*crassipes shastana* Casey, 1913:263  
*muliebris* Casey, 1913:263  
*vancouveri* Casey, 1913:263  
**octonotata** (Say, 1824:419) e NAmer  
*stictica* Newman, 1841:72  
*quadripunctata* Haldeman, 1847:64  
**tibialis** (LeConte, 1850:236) s Canada, nw USA, Rocky Mts  
*hirtella* LeConte, 1873:226  
*columbica* Casey, 1913:261  
*miquelonensis* Pic, 1922:11  
*pictipennis* Casey, 1924:285
- Xylosteus** Frivaldszky, 1838:180  
**ornatus** LeConte, 1873:205 w USA (OR, CA)