

Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere

M. A. Monné & F.T. Hovore - Electronic Version, 2001

Part Two: Lamiinae through Disteniinae

Subfamily Lamiinae

Latreille, 1825:401

Clinocephalides Mulsant, 1839:115

Parmenini

Mulsant, 1839:118

- Cleptonotus** Breuning, 1950:142
 albomaculatus (Blanchard in Gay, 1851:509) Chile
 subarmatus (Fairmaire & Germain, 1859:516) Chile
- Cleptosoma** Breuning, 1950:141
 clavipes (Blanchard in Gay, 1851:510) Chile
- Cupeyalia** Zayas, 1975:167
 subterranea Zayas, 1975:168 Cuba
- Echthistatus** Pascoe, 1862:352
 spinus Pascoe, 1862:353 sc Mexico (OA)
- Gracililamia** Breuning, 1961:141
 ecuadorensis Breuning, 1961:142 Ecuador
- Hoplocleptes** Breuning, 1947:5
 humidens Breuning, 1947:6 Chile
- Hoplonotus** Blanchard in Gay, 1851:507
 spiniferus Blanchard in Gay, 1851:508 Chile
- Ipochus** LeConte, 1852:166
 fasciatus LeConte, 1852:167 w USA (CA), Baja Calif
 pubescens Casey, 1891:45
 subnitidus Casey, 1891:45
 hispidus Casey, 1913:279
 parvulus Casey, 1913:280
 pinicola Casey, 1913:280
 globicollis Casey, 1913:280
 catalinae Casey, 1913:281
 insularis Blaisdell, 1925:340 Baja Calif (San Benito I.)
- Maisi** Zayas, 1975:168
 fisheri Zayas, 1975:169 Cuba
- Mecynome** Bates, 1885:335
 Caudelytra Franz, 1954:221
 aenescens Bates, 1885:335 s Mexico, Guatemala, El Salvador
 quadrispinosa Franz, 1954:222
- Microcleptes** Newman, 1840:11
 aranea Newman, 1840:11 Chile
 hemisphaerica Blanchard in Gay, 1851:510
 blanchardii Thomson, 1867:21

variolosus Fairmaire & Germain, 1859:520	Chile
<i>globulosus</i> Thomson, 1867:22	
<i>sphaeroides</i> Thomson, 1867:22	
Nanilla Fleutiaux & Sallé, 1889:467	
delauneyi Fleutiaux & Sallé, 1889:467	Guadeloupe
globosa Zayas, 1975:171	Cuba
terrestris Zayas, 1975:172	Cuba
tuberculata Fisher, 1935:196	Cuba
Neoplectrura Chemsak & Linsley, 1983:228	
breedlovei Chemsak & Linsley, 1983:228	sc Mexico (GR)
Parananilla Breuning, 1956:665	
mexicana Breuning, 1956:665	sw Mexico (GR)
Parechthistatus Giesbert, 2001: 9	
hawksi Giesbert, 2001: 9	Honduras
Parmenosoma Schaeffer, 1908:343	
griseum Schaeffer, 1908:344	sw USA (TX)
villosa (Bates, 1885:335)	Mexico
Plectrura Mannerheim, 1852:365	
spinicauda Mannerheim, 1852:366	w NAmer (Alaska-n CA)
<i>producta</i> LeConte, 1854:19	
Plaumanniella Fisher, 1938:136	
novateutoniae Fisher, 1938:137	s Brasil (SC)
Schreiteria Melzer, 1933:459	
bruchii Melzer, 1933:460	n Argentina (TU)
Tuberolamia Breuning, 1940:408	
andicola Breuning, 1940:409	Peru

Moneilemini

Thomson 1864:43

Moneilema Say, 1824:403	
<i>Monilema</i> ; LeConte, 1852:167	
<i>Collapteryx</i> Newman, 1838:397	
<i>Collapterix</i> ; Thomson, 1857:326	
<i>Omoscydon</i> Thomson, 1867:74	
<i>Monoplesa</i> Motschulsky, 1875:144	
albopictum White, 1856:407	sc Mexico (PU, ME, OA)
<i>laevadorsale</i> White, 1856:407	
<i>albotessellata</i> Thomson, 1857:189	
<i>carinatum</i> Thomson, 1857:189	
<i>lecontei</i> Thomson, 1860:25	
<i>infamiae</i> Thomson, 1867:79	
<i>mortuale</i> Thomson, 1867:80	
<i>perforatum</i> Thomson, 1867:80	
<i>sinistrum</i> Thomson, 1867:81	
annulatum Say 1824:404	w Canada, w USA
<i>nubecula</i> Casey, 1913:282	
<i>nubecula demissa</i> Casey, 1913:282	
<i>annulatum</i> var. <i>montanum</i> Psota, 1930:121	
<i>puncticolle</i> Psota, 1930:121	
<i>angulatum</i> Psota, 1930:122	
<i>hybridum</i> Psota, 1930:123	

appressum LeConte, 1852:168	sw USA (AZ-CO, TX), n Mexico (SO)
<i>microsticta</i> Casey, 1913:283	
<i>cylindricollis</i> Casey, 1913:283	
<i>corrugans</i> Casey, 1913:284	
<i>corrugans ovipennis</i> Casey, 1913:284	
<i>corpulentum</i> Knaus, 1925:183	
<i>nigriventris</i> Fisher, 1926:215	
<i>vittatum</i> Fisher, 1928:3	
<i>parahybrida</i> Psota, 1930:124	
<i>appressum</i> var. <i>scabrum</i> Psota, 1930:125	
<i>rinconi</i> Psota, 1930:126	
<i>alpinum</i> Psota, 1930:126	
<i>texanum</i> Psota, 1930:127	
<i>corrugans</i> var. <i>arizonicum</i> Psota, 1930:128	
<i>duncani</i> Psota, 1930:128	
armatum LeConte, 1853:234	sc USA, nc Mexico (CO)
<i>crassum</i> LeConte, 1853:234	
<i>laevigatum</i> Bland, 1862:267	
<i>simplicicornis</i> Casey, 1913:286	
<i>simplicicornis grylliceps</i> Casey, 1913:287	
<i>rector</i> Casey, 1913:287	
<i>solida</i> Casey, 1913:288	
<i>femoralis</i> Casey, 1913:288	
<i>obesa</i> Casey, 1924:287	
<i>convexa</i> Casey, 1924:289	
<i>rugosipennis</i> Fisher, 1928:2	
<i>isolatum</i> Psota, 1930:132	
<i>punctatum</i> Psota, 1930:133	
<i>walsenburgii</i> Psota, 1930:140	
aterrimum Fisher, 1931:198	c Mexico (SLP)
blapsides blapsides (Newman, 1838:397)	c Mexico (DU, ME)
subsp. ulkei Horn, 1885:188	sc USA, ne Mexico (TA)
<i>pleuralis</i> Casey, 1913:287	
<i>mundelli</i> Fisher, 1931:200	
crassipes Fisher, 1931:197	ne Mexico (TA)
ebeninum Bates, 1885:336	Mexico
gigas LeConte, 1873:230	sw USA (AZ, UT)-w Mexico (SI), Baja Calif
<i>spinicollis</i> Casey, 1891:45	
<i>constricta</i> Casey, 1913:285	
<i>pimalis</i> Casey, 1913:285	
<i>uteana</i> Casey, 1913:285	
<i>pollens</i> Casey, 1913:286	
<i>giganteum</i> Craighead, 1923:103	
<i>plectralis</i> Casey, 1924:286	
<i>colossus</i> Casey, 1924:289	
longipes White, 1856:407	Baja Calif
manni Psota, 1930:139	c Mexico (HI)
mexicanum Fisher, 1926:215	c Mexico (HI)
michelbacheri Linsley, 1942:67	Baja Calif
opuntiae Fisher, 1928:1	c Mexico (SLP)
punctipennis Fisher, 1926:216	sc Mexico (PU)
rugosissimum Casey, 1924:288	Baja Calif
semipunctatum LeConte, 1852:167	w USA, n Baja Calif
<i>forte</i> LeConte, 1873:230	
<i>obtusum</i> LeConte, 1873:230	
<i>armigera</i> Motschulsky, 1875:146	
<i>scabra</i> Motschulsky, 1875:146	
<i>spoliatum</i> Horn, 1885:186	
<i>shantzi</i> Casey, 1924:286	
subrugosum Bland, 1862:268	Baja Calif
<i>opaca</i> Casey, 1913:289	
<i>lateralis</i> Casey, 1924:287	
variolare Thomson, 1867:77	c Mexico (SLP, ME)
wickhami Psota, 1930:138	nc Mexico (DU)

Lamiini

Latreille, 1825:401

Taeniotitae Thomson, 1864:76
Monochamitae Thomson, 1860:96
Agniitae Thomson, 1864:83
Potemnemi Aurivillius, 1922:117

Anoplophora Hope, 1839:439

Melanauster Thomson, 1868:181

Cyriocrates Thomson, 1868:181

Micromelanauster Pic, 1931:49

glabripennis (Motschulsky 1853:48)

laevigator Thomson, 1857:297

angustatus Pic, 1925:21

nankineus Pic, 1926:5

laglaisei Pic, 1953:3

Asia, introduced in e USA

Chyptodes Dillon & Dillon, 1941:50

Parataeniotetes Breuning, 1943:253

albosuturalis Fuchs, 1961:96

dejeani (Thomson, 1865:556)

Guatemala

wc Mexico (JA, CM, MO, GO)

Deliathis Thomson, 1860:101

batesi Gahan, 1888:398

bifurcatus Dillon & Dillon, 1941:113

buqueti (Tasté, 1841:14)

buquetii var. *mira* Gahan, 1888:398

diluta Gahan, 1892:257

flavis Dillon & Dillon, 1941:111

impluviatus (Lacordaire, 1869:324)

poecilodryas Bates, 1880:99

incana (Forster, 1771:38)

vittator Fabricius, 1775:173

magnifica Voet, 1778:14

nigrovittata Breuning, 1980:69

nivea Bates, 1869:388

nivea var. *detersa* Bates, 1885:338

nivea var. *inermis* Aurivillius, 1922:104

parincana Breuning, 1971:288

pulchra Thomson, 1865:554

quadritaeniator (White, 1846:48)

pazii Rojas, 1856:565

superbus Franz, 1954:223

sw Mexico (JA, GR)

Honduras

e Mexico (VC), Belize, Honduras

sw Mexico (GR)-Nicaragua

s Mexico (CHS)

e Mexico (VC), Guatemala

s Mexico (CA, YU)

c Mexico (ME)

Guatemala-Panama

Mexico

e Mexico (VC), Guatemala

Costa Rica-Colombia, Venezuela,

Ecuador

Guatemala, El Salvador

Goes LeConte, 1852:150

debilis LeConte, 1852:150

fisheri Dillon & Dillon, 1941:122

novus Fall, 1928:236

pulcher (Haldeman, 1847:52)

pulcher fuscatus Knull, 1944:92

pulverulentus (Haldeman, 1847:51)

laurenticus Casey, 1913:297

tesselatus (Haldeman, 1847:51)

amplipennis Casey, 1913:295

robinsoni Casey, 1914:368

tigrinus (Degeer, 1775:114)

rotator Fabricius, 1775:175

tigris Schoenherr, 1817:383

tomentosus Ziegler, 1844:47

tigrinus marmoratus Casey, 1913:296

tumifrons Linsley & Chemsak, 1984:91

variegatus Linsley & Chemsak, 1984:86

e NAmer

sw USA (TX)

sw USA (TX)

e NAmer

e NAmer

e USA

e USA

se USA (GA, FL, TX)

se USA (SC-FL, TX)

Hebestola Haldeman, 1847:54

Cacoplia LeConte, 1852:149

nebulosa Haldeman, 1847:54

pullata Haldeman, 1847:55

e USA

pruinosa LeConte, 1852:149
nebulosa albata Knull, 1960:116

Lochmodocerus Burne, 1984:145

antennatus Burne, 1984:146

s Mexico (CHS), Guatemala

Mengelotes Dillon & Dillon, 1941:43

ambiguus Dillon & Dillon, 1941:43

Mexico

Microgoes Casey, 1913:298

oculatus (LeConte, 1862:40)

e NAmer

tenuicornis Casey, 1913:298

Mimolochus Thomson, 1868:99

hoefneri (Thomson, 1865:554)

Mexico (ME, MO, PU, OA, GR, CH)

hoepneri; Lacordaire, 1869:325

Monochamus Dejean, 1821:106 [not Megerle in Dejean auct]

Monachammus; Gray in Griffith, 1832:106

Monohammus; Dejean, 1837:366

Monohamus; Guérin-Méneville, 1844:242

carolinensis (Olivier, 1792:463)

e USA

caroliniensis; Olivier, 1795:85

dentator Fabricius, 1792:278

minor LeConte, 1873:231

clamator clamator (LeConte, 1852:149)

sw USA (CO, UT, NM, AZ, w TX)

maculosus; Horn, 1885:191 (not Haldeman, 1847)

strenuus Casey, 1913:293

subsp. **latus** Casey, 1924:290

w NAmer

oregonensis; Casey, 1913:292 (not LeConte, 1873)

subsp. **linsleyi** Dillon & Dillon, 1941:72

w USA (CA)

subsp. **nevadensis** Dillon & Dillon, 1941:72

w USA (NE, ID)

subsp. **rubiginus** (Bates, 1880:103)

sw USA (AZ), Mexico (DU, ME)-Honduras

marmorator Kirby in Richardson, 1837:169

ec NAmer-NC

fautor LeConte, 1852:149

acutus Lacordaire, 1869:316

mutator LeConte in Agassiz, 1850:235

s Canada, n USA (MI, MN)

maculosus; Haldeman, 1847:51 (not Voet, 1778)

notatus (Drury, 1773:65)

e USA- nw USA, s Canada

confusor Kirby in Richardson, 1837:168

notatus morgani Hopping, 1945:17

sw Canada (Br Col)

obtusus obtusus Casey, 1891:47

w USA (ID, WA, OR, CA)

subsp. **fulvomaculatus** Linsley, 1933:118

w USA (CA)

scutellatus scutellatus (Say, 1824:289)

NAmer

resutor Kirby in Richardson, 1837:167

subsp. **oregonensis** LeConte, 1873:231

w NAmer (Br Col-CA, NE)

monticola Casey, 1913:293

titillator (Fabricius, 1775:172)

e USA

angusticollis Casey, 1913:292

titillator obesus Casey, 1924:290

Neoptychodes Dillon & Dillon, 1941:44

candidus (Bates, 1885:337)

Costa Rica-Colombia

cosmeticus Martins & Galileo, 1996:293

Colombia, Ecuador

cretatus (Bates, 1872:197)

Nicaragua-Panama

hondurae hondurae (White, 1858:412)

sw Mexico (OA)-Panama

subsp. **trivittatus** (Taschenberg, 1870:194)

Ecuador

trilineatus (Linnaeus, 1771:532)

sw USA-SAmer, Baja Calif, W Indies, Tahiti

vittata Fabricius, 1776:251

insularis Fairmaire, 1850:61

fairmairei Thomson, 1865:556

abbreviatus Casey, 1893:593

Plagiohammus Dillon & Dillon, 1941:85

Hammoderus; Thomson, 1860:98 (not Thomson, 1856)

Hammatoderus; Gemminger & Harold, 1873:3022

albatus (Bates, 1880:100)	Costa Rica
blairi (Breuning, 1936:297)	Colombia
brasiliensis (Breuning, 1943:259)	s Brasil (SC)
brunneus Dillon & Dillon, 1941:92	s Mexico (CHS)
camillus Dillon & Dillon, 1949:3	Peru
confusor Dillon & Dillon, 1941:95	s Brasil (RS)
decorus Chemsak & Linsley, 1986:20	s Mexico (CHS)
elatus (Bates, 1872:199)	Honduras-Colombia, Ecuador
emanon Dillon & Dillon, 1941:101	Costa Rica, Panama
granulosus (Bates, 1885:339)	sw Mexico (OA), Belize
imperator (Thomson, 1868:100)	wc Mexico (ME, JA, PU)
<i>albidus</i> Linsley, 1935:111	
inermis (Thomson, 1857:173)	e Mexico (VC)-Nicaragua
<i>albiplagiatus</i> White, 1858:275	
laceratus (Bates, 1885:339)	sc Mexico (JA, MO, OA)
lacordairei (Thomson, 1860:98)	e Mexico (VC)-Panama
lunaris (Bates, 1880:102)	Mexico
maculosus (Bates, 1880:101)	Mexico-Nicaragua
mexicanus Breuning, 1950:514	ec Mexico (HI)
nitidus (Bates, 1874:224)	Nicaragua
niveus (Breuning, 1943:258)	Mexico
olivescens Dillon & Dillon, 1941:89	ec Mexico (HI)-Costa Rica
<i>strandii</i> Breuning, 1943:262	
ornator (Bates, 1885:340)	e Mexico (VC)
pollinosus (Bates, 1880:102)	Costa Rica
quadriplagiatus (Breuning, 1943:262)	Venezuela
rotundipennis Breuning, 1950:2	Mexico
rubefactus (Bates, 1872:199)	Nicaragua-Panama
sallei (Thomson, 1860:99)	sw Mexico (OA)
<i>sallaei</i> ; Bates, 1880:102	
sargi (Bates, 1885:340)	s Mexico (CHS), Guatemala
spinipennis (Thomson, 1860:100)	ec Mexico (TL, VC) -n SAMer
<i>jacobyi</i> Nonfried, 1894:141	
sticticus (Bates, 1874:225)	Ecuador
thiodes (Bates, 1880:101)	Costa Rica, Panama
thoracicus (White, 1858:275)	SAMer

Plectrodera Dejean 1837:367

Plectrodera; Thomson, 1857:176

scalator (Fabricius, 1792:278)	USA
<i>bellii</i> LeConte, 1845:201	

Pseudotaeniotes Dillon & Dillon, 1949:2

Parataeniotes; Dillon & Dillon, 1943:15 (not Breuning, 1943)

mimus (Dillon & Dillon, 1943:16)	Peru, Bolivia
---	---------------

Ptychodes Audinet-Serville, 1835:74

alboguttatus Bates, 1880:97	sw Mexico (OA)
bifasciatus Dillon & Dillon, 1941:56	w Mexico (CM)
dilloni Breuning, 1949:6	Panama
<i>taeniotoides</i> ; Dillon & Dillon, 1941:60 (not Thomson, 1865)	
guttulatus Dillon & Dillon, 1941:57	sw Mexico (GR)
mixtus Bates, 1880:97	Panama
politus politus Audinet-Serville, 1835:75	se Mexico (VC, YU)-El Salvador
<i>lineatus</i> Newman, 1838:497	
subsp. lecontei Thomson, 1856:477	Costa Rica-Colombia
<i>lecontei m. batesi</i> Breuning, 1943:252	
punctatus Dillon & Dillon, 1941:53	e Mexico (VC)
taeniotoides taeniotoides Thomson, 1865:556	Colombia
<i>niveisparsis adspersus</i> Dillon & Dillon, 1941:58	
subsp. niveisparsis Bates, 1872:197	Mexico-Panama
<i>niveisparsus</i> ; Bates, 1880:96	

Taeniotes Audinet-Serville, 1835:90

<i>Hammoderus</i> Thomson, 1856:324	
affinis Breuning, 1935:62	Ecuador, Peru
amazonum Thomson, 1857:172	Panama, nw Brasil (AM), Bolivia, Ecuador
<i>scalaris</i> ; Heyne & Taschenberg, 1907:241 (not Fabricius, 1781)	
batesi (Thomson, 1879:lxxxiii)	Colombia
<i>strandii</i> Breuning, 1935:63	
boliviensis Dillon & Dillon, 1941:33	Ecuador, Bolivia, Argentina
buckleyi Bates, 1872:198	Ecuador, Peru
cayennensis Thomson, 1859:98	Fr Guiana, n Brasil (AM-PA)
chapini Dillon & Dillon, 1941:28	Peru, Bolivia, Ecuador
dentatus Dillon & Dillon, 1941:29	Colombia, Ecuador
farinosus (Linnaeus, 1758:390)	Costa Rica-Ecuador, Peru
<i>pulverulentus</i> Olivier, 1790:302	
<i>surinamensis maculosus</i> Panzer, 1794:15	
<i>scalaris</i> ; Bondar, 1913:9 (not Fabricius, 1781)	
<i>guttularis</i> Schwarzer, 1929:364	
<i>cayennensis</i> ; Breuning, 1943:246 (not Thomson, 1859)	
inquinatus Thomson, 1857:172	Colombia, Venezuela, Ecuador
insularis insularis Thomson, 1857:171	Guadeloupe
<i>thomsoni</i> Breuning, 1943:246	
subsp. insularis gahani Breuning, 1943:246	Dominica
iridescens Dillon & Dillon, 1941:26	Panama, Colombia
leucogrammus Thomson, 1865:554	Martinique, St. Lucia
luciani Thomson, 1859:96	ec Mexico (PU, VC)-Colombia
<i>buquetii</i> Thomson, 1856:324	
marmoratus Thomson, 1865:554	Ecuador
<i>singularis</i> Gahan, 1888:397	
naevius Bates, 1872:198	Colombia, Ecuador, Peru
orbignyi Guérin-Meneville, 1844:244	Panama-SAmer
<i>d'orbignyi</i> ab. <i>suturalis</i> Aurivillius, 1919:4	
parafarinosus Breuning, 1971:287	Bolivia
peruanus Breuning, 1971:287	Peru
praeclarus Bates, 1872:197	Nicaragua-Colombia, Ecuador
<i>praeclaris</i> ; Dillon & Dillon, 1941:30	
scalaris (Fabricius, 1781:213)	ec Mexico (PU, VC)- n SAMer
<i>scalatus</i> Gmelin, 1790:1825	
<i>suturalis</i> Thomson, 1857:172	
<i>univittatus</i> Taschenberg, 1870:195	
<i>scalaris</i> var. <i>azoricus</i> Kolbe, 1888:179	
similis Dillon & Dillon, 1941:29	Colombia, Ecuador, Peru
<i>inquinatus</i> ; Bates, 1872:198 (not Thomson, 1857)	
simplex Gahan, 1888:396	Galapagos Is, Cocos Is
<i>hayi</i> Mutchler, 1938:13	
<i>cocoensis</i> Mutchler, 1938:13	
subocellatus (Olivier, 1792:459)	SAMer (widely distributed)
<i>ocellatus</i> Fabricius, 1801:272	
<i>decoratus</i> Laporte, 1840:479	
xanthostictus Bates, 1880:98	Mexico-Colombia, Ecuador
<i>xanthostictus</i> var. <i>zunilensis</i> Bates, 1885:338	
<i>luciani</i> ; Bates, 1872:198 (not Thomson, 1859)	

Batocerini

Lacordaire, 1869:353

Batocera Dejean, 1835:341

rufomaculata (DeGeer, 1775: 107)

rubra, rubus of authors

Puerto Rico, Barbados, Virgin Is. (Introduced)

Mesosini

Thomson, 1860:35

Liosynphaeta Fisher, 1926:1

balloui Fisher, 1926:2

Jamaica

Synphaeta Thomson, 1864:370

Synaphe; Thomson, 1864:60 (not Huebner, 1789)

Mesosa; LeConte, 1852:166 (not Latreille, 1829)

guexi (LeConte, 1852:166)

humeralis Casey, 1913:299

annulata Casey, 1913:300

brevicollis Casey, 1913:300

w NAmer (Br Col-s CA)

Phrynetini

Thomson 1864:71

Phryneta Dejean, 1835:341

verrucosa (Drury, 1773:90)

sternutator Fabricius, 1775:172

squamata Goeze, 1777:218

verrucata Schoenherr, 1817:396

melanoptera Thomson, 1878:65

Barbados, Grenada, Trinidad
(Introduced)

Dorcaschematini

Thomson 1860:104

Dorcaschema Haldeman, 1847:54

Dorcaschema; Leng & Hamilton, 1896:108

Hetoemis Haldeman, 1847:54

alternatum (Say, 1824:405)

octovittata Knull, 1937:307

cinereum (Olivier, 1795:28)

trilineata Say, 1826:273

juglandis Haldeman, 1847:54

cinerea bimaculata Dillon & Dillon, 1948:293

nigrum (Say, 1826:272)

wildii Uhler, 1855:417

e USA-TX

e USA

e NAmer

e USA

Tapeinini

Thomson 1857:41

Tapeina Lepeletier & Audinet-Serville in Latreille, 1828:545

Eurycephalus Gray in Griffith, 1831:pl. 65, fig. 5

Tapina; Gemminger & Harold, 1873:3068

bicolor Lepeletier & Audinet-Serville in Latreille, 1828:546

se Brasil (RJ)

coronata **coronata** Lep. & Aud.-Serv.in Latreille, 1828:546

se Brasil (RJ)

picea Lep. & Aud.-Serv. in Latreille, 1828:546

niger Gray in Griffith, 1831:pl. 65, fig. 5

diadema Gemminger, 1873:146

subsp. **integra** Marinoni, 1972:20

se Brasil, Paraguay, Argentina

dispar Lep. & Aud.-Serv., 1828:546

SAmer

erectifrons **erectifrons** Thomson, 1857:43

Colombia, Venezuela

coronata; Gerstaecker, 1858:329 (not Lep. & Aud.-Serv., 1828)

subsp. **amazona** Marinoni, 1972:55

Peru, Brasil (AM, PA, AC)

subsp. **avuncula** Marinoni, 1972:53

Venezuela, Fr Guiana

hylaeana Marinoni, 1972:34

nw Brasil (AM)

dispar; Bates, 1866:196 (not Lep. & Aud.-Serv., 1828)

melzeri Zajciw, 1966:373

s Brasil, Paraguay, Argentina

paulista Marinoni, 1972:37

se Brasil (SP)

rubronigra Marinoni, 1972:39

w Brasil (AC, RO, MT)

rudifrons Marinoni, 1972:30

sc Brasil, Paraguay, Argentina

transversifrons **transversifrons** Thomson, 1857:44

e Mexico (VC)-Honduras

subsp. **brevifrons** Chemsak & Linsley in Marinoni, 1972:64

w Mexico (SI, JA)

subsp. **centralis** Marinoni, 1972:62

Nicaragua-Panama, Venezuela

costaricensis Breuning, 1974:162

Apomecynini

Thomson, 1860:68

Agennopsides Lacordaire, 1872:595

Adétides Candeze in Lacordaire, 1872:595

Ptéricoptides Lacordaire, 1872:601
Ischiolonchides Lacordaire, 1872:709

Acestrilla Bates, 1885:350

minima Bates, 1885:350 Guatemala-Panama, s Brasil (SC)
annulicornis Breuning, 1943:38
strandiella Breuning, 1942:140

Acrepidopterum Fisher, 1926:6

acutum Zayas, 1975:187 Cuba
jamaicensis Fisher, 1942:18 Jamaica
minutum Fisher, 1926:6 Cuba, Jamaica
var. *apicalis* Fisher, 1935:197
pilosum Fisher, 1932:75 R. Dominicana

Adetus LeConte, 1852:161

Polyopsia; Haldeman, 1847:55 (not Mulsant)
Agennopsis Thomson, 1857:302
Talaepora Fairmaire & Germain, 1859:521
Stygnesis Pascoe, 1866:286
Tautoclines Thomson, 1868:155
Pterichthya Thomson, 1868:156
Pterichthya; Bates, 1880:109
Pterichthya; Aurivillius, 1922:290
Atimuropsis Thomson, 1868:162
Sicyobius Horn, 1880:137

abruptus Belon, 1902:467 Bolivia
alboapicalis Breuning, 1943:37 Panama, Venezuela
albosignatus Breuning, 1943:37 Venezuela
albovittatus Breuning, 1966:11 Peru
analís (Haldeman, 1847:55) e Mexico (VC)-SAmer
mutica Thomson, 1857:302
pygaea Bates, 1866:295
mexicana Thomson, 1868:153
angustus Melzer, 1934:84 Paraguay, Argentina
clarus Breuning, 1940:151
antennatus (Thomson, 1868:155) e Mexico (VC)-Panama
subsp. **denticauda** Bates, 1880:108 Guatemala
subsp. **nitens** Bates, 1885:344 Guatemala
atomarius atomarius Belon, 1902:464 Bolivia
subsp. **invittatus** Breuning, 1971:300 Venezuela
auratoides Breuning, 1943:37 Mexico-Panama, Venezuela
bacillarius Bates, 1885:344 Guatemala-Panama, Venezuela
binotatus (Thomson, 1868:155) Mexico, Belize, Nicaragua
brasiliensis (Melzer, 1923:4) se Brasil (MG-SP)
brousi (Horn, 1880:137) sc USA (TX, KS)-ne Mexico
columbianus Breuning, 1948:14 Colombia
consors Bates, 1885:342 Guatemala-Panama, Venezuela
costicollis Bates, 1872:199 Mexico-Panama
scissicauda Bates, 1874:225
curtulus Bates, 1885:343 Panama
cylindricus (Bates, 1866:296) n Brasil (PA), Ecuador
densepunctatus (Breuning, 1939:233) se Brasil (RJ)
fasciatus Franz, 1959:185 Mexico-Costa Rica
flavescens Melzer, 1934:84 se Brasil (SP)
furculicauda (Bates, 1880:110) Guatemala
furfulicauda; Breuning, 1960:181
fuscopicalis Breuning, 1942:139 s Brasil (SC)
fuscopunctatus Aurivillius, 1900:413 Venezuela
gracilis Breuning, 1940:38 ne Brasil (CE, PE), Fr Guiana
griseicauda (Bates, 1872:199) Nicaragua-Panama
inaequalis (Thomson, 1868:163) Fr Guiana
insularis Breuning, 1940:37 Panama (Taboga I.)
irregularis (Breuning, 1939:233) e Brasil (PE)
lateralibus Breuning, 1942:138 nc Argentina (SE)
latericius Belon, 1902:468 Bolivia

leucostigma Bates, 1880:108
lewisi Linsley & Chemsak, 1984:116
lherminieri Fleutiaux & Sallé, 1889:468
lherminieri dominicensis Breuning, 1940:38
lherminieri leewardensis Breuning, 1940:38
grossepunctatus Breuning, 1940:38
longicauda (Bates, 1880:110)
marmoratus Breuning, 1942:138
mediofasciculatus Breuning, 1943:37
minimus Breuning, 1942:139
modestus Melzer, 1934:83
mucoreus Bates, 1885:343
nanus (Fairmaire & Germain, 1859:522)
nesiotes Linsley & Chemsak, 1966:243
obliquatus Breuning, 1948:14
obliquus (Bates, 1885:345)
pictoides Breuning, 1973:37
pictus Bates, 1880:109
excultus Bates, 1880:109
pisciformis (Thomson, 1868:157)
pisciformis m. *brevicauda* Breuning, 1971:316
postilenatus Bates, 1885:343
praeustus (Thomson, 1868:153)
proximus Breuning, 1940:426
pulchellus (Thomson, 1868:156)
strigulatus Bates, 1880:107
nigricornis Aurivillius, 1900:412
incomptus Belon, 1902:469
socius Melzer, 1934:81
brevicornis Breuning, 1940:151
punctatus (Thomson, 1868:154)
guttulatus Belon, 1902:466
punctiger (Pascoe, 1866:286)
pusillus (Fairmaire & Germain, 1859:521)
salvadorensis Franz, 1954:224
similis Bruch, 1939:200
sordidus (Bates, 1866:295)
spinipennis Breuning, 1971:286
squamosus Chemsak & Noguera, 1993:90
stramentosus Breuning, 1940:37
strandii Breuning, 1940:38
striatopunctatus Breuning, 1940:151
subcostatus Aurivillius, 1900:412
subellipticus Bates, 1880:107
tibialis Breuning, 1943:37
trinidadensis Breuning, 1955:659
truncatipennis Melzer, 1934:81
vanduzeei Linsley, 1934:62
venezuelensis Breuning, 1942:139

Aletretiopsis Breuning, 1940:154
Aletretiopsis; Breuning, 1960:174
estoloides Breuning, 1940:154

Amphicnaeia Bates, 1866:32
Aesylacris Thomson, 1868:143
affinis Breuning, 1940:41
albovittata Breuning, 1971:224
antennata Galileo & Martins, 2001:41
apicalis Melzer, 1933:376
armata Galileo & Martins, 2001:38
bivittata Melzer, 1933:373
brevivittis Bates, 1872:202
cordigera Aurivillius, 1920:386
crustulata Bates, 1872:235
flavescens Martins & Galileo, 1999:69
flavofemorata Breuning, 1940:153

Mexico-Panama
 sw USA-w Mexico (SI, JA)
 W Indies (Lesser Antilles)

e Mexico (VC)
 c Brasil (GO)
 s Brasil (SC)
 e Brasil (BA)
 se Brasil (SP)
 Costa Rica, Panama
 Argentina, Chile
 Cocos I
 ne Argentina (ER)
 Mexico
 Costa Rica
 Guatemala-Panama

c Mexico (PU), Guatemala

Guatemala-Panama, Ecuador
 se Brasil (SP)
 Paraguay
 Guatemala-Argentina

Fr Guiana

Colombia
 Chile
 El Salvador
 Paraguay, Argentina, Uruguay
 n Brasil (PA), Ecuador
 Bolivia
 w Mexico (JA)
 se Brasil (ES-SC)
 se Brasil (RJ, SP)
 Uruguay
 Venezuela
 Guatemala
 Brasil
 Trinidad
 se Brasil (RJ-RS)
 Mexico (Baja Calif, Ceralbo I)
 Venezuela

e Brasil (PE)

Brasil (SP, RJ, SC)
 se Brasil (RJ)
 Brasil (MG)
 Costa Rica
 s Brasil (SP, PA)
 Costa Rica
 Nicaragua-Panama
 s Brasil (RJ)
 Guatemala-Panama
 Colombia
 se Brasil (RJ)

flavolineata Breuning, 1943:38
flavovittata Breuning, 1940:41
lepida Melzer, 1933:375
costaricensis Breuning, 1942:140
lineata Bates, 1866:33
plurivittis Belon, 1903:65
lyctoides Bates, 1866:33
nigra Galileo & Martins, 2001:39
piriana Martins & Galileo, 2001: 1230
pretiosa Galileo & Martins, 2001:37
pusilla Bates, 1866:33
quinquevittata Bates, 1885:349
sexnotata Melzer, 1933:374
strandii Breuning, 1942:139
tate Galileo & Martins, 2001:38
trivitticollis Breuning, 1961:153
villosula (Thomson, 1868:143)
vitticollis Breuning, 1940:427
zonata Martins & Galileo, 2001: 1231

Peru
 se Brasil (RJ)
 Costa Rica
 Brasil (AM, RJ-RS), Bolivia
 se Brasil (RJ)
 S Brasil (RG)
 Venezuela
 s Brasil (ES)
 n Brasil (PA)
 Guatemala-Panama
 Costa Rica
 Costa Rica
 Ecuador, Colombia
 Ecuador
 Colombia
 Brasil
 Venezuela

Apomecyna Latreille, 1829:126 (?)
Mecynapus Thomson, 1858:187
varia Blanchard in Gay, 1851:516

Chile

Asyngenes (Asyngenes) Bates, 1880:114
affinis Breuning, 1942:140
chalceolus Bates, 1880:115
strandiiellus Breuning, 1943:39
vittipennis Breuning, 1942:140

c Brasil (GO)
 Guatemala, Honduras, Venezuela
 Venezuela
 Brasil

Asyngenes (Neosyngenes) Breuning, 1943:39
venezuelensis Breuning, 1943:39

Mexico-Venezuela

Bebelis Thomson, 1864:110
acuta acuta Pascoe, 1875:73
 subsp. **geometrica** (Bates, 1880:130)
angusta (Fisher, 1947:180)
aurulenta (Belon, 1903:56)
coenosa (Bates, 1866:36)
cuprina (Belon, 1903:58)
divaricata (Fisher, 1947:175)
elongata (Lameere, 1893:275)
fasciata (Fisher, 1947:176)
furcula (Bates, 1880:130)
inaequalis (Fisher, 1947:174)
laetabilis (Belon, 1903:54)
lignea (Bates, 1866:35)
lignosa Thomson, 1864:110
longipennis (Bates, 1885:371)
maculata Martins & Galileo, 1999: 72
mexicana (Bates, 1885:372)
modesta (Belon, 1903:59)
zeteki Fisher, 1947:179
obliquata Breuning, 1940:84
occulta (Bates, 1866:36)
parva (Fisher, 1938:138)
picta Pascoe, 1875:73
obtusa Bates, 1885:372
prolongata (Fisher, 1947:173)
pseudolignosa Breuning, 1942:174
harringtoni Fisher, 1947:181
puncticollis (Fisher, 1947:178)
schwarzi (Fisher, 1947:37)

se Brasil, Argentina
 e Mexico(VC)-Panama
 s Brasil (RS)
 Bolivia
 n Brasil (PA)
 Bolivia
 Costa Rica
 Venezuela
 Panama
 Guatemala, Costa Rica
 Paraguay
 Bolivia
 Belize-Panama, n Brasil (PA)
 Mexico-SAmer
 Guatemala-Panama
 Colombia
 e Mexico (VC), Guatemala
 Panama, Ecuador, Bolivia
 se Brasil (MG)
 n Brasil (PA)
 e Brasil (PE, MG-RS, GO), Fr Guiana
 Mexico-SAmer
 se Brasil (MG)
 n Argentina (SA)
 Nicaragua
 Cuba

Bisaltes (Bisaltes) Thomson, 1868:110

adustus (Burmeister, 1865:179)	n Argentina (TU)
argentiniensis Breuning, 1971:285	n Argentina (SA)
bilineellus Breuning, 1939:235	Brasil
bimaculatus Aurivillius, 1904:207	Brasil (BA, MG), Bolivia, Argentina
brevicornis Breuning, 1939:235	Ecuador, Brasil, Bolivia
buquetii Thomson, 1868:111	Panama, Fr Guiana, Bolivia
<i>batesi</i> Aurivillius, 1923:609	
<i>forsteri</i> Tippmann, 1960:152	
chilensis Breuning, 1939:235	Chile
columbianus Breuning, 1971:285	Colombia
elongatus Breuning, 1939:236	e Brasil (CE-BA)
flaviceps Breuning, 1940:155	Bolivia
fuchsi Breuning, 1971:284	se Brasil (ES)
fuscoapicalis Breuning, 1950:267	se Brasil (RJ)
fuscodiscalis Breuning, 1943:39	Peru
fuscomarmoratus Breuning, 1966:11	Peru
montevidensis (Thomson, 1868:146)	Uruguay
monticola Tippmann, 1960:153	Bolivia
<i>bistriata</i> Tippmann, 1960:154	
obliquatus Breuning, 1940:155	se Brasil (RJ)
pictus Breuning, 1940:43	Colombia
pulvereus (Bates, 1866:289)	Fr Guiana, nc Brasil (AM)
<i>posticalis</i> Thomson, 1868:111	
roseiceps Breuning, 1939:234	e Brasil (PE-RJ), Paraguay
spgazzinii Bruch, 1911:175	Bolivia, Argentina
stramentosus Breuning, 1939:236	Bolivia
strandi Breuning, 1940:43	n Argentina (FO)
subreticulatus Aurivillius, 1920:381	SAmer
triangularis Breuning, 1940:43	e Brasil (PE-RJ)
uniformis Breuning, 1939:236	e Brasil (PE)
venezuelensis Breuning, 1943:39	Venezuela
Bisaltes (Craspedocerus) Aurivillius, 1900:413	
<i>poecilus</i> (Aurivillius, 1900:414)	Venezuela
<i>ptericoptoides</i> Breuning, 1942:141	Colombia
Cauca Lane, 1970:371	
<i>contestata</i> Lane, 1970:371	Colombia
Clavisybra Breuning, 1943:43	
<i>strandiella</i> Breuning, 1943:43	se Brasil (RJ)
Craspedoderus Thomson, 1864:33	
<i>dilaticollis</i> Thomson, 1864:33	Fr Guiana
Dolichosybra Breuning, 1942:152	
<i>annulicornis</i> Breuning, 1942:153	s Brasil (SC)
<i>apicalis</i> (Gilmour, 1963:100)	Trinidad
<i>elongata</i> Breuning, 1942:152	Brasil
<i>strandi</i> Breuning, 1943:44	Venezuela
<i>strandiella</i> Breuning, 1942:153	s Brasil (SC)
<i>tubericollis</i> Breuning, 1942:152	Panama, Brasil
Dorcasta Pascoe, 1858:264	
<i>Aegilopsis</i> Horn, 1860:571	
<i>borealis</i> Breuning, 1940:207	Nicaragua
<i>cinerea</i> (Horn, 1860:571)	sc USA-ne Mexico
<i>crassicornis</i> Pascoe, 1858:264	El Salvador, Colombia
<i>dasycera</i> (Erichson in Schomburg, 1848:574)	sw Mexico (OA)-Venezuela, Aruba
<i>oryx</i> Pascoe, 1858:264	
<i>gracilis</i> Fisher, 1932:82	Haiti
<i>implicata</i> Melzer, 1934:228	Brasil (CE-MG), Bolivia, Argentina
<i>quadrispinosa</i> Breuning, 1940:207	e Brasil (BA)
<i>singularis</i> Martins & Galileo, 2001: 1231	Brasil (GO)

- Euteleuta** Bates, 1885:348
fimbriata Bates, 1885:349
laticauda Bates, 1885:349
venezuelensis Breuning, 1971:267
 se Brasil (RJ, SP)
 Panama
 Venezuela
- Falsischnolea** Breuning, 1940:167
apicalis Martins & Galileo, 2001: 1228
flavoapicalis Breuning, 1940:167
nigrobasalis Breuning, 1940:168
pallidipennis (Chevrolat, 1861:251)
apicopunctata Gilmour, 1950:544
 Brasil (ES)
 se Brasil (MG-PR), Paraguay
 se Brasil (RJ)
 s Brasil (SP-SC)
- Ischioloncha** Thomson, 1860:122
Merocentrum Lane, 1939:473
columbiana Breuning, 1956:694
lanei (Prosen, 1957:35)
lineata Bates, 1885:369
strandiella Breuning, 1942:174
wollastoni Thomson, 1860:123
melzeri Bondar, 1938:447
 Colombia
 Bolivia
 Guatemala, Costa Rica
 Bolivia
 Fr Guiana, e Brasil (PE, BA)
- Leptophaula** Breuning, 1940:154
femoralis Breuning, 1940:154
 Colombia, Venezuela
- Orteguaza** Lane, 1958:10
funeraria Lane, 1958:13
lichenigera Lane, 1958:10
 Bolivia
 Honduras-Colombia, nw Brasil (AM)
- Paraesylacris** Breuning, 1940:159
bituberosa Breuning, 1940:159
candida Martins & Galileo, 2001: 1232
columbiana Breuning, 1940:159
 se Brasil (ES)
 Brasil (AC)
 Colombia
- Parmenonta** Thomson, 1868:157
albisetosa Bates, 1880:105
chapidensis Martins & Galileo, 1999: 814
fulvosticta Bates, 1885:341
insularis Fisher, 1930:9
laevopunctata Breuning, 1940:37
maculata Martins & Galileo, 1999: 814
minor Bates, 1880:105
ovatula Bates, 1880:105
parallela Lameere, 1893:275
punctigera (Germar, 1824:494)
strandiella Breuning, 1940:37
thomasi Linsley & Chemsak, 1984:114
valida Thomson, 1868:158
wickhami Schaeffer, 1908:350
 Guatemala-Panama, Venezuela
 Brasil (MG)
 e Mexico (VC)
 Cuba
 Mexico
 Argentina
 e Mexico (TL, VC), Honduras
 Mexico, Guatemala
 Venezuela
 se Brasil (RJ-PR)
 Paraguay, Argentina
 se USA (FL)
 ec Mexico (ME,VC)-Nicaragua
 sc USA (TX)
- Phrynidius** Lacordaire, 1869:262
armatus Linsley, 1933:131
asper Bates, 1885:334
echinoides Breuning, 1940:407
echinus Bates, 1880:93
inaequalis (Say, 1835:193)
salvadorensis salvadorensis Franz, 1954:220
 subsp. **montecristensis** Franz, 1954:221
singularis Bates, 1880:92
 Guatemala
 Guatemala
 Mexico
 Guatemala-Panama
 e Mexico (VC)
 El Salvador
 El Salvador, Honduras
 Mexico-Honduras
- Prosenella** Lane, 1959:83
muehni (Bruch, 1933:335)
 n Argentina (JU, CO)
- Pseudepectasis** Breuning, 1940:213

- bispinosa** Breuning, 1940:213
se Brasil (RJ)
- Ptericoptus** Lepeletier & Audinet-Serville in Lacordaire, 1830:185
Ptericoptus; Gemminger & Harold, 1873:3101
- acuminatus** (Fabricius, 1801:323)
dentipennis Latreille, 1811:56
dorsalis Audinet-Serville, 1835:61
vitta Newman, 1838:395
acuminatus m. *reductus* Breuning, 1971:271
- borealis** Breuning, 1939:234
caudalis Bates, 1880:111
griseotarsalis Breuning, 1971:274
- clavicornis** (Fabricius, 1801:323)
crassicornis Fabricius, 1803:84
cruentatus Thomson, 1868:109
- columbianus** Breuning, 1950:9
fuscus Bates, 1885:345
griseolus Bates, 1880:111
hybridus hybridus Breuning, 1939:233
subsp. **meridionalis** Breuning, 1939:233
- intermedius** Breuning, 1939:234
panamensis Bates, 1880:111
similis Breuning, 1939:234
sinuatus Breuning, 1939:233
- Rosalba** Thomson, 1864:108
Aletretia Bates, 1866:34
- alboapicalis** (Breuning, 1940:42)
alcidionoides Thomson, 1864:109
approximata (Melzer, 1934:85)
arawakiana Villiers, 1980:86
bucki (Melzer, 1934:87)
consobrina (Melzer, 1934:88)
costaricensis (Melzer, 1934:91)
crassepunctata Breuning, 1948:13
digna (Melzer, 1934:86)
albofasciata Breuning, 1942:140
- dissimilis** (Belon, 1903:153)
fimbriata (Belon, 1903:152)
inscripta (Bates, 1866:34)
acanthocinoides Thomson, 1868:142
- indistincta** (Breuning, 1940:41)
malleri (Melzer, 1934:90)
mediofasciata (Breuning, 1943:38)
obliqua (Thomson, 1868:141)
pulchra Bates, 1885:350
- peraffinis** (Breuning, 1940:153)
pulchella (Belon, 1903:151)
recta (Thomson, 1868:142)
rufescens (Breuning, 1940:153)
rufobasalis (Breuning, 1940:42)
smaragdina (Breuning, 1940:153)
stigmatifera (Thomson, 1868:142)
strandii (Breuning, 1943:38)
strandiella (Breuning, 1940:42)
- Sarillus** Bates, 1885:359
pygmaeus Bates, 1885:359
- Sybra** Pascoe, 1865: 141
alternans (Wiedemann,)
nr. *ponapensis* Blair, in Peck & Thomas, 1998: 122
- Symperga** Lacordaire, 1872:711
balyi (Thomson, 1860:121)
- se Brasil (MG-PR), Paraguay, Argentina
- w Mexico (DU)
e Mexico (VC), Guatemala
- Fr Guiana, Guyana
- Colombia
sw Mexico (GR, MO)
Guatemala
Brasil (AM, PE, BA)
Paraguay, n Argentina (CH)
Mexico
Panama
Colombia, Venezuela
Colombia, Peru
- se Brasil (RJ-SC)
Colombia
se Brasil (RJ-RS), Paraguay
Guadeloupe
s Brasil (RS)
se Brasil (ES-SC), Paraguay
Costa Rica
nw Brasil (AM)
se Brasil (SP-RS), Paraguay
- Bolivia, Argentina
Bolivia
n SAmer-Bolivia
- Colombia
se Brasil (RJ-RS)
Brasil
Costa Rica-Venezuela
- se Brasil (RJ)
Bolivia
Venezuela
se Brasil (RJ)
Colombia
se Brasil (RJ, SP)
Panama, SAmer
se Brasil (MG)
c Brasil (GO)
- Guatemala-Panama
- Micronesia, introduced in s Florida
- Fr Guiana

- puncticollis** Breuning, 1940:212 n Brasil (AM, PA)
- Sympergoides** Lane, 1970:374
nasutus Lane, 1970:374 se Brasil (MG)
- Tethystola** Thomson, 1868:131
brasiliensis Breuning, 1940:42 e Brasil (PE)
flavoapicalis Breuning, 1942:141
dispar Lameere, 1893:276 Venezuela
inermis Galileo & Martins, 2001: 288 Venezuela
minima Galileo & Martins, 2001: 289 Venezuela
mutica Gahan, 1895:126 Grenada, St Vincent, Trinidad
obliqua Thomson, 1868:132 Venezuela
unifasciata Galileo & Martins, 2001: 288 Peru
- Tetrarpages** Thomson, 1868:129
lansbergei Thomson, 1868:130 Venezuela
- Trichoparmenonta** Breuning, 1943:36
hoegei Breuning 1943:36 Mexico
- Tucumaniella** Breuning, 1943:40
brevipes Breuning, 1943:40 n Argentina (TU)
- Typophaula** Thomson, 1868:152
melancholica Thomson, 1868:152 se Brasil, Fr Guiana
dejeani Thomson, 1868:153
- Xylomimus** Bates, 1865:308
baculus Bates, 1865:308 n Brasil (PA)

Agapanthiini

- Mulsant, 1839:165
Hippopsitae Thomson, 1860:123
Nemotragitae Thomson, 1864:93
Anauxesitae Thomson, 1864:94
Aprosopitae Thomson, 1864:95
Aegoprepini Pascoe, 1871:277
Pachypézides Lacordaire, 1872:414
Spalacopsides Lacordaire, 1872:414
Didymonychini Aurivillius, 1922:435
Amillarinen Aurivillius, 1925:524
Hippopsiconini Dillon & Dillon, 1945:11

- Amillarus** Thomson, 1857:312
Aphies Chevrolat, 1861:189
Didymonycha Aurivillius, 1922:31
Trichogrammopsis Breuning, 1948:42
apicalis Thomson, 1860:44 Nicaragua-Panama, n SAmer
erythrodera Chevrolat, 1861:189
mutabilis Bates, 1866:432
apicalis m. *nigroampliatus* Breuning, 1974:39
ruficollis (Breuning, 1948:42) Ecuador
secundus (Tippmann 1951:301) Venezuela
ab. *infuscata* Tippmann, 1951:301
singularis (Aurivillius, 1922:435) Peru
- Amphion** Reiche, 1839:564
triangulifer (Aurivillius, 1908:7) Peru, Bolivia
boliviana; Breuning, 1980:68 (not Breuning, 1962)
vittatus Reiche, 1839:566 Colombia

- Aprosopus** Guérin-Méneville, 1844:248
buqueti Guérin-Méneville, 1844:248
gilmouri Breuning, 1962:26
 se Brasil (ES)
 Suriname, Fr Guiana
- Grammopsis** Aurivillius, 1900:416
clavigera (Bates, 1866:40)
surinamensis Breuning, 1973:37
 n Brasil (PA), Fr Guiana
fallax (Lameere, 1893:279)
 Venezuela, Fr Guiana, Guyana
parvula (Newman, 1840:12)
 e Brasil (BA)
simoni (Lameere, 1893:279)
minima Aurivillius, 1900:416
 Venezuela
- Grammopsoides** Breuning, 1940:433
picta Galileo & Martins, 1995:42
tenuicornis (Casey, 1913:363)
flavimembris Aurivillius, 1925:22
spinipennis Breuning, 1940:434
rufipes Breuning, 1940:434
obscuripes Breuning, 1948:43
 Peru
 Panama, Ecuador
- Helvina** Thomson, 1864:103
Pachypezomorpha Breuning, 1942:165
Paracacostola Breuning, 1974:239
howdenorum Hovore & Giesbert, 1998: 77
 Costa Rica
lanuginosa (Bates 1865:314)
 nw Brasil (AM), Colombia, Ecuador
strandii (Breuning, 1942:166)
lypera Dillon & Dillon, 1945:16
 Peru, Bolivia
uncinata Thomson, 1864:103
granulata Breuning, 1974:239
 Fr Guiana, n Brasil (AM, PA)
- Hippopsis** Lepeletier & Audinet-Serville in Latreille, 1825:336
albicans Breuning, 1940:82
apicalis (Bates, 1866:37)
preapicevittata Breuning, 1980:68
 s Brasil (SC)
 Fr Guiana, n Brasil (AM, PA), Ecuador, Bolivia
assimilis Breuning, 1940:81
 Venezuela
campaneri Martins & Galileo, 1998: 52
 Brasil (GO)
densepunctata Breuning, 1940:434
 e Brasil (BA, MG)
femoralis Breuning, 1940:200
 se Brasil (MG, SP)
fractilinea Bates, 1866:41
biapicata Breuning, 1940:81
 Peru, nc Brasil (AM), Ecuador, Bolivia
fratercula Galileo & Martins, 1988:193
 e Brasil (PE, BA)
gilmouri Breuning, 1962:17
 n Argentina (SA)
griseola Bates, 1866:40
 n Brasil (PA)
lemniscata (Fabricius, 1801:330)
lemniscata boliviana Breuning, 1962:10
 e USA-TX, s Mexico (OA, VC)
lineolatus Lepeletier & Audinet-Serville in Latreille, 1825:336
 Brasil
lineatus Guérin-Méneville, 1844:246
macrophthalmia Breuning, 1940:434
 Ecuador, Guianas, n Brasil (AM, PA), Colombia
meinerti Aurivillius, 1900:416
freyi Breuning, 1955:661
lemniscata insularis Breuning, 1962:10
lemniscata tobagoensis Breuning, 1962:10
tremata Galileo & Martins, 1988:184
 Mexico-Costa Rica, Trinidad & Tobago,
 Venezuela, Fr Guiana
minima Galileo & Martins, 1988:188
 n Brasil (MA)
monachica Berg, 1889:106
fimbriata Breuning, 1940:81
 s Brasil (RS), Argentina, Uruguay
mourai Martins & Galileo, 1994:78
 n Brasil (TO)
ocularis Galileo & Martins, 1995:40
 Bolivia
pallida Carvalho, 1981:53
 nc Argentina (CD)
pertusa Galileo & Martins, 1988:182
 e Brasil (RN-SC)
pradieri Guérin-Méneville, 1844:246
 se Brasil (BA-SP)
prona Bates, 1866:41
 nw Brasil (AM)
pubiventris Galileo & Martins, 1988:188
 Peru, Brasil (AC, RJ-SC)
quadrivittata Breuning, 1940:82
 Colombia, Ecuador, Fr Guiana
quinquelineata Aurivillius, 1920:384
 se Brasil (MG-SC)

rabida Galileo & Martins, 1988:201
renodis Galileo & Martins, 1988:203
septemlineata Breuning, 1940:81
septemvittata Breuning, 1940:81
solangeae Carvalho, 1981:327
truncatella Bates, 1866:39
tuberculata Galileo & Martins, 1988:181

se Brasil (SP)
se Brasil (RJ)
Panama, Colombia
Brasil
SAmer (Ecuador)
Brasil (AM, GO, MT, MG-SP)
se Brasil (MG-SP)

Megacera Audinet-Serville, 1835:42

praelata Bates, 1866:37
rigidula Bates, 1866:38
vittata Audinet-Serville, 1835:43

nw Brasil (AM), Fr Guiana
n Brasil (PA)
Brasil

Pachypeza Audinet-Serville, 1835:42

Pachypexa; Blackwelder, 1946:605
borealis Hovore & Giesbert, 1998: 79
joda Dillon & Dillon, 1945:23
marginata Pascoe, 1888:507
panamensis Giesbert, 1987:317
pennicornis (Germar, 1824:490)
phegea Dillon & Dillon, 1945:22
teres Pascoe, 1888:508

MX (Ch), Guatemala
Ecuador, Peru, n Brasil, Bolivia
se Brasil (GO, SP-RS), Paraguay
Panama
se Brasil, Paraguay, Argentina, Uruguay
wc Brasil (RO, MT)
Fr Guiana, Brasil, Paraguay

Parhippopsis Breuning, 1973:653

columbiana Breuning, 1973:653

Colombia

Pseudogrammopsis Zajciw, 1960:59

lineata Zajciw, 1960:60

Uruguay

Spalacopsis Newman, 1842:303

Spacalopsis; LeConte, 1852:145
Eutheia Dejean, 1835:353 (not Stephens, 1830)
Euthuorus Jacquelin du Val in Sagra, 1857:276
Systene Pascoe, 1858:264
chemsaki Tyson, 1973:130
filum filum (Klug, 1829:13)
stellio Newman, 1842:304, 304
macilentia Lacordaire, 1872: pl.105, fig.5
subsp. **brevialetum** Tyson, 1973:125
subsp. **costulatum** Casey, 1913:355
linum Hamilton in Leng & Hamilton, 1896:145
scapalis Casey, 1913:355
confusa Casey, 1924:293
fusca Gahan, 1892:260
grandis (Chevrolat, 1862:255)
howdeni Tyson, 1970:484
lobata Breuning, 1942:173
macra Tyson, 1973:128
ornatipennis Fisher, 1935:200
phantasma Bates, 1885:371
protensa (Pascoe, 1871:278)
similis Gahan, 1892:260
spinipennis Fisher, 1936:347
stolata Newman, 1842:304
pertenuis Casey, 1913:357
suffusa Newman, 1842:304
suturalis Hamilton in Leng & Hamilton, 1896:145
exilis Casey, 1924:294
texana Casey, 1891:51
unicolor Tyson, 1973:135
variegata Bates, 1880:129
var. *tenuissima* Bates, 1885:371

se USA (FL)
Cuba, Bahamas, Jamaica, Puerto Rico

R Dominicana
s USA (FL)

sw Mexico (GR)
Cuba
ec Mexico (SLP)
Mexico
Jamaica
Jamaica
Guatemala
e Mexico (VC), Guatemala
sw Mexico (GR)
Cuba
se USA (FL)

se USA (FL)

s USA (TX)
Puerto Rico
e Mexico (VC), Guatemala

Trichohippopsis Breuning, 1958:25

magna Martins & Carvalho, 1983:163

Brasil (GO, MS, MG)

rufula Breuning, 1958:26
suturalis Martins & Carvalho, 1983:162

ec Brasil (GO)
ec Brasil (GO, MG, SP), Fr Guiana

Zipoetopsis Breuning, 1950:175
dissimilis Galileo & Martins, 1995:39
unicolor Breuning, 1950:175

Ecuador
Paraguay

Onocephalini

Thomson, 1860:120

Onocephala Sturm, 1843:262

Perma Lacordaire, 1872:690

aulica Lucas in Laporte, 1859:191
diophthalma (Perty, 1830:98)
rugicollis Thomson, 1857:305
lacordairei Dillon & Dillon, 1946:32
lineola Dillon & Dillon, 1946:37
obliquata Lacordaire, 1872:690
suturalis (Bates, 1887:63)
tepahi Dillon & Dillon, 1946:36
thomsoni Dillon & Dillon, 1946:33
vittipennis (Breuning, 1940:185)

se Brasil (RJ, SP)
se Brasil (MG-RJ)

se Brasil (RJ)
se Brasil (ES-RJ)
se Brasil (MG-SC)
se Brasil (MG-SP)
se Brasil (RJ)
se Brasil (MG-SP)
se Brasil (ES)

Pseudoperma Dillon & Dillon, 1946:46

chalcogramma (Bates, 1887:63)
patruelis (Breuning, 1940:186)

se Brasil (MG-RJ)
se Brasil (RJ)

Stethoperma Lameere, 1884:93

batesi Lameere, 1884:94
candezei Lameere, 1884:94
duodilloni Gilmour, 1950:548
flavovittata Breuning, 1940:186
multivittis Bates, 1887:63
obliquepicta Breuning, 1940:185
zikani Melzer, 1923:8

se Brasil (ES-RJ)
Brasil
e Brasil (BA, ES)
e Brasil (BA)
se Brasil (MG-RJ)
se Brasil (BA-SC)
se Brasil (MG, SP)

Onciderini

Thomson, 1860:38

Hypsiomitae Thomson, 1860:109

Hypselominae Pascoe, 1864:7

Agaritha Dillon & Dillon, 1945:78

iolaia Dillon & Dillon, 1945:79

se Brasil (RJ-RS), n Argentina (MI)

Alexera Dillon & Dillon, 1945:119

barii (Jekel, 1861:261)
lignicolor Bates, 1865:169
sordida Thomson, 1868:48

Guianas, Peru, nc Brasil (AM)

Apamauta Thomson, 1868:58

Apamanta; Lacordaire, 1872:674

lineolata Thomson, 1868:59

se Brasil (RJ-PR)

Apocoptoma Thomson, 1857:186

chabrillaci Thomson, 1857:186

e Brasil (BA, ES)

Bacuris Gounelle, 1906:274

sexvittatus (Bates, 1865:181)

nc Brasil (AM, PA), Peru, Costa Rica

Bucoides Dillon & Dillon, 1945:80

erichsoni Martins, 1979:150

Ecuador

egens; Dillon & Dillon, 1945:81 (not Erichson, 1847)
exotica Martins & Galileo, 1990:66 se Brasil (RJ)

Cacostola Fairmaire & Germain, 1859:527

Aporataxia Hamilton in Leng & Hamilton, 1896:142
Cylindrataxia Linsley, 1934:183
Paratucumaniella Breuning, 1943:41
Hyagniellus Breuning, 1943:42
acuticauda Marinoni & Martins, 1982:248 se Brasil (ES-PR)
brasiliensis Thomson, 1868:68 e Brasil (ES)
brasiliensis; Dillon & Dillon, 1946:265
cana Marinoni & Martins, 1982:249 e Brasil (ES)
clorinda Dillon & Dillon, 1946:266 c Brasil (MT)
colombiana Martins & Galileo, 1999: 74 Colombia
flexicornis Bates, 1865:32 n Brasil (PA), Fr Guiana
fusca Thomson, 1868:68 Brasil
fuscata Dillon & Dillon, 1952:71 nw Brasil (AM)
gracilis Marinoni & Martins, 1982:250 ec Brasil (GO)
grisea Dillon & Dillon, 1946:268 Fr Guiana, Guyana
janzeni Chemsak & Linsley, 1986:22 Mexico (OA, VC)
leonensis Dillon & Dillon, 1946:259 Puerto Rico
lineata (Hamilton in Leng & Hamilton, 1896:142) sw USA (TX)
mexicana (Breuning, 1943:42) e Mexico (VC)
nelsoni Chemsak & Linsley, 1986:23 w Mexico (SI)
nordestina Martins & Galileo, 1999: 812 Brasil (PB)
obliquata Martins & Galileo, 1995:2 Ecuador
ornata Fleutiaux & Sallé, 1899:470 Guadeloupe, Martinique
strandii Breuning, 1943:42
rugicollis Bates, 1885:370 e Mexico (VC), Guatemala
salicicola (Linsley, 1934:184) sw USA (TX), Mexico
simplex (Pascoe, 1859:55) n Brasil (PA), Fr Guiana
sirena Dillon & Dillon, 1946:267 Venezuela
sulcipennis Melzer, 1934:96 e Brasil (ES)
vagelineata Fairmaire & Germain, 1859:527 Chile
vanini Martins, 1979:154 e Brasil (MG)
variegata Dillon & Dillon, 1946:260 Fr Guiana
volvula (Fabricius, 1781:150) Fr Guiana, Bolivia
nitida Dillon & Dillon, 1946:258
zanao Dillon & Dillon, 1946:256 Bolivia

Carenesycha Martins & Galileo, 1990: 79

caremata Martins & Galileo, 1990:79 Ecuador
velezi Martins & Galileo, 1995:3 Colombia

Charoides Dillon & Dillon, 1945:55

cruda (Erichson, 1847:148) Peru, Ecuador
subcostata Dillon & Dillon, 1945:61
dimidiata (Bates, 1865:112) nw Brasil (AM), Ecuador
cruda; Dillon & Dillon, 1945:64 (not Erichson, 1847)
distincta Dillon & Dillon, 1945:77 nw Brasil (AM)
fulvofasciata Dillon & Dillon, 1945:74 Panama, Colombia
hebes Dillon & Dillon, 1945:59 Peru
litura Dillon & Dillon, 1945:62 Bolivia
lycimnia Dillon & Dillon, 1945:72 e Mexico (VC)-Panama, Trinidad, Venezuela
picticornis; Bates, 1880:123 (not Bates, 1865)
obliquefasciata Dillon & Dillon, 1952:61 Brasil
pagana (Pascoe, 1859:35) nc Brasil, Peru, Colombia, Bolivia
pallida Dillon & Dillon, 1945:69 Panama, Colombia
pepoata Martins & Galileo, 1996:295 Bolivia
picticornis (Bates, 1865:111) Peru, nw Brasil (AM)
pigra Martins & Galileo, 1990:62 Bolivia
pulla Dillon & Dillon, 1945:65 Peru, Bolivia
signaticornis (Thomson, 1868:48) nw Brasil (AM)
soma Dillon & Dillon, 1945:67 Peru
subfasciata (Thomson, 1860:118) Fr Guiana
thysbe Dillon & Dillon, 1945:68 Costa Rica, Panama, Ecuador

- tigrinata** (Thomson, 1868:49) Fr Guiana, nc Brasil (AM, PA), Peru, Ecuador
antennata antennata Dillon & Dillon, 1945:71
antennata sodalis Dillon & Dillon, 1945:72
- Cherentes** Gounelle, 1906:273
niveilateris (Thomson, 1868:70) Panama, SAmer
- Chitron** Dillon & Dillon, 1946:404
mniszewski (Buquet, 1859:48) se Brasil (ES-RS)
- Cicatrodea** Dillon & Dillon, 1946:223
bahia Dillon & Dillon, 1946:224 e Brasil (BA)
monima Dillon & Dillon, 1946:225 Peru, w Brasil (RO)
- Cipriscola** Dillon & Dillon, 1945:82
fasciata (Thomson, 1860:118) Colombia, Brasil (PA, PE-RS), Paraguay, Peru,
crassipes Bates, 1865:168 n Argentina (MI, CO, CH)
- Clavidesmus** Dillon & Dillon, 1946:293
chicae Giorgi, 1998: 3 se Brasil (SP)
columbianus Breuning, 1961:333 Colombia
heterocerus (Buquet, 1852:344) Brasil, Paraguay
indistinctus Dillon & Dillon, 1952:74 e Brasil (BA)
metallicus (Thomson, 1868:70) Fr Guiana
monnei Giorgi, 1998: 2 Brasil (MI)
rubiginus Dillon & Dillon, 1949:11 s Brasil (SC)
- Cnemosioma** Martins, 1975:65
innominata Martins, 1975:66 e Brasil (ES)
- Cordites** Dillon & Dillon, 1946:232
armillata (Thomson, 1868:57) se Brasil (RJ-SC)
pubescens (Thomson, 1868:59) se Brasil (MG-SP)
modesta Melzer, 1931:58
- Cydros** Pascoe, 1866:285
Thomson, 1868:72
leucurus Pascoe, 1866:285 Panama, Colombia, Fr Guiana
scabrosus Thomson, 1868:72
melzeri Monné & Fragoso, 1984:929 Brasil (RO, MT, SP)
- Cylicasta** Thomson, 1868:42
difficilis (Lameere, 1893:278) Venezuela
liturata (Fabricius, 1801:325) Fr Guiana, nc Brasil (AM)
coarctata Bates, 1865:312
nysa Dillon & Dillon, 1946:274 Nicaragua, Costa Rica, Colombia
paralela (Melzer, 1934:93) sc Brasil (MS), Bolivia, Argentina
chionea Martins, 1979:155
terminata (Buquet, 1859:47) Fr. Guiana, nc Brasil (AM, PA)
liturata; Dillon & Dillon, 1946:270 (not Fabricius, 1801)
- Delilah** Dillon & Dillon, 1945:53
gilvicornis (Thomson, 1868:46) e Brasil (ES)
subfasciata Dillon & Dillon, 1952:61 Peru
- Ecthoea** Pascoe, 1858:250
Talasius Buquet, 1859:99
quadricornis (Olivier, 1792:466) Costa Rica - n SAmer, Trinidad
bispinator Fabricius, 1801:292
faunus Erichson, 1847:148
douei Buquet, 1859:cxviii

- Ephiales** Dillon & Dillon, 1946:218
cretacea (Bates, 1865:173) nw Brasil (AM), Fr Guiana, Peru
- Esonius** Dillon & Dillon, 1945:144
panopus Dillon & Dillon, 1945:145 c Brasil (MT, GO, MG)
- Eudesmus** Audinet-Serville, 1835:81
Larvica Thomson, 1860:71
diopites Dillon & Dillon, 1946:303 Peru
ferrugineus (Thomson, 1860:72) Mexico-Panama, n SAMer
caudalis Bates, 1865:180
grisescens Audinet-Serville, 1835:82 Nicaragua- Fr Guiana, nw Brasil, Peru, Bolivia
nicaraguensis Breuning, 1958:35 Nicaragua
posticalis Guérin-Méneville, 1844:248 nw Brasil (AM)
rubefactus Bates, 1865:180 nw Brasil (AM), Fr Guiana
- Eupales** Dillon & Dillon, 1946:220
attenuata (Thomson, 1868:91) se Brasil (MG-RJ)
multinotata (Melzer, 1934:92)
- Euthima** Dillon & Dillon, 1945:106
araujo Martins, 1979:151 se Brasil (SP)
rodens (Bates, 1865:112) Ecuador, Peru, Fr Guiana, Bolivia,
rodens ceres Dillon & Dillon, 1945:108 n Brasil (AM)
variegata (Aurivillius, 1921:50) Peru, Bolivia
wendtae Martins, 1979:151 Peru
- Furona** Dillon & Dillon, 1945:96
corniculata (Bates, 1885:365) Nicaragua-Panama
degenera (Bates, 1880:123) e Mexico (VC)-Panama, Colombia
egens (Erichson, 1847:149) Peru, Ecuador
- Glyphthaga** Thomson, 1868:64
lignosa Thomson, 1868:55 se Brasil (MG-SC), Fr Guiana
mucorea Martins & Galileo, 1990:72 e Brasil (PE, BA)
paupercula (Thomson, 1868:62) e Brasil (GO, BA)
unicolor Martins & Galileo, 1990:72 s Brasil (RS)
vicina Martins & Galileo, 1990:72 se Brasil (RJ-SC)
xylina (Bates, 1865:172) se Brasil (PB-SC)
maculicornis Thomson, 1868:63
- Hesycha** Fairmaire & Germain, 1859:523
Falsestola Breuning, 1940:155
Estolosybra Breuning, 1943:41
bimaculata Martins & Galileo, 1990:76 e Brasil (ES)
clavata Martins & Galileo, 1990:77 sc Brasil (MS)
consimilis Thomson, 1868: 63 se Brasil (MG-SP)
cribripennis Fairmaire & Germain, 1859:523 Chile
crucifera Dillon & Dillon, 1952:66 se Brasil (RJ)
paupercula; Dillon & Dillon, 1945:133 (not Thomson, 1868)
fasciata Martins & Galileo, 1990:77 e Brasil (ES)
inermicollis (Breuning, 1940:155) se Brasil (BA, MG-PR), n Argentina (MI)
ocellifera Martins & Galileo, 1990:74
microphthalmalma Martins & Galileo, 1990:76 se Brasil (MG-SC)
simplex Martins & Galileo, 1990:76 e Brasil (MG)
strandii (Breuning, 1943:41) Venezuela
variabilis Dillon & Dillon, 1945:131 se Brasil (RJ-SC), Paraguay, Argentina
- Hesychotypa** Thomson, 1868:53
ableptema Martins & Galileo, 1990:80 n Brasil (PA)
nyphonoides; Dillon & Dillon, 1945:160 (not Pascoe, 1859)
aeropa Dillon & Dillon, 1945:155 Bolivia
archippa Dillon & Dillon, 1945:165 se Brasil (RJ-PR)

- bimaculata** Dillon & Dillon, 1945:161
cedestes Dillon & Dillon, 1945:173
colombiana Martins & Galileo, 1990:80
crocea Dillon & Dillon, 1945:170
dola Dillon & Dillon, 1945:164
fernandezi Martins & Galileo, 1999: 76
heraldica (Bates, 1872:201)
jaspidea (Bates, 1865:172)
lirissa Dillon & Dillon, 1945:153
liturata (Bates, 1865:172)
humilis Thomson, 1868:57
maculosa (Bates, 1865:173)
miniata Thomson, 1868:54
nymphonoides (Pascoe, 1859:36)
phaola Dillon & Dillon, 1945:163
punctata Martins, 1979:153
subfasciata Dillon & Dillon, 1945:152
turbida (Bates, 1880:122)
maculosa; Bates, 1880: pl.8, fig.20 (not Bates, 1865)
- Ecuador
Guatemala-Panama, Ecuador
Colombia
Fr Guiana
se Brasil (RJ, SP)
Colombia
Nicaragua-Panama
Fr Guiana, n Brasil (PA)
c Brasil (MT)
Fr Guiana, Brasil

nw Brasil (AM)
se Brasil, Paraguay, Argentina
nc Brasil (AM, PA), Peru, Ecuador, Colombia
- Hylus** Dillon & Dillon, 1945:104
dubius Dillon & Dillon, 1945:105
- Peru, Colombia
- Hypselomus** Perty, 1832:95
Clytemnestra Thomson, 1860:113 (part)
cristatus Perty, 1832:96
tumulosus Thomson, 1860:113
- se Brasil (BA-RS), Bolivia, Paraguay, Argentina
- Hypsioma** Audinet-Serville, 1835:38
Hypselomus; Bates, 1865:111 (not Perty, 1832)
affinis Thomson, 1860:117
amydon Dillon & Dillon, 1945:36
aristonia Dillon & Dillon, 1945:47
asthenia Martins & Galileo, 1990:56
attalia Dillon & Dillon, 1945:45
barbara Martins & Galileo, 1990:60
basalis Thomson, 1860:117
chaseba Dillon & Dillon, 1945:30
chapidensis Dillon & Dillon, 1945:22
charila Dillon & Dillon, 1945:43
constellata Thomson, 1868:48
dejeanii Thomson, 1868:47
gibbera Audinet-Serville, 1835:39
grisea (Fleutiaux & Sallé, 1889:469)
insularis Fisher, 1935:199
hezia Dillon & Dillon, 1945:46
inornata Thomson, 1868:49
lyca Dillon & Dillon, 1945:34
nesiope Dillon & Dillon, 1945:33
obscurella (Bates, 1865:169)
opalina Dillon & Dillon, 1945:44
pylades Dillon & Dillon, 1945:31
renatoi Martins & Galileo, 1990:56
rimosa Dillon & Dillon, 1945:24
robusta Dillon & Dillon, 1945:39
sororcula Martins, 1981:213
steinbachi Dillon & Dillon, 1945:27
viridis Gilmour, 1950:537
- se Brasil (MG-RS)
Peru, Ecuador, nw Brasil (AM)
e Brasil (ES)
w Brasil (RO)
se Brasil (RJ)
e Brasil (ES)
se Brasil (ES, RJ)

c Brasil (MT), Paraguay
se Brasil (MG-PR)
Fr Guiana, n Brasil (AP, PA)
se Brasil (ES, RJ)
se Brasil, Paraguay, Argentina
W Indies (Lesser Antilles)

se Brasil, Paraguay, Argentina
se Brasil, n Argentina (MI)
Ecuador, nw Brasil (AM), Peru
Panama, Colombia
n Brasil (PA)
se Brasil (RJ)
se Brasil (RJ)
e Brasil (ES)
Paraguay
n Brasil (PA)
c Brasil (MT)
wc Brasil (MT, RO), Bolivia
se Brasil (SP)
- Iaquira** Galileo & Martins, 2001: 102
viridis Galileo & Martins, 2001: 102
- e Brasil (ES)
- Ischiocentra** Thomson, 1860:382
Ischyocentra; Thomson, 1864:103
clavata Thomson, 1860:383
- e Brasil (ES)

- diringshofeni** Lane, 1956:23
disjuncta Martins & Galileo, 1990:84
hebes (Thomson, 1868:59)
costalimai Melzer, 1931:59
monteverdensis Giesbert, 1984:79
nobilitata Thomson, 1868:55
quadrisignata Thomson, 1868:57
stockwelli Giesbert, 1984:81
- s Brasil (SC)
Venezuela
se Brasil (ES-SC)
Costa Rica, Panama
Brasil
se Brasil (MG-SP)
Costa Rica, Panama
- Ischioderes** Dillon & Dillon, 1945:184
bahiensis Monné & Fragoso, 1984:928
oncideroides Dillon & Dillon, 1945:185
- e Brasil (BA, MG)
s Brasil (SC)
- Ischiomaeocles** Franz, 1954:224
salvadorensis Franz, 1954:225
- El Salvador
- Ischiosioma** Martins & Galileo, 1990:82
albata Martins & Galileo, 1990:82
obliquata Martins & Galileo, 1990:82
- e Brasil (ES)
s Brasil (SC)
- Jamesia** Jekel, 1861:259
duofasciata Dillon & Dillon, 1952:59
ericksoni Hovore, 1989:253
fuscofasciata Dillon & Dillon, 1952:60
globifera (Fabricius, 1801:284)
gemmata Blanchard in Orbigny, 1843:210
variolosus Pascoe, 1859:35
multivittata Bates, 1869:388
papulenta Thomson, 1868:43
phileta Dillon & Dillon, 1945:8
pyropina Dillon & Dillon, 1945:9
- Ecuador
Costa Rica, Panama
Ecuador
Costa Rica-Colombia, n SAmer
Nicaragua-Panama
Nicaragua-Colombia, Ecuador, Peru
Peru
Ecuador
- Lachaerus** Thomson, 1868:71
fascinus (Audinet-Serville, 1835:82)
seminivorus Buquet, 1852:345
seminivosus; Thomson, 1868:71
- se Brasil (BA- RJ)
- Lachnia** Audinet-Serville, 1835:63
subcincta Audinet-Serville, 1835:64
subvincta; Breuning, 1961:207
fulvoirrorata Thomson, 1868:56
- Fr Guiana, nc Brasil (AM, PA)
- Lampedusa** Dillon & Dillon, 1945:112
lateralis Thomson, 1868:63
obliquator, Dillon & Dillon 1945:114 (not Fabricius, 1801)
obliquator Fabricius, 1801:303
- Fr Guiana
Fr Guiana, Peru, nc Brasil (AM,PA)
- Lesbates** Dillon & Dillon, 1945:12
Truncatoides Dillon & Dillon, 1945:16
acromii (Dalman, 1823:70)
omoplata Lacordaire, 1872:676
axillaris (Thomson, 1860:116)
carissima Dillon & Dillon, 1945:14
caviunas (Dillon & Dillon, 1949:4)
hauffi Tippmann, 1953:357
- se Brasil (ES-PR)
se Brasil (MG-PR)
e Brasil (BA)
se Brasil (ES-PR)
- Leus** Dillon & Dillon, 1946:222
ramuli (Bates, 1865:311)
piperella Dillon & Dillon, 1946:222
- Peru, c Brasil (AM, MT), Bolivia
- Lochmaeocles** Bates, 1880:124
Lochmaeodes; Aurivillius, 1923:345
Lochmalodes; Arnett, 1962:871

alboplagiatus Dillon & Dillon, 1946:193
basalis Dillon & Dillon, 1946:212
batesi (Aurivillius, 1923:345)
callidryas; Bates, 1880:124 (not Bates, 1865)
callidryas (Bates, 1865:175)
confertus (Aurivillius, 1923:346)
tessellata var. 2 Bates, 1885:366
congener (Thomson, 1868:89)
vermiculata Thomson, 1868:91
consobrinus consobrinus Dillon & Dillon, 1946:205
subsp. **bolivianus** Dillon & Dillon, 1946:207
cornuticeps cornuticeps Schaeffer, 1906:20
tessellatus; Knull, 1937:42 (not Thomson, 1868)
subsp. **federalis** Dillon & Dillon, 1946:197
subsp. **pacificus** Dillon & Dillon, 1946:198
cretatus Chemsak & Linsley, 1986:25
fasciatus (Lucas in Laporte, 1857:189)
grisescens Noguera & Chemsak, 1993:290
hondurensis Dillon & Dillon, 1946:204
laticinctus Dillon & Dillon, 1946:200
leuripennis Martins & Galileo, 1995:2
marmoratus Casey, 1913:351
tessellatus; Schaeffer, 1906:18 (not Thomson, 1868)
nigritarsus Chemsak & Linsley, 1986:23
obliquatus Dillon & Dillon, 1946:215
pseudovestitus Chemsak & Linsley, 1988:135
vestitus; Dillon & Dillon, 1946:207 (not Bates, 1885)
pulcher Dillon & Dillon, 1946:211
sladeni (Gahan in Arrow, 1903:254)
sparsus (Bates, 1880:125)
callidryas var. Bates, 1880: pl.9, fig.10
tessellatus tessellatus (Thomson, 1868:90)
subsp. **costaricae** Chemsak, 1986:18
vestitus (Bates, 1885:366)
zonatus Dillon & Dillon, 1946:214
Panama, Trinidad
Panama
Honduras-Colombia, Ecuador
n SAmer
Guatemala
se Brasil (ES-SP)
Costa Rica-Colombia
Bolivia, Peru
sw USA (TX), ne Mexico (TA)
c Mexico (MO)
w Mexico (SI, JA)
se Mexico (YU, QR)
se Brasil, Paraguay, Argentina
w Mexico (JA)
Honduras
Guatemala
Colombia
sw USA (AZ), nw Mexico
se Mexico (YU, QR)
e Brasil (CE-BA)
w Mexico (JA, SI, GR)
Ecuador, nw Brasil (AM), Fr Guiana
Brasil, Paraguay, Argentina, Uruguay
e Mexico (VC)-Panama
Panama, Colombia
Nicaragua, Costa Rica
e Mexico (VC)
Trinidad & Tobago, Fr Guiana, Guyana

Lydipta Thomson, 1868:52
Aenea Dillon & Dillon, 1945:110
conspersa (Aurivillius, 1922:164)
humeralis Martins & Galileo, 1995:1
pumilio Thomson, 1868:53
senicula (Bates, 1865:167)
nerissa Dillon & Dillon, 1945:108

Marensis Dillon & Dillon, 1945:94
simplex (Bates, 1865:168)
tybalmoides Dillon & Dillon, 1945:95
nw Brasil (AM)

Microcanus Dillon & Dillon, 1945:xi
minor (Bates, 1885:368)
e Mexico (VC)

Midamus Dillon & Dillon, 1945:141
hecabe Dillon & Dillon, 1945:141
santarensis Dillon & Dillon, 1945:143
se Brasil, Paraguay, Argentina
c Brasil (PA, RO, MT)

Neocherentes Tippmann, 1960:155
dilloniorum Tippmann, 1960:156
Peru, Bolivia

Neodillonia Monné & Fragoso, 1984:926
Dillonia Lane, 1955:269
Clytemnestra Thomson, 1860:113 (part)
albisparsa (Germar, 1824:477)
adspersus Laporte, 1840:482
bonariensis Thomson, 1860:115
Brasil, Paraguay, Argentina, Uruguay

Oncideres Lepeletier & Audinet-Serville in Lacordaire, 1830:183

Oncideres; Gemminger & Harold, 1873:3124

- albipilosa** Noguera, 1993:25
albitillata Dillon & Dillon, 1952:75
albomaculata Dillon & Dillon, 1946:347
albomarginata albomarginata Thomson, 1868:80
 subsp. **chamela** Chemsak & Giesbert, 1986:35
albopicta Martins & Galileo, 1990:93
alicei Lane, 1977:233
amputator (Fabricius, 1792:276)
 lherminieri Forsstrom in Schoenherr, 1817:419
apiaba Martins, 1981:225
apicalis Dillon & Dillon, 1946:349
 dalmanii; Martins, 1981:228 (not Thomson, 1868)
aragua Martins & Galileo, 1990:93
argentata Dillon & Dillon, 1946:353
bella Martins & Galileo, 1999:77
boliviana Heyrovsky, 1952:44
bondari Melzer, 1923:7
 albifasciata Dillon & Dillon, 1952:78
bouchardi Bates, 1865:179
bucki Melzer, 1934:95
 centromaculata Gilmour, 1947:187
canidia Dillon & Dillon, 1946:365
captiosa Martins, 1981:229
 aegrota; Fonseca, 1931:37 (not Thomson, 1868)
castanea Dillon & Dillon, 1946:370
cephalotes Bates, 1865:178
cervina Thomson, 1868:87
chagasi Martins, 1981:227
chevrolatii Thomson, 1868:77
 diana; Bates, 1865:176 (not Olivier, 1792)
cingulata cingulata (Say, 1826:272)
 angulata; Schaeffer, 1908:195
 cingulata; Sanborn, 1911:5
 cingulator; Manley & French, 1976:50
 cingulatus pallescens Casey, 1913:353
 praecidens Casey, 1913:354
 texana; Herrick, 1902:15 (not Horn, 1885)
 subsp. **texana** Horn, 1885:195
 subtropicus Casey, 1913:353
 cingulatus; Townsend, 1902:79 (not Say, 1826)
colombiana Dillon & Dillon, 1946:324
 saga var. *cinnamomea* Gilmour, 1950:541
crassicornis Bates, 1865:177
cumdisci Noguera, 1993:16
dalmani Thomson, 1868:76
defectiofasciata Gilmour, 1950:546
dejeanii Thomson, 1868:201
 pustulata; Thomson, 1868:88 (not LeConte, 1854)
diana (Olivier, 1792:470)
 albella Schoenherr, 1817:395
digna Bates, 1865:178
 aegrota Thomson, 1868:330
 ogrota; Thomson, 1868:88
diringsi Martins & Galileo, 1990:91
dorsomaculata Noguera, 1993:36
etiolata Dillon & Dillon, 1946:318
fabricii Thomson, 1868:78
fisheri Dillon & Dillon, 1946:395
fulva Bates, 1865:176
 satyra; Dillon & Dillon, 1946:326 (not Bates, 1865)
fulvoguttata Dillon & Dillon, 1946:356
fulvostillata Bates, 1872:202
gemmata Dillon & Dillon, 1946:350
 margarethae Gilmour, 1950:543
- se Mexico (CA, YU)
Peru
n Brasil (PA), Fr Guiana
Nicaragua-n SAmer, Trinidad
Mexico (JA, NA, VC, OA, CHS), Guatemala
Peru
e Brasil (BA)
W Indies
- ec Brasil (GO)
n Brasil (AM, PA), Fr Guiana
- Venezuela
Panama, Colombia
Colombia
Bolivia
Brasil (GO, MT, BA, SP)
- Panama, Colombia, Venezuela
s Brasil (RS)
- Jamaica
se Brasil (BA-RS), Paraguay,
 n Argentina (MI)
e Brasil (GO, MT, MG-SC)
Fr. Guiana, nw Brasil (AM)
se Brasil (MG-RS)
n Brasil (MA)
nc Brasil (AM, PA)
- e USA
- sw USA (TX), Mexico
- Panama, Colombia, Venezuela
- c Brasil (AM), Peru
s Mexico (CHS)
Fr Guiana, nc Brasil (AM, PA)
n Brasil (AM)
se Brasil, Paraguay, Argentina, Uruguay
- Fr Guiana, n Brasil (PA)
- Panama, nc Brasil (AM, PA), Fr Guiana
- nw Brasil (AM), Ecuador
Mexico (GR, QE)
se Brasil (ES-SC)
n Brasil (PA)
s Mexico (VC, OA, CHS), Guatemala
n Brasil (PA), Fr Guiana, Colombia
- nc Brasil (AM, PA)
s Mexico (OA, CHS)-Panama
Colombia, Fr Guiana, n Brasil (PA, MA)

- germarii** Thomson, 1868:79
propenigra Gilmour, 1950:538
- gibbosa** Thomson, 1868:82
- glebulenta** Martins, 1981:231
- guttulata** Thomson, 1868:84
- gutturator** (Fabricius, 1775:172)
saga amazona Dillon & Dillon, 1946:323
satyra; Martins, 1981:225 (not Bates, 1865)
- humeralis** Thomson, 1868:86
- ilaire** Dillon & Dillon, 1946:319
- impluviata** (Germar, 1842:483)
- intermedia** Dillon & Dillon, 1946:398
- irrorata** Melzer, 1934:94
gutturator; Bruch, 1941:366 (not Fabricius, 1775)
- jatai** Bondar, 1953:31
- laceyi** Dillon & Dillon, 1949:10
- limpida** Bates, 1865:179
- lyside** Dillon & Dillon, 1949:9
- macra** Thomson, 1868:87
teixeirai Martins & Galileo, 1990:90
- maculosus** Redtenbacher, 1868:184
- magnifica** Martins, 1981:224
- malleri** Fragoso, 1970:79
- manauara** Martins & Galileo, 1995:3
- maxima** Dillon & Dillon, 1946:335
- miliaris** (Voet, 1778:11)
- miniata** Thomson, 1868:88
- minuta** Thomson, 1868:86
- mirim** Martins & Galileo, 1996:297
- modesta** Dillon & Dillon, 1946:379
- multicincta** Dillon & Dillon, 1946:346
diana; Bates, 1865:176 (not Olivier, 1792)
- nicea** Dillon & Dillon, 1949:5
- nipheta** Martins, 1981:221
- nivea** Dillon & Dillon, 1946:324
- ocellaris** Bates, 1885:367
- ochreostillata** Diullon & Dillon, 1952:75
- ocularis** Thomson, 1868:82
ocularis var. *argus* Thomson, 1868:83
- ophthalmalis** Dillon & Dillon, 1946:392
phtharmalis; Breuning, 1961:392
- pallifasciata** Noguera, 1993:19
- paurosoma** Noguera, 1993:37
- pectoralis** Thomson, 1868:83
- pepotinga** Martins, 1981:230
- phaetusa** Dillon & Dillon, 1946:338
- philosipes** Dillon & Dillon, 1946:328
duodilloni Gilmour, 1950:541
- pittieri** Gahan, 1894:119
- poecila** Bates, 1880:125
- poeta** Dillon & Dillon, 1949:7
- polychroma** Dillon & Dillon, 1946:377
- pretiosa** Martins & Galileo, 1990:94
- pulchella** Bates, 1865:178
- punctata** Dillon & Dillon, 1946:390
- pustulata** LeConte, 1854:82
putator; Riley, 1880:271 (not Thomson, 1868)
trinodatus; Essig, 1926:460 (not Casey, 1913)
- putator putator** Thomson, 1868:81
subsp. **brevifasciatus** Dillon & Dillon, 1946:360
- pyrrothrix** Noguera, 1993:23
- quercus** Skinner, 1905:291
- repandator** (Fabricius, 1792:277)
- rhodosticta** Bates, 1885:365
trinodatus Casey, 1913:352
putator; Horn 1885:195 (not Thomson, 1868)
cingulatus; Hamilton in Leng & Hamilton, 1896:141 (not Say, 1826)
pustulatus; Essig, 1926:460 (not LeConte, 1854)
- se Brasil (SP-RS), Paraguay, Argentina,
Uruguay
- se Brasil (MG-SP)
- ec Brasil (GO, SP), Argentina
- s Brasil (RS), Argentina, Uruguay
- Panama, Ecuador, n Brasil, Guianas
- se Brasil (ES- RS)
- Panama, Colombia
- se Brasil, Paraguay, Argentina, Uruguay
- Fr Guiana, n Brasil (PA)
- se Brasil (RJ)
- n Brasil (MA)
- Peru
- ne Brasil (MA-BA)
- Panama
- se Brasil (MG-RS)
- se Brasil (RJ)
- n Brasil (PA), Fr Guiana
- c Brasil (MT)
- nc Brasil (AM)
- Fr Guiana, n Brasil (PA)
- Fr Guiana
- se Brasil, Paraguay, Argentina
- Costa Rica, Fr. Guiana, Ecuador
- n Brasil (PA)
- n Brasil (PA)
- Bolivia, Ecuador, n Brasil, Fr Guiana
- Peru
- se Brasil (MG, SP), Fr Guiana
- n Brasil (PA)
- Mexico (OA, CHS)-Nicaragua
- Brasil
- se Brasil (ES-RS), Argentina
- Colombia
- w Mexico (JA)
- sw Mexico (OA, GR)
- se Brasil (RJ-SC)
- nc Argentina (SE)
- nw Brasil (AM), Fr Guiana
- Ecuador, Peru
- Costa Rica
- se Mexico (QR), El Salvador
- Panama
- c Brasil (MT)
- nw Brasil (AM), Fr Guiana
- nw Brasil (AM)
- Mexico-Costa Rica
- sw USA (TX), n Mexico (NL)
- Mexico (VC, OA, CHS), Guatemala
- Nicaragua-Panama
- w Mexico (NA)
- sw USA (AZ), n Mexico (NL)
- nw Brasil (AM), Guianas
- sw USA (AZ-TX), nc Mexico (DU), Baja Calif

rubra Franz, 1959:186 <i>santarosae</i> Chemsak, 1986:16	Mexico (JA-YU)-Costa Rica
saga (Dalman, 1823:69) <i>vomicosa</i> Germar, 1842:483 <i>saga</i> var. <i>pallens</i> Gilmour, 1950:541	se Brasil (GO, MG-RS), Argentina, Paraguay, Uruguay
satyra Bates, 1865:176 <i>trigerta</i> Dillon & Dillon, 1949:8	Guianas, Bolivia, nc Brasil (AM), Peru
schreiteri Bruch, 1941:367	nw Argentina (CA, TU)
scitula Bates, 1880:126	Mexico (OA, TA, GR, JA, MI, DF)
seabrai Fragoso, 1970:81	c Brasil (MT)
senilis Bates, 1885:367	e Mexico (VC)-Nicaragua
sobrina Dillon & Dillon, 1946:354	Panama, Colombia
stillata Aurivillius, 1904:208	Bolivia
travassosi Fragoso, 1970:80	se Brasil (RJ)
tuberculata Thomson, 1868:85	Fr Guiana, Guyana
ulcerosa (Germar, 1824:482) <i>heterocera</i> Thomson, 1868:78	se Brasil (ES-RS), Paraguay
vicina Thomson, 1868:79 <i>crocala</i> Dillon & Dillon, 1946:317	ne Brasil (MA-BA)
vitiliga Martins, 1981:226	Bolivia
voetii Thomson, 1868:84 <i>ochreomaculata</i> Dillon & Dillon, 1952:77	Fr Guiana, Guyana
Oncioderes Martins & Galileo, 1990:88	
picta Martins & Galileo, 1990:88	se Brasil (SP?)
rondoniae Martins & Galileo, 1990:90	w Brasil (RO), Fr Guiana
Ophthalmocydrus Aurivillius, 1925:513	
semiorbifer Aurivillius, 1925:513	Colombia
Paraclitemnestra Breuning, 1974:239	
lineata Fisher, 1926:14	W Indies(St. Lucia)
gigantea Breuning, 1974:240	
Paratrachysomus Monné & Fragoso, 1984:931	
huedepohli Monné & Fragoso, 1984:931	c Brasil (MT), Fr Guiana
Paratritania Breuning, 1961:27	
alternans (Aurivillius, 1920:382)	e Brasil (BA, ES)
ochritarsis Breuning, 1961:28	
Pericasta Dillon & Dillon, 1952:72	
virescens (Aurivillius, 1920:383)	se Brasil (BA-RS)
Periergates Lacordaire, 1872:679	
badeni Bates, 1885:369	Mexico ?
chiriquensis Bates, 1885:368	Panama
rodriguezi Lacordaire, 1872:679	Guatemala, Costa Rica
Peritrox Bates, 1865:313	
denticollis Bates, 1865:313	SAmer (nc Brasil-Uruguay)
nigromaculatus Aurivillius, 1920:383	se Brasil (ES, RJ), Paraguay
perbra Dillon & Dillon, 1945:93	Fr Guiana, nw Brasil (AM), Peru
vermiculatus Dillon & Dillon, 1945:90	se Brasil (RJ)
Plerodia Thomson, 1868:60	
singularis Thomson, 1868:61 <i>spuria</i> Thomson, 1968:61	Fr Guiana, nw Brasil (AM)
syrinx (Bates, 1865:170) <i>pygmea</i> Thomson, 1868:61	se Brasil (RJ-RS), Paraguay
Priscatoides Dillon & Dillon, 1945:146	

tatila Dillon & Dillon, 1945:147	n Brasil (PA)
Prohylus Martins & Galileo, 1990:66	
phanthasma Martins & Galileo, 1990:67	n Brasil (PA)
Proplerodia Martins & Galileo, 1990:67	
goyana Martins & Galileo, 1990:67	c Brasil (GO, MT)
Pseudobeta Zajciw, 1972:219	
<i>Beta</i> ; Dillon & Dillon, 1945:137 (not Saussure, 1855)	
doris (Thomson 1868:50)	se Brasil (BA-SC)
<i>quadrisignata</i> Zajciw, 1972:219	
ferruginea Galileo & Martins, 1990:15	nc Brasil (PA)
seabrai Monné & Fragoso, 1984:928	wc Brasil (RO, MT)
Psyllotoxoides Breuning, 1961:336	
albomaculata Breuning, 1961:336	nw Brasil (AM)
Psyllotoxus Thomson, 1868:74	
griseocinctus Thomson, 1868:75	se Brasil (MG-RS), Fr Guiana
inexpectatus Martins & Galileo, 1990:90	se Brasil (SP)
<i>melanospidus</i> Giacomel, 1991:1	
Sternycha Dillon & Dillon, 1945:121	
approximata Dillon & Dillon, 1945:123	Costa Rica
clivosa Martins & Galileo, 1990:68	Bolivia
diasi Martins & Galileo, 1990:69	Brasil (RO, SP)
panamensis Martins & Galileo, 1999: 810	Panama
paupera (Bates, 1885:366)	e Mexico (VC), Belize
sternalis Dillon & Dillon, 1945:122	n Brasil (PA), Fr Guiana
Strioderes Giorgi, 2001: 1	
peruanus Giorgi, 2001: 3	Peru
Sulpitus Dillon & Dillon, 1945:139	
lilla Dillon & Dillon, 1945:140	se Brasil (ES, RJ)
Taricanus Thomson, 1868:73	
truquii Thomson, 1868:74	ec Mexico (PU), Nicaragua
zaragozai Noguera & Chemsak, 1993:292	w Mexico (JA)
Tibiosioma Martins & Galileo, 1990:77	
flavolineata Giorgi, 2001: 1	Brasil (MG, RO)
remipes Martins & Galileo, 1990:79	se Brasil (MG)
Trachysomus Audinet-Serville, 1835:40	
arriagadai Galileo & Martins, 1991:129	Bolivia, Paraguay, n Argentina (CH)
buquetii Thomson, 1858:386	Brasil, n Argentina (CH)
camelus Buquet, 1852:352	Fr Guiana, nw Brasil (AM)
cavigibba Martins, 1975:68	Bolivia
dromedarius (Voet, 1778:10)	Panama, se Brasil (RJ, SP), Fr Guiana
<i>verrucosa</i> Olivier, 1792:458	
<i>elephas</i> Buquet, 1852:351	
fragifer (Kirby, 1818:440)	Brasil (MG-SC), Paraguay
gibbosus Buquet, 1852:354	se Brasil (RJ-RS)
hydaspes Dillon & Dillon, 1946:236	Fr Guiana, Guyana
luederwaldti Martins, 1975:69	e Brasil (BA, MG, SP)
mexicanus Dillon & Dillon, 1946:240	sw Mexico (JA, CM, GR)
<i>fragifer</i> ; Bates, 1880:124 (not Kirby, 1818)	
peregrinus Thomson, 1858:387	Panama, Fr Guiana, se Brasil (RJ)
santarensis Bates, 1865:174	n Brasil (PA), Fr Guiana

surdus Dillon & Dillon, 1946:242
thomsoni Aurivillius, 1923:345
dromedarius; Buquet, 1852:353 (not Voet, 1778)

Nicaragua-Panama
Panama, Colombia

Trestoncideres Martins & Galileo, 1990:87
lateralba Martins & Galileo, 1990:88

Costa Rica, Surinam, Fr Guiana

Trestonia Buquet, 1859:45

albilatera (Pascoe, 1859:36)
assulina Bates, 1874:226
capreola (Germar, 1824:492)
ceara Dillon & Dillon, 1946:280
confusa Dillon & Dillon, 1946:282
exotica Galileo & Martins, 1990:14
fasciata Martins & Galileo, 1990:87
forticornis Buquet, 1859:46
frontalis (Erichson, 1847:148)
chevrolatii Buquet, 1859:46
fulgurata Buquet, 1859:48
grisea Martins & Galileo, 1990:87
nivea Martins & Galileo, 1990:85
pulcherrima Dillon & Dillon, 1946:285
pyralis Dillon & Dillon, 1946:283
signifera Buquet, 1859:49
turbula Monné & Fragoso, 1984:929
ramuli; Dillon & Dillon, 1946:281 (not Bates, 1865)

n Brasil (PA)
Nicaragua-Panama
se Brasil, Paraguay, Argentina
e Brasil (CE)
Costa Rica, Panama
nc Brasil (PA)
Colombia
Fr Guiana
Peru, nc Brasil (AM), Bolivia

Guadeloupe
se Brasil (BA-SC)
Surinam, Fr Guiana, n Brasil (AP)
Panama
Costa Rica, Panama
Guadeloupe, Martinique
nc Brasil (AM), Fr Guiana, Peru

Tritania Dillon & Dillon, 1945:51

dilloni Chalumeau, 1990:300
grisea; Dillon & Dillon, 1945:52 (not Fleutiaux & Sallé, 1889)

nc Brasil (PA)

Tulcoides Martins & Galileo, 1990:64
pura Martins & Galileo, 1990:64

e Brasil (BA-ES)

Tulcus Dillon & Dillon, 1945:50

amazonica (Thomson, 1860:119)

wc Brasil (AM, RO), Ecuador

Tybalmia Thomson, 1868:44

breuningi Dillon & Dillon, 1952:66
caeca Bates, 1872:201
coeca; Aurivillius, 1923:
funeraria Bates, 1880:122
ianthe Dillon & Dillon, 1945:178
mydas (Lucas in Laporte, 1857:189)
orbis Dillon & Dillon, 1945:177
pixe Dillon & Dillon, 1945:179
pupillata (Pascoe, 1859:35)
bipunctata Jekel, 1861:260
tetrops Bates, 1872:201

Colombia
Nicaragua-Panama

e Mexico (VC), Guatemala
Panama ?
Brasil
Bolivia
Panama
Guianas, Peru, Colombia, nc Brasil, Ecuador

Brasil, Peru, Ecuador

Typhlocerus Dillon & Dillon, 1945:117
prodigiosus (Thomson, 1868:45)

se Brasil (RJ ?)

Venustus Dillon & Dillon, 1945:115

analogus Martins & Galileo, 1996: 296
zeteki Dillon & Dillon, 1945:116

Colombia
Panama, Colombia, Ecuador

Laticraniini

Lane 1959:312

Amplitempora Giesbert, 1996:317
captiocola Giesbert, 1996:317

Panama, Fr Guiana

Laticranium Lane, 1959:312
mandibulare Lane, 1959:313

Guatemala-Panama, e SAmer-
n Argentina (SA)

Pteropliini

Thomson, 1860:43, 73
Protorhopalitae Thomson, 1860:69
Niphoninae Pascoe, 1864:56
Hebestolitae Thomson, 1864:107 (part)
Ataxiides Lacordaire, 1872:597
Emphytoeciides Lacordaire, 1872:713
Baroeides Lacordaire, 1872:439
Atossides Lacordaire, 1872:496
Metagnomini Breuning, 1961:5

Ataxia Haldeman, 1847:56

Stenidea; Haldeman, 1847:373 (not Mulsant, 1847)
Stenosoma; LeConte, 1852:158 (not Mulsant, 1839)
Proecha Thomson in Chevrolat, 1862:252
Esthlogena; Bates, 1866:289 (not Thomson, 1864)
Parysatis Thomson, 1868:118
Parepectasis Bruch, 1926:345

acutipennis (Thomson, 1868:111) se Brasil (RJ-RS)
albisetosa Breuning, 1940:38 e Brasil (CE, PE)
alboscuteolata Fisher, 1926:3 Cuba, Puerto Rico, Virgin Is.
alpha Chemsak & Noguera, 1993:91 w Mexico (SI, JA)
arizonica Fisher, 1920:158 sw USA (AZ), n Mexico, Baja Calif
brunnea Champlain & Knull, 1926:206 c USA (MN-IL, TX)
canescens (Bates, 1880:113) se Mexico (YU)
cayennensis Breuning, 1940:152 Fr Guiana
cayensis Chemsak & Feller, 1988:182 Belize (Twin Cays)
crypta (Say, 1831:5) e USA-Brasil (?)
annulata Fabricius, 1801:326 (not Fabricius, 1792)
sordida Haldeman, 1847:56
cylindrica Breuning, 1940:39 Colombia
estoloides Breuning, 1940:39 se Brasil (SP)
falli Breuning, 1961:225 s USA (Fla)
sulcata Fall, 1907:84
fulvifrons (Bates, 1885:346) Panama
haitiensis Fisher, 1932:73 Haiti
hubbardi Fisher, 1924:253 sw USA (AZ-AR, TX, CO), ne Mexico
crypta; Riley, 1880:271 (not Say, 1832)
illita (Bates, 1885:347) Guatemala
linearis (Bates, 1866:290) c Brasil (PA, RO, MT), Fr Guiana
lineata (Fabricius, 1792:314) e Mexico (VC)-Argentina
luteifrons (Bruch, 1926:345) Paraguay, Argentina
strandii Breuning, 1940:40
mucronata (Bates, 1866:289) nw Brasil (AM), Fr Guiana
nivisparsa (Bates, 1885:346) Costa Rica, Panama
obscura (Fabricius, 1801:307) c Brasil (AM), Ecuador, Fr Guiana
sulcata Bates, 1866:290
collaris Thomson, 1868:119
flaviceps Breuning, 1942:137
obtusa (Bates, 1866:291) se Brasil (ES-SC)
brunnipes Thomson, 1868:122 e USA-TX-SAmer
operaria Erichson in Schomburg, 1848:574
nigritarsis Thomson, 1868:120
lineata, Gemminger & Harold, 1873:3100
flavescens Bates, 1880:112
perplexa (Gahan, 1892:258) c Mexico (MO, GR)
prolixa (Bates, 1866:291) se Brasil (RJ)
rufitarsis (Bates, 1880:112) Nicaragua
setulosa Fall, 1907:84 Baja Calif
spinicauda Schaeffer, 1904:224 s USA (FL), Cuba, Bahamas, Jamaica
spinipennis Chevrolat, 1862:252 Cuba, Puerto Rico
stehliki Chemsak, 1969:187 Cuba

tibialis Schaeffer, 1908:348	sw USA (TX)
uniformis Fisher, 1926:3	Trinidad
variegata Fisher, 1925:1	Cuba
yucatan Breuning, 1940:39	se Mexico (YU)
Catafimbria Aurivillius, 1922:260	
<i>Fimbria</i> ; Belon, 1896:387 (not Boheman, 1861)	
boliviana (Belon, 1896:388)	Bolivia
Cryptocranium Audinet-Serville, 1835:75	
<i>Ornatodesisa</i> Breuning, 1961:18	
cazieri Lane, 1958:6	Brasil (PA, GO), Peru
<i>pulchra</i> Breuning, 1961:19	
<i>gounellei</i> Breuning, 1980:68	
laterale Audinet-Serville, 1835:76	e Brasil (PE, MG-SC), Bolivia
Emphytoecia Fairmaire & Germain, 1859:529	
<i>Amphytoecia</i> ; Thomson, 1860:383	
<i>Emphytoecides</i> Breuning, 1942:174	
alboliturata (Blanchard in Gay, 1851:520)	Chile
camousseighti Cerda, 1995:77	Chile
dimidiata (Blanchard in Gay, 1851:521)	Chile
<i>dimidiata m. vitticollis</i> Breuning, 1947:61	
elquiensis Cerda, 1995:79	Chile
lineolata (Blanchard in Gay, 1851:519)	Chile
<i>lineolata</i> Breuning, 1942:175	
niveopicta Fairmaire & Germain, 1864:390	Chile
sutura-alba Fairmaire & Germain, 1859:531	Chile
suturella (Blanchard in Gay, 1851:518)	Chile
Emphytoeciosoma Melzer, 1934:96	
daguerrei Melzer, 1934:97	e Argentina (BA), Uruguay
Epectasis Bates, 1866:294	
hiekei Breuning, 1974:157	e Mexico (VC)
juncea (Newman, 1840:13)	e Mexico (VC)-Panama, Ecuador, Peru, Fr Guiana, Brasil
<i>attenuata</i> Bates, 1866:294	
<i>grossepunctata</i> Breuning, 1942:175	
junceoides Breuning, 1961:25	nw Brasil (AM)
mexicana Breuning, 1954:6	Mexico
panamensis Breuning, 1974:157	Panama
rotundipennis Breuning, 1943:63	e Brasil (ES)
similis Gahan, 1895:126	W Indies(Lesser Antilles)
Esthlogena (Esthlogena) Thomson, 1864:107	
<i>Hebestola</i> ; Thomson, 1857:302 (not Haldeman, 1847; not Blanchard in Gay, 1851)	
albisetosa Bates, 1880:113	Mexico-Honduras
albolineata (Breuning, 1940:40)	Fr Guiana, Guyana
brunnescens Breuning, 1940:41	Colombia
<i>brunnescens</i> ; Breuning, 1961:35	
comata (Thomson, 1857:303)	Brasil, Uruguay
foveolata Aurivillius, 1920:381	Bolivia
glaucipennis Thomson, 1868:121	Brasil
guatemalena Bates, 1885:348	Guatemala
lanata Breuning, 1940:152	Brasil
maculifrons Thomson, 1868:120	se Brasil (RJ, SP)
mirandilla Bates, 1885:348	Guatemala, Panama
monticola (Fisher, 1942:25)	Jamaica
porosa Bates, 1872:200	e Mexico (VC)-Panama
porosoides Breuning, 1969:188	e Brasil (BA)
spinipennis Breuning, 1942:137	s Brasil (SC)
spinosa Breuning, 1954:6	Guatemala

- Esthlogena (Pseudotaxia)** Breuning, 1940:152
obliquata Breuning, 1940:152
proletaria Thomson, 1868:121
 Brasil
 Venezuela, Peru
- Esthlogenopsis** Breuning, 1942:138
ochreoscutellaris Breuning, 1942:138
 ec Brasil (GO)
- Euteles** Breuning, 1940:212
lurida Breuning, 1940:212
 e Brasil (ES)
- Proxepectasis** Monné & Giesbert, 1992:252
Parepectasis; Breuning, 1974:159 (not Bruch, 1926)
boliviana (Breuning, 1974:159)
 e Brasil (ES)
- Pteroplus** Lepeletier & Audinet-Serville in Lacordaire, 1830:183
Pteroplia; Thomson, 1860:73
acuminatus Audinet-Serville, 1835:66
 se Brasil (ES, RJ)
- Rhaphiptera** Audinet-Serville, 1835:66
affinis Thomson, 1868:116
albicans Breuning, 1940:152
albipennis Breuning, 1947:51
alvarengai Fragoso & Monné, 1984:1081
annulicornis Gounelle, 1908:13
candicans Gounelle, 1908:16
clarevestita Tippmann, 1953:359
elegans Breuning, 1961:11
gahani Gounelle, 1908:15
planipennis Zajciw, 1960:144
melzeri Fragoso & Monné, 1984:1082
nodifera Audinet-Serville, 1835:66
notata (Voet, 1778:16)
americanus Schoenherr, 1817:363
rixator Thomson, 1868:117
obtusipennis Melzer, 1935:188
oculata Gounelle, 1908:16
oculata var. *gounellei* Breuning, 1961:16
pallens Gounelle, 1908:15
punctulata Thomson, 1868:117
roppai Fragoso & Monné, 1984:1082
scrutatrix Thomson, 1868:118
seabrai Fragoso & Monné, 1984:1080
tavakiliani Fragoso & Monné, 1984:1082
triangulifera Lane, 1974:97
 se Brasil (RJ-RS), Paraguay
 e Brasil (ES)
 e Brasil (BA, MG)
 c Brasil (MT), Fr Guiana
 c Brasil (GO, MT, MG)
 e Brasil (PE)
 se Brasil (SP-SC)
 ec Brasil (GO)
 se Brasil (RJ)
 e Brasil (BA)
 e Brasil, Paraguay, Argentina
 Brasil (PA, MT, ES), Fr Guiana
 se Brasil (ES, RJ)
 e Brasil (PB-SP, GO), n Argentina
 se Brasil (MG-SP)
 se Brasil (ES, RJ)
 nw Brasil (AM)
 Panama, Fr Guiana, Peru
 e Brasil (ES)
 Fr Guiana
 e Brasil (ES)
- Trichepectasis** Breuning, 1940:213
rufescens Breuning, 1940:213
 se Brasil (RJ)
- Pogonocherini**
 Mulsant, 1839:118
- Alphomorphus** Linsley, 1935:100
vandykei (Linsley, 1930:82)
vandykei grandis Linsley, 1933:185
mexicanus Breuning, 1940:185
 Mexico (ME, MO, GR)
- Callipogonius** Linsley, 1935:79
cornutus (Linsley, 1930:86)
hircinus (Bates, 1885:358)
 sw USA (TX)- Mexico (JA, VC)
 e Mexico (VC)-Honduras
- Ecteneolus** Bates, 1885:359
flohri Bates, 1885:360
 c Mexico (ME)

Ecyrus LeConte, 1852:160*Exocentrus*; Haldeman, 1847:50 (not Mulsant)*Oebaceres* Thomson, 1868:164**albifrons** Chemsak & Linsley, 1975:284

c Mexico (MO)-Costa Rica

arcuatus Gahan, 1892:259

sw USA (TX), s Mexico (QR, YU), Guatemala

dasycerus var. *texanus* Schaeffer, 1908:347**ciliatus** Chemsak & Linsley, 1975:285

sw Mexico (MI, GR)

dasycerus dasycerus (Say, 1827:270).

e NAmer-TX, Mexico

obscurus Haldeman, 1847:50*exiquus* Haldeman, 1847:50subsp. **floridanus** Linsley, 1935:93

se USA (FL)

hirtipes Gahan, 1895:127

W Indies

insularis Fisher, 1932:76*hoffmanni* Fisher, 1932:78*nanus* Fisher, 1932:79*flavus* Fisher, 1932:80**lineicollis** Chemsak & Linsley, 1975:283

sw Mexico (JA, OA, VC, SLP)

pacificus Linsley, 1942:80

Baja Calif, w Mexico (SO, SI)

penicillatus Bates, 1880:137

sw USA (TX), Mexico (SI, TA, VC), Guatemala

fasciatus Hamilton, 1896:137**Estoloderces** Melzer, 1928:147*Falsestoloderces* Breuning, 1963:521**luederwaldti** Melzer, 1928:148

se Brasil (MG-RS), Paraguay

Hypomia Thomson, 1868:51**mexicana** Thomson, 1868:52

Mexico

Lophopogonius Linsley, 1935:94**crinitus** (LeConte, 1873:237)

w NAmer (Pac Cst)

Lypsimena Haldeman, 1847:54*Alloeoscelis* Bates, 1885:358**brasiliensis** Aurivillius, 1922:164

SAmer (widely distributed)

navarroii Melzer, 1928:148*fuscata*; Bruch, 1912:210 (not LeConte, 1852)**fuscata** Haldeman, 1847:54

s USA (FL, CA), sc Mexico (MO)-SAmer

leptis Bates, 1885:358*californica* Horn, 1885:194**nodipennis** (Burmeister, 1865:181)

se Brasil, Argentina, Uruguay

proletaria (Melzer, 1931:2)

e Brasil (PE-RS)

proletaria var. *vitticollis* Melzer, 1931:3**strandiella** Breuning, 1943:58

c Mexico (PU)

tomentosa Chemsak & Linsley, 1978:30

Venezuela

Pogonocherus (Pogonocherus) Dejean, 1821:107 [not Megerle in Dejean]*Pogonochaerus*; Gemminger & Harold, 1873:3116*Pityphilus* Mulsant, 1863:302*Pityophilus*; Bedel, 1889:41**penicillatus** LeConte in Agassiz, 1850:234

n USA, Canada, Alaska

penicellatus; LeConte, 1852:160*pencilatus*; Craighead, 1923:123*alaskanus* Schaeffer, 1909:385*carinatus* Casey, 1913:346**Pogonocherus (Eupogonocherus)** Linsley, 1935:97**arizonicus** Schaeffer, 1908:346

sw USA (AZ), nc Mexico (DU)

medianus Linsley, 1935:98**mixtus** Haldeman, 1847:50

NAmer

simplex LeConte, 1873:237**parvulus** LeConte, 1852:160

n USA, Canada

salicola Casey, 1913:347

salicicola Morris, 1918:41
mixtus; Caulfield, 1881:60 (not Haldeman, 1847)
pictus Fall, 1910:6 w NAmer
simplex; Hamilton, 1896:135 (not LeConte, 1873)
emarginatus Casey, 1913:347
fastigiatus Casey, 1913:348
propinquus Fall, 1910:6 w NAmer

Poliaenus Bates, 1880:120

abietis Tyson, 1968:140 w USA (CA)
batesi Linsley, 1933:183 Guatemala
californicus (Schaeffer, 1908:347) w USA (CA)
pilatei Van Dyke, 1920:46
concolor (Schaeffer, 1909:102) Baja Calif
obliquus Linsley, 1942:81
hesperus Chemsak & Linsley, 1988:133 w Mexico (JA, GR)
negundo (Schaeffer, 1905:164) w USA (AZ), N Mexico (SO)
nuevoleonis nuevoleonis Chemsak & Linsley, 1975:279 sw USA (TX), ne Mexico (NL)
subsp. **similnegundo** Skiles, 1979:107 sw USA (AZ), Mexico (DU)
obscurus obscurus (Fall, 1910:5) sw USA (AZ, NE)
subsp. **albidus** Linsley, 1933:184 w USA (CA)
concolor; Van Dyke, 1920:46 (not Schaeffer, 1909)
subsp. **ponderosae** Linsley, 1935:85 w USA (CA)
californicus; Van Dyke, 1920:49 (not Schaeffer, 1908)
subsp. **schaefferi** Linsley, 1933:184 w USA (CA)
vandykei; Schaeffer, 1932:153 (not Linsley, 1930)
californicus; Craighead, 1923:124 (not Schaeffer, 1908)
oregonus (LeConte, 1861:354) w NAmer
sparsus Chemsak & Linsley, 1975:277 w Mexico (NA)
volitans (LeConte, 1973:232) w Mexico (SO, SI), Baja Calif, Guatemala
hirsutus Bates, 1880:120
incertus Breuning, 1943:58

Pygmaeopsis Schaeffer, 1908:347

viticola Schaeffer, 1908:348 sw USA (TX)

Soluta Lacordaire, 1872:657

gramineoides Lacordaire, 1872:657 Brasil

Zaplous LeConte, 1878:415

annulatus (Chevrolat, 1862:250) se USA (FL), Cuba
hubbardi LeConte, 1878:415
baracutey Zayas, 1975:212 Cuba

Composomatini

Thomson, 1857:70

Aereneites Thomson, 1868:92

Aerenea Thomson, 1857:298

Pythaides Brèthes, 1920:46
Pythoides; Breuning, 1961:289
Punctaerenea Breuning, 1948:31
Cognataerenea Breuning, 1971:286
Cognataerenea (Mimaerenea) Breuning, 1971:287
Puncaerenea; Breuning, 1980:3
aglaia Monné, 1980:238 se Brasil (MG)
albilarvata Bates, 1866:198 nc Brasil (AM, PA), Fr Guiana, Peru
alvaradoi Prosen, 1947:256 nc Argentina (SE)
annulata Monné, 1980:254 w Brasil (AC)
antennalis Breuning, 1948:30 se Brasil (ES-SC)
apicalis Melzer, 1923:5 e Brasil (BA-SP)
compacta Breuning, 1948:28
compacta mediofasciata Breuning, 1948:28
mediofasciata Breuning, 1971:286

batesi Monné, 1980:240
bimaculata (Brèthes, 1920:46)
brunnea Thomson, 1868:96
subnuda Melzer, 1923:6
subnuda m. *trinidadensis* Breuning, 1948:29
ecuadoriensis Breuning, 1947:60
flavofasciculata Breuning, 1948:30
flavolineata Melzer, 1923:7
gounellei Monné, 1980:257
humeralineata Breuning, 1980:22
impetiginosa Thomson, 1868:95
occulta Monné, 1980:244
periscelifera Thomson, 1868:95
columbiana Breuning, 1948:29
albosetosa Breuning, 1971:286
posticalis Thomson, 1857:299
punctatostriata (Breuning, 1948:31)
quadriplagiata (Boheman, 1859:151)
albigena Burmeister, 1865:179
pulchella Thomson, 1868:96
robusta Monné, 1980:261
setifera Thomson, 1868:94
subcostata Melzer, 1932:219
subimpetiginosa Breuning, 1948:29
sulcicollis sulcicollis Melzer, 1932:219
subsp. **subsulcicollis** Breuning, 1948:29
transversefasciata Breuning, 1974:40
trigona Pascoe, 1858:247
tuberculata Monné, 1980:259

e Brasil (ES)
Peru, Bolivia
Panama-Argentina

Ecuador
Peru
Brasil, Bolivia, Paraguay, Argentina
se Brasil (RJ)
Mexico
Mexico-Colombia, Venezuela
n Argentina (FO)
Colombia

se Brasil, Paraguay, n Argentina
se Brasil (RJ)
SAmer

Paraguay
se Brasil (RJ, SP)
se Brasil (MG, RJ)
e Brasil (PE)
se Brasil, Paraguay, Argentina
ec Brasil, Fr Guiana, nw Argentina
Brasil
se Brasil (ES, RJ)
Peru, Bolivia

Antennaerenea Breuning, 1980:25
niveosignata Breuning, 1980:26

Brasil

Brasiliosoma Breuning, 1960:181
Phrynosoma Breuning, 1948:2
apicale Monné, 1980:45
tibiale (Breuning, 1948:3)

n Brasil (PA)
e Brasil (PB, PE)

Composoma Lepelletier & Audinet-Serville in Lacordaire, 1830:183

Composoma (Guariteres) Gounelle, 1908:11
Composoma (Yamamadis) Gounelle, 1908:12
Composoma (Pseudoguariteres) Breuning, 1961:289
alboapicalis Breuning, 1980:69
chabrilacii (Thomson, 1857:74)
fasciatum Monné, 1980:100
geayi Gounelle, 1908:8
mniszecii Thomson, 1857:74
monnei Martins & Galileo, 1996:299
mutillarium (Klug, 1825:463)
nubilum Gounelle, 1908:9
nubilum var. *simplex* Gounelle 1908:10
perpulchrum (Vigors, 1825:418)
phaleratum Thomson, 1857:74
vestitipenne Zajciw, 1962:244
v-notatum (Vigors, 1825:417)
notatum; White, 1846:48
quinquenotatum Thomson, 1857:75
niveosignata; Audinet-Serville, 1835:56

Brasil
c Brasil (MG, SP, GO, MT)
se Brasil (RJ)
Fr Guiana, wc Brasil (AM, PA, RO)
nw Brasil (AM), Peru
Bolivia
se Brasil (MG-SP)
ec Brasil GO, MT, PE, BA), Bolivia,
Paraguay
se Brasil (BA-RS), n Argentina (MI)
se Brasil (BA-RS)
wc Brasil (AM, RO)
se Brasil (MG-SC)

Cristaerenea Breuning, 1949:26
Cognataerenea; Breuning, 1980:24 (not Breuning, 1971)
cognata (Pascoe, 1859:36)
hypsionoides Thomson, 1868:93

Fr Guiana

Desmiphoropsis Gounelle, 1908:12

- mannerheimi** (Thomson, 1865:557)
variegata (Audinet-Serville, 1835:57)
- Fr Guiana
se Brasil (ES-PR), n Argentina (MI)
- Eusphaerium** Newman, 1838:498
purpureum Newman, 1838:498
- se Brasil (BA-RS), Argentina
- Laraesima** Thomson, 1868:96
Penessada Thomson, 1868:97
albosignata (Bates, 1885:361)
asperata (Bates, 1885:362)
brunneoscutellaris (Tippmann, 1960:154)
densepunctata Breuning, 1950:535
ecuadorensis Breuning, 1974:40
fuliginea (Bates, 1885:361)
hispida (Thomson, 1868:98)
asperipennis Breuning, 1948:31
nitida Monné, 1980:230
ochreoapicalis Breuning, 1973:664
pilosa Monné, 1980:228
scutellaris Thomson, 1868:97
- Guatemala
e Mexico (VC)
se Brasil (RJ, SP)
s Brasil (SC)
Ecuador
c Mexico (PU), Guatemala
se Brasil (MG-SP)
- se Brasil (SP)
e Brasil (PE)
Peru
se Brasil (MG-RS), n Argentina (MI)
- Paracompsosoma** Breuning, 1948:27
humerale Breuning, 1948:28
- ec Brasil (GO)
- Parapythais** Monné, 1980:36
melzeri Monné, 1980:36
- se Brasil (MG)
- Pythais** Thomson, 1857:71
Pithais; Gounelle, 1908:7
scutigera (Vigors, 1826:239)
concretum Blanchard, 1843:210
- se Brasil (MG-SP)
- Tessarecphora** Thomson, 1857:77
arachnoides arachnoides Thomson, 1857:77
subsp. **amazonica** Monné, 1980:39
subsp. **centralis** Monné, 1980:39
- se Brasil, Paraguay, Argentina
n Brasil (AM, PA, MA, PE, AL), Peru
Mexico-Colombia, Venezuela
- Tucales** Gounelle, 1908:13
Vaziella Prosen, 1954:33
Variella; Breuning, 1961:291
franciscus (Thomson, 1857:76)
franciscanum; Zajciw, 1967:118
pastranai (Prosen, 1954:34)
postrarvi; Breuning, 1961:291
terrenus (Pascoe, 1859:36)
- w Mexico (JA), se Brasil (MG-SP),
Fr Guiana
se Brasil (RJ-SC), n Argentina (MI)
- nc Brasil (AM, PA)
- Phacellini**
Lacordaire, 1872:664
- Brachychilus** Blanchard in Gay, 1851:499
chevrolatii Thomson, 1868:103
literatus Blanchard in Gay, 1851:500
modestus Philippi & Philippi, 1864:383
scutellaris Blanchard in Gay, 1851:500
irroratus Thomson, 1868:102
wagenknechti Cerda, 1954:96
- Chile
Chile
Chile, w Argentina (NE)
Chile
- Eurycallinus** Bates, 1885:362
Eurycallinodes Breuning, 1947:60
mirabilis Bates, 1885:363
unifasciatus (Breuning, 1947:61)
- e Mexico (VC)
e Mexico (VC, PU?)

Neobrachychilus Monné, 1979:410
consobrinus (Lane, 1939:75) c Brasil (MT), Bolivia, Argentina (SA)

Phacellus Dejean, 1835:335
boryi (Gory, 1832: pl.45) Fr Guiana, Surinam, nw Brasil (AM)
castaneus Monné, 1979:406 se Brasil (ES)
cuvieri Buquet, 1851:604 se Brasil (MG, SP)
purpureus Lacordaire, 1872:665
dejeani Buquet, 1838:255 se Brasil (ES)
fulguratus Monné, 1979:408 s Brasil (SC)
latreillei Buquet, 1838:255 se Brasil (ES)
plurimaculatus Galileo & Martins, 2001: 104 Brasil (AM)

Piola Marinoni, 1974:86
colombica Martins & Galileo, 1999: 818 Colombia
quiabentiae Marinoni, 1974:88 sc Brasil (MT), n Argentina (SA, FO)
rubra Martins & Galileo, 1999: 815 Bolivia
unicolor Martins & Galileo, 1999: 817 Brasil (PA)

Scolochilus Monné, 1979:411
lautus Monné & Tavakilian, 1988:237 Fr Guiana, nw Brasil (AM)
maculatus Monné, 1979:412 se Brasil (MG)

Tuberopeplus Breuning, 1947:66
chilensis Breuning, 1947:67 Chile
chilensis Cerda, 1963:5
krahmeri Cerda, 1980:66 Chile

Megabasini

Thomson, 1864:23

Megabasis Audinet-Serville, 1835:53
speculifera (Kirby, 1818:439) se Brasil (BA-SP)

Desmiphorini

Thomson, 1860:74

Rhodopides Lacordaire, 1872:450
Epicastides Lacordaire, 1872:490
Apodasyides Lacordaire, 1872:623
Nedinides Lacordaire, 1872:635
Estolides Lacordaire, 1872:636
Ectatosiides Lacordaire, 1872:415
Crinotarsides Lacordaire, 1872:475
Psenocerini LeConte, 1873:333
Hoplosiae LeConte & Horn, 1883:326
Essisini Aurivillius, 1917:44

Acaua Martins & Galileo, 1995:28
exotica Martins & Galileo, 1995:29 s Brasil (MS), Bolivia

Aconopteroides Breuning, 1959:87
laevipennis (Blanchard in Gay, 1851:506) Chile

Aconopterus Blanchard in Gay, 1851:504
crisatipennis Blanchard in Gay, 1851:505 Chile
strandii Breuning, 1943:59 Chile

Anisopeplus Melzer, 1934:227
perplexa Melzer, 1934:228 se Brasil (MG-SC)

- Atelodesmis** Buquet, 1857:334
hirticornis Buquet, 1857:335
piperita Bates, 1885:352
unicolor Buquet, 1857:336
vestita Buquet, 1857:335
 se Brasil (ES, RJ)
 Mexico (VC, CHS), Costa Rica
 e Mexico (VC)
 se Brasil (ES-RS)
- Atimiola** Bates, 1880:119
guttulata Bates, 1880:120
 s Mexico (CHS)-Costa Rica
- Atimiliopsis** Breuning, 1974:32
ochripennis Breuning, 1974:32
 se Brasil (RJ)
- Blabia** Thomson, 1864:109
Prymnopteryx Thomson, 1868:13
Prymnosis Bates, 1866:288
banga Galileo & Martins, 1998: 147
bicuspis (Bates, 1866:288)
bituberosa (Breuning, 1940:59)
colobothoides Thomson, 1864:109
costaricensis Breuning, 1943:53
crisulata Martins & Galileo, 1995:579
epicharis Martins & Galileo, 1995:577
exotica Martins & Galileo, 1995:584
ferina Martins & Galileo, 1995:574
galba Martins & Galileo, 1995:580
gemma Martins & Galileo, 1995:576
incompta Martins & Galileo, 1995:580
intricata Martins & Galileo, 1995:588
magdalena Martins & Galileo, 1995:583
masoni (Aurivillius, 1927:543)
meinerti (Aurivillius, 1900:414)
oculifera Martins & Galileo, 1995:575
piscoides (Thomson, 1868:131)
rendira Galileo & Martins, 1998: 148
similis (Breuning, 1940:59)
spinella Martins & Galileo, 1995:572
strandiella Breuning, 1943:53
truncata Breuning, 1940:59
 Ecuador
 nc Brasil (AM, PA, RO, MA), Peru
 Colombia
 Colombia, Peru
 Costa Rica, Panama
 Colombia
 Peru
 Colombia
 Colombia
 Ecuador
 Colombia
 Ecuador
 Colombia
 Colombia
 Colombia
 Colombia, Venezuela
 w Brasil (RO)
 Venezuela
 Peru
 Fr Guiana, Venezuela
 Colombia
 Peru
 Colombia, Ecuador
- Blabicentrus** Bates, 1866:192
angustus Bates, 1866:193
hirsutulus Bates, 1866:192
 n Brasil (PA)
 n Brasil (PA), Fr Guiana
- Catognatha** Blanchard in Gay, 1851:517
gracilis Blanchard in Gay, 1851:517
 Chile
- Ceipaba** Martins & Galileo, 1998: 261
capixaba Martins & Galileo, 1998: 261
lineata Martins & Galileo, 1998: 261
 e Brasil (ES)
 Brasil (MG, SP)
- Cicatrixestola** Breuning, 1947:54
elongata Breuning, 1964:95
flavicans Breuning, 1947:55
humeralis Martins & Galileo, 1995:163
 e Brasil (ES)
 Bolivia, se Brasil (MS, SC), Paraguay, n Argentina
 Bolivia, Argentina (JU, SA, TU)
- Cicatrixestoloides** Breuning & Heyrovsky, 1964:29
costaricensis Breuning & Heyrovsky, 1964:29
 Costa Rica
- Cicuiara** Galileo & Martins, 1996:874
nitidula (Bates, 1866:191)
striata (Bates, 1866:191)
stritata; Galileo & Martins, 1996:875
 n Brasil (PA)
 Venezuela, c Brasil (PA, MS, GO, MG)

Coeloprocta Aurivillius, 1926:4	
humeralis (Breuning, 1940:431)	e Brasil (PE)
singularis Aurivillius, 1926:4	e Brasil (PB, BA)
Colobura Blanchard in Gay, 1851:511	
alboplagiata Blanchard in Gay, 1851:512	Chile, w Argentina (NE)
Curuapira Martins & Galileo, 1998: 263	
exotica Martins & Galileo, 1998: 263	Venezuela
Cymatonycha Bates, 1874:234	
castanea Bates, 1874:234	Guatemala-Costa Rica
fasciata Chemsak & Noguera, 1993:101	w Mexico (MI, JA, GR)
meridionalis Martins & Galileo, 1995:165	Colombia, Venezuela
Desmiphora (Desmiphora) Audinet-Serville, 1835:62	
<i>Desmophora</i> ; Gemminger & Harold, 1873:3107	
<i>Pyrracita</i> Thomson, 1868:105	
<i>Pyrrhacita</i> ; Gemminger & Harold, 1873:3107	
<i>Therchaetes</i> Thomson, 1868:107	
<i>Terchaetes</i> ; Lacordaire, 1872:623	
<i>Euchaestes</i> Chevrolat, 1861:252	
aegrota Bates, 1880:116	sw USA (TX)-Panama
amoica Galileo & Martins, 1998: 39	Brasil (MG, AM)
apicata (Thomson, 1868:106)	se Brasil (ES-SP), Ecuador
auatinga Martins & Galileo, 1996:300	Ecuador
bijuba Giesbert, 1998: 30	MX (OA)
boliviana Breuning, 1948:20	Bolivia
canescens Bates, 1874:226	s Mexico (CHS), Nicaragua-Colombia,
<i>obliquemaculata</i> Breuning, 1942:156	Venezuela
chemsaki Giesbert, 1998: 32	MX (Vc, QR)
circumspecta (Lane, 1973:383)	se Brasil (SP)
<i>circumspecta</i> ; Galileo & Martins, 1993:77	
cirrosa Erichson, 1847:147	e Mexico (VC)-Panama, Peru, nw Brasil (AM),
<i>similis</i> Breuning, 1943:46	Fr Guiana, Argentina
compacta Breuning, 1942:155	se Brasil (GO, RJ-PR), Paraguay
crinita Giesbert, 1998: 34	Panama
crocata Melzer, 1935:186	ec Brasil (GO, MG)
cucullata Thomson, 1868:104	e Brasil, Paraguay, Argentina, Uruguay
decora (Melzer, 1928:147)	se Brasil (RJ, SP)
digna Giesbert, 1998: 35	Panama
elegantula White, 1855:401	n Brasil (PA), Fr Guiana
fasciculata (Olivier, 1792:465)	e Mexico (VC)-Brasil, Fr Guiana, Bolivia
<i>servillei</i> White, 1855:401	
<i>gigantea</i> Thomson, 1860:75	
fasciola Martins & Galileo, 1995:166	Peru
ferruginea (Thomson, 1868:107)	e Brasil (ES), Fr Guiana, Ecuador
flavescens Breuning, 1943:47	n Argentina (TU)
fuscognata Breuning, 1942:155	e Brasil (PE)
hirticollis (Olivier, 1795:11)	sw USA-SAmer, W Indies, Galapagos Is
<i>mexicana</i> Thomson, 1860:75	
<i>lanata</i> Chevrolat, 1862:253	
<i>intricata</i> Casey, 1913:350	
intonsa (Germer, 1824:484)	se Brasil, Paraguay, Argentina, Uruguay
<i>pallidipennis</i> Chevrolat, 1861:251	
<i>crinitus</i> Dejean in Chevrolat, 1862:252	
lanuginosa Breuning, 1942:155	n Brasil (PA)
lateralis Thomson, 1868:104	se Brasil, Paraguay, Uruguay
lateralis Breuning, 1942:157	e Brasil (PE)
lenkoi (Lane, 1959:219)	se Brasil (SP)
lineatipennis Breuning, 1943:46	n Argentina (TU)
longipilis (Fisher, 1926:7)	Cuba
maculosa Linsley & Chemsak, 1966:220	Galapagos Is
mulsa Giesbert, 1998: 38	Costa Rica, Panama

multicristata Bates, 1866:201	n Brasil (PA), Fr Guiana
neoflavescens Galileo & Martins, 1998: 40	Brasil (BA)
niveocincta (Lane, 1959:222)	Panama
obliquelineata Breuning, 1948:21	e Brasil (BA)
ornata Bates, 1866:201	e Brasil (PE-SC)
pallida Bates, 1874:226	Jamaica, Peru, Brasil, Bolivia
<i>grisea</i> Aurivillius, 1904:208	
picta Breuning, 1943:46	n Argentina (TU)
pitanga Galileo & Martins, 1998: 38	Brasil (ES, RJ)
pretiosa Melzer, 1935:186	ec Brasil (GO, MG)
rufocristata Melzer, 1935:185	ec Brasil (GO)
scapularis Bates, 1885:351	Costa Rica, Panama, Venezuela
senicula Bates, 1866:200	n Brasil (PA)
spitzi Melzer, 1935:188	se Brasil (SP)
travassosi Mendes, 1938:316	se Brasil (ES, RJ)
<i>albolineata</i> Breuning, 1942:156	
undulatofasciata Breuning, 1942:157	ec Brasil (GO)
unicolor Breuning, 1961:155	e Brasil (BA)
variola Giesbert, 1998: 41	MX - Guat
venosa Bates, 1866:202	se Brasil (BA-RS)
xerophila Martins & Galileo, 1995:167	Ecuador
x-signata Melzer, 1935:187	e Brasil (PE)
Desmiphora (Antenniphora) Breuning, 1947:45	
antennalis Breuning, 1947:44	e Brasil (BA, ES)
endibauna Galileo & Martins, 1998: 37	Brasil (BA)
magnifica Martins & Galileo, 1995:165	n Brasil (PA)
Diliolophus Bates, 1885:355	
vexator Bates, 1885:355	Guatemala
Dolichestola Breuning, 1942:164	
annulicornis Breuning, 1942:164	e Brasil (PE), Fr Guiana
densepunctata Breuning, 1942:165	Panama, Fr Guiana
nigricornis Breuning, 1942:165	ec Brasil (GO)
vittipennis Breuning, 1948:26	se Brasil (RJ)
Esmia Pascoe, 1859:55	
seabrai Lane & Prosen, 1961:131	nw Brasil (AM), Peru
spissicornis (Fabricius, 1801:330)	Brasil (AM, PA, RO)
turbata Pascoe, 1859:55	Brasil (PA)
Estola Fairmaire & Germain, 1859:524	
acricula Bates, 1866:293	se Brasil (RJ)
<i>multilineata</i> Breuning, 1940:62	
affinis Breuning, 1940:61	se Brasil (RJ)
albicans Breuning, 1940:62	se Brasil (RJ)
albocincta Melzer, 1932:217	se Brasil (ES-SC), Paraguay
<i>mediofasciata</i> Breuning, 1940:67	
albomarmorata Breuning, 1943:57	e Brasil (MG)
albosetosa Breuning, 1940:65	e Brasil (PE)
albosignata Breuning, 1940:63	se Brasil (BA-RJ)
albosparsa Thomson, 1858:124	se Brasil (MG-RJ)
alboostictica Breuning, 1940:61	se Brasil (MG-RJ)
albovaria Breuning, 1940:60	Fr Guiana
alternata Breuning, 1940:68	e Brasil (BA)
annulata (Fabricius, 1801:300)	SAmer
annulicornis Fisher, 1942:26	R Dominicana
annulipes Breuning, 1940:70	Brasil
assimilis Breuning, 1940:69	se Brasil (SP)
attenuata Fisher, 1926:12	Jamaica
basiflava Breuning, 1943:57	Venezuela, Fr Guiana
basimaculata Breuning, 1940:66	se Brasil (ES-SP)
basinotata Bates, 1866:291	n Brasil (PA), Ecuador, Fr Guiana
benjamini Breuning, 1940:66	Colombia

boliviana Breuning, 1940:71	Bolivia
brunnea Thomson, 1868:123	Brasil
brunneovariegata Breuning, 1940:71	Venezuela
brunnescens Breuning, 1940:65	Venezuela, Colombia
cayennensis Breuning, 1940:70	Fr Guiana
cinerea Breuning, 1940:70	Bolivia
columbiana Breuning, 1940:70	Colombia
compacta Breuning, 1940:64	n Brasil (PA)
crassepunctata Breuning, 1940:61	e Brasil (BA), Fr Guiana
<i>crassepuncta</i> Breuning, 1940:61	
cuneata Breuning, 1940:65	ec Brasil (GO)
densepunctata Breuning, 1940:68	ec Brasil (GO, PE)
dilloni Zayas, 1975:205	Cuba
diversemaculata Breuning, 1943:57	Brasil
flavescens Breuning, 1940:69	ec Brasil (GO, BA)
flavobasalis Breuning, 1940:66	Fr Guiana, ec Brasil (GO)
flavolineata Breuning, 1950:173	Bolivia
flavomarmorata Breuning, 1942:163	Venezuela, Colombia
flavostictica Breuning, 1940:69	e Brasil (PE, BA)
fratercula Galileo & Martins, 1999: 86	Colombia
freyi Breuning, 1955:660	Trinidad
fuscodorsalis Breuning, 1940:67	se Brasil, Paraguay
fuscomarmorata Breuning, 1940:71	Bolivia
fuscopunctata Breuning, 1943:57	e Brasil (BA, MG)
fuscostictica Breuning, 1940:64	se Brasil (RJ)
griseescens Breuning, 1940:63	e Brasil (PE)
griseostictica Breuning, 1940:61	se Brasil (MG, RJ)
hirsuta (Degeer, 1775:115)	Panama, Guianas, nc Brasil (PA)
<i>lineolata</i> Bates, 1866:292	
hirsutella Aurivillius, 1922:319	Chile
<i>hirsuta</i> ; Fairmaire & Germain, 1859:525 (not Degeer, 1775)	
hispida Lameere, 1893:277	Venezuela
ignobilis Bates, 1872:200	s Mexico-Panama, Venezuela, Puerto Rico
insularis insularis Blair, 1933:483	Galapagos Is
subsp. cribrata Blair, 1933:483	Galapagos Is (Albemarle)
subsp. duncani Van Dyke, 1953:135	Galapagos Is (Duncan)
subsp. subnigrescens Breuning, 1974:109	Galapagos Is (Floreana)
<i>insularis nigrescens</i> ; Linsley & Chemsak, 1966:229 (not Breuning, 1943)	
lata Fuchs, 1974:244	ec Brasil (GO)
longeantennata Breuning, 1940:60	ec Brasil (GO), Paraguay
marmorata Breuning, 1940:67	se Brasil (RJ, SP), Venezuela
medionigra Breuning, 1940:66	ec Brasil (GO)
m-flava Breuning, 1940:64	Fr Guiana, nw Brasil (AM)
microphthalma Breuning, 1942:163	e Brasil (ES)
minor Breuning, 1940:66	e Brasil (ES)
misella Bates, 1885:357	Guatemala-Panama
nebulosa Breuning, 1940:60	n Brasil (PA)
nigrescens Breuning, 1943:57	Venezuela
nigropunctata Breuning, 1940:69	e Brasil (CE, PE)
nigrosignata Breuning, 1940:61	e Brasil (MG)
nodicollis Breuning, 1940:70	n Brasil (PA)
obliquata Breuning, 1940:68	se Brasil (MG, RJ)
obliquelineata Breuning, 1940:70	se Brasil (RJ)
obscura (Fabricius, 1792:261)	se Brasil (RJ), Fr Guiana
<i>auriga</i> Schoenherr, 1817:376	
<i>flavicollis</i> Breuning, 1940:62	
obscurella Monné & Giesbert, 1992:252	e Brasil (BA, MG)
<i>obscura</i> ; Thomson, 1868:123 (not Fabricius, 1792)	
obscuroides Breuning, 1942:163	Paraguay
parvula Breuning, 1940:60	e Brasil (GO, MG, RJ)
porcula Bates, 1866:293	n Brasil (PA), Fr Guiana
postrufa Breuning, 1980:69	e Brasil (PE)
retrospinosa Breuning, 1940:59	Venezuela, Peru
rufa Breuning, 1940:65	e Brasil (MG)
ruficeps Breuning, 1943:56	Fr Guiana
seriata Kirsch, 1875:287	Peru
<i>sericata</i> ; Lameere, 1883:62	
similis Breuning, 1940:70	Peru

stramentosa Breuning, 1940:68
strandi Breuning, 1940:71
strandiella Breuning, 1942:163
subannulicornis Breuning, 1963:507
annulicornis; Breuning, 1950:173 (not Fisher, 1942)
trinidadensis Breuning, 1955:660
truncatella Bates, 1866:293
spinipennis Breuning, 1940:64
unicolor Fairmaire & Germain, 1859:526
varicornis Bates, 1866:293
variegata Bates, 1866:292
vittulata Bates, 1874:226
vulgaris Galileo & Martins, 1999: 88

se Brasil (RJ, SP)
 s Brasil (SC)
 Costa Rica
 Bolivia
 Trinidad
 se Brasil (RJ)
 Chile
 se Brasil (MG, RJ)
 nw Brasil (AM), Fr Guiana
 e Mexico (VC)-Panama, Venezuela
 Colombia

Estoloides (Estoloides) Breuning, 1940:74

affinis Breuning, 1940:75
alboscutellaris Breuning, 1943:55
annulicornis Breuning, 1940:75
aquilonius Linsley & Chemsak, 1984:159
chamelae Chemsak & Noguera, 1993:94
fulvitaris (Bates, 1885:356)
galapagoensis (Blair, 1933:482)
grossepunctata Breuning, 1940:76
leucosticta (Bates, 1885:357)
longicornis Breuning, 1940:75
modica Chemsak & Noguera, 1993:95
paralboscutellaris Breuning, 1971:288
pararufipes Breuning, 1974:161
perforata (Bates, 1872:200)
prolongata (Bates, 1885:356)
reflexa Breuning, 1940:76
rufipes Breuning, 1940:75
scabraecaulis Chemsak & Noguera, 1993:93
sordida (LeConte, 1873:273)
sparsa Linsley, 1942:78
strandiella Breuning, 1940:76
venezuelensis Breuning, 1942:163

Trinidad
 Fr Guiana, Ecuador
 Fr Guiana
 sw USA (AZ)
 w Mexico (JA)
 Costa Rica, Panama
 Galapagos Is
 Colombia
 e Mexico (VC)
 Panama
 w Mexico (JA)
 Mexico
 Belize
 e Mexico (VC)-Venezuela, Trinidad, Curaçao
 Panama
 Venezuela
 e Brasil (BA)
 w Mexico (JA)
 Baja Calif
 Baja Calif
 Costa Rica
 Venezuela

Estoloides (Parestoloides) Breuning, 1940:75

basigranulata Breuning, 1943:56
costaricensis Breuning, 1940:76
esthlogenoides Breuning, 1943:56
parva Breuning, 1940:76

e Mexico (VC)
 Nicaragua, Costa Rica
 Costa Rica
 Panama

Estoloides (Spinestoloides) Breuning, 1954:14

spinipennis Breuning, 1954:14

Jamaica

Estolomimus Breuning, 1940:181

Neoestola Breuning, 1940:182
apicale Martins & Galileo, 1997:101
curtus Breuning, 1940:182
distinctus Martins & Galileo, 1997:101
marmoratus Breuning, 1940:181
pulvereus
solidus (Breuning, 1940:183)

e Brasil (ES)
 se Brasil (ES-RS)
 e Brasil (ES)
 e Brasil (CE)
 se Brasil (SP-SC)

Euestola Breuning, 1943:54

basalis Martins & Galileo, 1997:110
basidensepunctata Breuning, 1943:55
fasciata Martins & Galileo, 1997:109
lineata Martins & Galileo, 1997:110

e Brasil (MG)
 ec Brasil (GO)
 se Brasil (SP-SC)
 e Brasil (ES)

Eupogonius LeConte, 1852:159

Phidola Chevrolat, 1862:254
Eriopsilus Bates, 1866:193

affinis Breuning, 1942:161
albipilis Breuning, 1955:659
annulicornis Fisher, 1926:9
apicicornis Bates, 1885:352
arizonensis Knull, 1954:127
bierigi Melzer, 1933:380
columbianus Breuning, 1942:161
comus Bates, 1885:354
cryptus Hovore, 1989:252
cyaneus Zajciw, 1962:243
dubiosus (Breuning, 1942:160)
flavocinctus Bates, 1872:235
flavovittatus Breuning, 1942:161
fulvovestitus Schaeffer, 1905:134
fuscovittatus Breuning, 1974:154
griseus Fisher, 1926:11
hagmanni Melzer, 1927:192
haitiensis Fisher, 1935:197
infirmus (Thomson, 1868:107)
subaeneus Bates, 1872:234
marmoratus Fisher, 1925:16
knabi Fisher, 1925:15
laetus Bates, 1885:353
lanuginosus (Chevrolat, 1862:255)
lineolatus Melzer, 1933:376
longipilis Bates, 1880:117
maculicornis (Chevrolat, 1862:254)
major Bates, 1885:353
microphthalmus Breuning, 1943:49
nigrinus (Bates, 1866:193)
nigritarsis Fisher, 1926:10
pauper LeConte, 1852:159
vestita; Say, 1826:273 (not *vestita* Say, 1824:290)
fraxini Knull, 1918:132
petulans Melzer, 1933:379
piceus (Fisher, 1936:348)
pilosulus (Chevrolat, 1862:254)
rubiginosa Chevrolat, 1862:254
exiguus Thomson, 1868:165
pubescens LeConte, 1873:236
pubicollis Melzer, 1933:378
scutellaris Bates, 1885:352
stellatus Chemsak & Noguera, 1993:92
strandi Breuning, 1942:160
subarmatus (LeConte, 1859:22)
subnudus Bates, 1885:353
subtessellatus Melzer, 1933:379
superbus (Zayas, 1975:196)
tomentosus (Haldeman, 1847:50)
pinivorus Fitch, 1859:712
triangularis Linsley, 1935:112
ursulus Bates, 1872:235
vandykei Linsley, 1935:111
vittipennis Bates, 1885:353
wickhami Fisher, 1935:199

Falsestoloides Breuning, 1954:12
mexicana Breuning, 1954:13
tubericollis Breuning, 1980:70

Gibbestola Breuning, 1940:72
flavescens Breuning, 1940:73
griseovaria Breuning, 1940:72

Gibbestoloides Breuning, 1940:73
compacta Breuning, 1940:73

Mexico, Guatemala
Trinidad
s USA (FL), Cuba
Guatemala-Panama
sw USA (AZ)
Cuba
Colombia
sw Mexico (OA)
Costa Rica
e Brasil (ES)
Brasil
Nicaragua, Costa Rica
Guatemala
sw USA (TX)
Guatemala
Cuba
se Brasil (GO, ES-RS)
Hispaniola
s Mexico (OA, VC)-Panama, Venezuela

e Mexico (VC)
Guatemala
Cuba
se Brasil, Paraguay, Argentina, Uruguay
e Mexico (VC), Guatemala
Cuba
e Mexico (VC), Guatemala
s Brasil (RS)
nw Brasil (AM)
Cuba
e USA-TX

s Brasil, n Argentina, Uruguay
Cuba
Cuba

n-c USA
Honduras-Panama
Panama
w Mexico (JA)
Costa Rica
e NAmer
sw Mexico, Guatemala
Costa Rica
Cuba
e USA

c Mexico (ME)
se Mexico (VC)-Nicaragua
c Mexico (SI, NA, ME, MO)
Guatemala-Panama
Bahamas

nc Mexico (DU)
n Argentina (SE)

e Brasil (PE)
se Brasil (SP)

e Brasil (BA), n Argentina (CH)

Gyrpanetes Martins & Galileo, 1998: 260	
cacapira Martins & Galileo, 1998: 260	Brasil (ES)
pukuaba Martins & Galileo, 1998: 260	Brasil (PA)
Hallothamus Thomson, 1868:128	
decorus Thomson, 1868:129	Venezuela
Inermestola Breuning, 1942:164	
densepunctata Breuning, 1942:164	Brasil (MG)
Inermestoloides Breuning, 1966:16	
praeapicalba Breuning, 1966:17	nw Brasil (AM)
Ischnolea Thomson, 1860:347	
bimaculata Chevrolat, 1861:252	se Brasil, Paraguay, Argentina
crinita Thomson, 1860:347	se Brasil (ES-SC), Ecuador
<i>obliquelineata</i> Breuning, 1943:47	
flavinota Galileo & Martins, 1993:74	se Brasil (SP), Paraguay
flavofemorata Breuning, 1943:47	e Brasil (ES)
inexpectata Galileo & Martins, 1993:70	e Brasil (ES)
indistincta Breuning, 1942:158	e Brasil (PE)
longeantennata Breuning, 1942:158	se Brasil (RJ)
modesta Galileo & Martins, 1993:76	se Brasil (SP)
oculata Galileo & Martins, 1993:71	se Brasil (MG-PR)
peruana Breuning, 1943:48	Peru
piim Galileo & Martins, 1996:868	w Brasil (RO)
singularis Galileo & Martins, 1993:75	nc Brasil (PA)
spinipennis Breuning, 1943:48	e Brasil (ES)
strandii Breuning, 1942:158	s Brasil (SC)
Ischnoleomimus Breuning, 1940:168	
excavatus Breuning, 1940:168	Peru, wc Brasil (RO, PA)
foveatus Galileo & Martins, 1996:868	Bolivia, Ecuador
Iurubanga Martins & Galileo, 1996:302	
arixi Martins & Galileo, 1996:303	se Brasil (SC)
Lamiessa Bates, 1885:364	
eumolpoides Bates, 1885:365	Guatemala, Honduras
Malthonea Thomson, 1864:329	
<i>Parablabia</i> Breuning, 1959:86	
albomaculata (Breuning, 1966:15)	Bolivia
aurescens (Breuning, 1966:15)	Ecuador
cumbica Galileo & Martins, 1996:873	Venezuela
glaucina (Thomson, 1868:131)	Venezuela, Ecuador
guttata (Kirsch, 1888:40)	Ecuador, Colombia
itaiuba Martins & Galileo, 1999: 819	Venezuela
mimula Martins & Galileo, 1995:615	Colombia
minima Martins & Galileo, 1995:614	Peru
panthera Martins & Galileo, 1995:620	Colombia, Venezuela
phantasma Martins & Galileo, 1995:618	Ecuador
ruficornis Belon, 1903:61	Bolivia, Ecuador
spinosa Galileo & Martins, 1999: 85	Colombia
tigrinata Thomson, 1864:329	se Brasil (MG-RS)
Mimasyngenes Breuning, 1950:268	
icupara Galileo & Martins, 1996:879	Colombia, Venezuela
inlinearis Breuning, 1956:357	Colombia, Venezuela
lineatipennis Breuning, 1950:269	c Brasil (GO)
quiuiira Galileo & Martins, 1996:878	se Brasil (SP)

venezuelensis Breuning, 1956:694	Venezuela
ytu Galileo & Martins, 1996:880	e Brasil (MG, SP)
Mimestola Breuning, 1940:74	
imitatrix Breuning, 1940:74	Panama
Mimestoloides Breuning, 1974:158	
andresi Breuning, 1974:158	Mexico
benardi Breuning, 1980:70	Guadeloupe, Martinique
Mimopogonius Breuning, 1974:154	
hirsutus Breuning, 1974:154	c Brasil
Murupi Martins & Galileo, 1998: 263	
linearis Martins & Galileo, 1998: 264	Brasil (AM)
Nepagyrtes Martins & Galileo, 1998: 260	
piriana Martins & Galileo, 1998: 261	Brasil (MG)
Oiceaca Martins & Galileo, 1998: 262	
carenata Martins & Galileo, 1998: 263	Brasil (RG)
Panegyrtes Thomson, 1868:133	
basale Galileo & Martins, 1995:864	e Brasil (ES)
bifasciatus Breuning, 1940:178	se Brasil (RJ)
crinitus Galileo & Martins, 1995:866	e Brasil (MG)
davidsoni Martins & Galileo, 1998: 258	Brasil (PA)
delicatus Galileo & Martins, 1995:866	w Brasil (RO)
fasciatus Galileo & Martins, 1995:863	e Brasil (ES)
fraternus Galileo & Martins, 1995:868	e Brasil (BA)
lactescens Thomson, 1868:133	e Brasil (RJ, GO)
<i>sparsepunctatus</i> Breuning, 1940:179	
maculatissimus Galileo & Martins, 1995:861	e Brasil (BA, ES)
porosus Galileo & Martins, 1993:93	Panama, Colombia
pseudolactescens Breuning, 1974:188	se Brasil (SP)
scutellatus Galileo & Martins, 1995:863	e Brasil (BA, MG)
striatopunctatus Breuning, 1940:179	ec Brasil (GO)
varicornis Breuning, 1940:430	nw Brasil (AM)
Paradesmiphora Breuning, 1959:86	
amazonica Galileo & Martins, 1998: 34	Peru
farinosa (Bates, 1885:351)	Costa Rica, Panama
Parestola Bates, 1880:119	
hoegei Breuning, 1943:54	Mexico
zapotensis Bates, 1880:119	Guatemala-Panama
Parischnolea Breuning, 1942:158	
excavata Breuning, 1942:159	se Brasil (SP), Paraguay
jatai Martins & Galileo, 1995:162	c Brasil (GO)
Periestola Breuning, 1943:54	
<i>Paracobelura</i> Monné & Martins, 1976:85	
strandii Breuning, 1943:54	Costa Rica
<i>curiosa</i> Monné & Martins, 1976:85	
Piimuna Martins & Galileo, 1998: 265	
gibbosa Martins & Galileo, 1998: 265	se Brasil (SC)

- Piruana** Galileo & Martins, 1998: 150
tuberosa Galileo & Martins, 1998: 150
 Brasil (MG)
- Pogonillus** Bates, 1885:360
inermis Bates, 1885:360
subfasciatus Bates, 1885:360
 Mexico (VC, OA)
 Guatemala
- Psenocerus** LeConte, 1852:158
Paralarica Breuning, 1938:389
supernotatus (Say, 1823:425)
pini; LeConte, 1852:158 (not Olivier, 1795)
tristis Casey, 1891:46
supernotatus var. *funebri*s Casey, 1914:367
picta Breuning, 1938:390
 e NAmer-TX
- Pseudestola** Breuning, 1940:181
densepunctata Breuning, 1940:182
 se Brasil (RJ)
- Pseudestoloides** Breuning & Heyrovsky, 1961:17
costaricensis Breuning & Heyrovsky, 1961:17
hiekei Breuning, 1974:51
 Costa Rica
 sc Mexico (MO, OA)
- Ptericoptomimus** Melzer, 1935:189
truncatus Melzer, 1935:190
truncata Breuning, 1940:72
 se Brasil (ES-SP)
- Stereomerus** Melzer, 1934:226
Mimaprosopus Breuning, 1940:84
brachypterus Martins & Galileo, 1994:5
diadelus Martins & Galileo, 1994:10
lineatus (Breuning, 1940:84)
melzeri Martins & Galileo, 1994:8
pachypezoides Melzer, 1934:227
 se Brasil (SP)
 Venezuela
 ec Brasil (GO, SP, PN), Bolivia
 n Brasil (AM)
 s Brasil (SC, RS), Argentina, Uruguay
- Taelosilla** Thomson, 1868:112
lateralis Thomson, 1868:113
 Mexico, Brasil
- Tigrinestola** Breuning, 1949:25
howdeni Chemsak & Linsley, 1966:241
tigrina (Skinner, 1905:291)
picta Schaeffer, 1906:21
 nw-c Mexico (CHA, DU, DF)
 sw USA (AZ, TX), n Mexico, Baja Calif
- Trichestola** Breuning, 1950:174
guatemalana Breuning, 1950:174
mexicana Breuning, 1974:161
 Guatemala
 s Mexico (CHS)
- Unelcus** Thomson, 1864:109
bolivianus Breuning, 1966:16
lineatus Bates, 1885:354
pictus Thomson, 1864:109
 Bolivia
 e Mexico (VC)-Panama, Venezuela
 se Brasil (RJ-RS), n Argentina (CH)

Anisocerini

- Thomson, 1860:31,339
Onychoceritae Thomson, 1864:19
Platysternini Lacordaire, 1872:729
Mauesinae Lane, 1956:19

- Acanthotritus** White, 1855:404
dorsalis White, 1855:404
 e Brasil (ES)

- Anisocerus** Lepeletier & Audinet-Serville in Lacordaire, 1830:181
onca White, 1855:405 nc Brasil (AM), Peru, Bolivia
var. *fonteboensis* Bates, 1862:449
var. *olivencius* Bates, 1862:450
scopifer (Germar, 1824:476) se Brasil (MG-SC), Paraguay, Argentina
scopigera; Lacordaire, 1872:723
penicillatus Lacordaire, 1830:181
stellatus Guérin-Méneville, 1855:599 Peru, Ecuador
- Badenella** Lane, 1964:186
badeni badeni (Bates, 1875:276) Colombia
subsp. **fuscus** (Franz, 1935:171) Colombia
fallaciosa Lane, 1964:188 Colombia
ignota Lane, 1964:187 Colombia ?
laceyi Lane, 1964:189 Ecuador
- Batesbeltia** Lane, 1964:182
beltii (Bates, 1872:203) Nicaragua, Costa Rica
cerussata Lane, 1964:184 Ecuador
pantherina Lane, 1964:185 Panama, Colombia
pullata Lane, 1964:184 Ecuador
verecunda Lane, 1964:183 Ecuador
- Caciomorpha** Thomson, 1864:22
batesi Pascoe, 1858:242 n Brasil (PA)
buquetii Guérin-Méneville, 1844:240 Fr Guiana
genalis Aurivillius, 1908:9 Ecuador, Peru
palliata (White, 1855:407) Guatemala-Panama
personatus Bates, 1869:385
plagiata Bates, 1875:275 Peru, Ecuador
robusta Galileo & Martins, 1998: 21 Brasil (AM, PA), Peru, Ecuador
susua Martins & Galileo, 1996:305 Ecuador
- Chalastinus** Bates, 1862:447
egensis (White, 1855:408) nw Brasil (AM), Ecuador
egaensis; Bates, 1862:447
egaensis var. *postilenatus* Bates, 1862:448
pantherinus Lacordaire, 1872:721 Fr Guiana, Surinam, nw Brasil (AM)
recticornis Bates, 1875:275 n Brasil (PA), Fr Guiana
- Chapareia** Lane, 1950:91
pinima Lane, 1950:92 Bolivia
- Chimboincola** Lane, 1966:237
gavisa Lane, 1966:238 Ecuador
- Coroicoia** Lane, 1966:241
ligata (Schwarzer, 1930:108) Bolivia
- Cyclopeplus** Thomson, 1860:32
batesi Thomson, 1860:32 nw Brasil (AM)
castaneus Gounelle, 1906:3 c Brasil (GO, MT)
cyaneus Thomson, 1860:33 n Brasil (PA), Fr Guiana
germaini Gounelle, 1906:3 Bolivia, Ecuador
lacordairei Thomson, 1868:150 Fr Guiana
peruvianus Tippmann, 1939:77 Peru
ab. *coeruleometallescens* Tippmann, 1939:77
ab. *submetallicus* Tippmann, 1939:77
ab. *thoracicus* Tippmann, 1939:77
ab. *viridimetallescens* Tippmann, 1939:77
violaceus Lane, 1957:65 Peru
- Eusthenomus** Bates, 1875:277

hopei Lane, 1970:382	Ecuador ?
laceyi Lane, 1970:380	Ecuador
wallisi Bates, 1875:278	Colombia
Fredlanella Martins & Galileo, 1996:305	
<i>Taperinha</i> Lane, 1964:179 (not Linnavouri, 1959, Homoptera)	
cerussata (Lane, 1964:180)	n Brasil (PA)
diringshofeni (Lane, 1972:366)	nw Brasil (AM)
Gounellea Lane, 1964:195	
bruchii (Gounelle, 1906:17)	nc Argentina
capucinum (White, 1846:48)	c Brasil (PA, RO, MT)
dulcissimus (White, 1855:406)	nc Brasil (PA)
franzae Lane, 1970:378	sw Brasil (RO), Bolivia
histrion (Gounelle, 1906:18)	nc Brasil (PA, AM), Peru
melzeri (Franz, 1935:169)	Peru
zikani (Melzer, 1932:220)	nw Brasil (AM)
Gymnocerina Lane, 1964:190	
oliveirai Lane, 1964:191	nw Brasil (AM)
spuria Lane, 1964:192	nw Brasil (AM)
subsiciva Lane, 1964:192	Fr Guiana
sulfurea Lane, 1964:193	nw Brasil (AM)
Gymnocerus Audinet-Serville, 1835:84	
crassus Bates, 1862:453	nc Brasil (AM, PA)
cratosomoides Bates, 1862:452	nw Brasil (AM)
scabripennis Audinet-Serville, 1835:85	Fr Guiana
Homoephloeus Gahan, 1892:261	
licheneus Gahan, 1892:261	sw Mexico (GR)
Hoplistocerus Blanchard in Orbigny, 1843:210	
<i>Demophoo</i> Thomson 1864:21	
bonsae Lane, 1966:239	c Brasil (MT)
callioides Gounelle, 1906:7	c Brasil (GO)
dichrous Gounelle, 1906:8	Colombia, Bolivia
dives Bates, 1875:276	e Brasil (BA, ES), Fr Guiana, Ecuador
<i>eximius</i> Pascoe, 1878:377	
gemmatus Bates, 1874:227	Nicaragua-Panama
hammatus (Chabrillac, 1857:199)	se Brasil (RJ-PR)
<i>hamatus</i> ; Thomson, 1864:21	
iheringi Gounelle, 1906:6	se Brasil (SP)
lanei Zajciw, 1960:146	se Brasil (RJ)
prominulosus Lane, 1950:95	n Brasil (PA), Fr Guiana
<i>prominulus</i> ; Gilmour, 1965:620	
purpureoviridis Lane, 1938:107	se Brasil (SP)
refulgens Blanchard in Orbigny, 1843:210	c Brasil (AM, RO, MT), Fr Guiana, Ecuador,
<i>gloriosus</i> Bates, 1862:457	Bolivia
Icarai Galileo & Martins, 1998: 24	
bufo (Thomson, 1868:149)	Fr Guiana, nw Brasil (AM)
Jurua Lane, 1964:194	
monachina (White, 1855:406)	nw Brasil (AM), Peru
<i>monachinus</i> var. <i>nautensis</i> (Bates, 1862:454)	Peru
Mauesia Lane, 1956:19	
cornuta Lane, 1956:19	c Brasil (AM, RO, MT), Fr Guiana
Natagaima Lane, 1972:367	
balteata Lane, 1972:368	Guatemala, Colombia

- Onychocerus** Lepeletier & Audinet-Serville in Lacordaire, 1830:181
Scorpionus Smith, 1884:727
aculeicornis (Kirby, 1818:440) se Brasil (BA-RS), Paraguay, Bolivia, Ecuador
aculeicornis; Zikán & Zikán, 1944:33 Argentina, Fr Guiana
albitarsis Pascoe, 1859:31 se Brasil (BA-RJ)
ampliatus Bates, 1875:277 Peru, Ecuador
concentricus Bates, 1862:455 Ecuador, c Brasil (PA, MT), Fr Guiana, Ecuador
crassus (Voet, 1778:10) Costa Rica, Panama, SAmer, (widely dist.) W Indies
scorpio Fabricius, 1781:210
giesberti Júlio & Monné, 2001: 1 Ecuador
hovorei Júlio & Monné, 2001: 2 s Brasil (BA, PA, RO, SP, ES, SC), Peru
versutus (Lane, 1966:242) e Brasil (PB, BA)
- Parachalastinus** Galileo & Martins, 2001:298
championi Bates, 1885:374 Costa Rica, Panama
nigrescens Galileo & Martins, 2001: 300 Panama
rubrocinctus Bates, 1869:385 Nicaragua, Costa Rica
- Phacellocera** Laporte, 1840:468
Phacellocera; Blanchard, 1845:156
plumicornis (Klug, 1825:462) se Brasil (MG-SC)
scopulicornis Laporte, 1840:469
- Phacellocerina** Lane, 1964:181
limosa (Bates, 1862:448) Venezuela
seclusa Lane 1964:181 Colombia
- Platysternus** Dejean, 1835:336
hebraeus (Fabricius, 1781:210) Fr Guiana, n Brasil (AM, PA, RO, MT)
mucoreus Colas, 1952:18
- Satipoella** Lane, 1964:195
heilipoides Lane, 1964:197 Peru
- Taurolema** Thomson, 1860:15
albopunctata Gounelle, 1906:13 Guatemala
bellatrix Thomson, 1860:15 Fr Guiana, n Brasil (PA)
cicatricosa Lane, 1966:240 Fr Guiana, Guyana
duffy Lane, 1966:241 se Brasil (RJ)
flavocincta Gounelle, 1906:13 Costa Rica-Colombia, Peru, Ecuador
vittata Schwarzer, 1930:108
peruviana Lane, 1957:67
hirsuticornis Chevrolat, 1861:188 se Brasil, ne Argentina (MI)
lineata Fuchs, 1966:13 c Brasil (MT)
nasicornis Schwarzer, 1930:106 Costa Rica
oberthüri Gounelle, 1906:12 n Brasil (PA)
olivacea Gounelle, 1908:19 e Brasil (ES)
pretiosa Chevrolat, 1861:187 Venezuela, Colombia
rutilans Gounelle, 1906:14 e Brasil (BA, ES)
seabrai Lane, 1973:388 nw Brasil (AM)
superba Fuchs, 1966:14 Peru
- Thryallis** Thomson, 1858:409
granulosus Bates, 1885:374 Guatemala
leucophaeus (White, 1855:407) Mexico-Costa Rica
maculosus Thomson, 1858:409 e Mexico (VC)-Nicaragua
noguerai Chemsak & McCarty, 1997:106 w Mexico (JA, NA)
ocellatus Chemsak & McCarty, 1997:110 Costa Rica
sallaei Bates, 1880:131 sc Mexico (MO)
undatus (Chevrolat, 1834:61) sw USA (TX), ec Mexico (HI, ME, VC)-Honduras
- Trigonopeplus** White, 1855:403

Anepsius Bates, 1862:447
Aneptius; Thomson, 1864:352
abdominalis White, 1855:403 se Brasil (ES, RJ)
signatipennis Thomson, 1860:340
binominis Chevrolat, 1861:250 se Brasil (RJ)
bispecularis White, 1855:403 nw Brasil (AM)
paterculus Lacordaire, 1872:718 Fr Guiana, ne Brasil (PA, BA)
maculipennis Lane, 1972:360

Xylotribus Audinet-Serville, 1835:80
decorator (Fabricius, 1801:289) n Brasil (PA), Fr Guiana
heterocerus Audinet-Serville, 1835:80
simulans Bates, 1862:456
pinacopterus Lane, 1964:198 nw Brasil (AM)

Polyrhaphidini

Thomson 1860:30

Polyrhaphis Audinet-Serville, 1835:26
Polyraphis; Lacordaire, 1872:731
Polyrrhaphis; Gemminger & Harold, 1873:3139
angustata Buquet, 1853:445 Nicaragua-Panama, Fr Guiana,
elongata Bates, 1880: pl.10, fig.3 Ecuador, ne Brasil (AM, BA)
bondari Lane, 1939:76
argentina Lane, 1978:72 Peru, Argentina, Bolivia, Paraguay
armata (Voet, 1778:15)
armiger Schoenherr, 1817:381
batesi Hovore & McCarty, 1998: 8 MX to Panama, Ecuador
belti Hovore & McCarty, 1998: 10 Guat - Panama, Ecuador
confusa Lane, 1978:63 se Brasil (RJ-RS)
fabricii Thomson, 1865:542 Peru, Guianas, nw Brasil (AM), Ecuador
denudata Lane, 1978:69
gracilis Bates, 1862:403 nw Brasil (AM), Ecuador
grandini Buquet, 1853:444 se Brasil (MG, RJ)
hystricina Bates, 1862:402 n Brasil (PA), Fr Guiana
jansoni Pascoe, 1859:30 n Brasil (PA), Ecuador
janseni; Aurivillius, 1923:372
kempfi Lane, 1978:67 e Brasil (BA, ES)
michaeli McCarty, 1997:43 Mexico (QR, YU)
olivieri Thomson, 1865:543 Fr Guiana
papulosa (Olivier, 1795:72) Fr Guiana, n Brasil, Peru
paraensis Bates, 1862:404 Brasil-Bolivia
pilosa Lane, 1965:294 Peru, Ecuador, Bolivia, Guianas
spinipennis Laporte, 1840:460 ec SAmer
abdominalis; Heyne & Taschenberg, 1906:243 (not White, 1855)
spinosa (Drury, 1773: pl. 31) Guianas, Ecuador, n Brasil (AP, AM), Colombia
horrida Voet, 1778:15
testacea Lane, 1965:298 se Brasil (SP)
turnbowi Hovore & McCarty, 1998: 12 Panama

Acrocini

Thomson 1860:28

Acrocinus Illiger, 1806:247
Macropus; Thunberg, 1805:282 (not Shaw, 1790)
longimanus (Linnaeus, 1758:388) ec Mexico (VC, ME)-Panama, SAmer
pictus Leach, 1815:84

Macropophora Thomson, 1864:15
Macropus; Audinet-Serville, 1835:18 (not Shaw, 1790; not Thunberg, 1805)
accentifer (Olivier, 1795:8) e SAmer
hoffmanni (Thomson, 1860:28) e Brasil (BA-RJ)
lateralis Lacordaire, 1872:735
lacordairei Lapesme, 1946:491 Bolivia, Peru, Fr Guiana, Ecuador, Colombia, Brasil (AM)

trochlearis (Linnaeus, 1758:389) n SAmer
depressus Linnaeus, 1758:390
flavimacula Voet, 1778:16
lepturoides von Schreber, 1759:83
tuberculatus Fabricius, 1798:143
worontzowi Lane, 1938:49 c Brasil (AM, MT), Fr Guiana

Xenofreini

Bates 1885:373

Curiofrea Galileo & Martins, 1999: 96
curiosa Galileo & Martins, 1999: 97 Colombia

Itajutinga Martins, 1981:213
difficilis Martins, 1981:214 sc Brasil (GO, MT, SP)

Oroxenofrea Galileo & Martins, 1999: 95
spiculata Galileo & Martins, 1999: 96 Brasil (PA)

Xenofrea Bates, 1885:373
albofasciata Galileo & Martins, 2001: 61 s Brasil (PA, SC)
anomala Bates, 1885:373 Panama
apicalis Melzer, 1931:3 e Brasil (MG), Fr Guiana
areolata Bates, 1885:374 Panama
exotica Galileo & Martins, 1999: 97 Colombia
fulgida Galileo & Martins, 2001: 60 Brasil (AM)
lineatipennis Zajciw, 1961:222 e Brasil (ES), Fr Guiana
trigonalis Bates, 1885:373 Peru, Fr Guiana
zonata Bates, 1885:373 Panama, n Brasil (PA), Fr Guiana

Acanthoderini

Thomson, 1860:5

Oreoderitae Thomson, 1864:15

Dryoctenitae Thomson, 1860:29

Acakyra Martins & Galileo, 1996:303
iaguara Martins & Galileo, 1996:304 Colombia
lateralba Martins & Galileo, 2001: 103 Ecuador
nigrofasciata Martins & Galileo, 2001: 105 Peru

Acanthoderes (Acanthoderes) Audinet-Serville, 1835:29

Acanthoderes; Laporte, 1840:461

cocoensis Linsley & Chemsak, 1966:243 Cocos Is.
daviesii (Swederus, 1787:195) Colombia, Fr Guiana,
swederi White, 1855:360
punctata Fabricius, 1792:272
forsteri Tippmann, 1960:168 Peru
laevicollis Bates, 1872:208 Nicaragua-Panama
laportei Aurivillius, 1923:385 Fr Guiana
daviesii; Laporte, 1840:464 (not Swederus, 1787)
parvimacula Zajciw, 1964:439 e Brasil (ES)
quattuordecimguttata (Schoenherr, 1817:396) "America"
crassus Voet, 1778:20 (not Voet, 1778:10 [*Onychocerus*])
rubripes Bates, 1872:208 Nicaragua, Panama
rufofemorata Aurivillius, 1926:12 Brasil, Bolivia
satana Bates, 1880:58 Peru
septemmaculata Buquet, 1859:635 Fr Guiana, n Brasil (AP)
subtessellata Bates, 1880:59 Ecuador
thammi Bates, 1880:59 Peru, Bolivia
ucayalensis Tippmann, 1960:168 Peru, Ecuador
zischkai Tippmann, 1960:165 Bolivia
zonata Bates, 1880:59 Colombia

Acanthoderes (Pardalisia) Casey, 1913:302

- funeraria** Bates, 1861:151 Mexico (OA, SLP, VC)
erichsonii Thomson, 1868:147
lacrymans (Thomson, 1864:554) Mexico (OA, PU)
lachrymosus; Bates, 1880: pl.11, fig.6

Acanthoderes (Psapharochrus) Thomson, 1864:18

- abstersa** Bates, 1880:60 Colombia
alboguttata Melzer, 1935:192 se Brasil (ES-SC)
albomaculata Fuchs, 1963:10 Bolivia
albonigra Bates, 1861:218 nc Brasil (AM, PA)
analís Melzer, 1935:192 se Brasil (SP-SC), n Argentina
arietis Bates, 1885:380 Guatemala
atrosignata Melzer, 1932:222 se Brasil (MG-SP)
bialbomaculata Zajciw, 1964:159 Peru, Colombia (?)
bicuspis (Germar, 1824:475) Brasil
bimaculata Fuchs, 1959:54 Bolivia
binocularis Martins, 1981:215 c Brasil (MT)
bivitta (White, 1855:354) Guatemala-Panama, Brasil (AM, ES-SP),
fuliginosus Thomson, 1865:543 Fr Guiana
borrei Dugés, 1885:48 c Mexico (GU, MO, GR, JA)
brevicornis Zajciw, 1964:67 se Brasil (SP-RS), n Argentina (MI)
brunnescens Zajciw, 1963:585 e Brasil (CE-BA)
carinicollis Bates, 1880:61 se Brasil (MG-PR)
chrysopus Bates, 1861:474 c Brasil (AM, RO, MT), Fr Guiana
circumflexa Jacquelin du Val in Sagra, 1857:270 Mexico-Panama, SAmer, W Indies
meteorica Gistel, 1857:79
clerica Bates, 1880:141 c Mexico (PU)
compta Marinoni & Martins, 1978:185 c Brasil (RO, MT), Bolivia
conifera Zajciw, 1963:588 se Brasil (ES)
consentanea (Thomson, 1865:544) Brasil
cornuta Bates, 1880:142 Guatemala
corticaria Tippmann, 1960:171 Bolivia
crocostigma Bates, 1880:61 Ecuador
curvistriata Tippmann, 1960:175 s Brasil (SP, PR)
cylindrica Bates, 1861:473 se Brasil, Paraguay, Argentina
docta Bates, 1880:141 sc Mexico (OA)
excellens Zajciw, 1964:68 Colombia
flavitaris Fuchs, 1962:322 e Brasil (BA-SC)
fuscicollis Bates, 1861:216 Panama, nw Brasil (AM)
galapagoensis galapagoensis Linell, 1898:261 Galapagos Is. (Chatham)
galapagonesis; Mutchler, 1938:14
subsp. **vonhageni** Mutchler, 1938:14 Galapagos Is. (Indefatigable)
subsp. **williamsi** Linsley & Chemsak, 1966:225 Galapagos Is. (James)
riseomaculata Zajciw, 1971:306 Peru
guatemalensis (Casey, 1913:303) Guatemala
hassenteufeli Fuchs, 1959:56 Bolivia
hebes Bates, 1861:215 nw Brasil (AM), Fr Guiana, Peru
histrio Casey, 1913:302 Honduras
homonymus Blackwelder, 1946:610 Bolivia, se Brasil (MG)
latevittata; Aurivillius, 1923:35 (not Aurivillius, 1921)
inquinata Bates, 1872:207 Nicaragua-Panama, Colombia
itatiayensis Melzer, 1935:194 se Brasil (RJ-SC)
jaspidea (Germar, 1824:475) s Brasil (ES-RS), c SAmer
congener Burmeister, 1865:178
juno Fisher, 1938:139 Brasil (PR-RS), Paraguay, Argentina
laetifica Bates, 1880:60 Ecuador, Brasil (AM), Peru, Bolivia
lanei Marinoni & Martins, 1978:187 c Brasil (GO, MT)
lateralis Bates, 1861:475 Guianas, c Brasil (AM), Peru, Ecuador
consentaneus; Prudhomme, 1906:37 (not Thomson, 1865)
armata Melzer, 1935:191
latevittata Aurivillius, 1921:51 Bolivia
leucodryas Bates, 1880:61 Ecuador
leucogaea Erichson, 1847:143 Peru
longipennis Zajciw, 1963:587 e Brasil (ES)
longispinis Bates, 1861:417 n Brasil (PA), Peru, Fr Guiana

- longitarsis** Bates, 1880:58
lotor White, 1855:362
luctuosa Bates, 1880:60
lugens (Thomson, 1865:543)
maculatissima Bates, 1861:219
maculicollis Bates, 1861:217
magna Marinoni & Martins, 1978:188
melanostictus White, 1855:361
contaminatus Thomson, 1865:543
meleagris Bates, 1861:474
minima Bates, 1861:217
minuta Fuchs, 1959:57
mourei Zajciw, 1964:70
nigricans Lameere, 1885:110
nigritarsis White, 1855:363
sylvanus Bates, 1880:141
nigromaculata Fuchs, 1962:58
nigroocellata Tippmann, 1960:170
nigropunctata Tippmann, 1960:169
nigrovittata Zajciw, 1969:109
pereirai (Prosen & Lane, 1955:136)
stygialis Tippmann, 1960:173
peritapnioides Linsley, 1958:49
phasianus Bates, 1861:473
pigmentata Bates, 1861:472
pegmentata; Zajciw, 1970:187
piperata Gahan, 1892:262
plaumanni Fuchs, 1959:59
polysticta Bates, 1885:379
pseudopropinqua Fuchs, 1959:60
pupillata Bates, 1880:60
purulensis Bates, 1885:379
daviesi Olivier, 1795:104 (part)
quadrituberculata Zajciw, 1964:160
ridleyi Waterhouse, 1894:555
rufitarsis Kirsch, 1889:41
sallei (Thomson, 1865:543)
sallaei; Bates, 1880:141
satellina Erichson, 1847:147
schmithi Melzer, 1935:193
sexmaculata Fuchs, 1961:20
signata Gahan, 1892:263
signatifrons Zajciw, 1964:162
socorroensis Linsley, 1942:84
spinicornis Tippmann, 1960:172
subanalis Zajciw, 1964:163
umbrata Bates, 1885:379
vetusta Bates, 1880:58
mimica Tippmann, 1960:162
virescens Fuchs, 1962:323
- Acanthoderes (Scythropopsis)** Thomson, 1864:20
albitarsis Laporte, 1840:461
- Acanthoderes (Symperasmus)** Thomson, 1864:19
affinis (Thomson, 1865:544)
flexistigma Bates, 1880:61
thoracica White, 1855:359
thomicus Thomson, 1864:19
- Aegomorphus** Haldeman, 1847:45
Acanthoderes; Haldeman, 1847:45 (not Audinet-Serville, 1835)
Aethiopoctines Thomson, 1868:147
Psapharochus; Casey, 1913:301(not Thomson, 1864)
Aegoschema; Knull, 1946:243 (not Aurivillius, 1923)
albosignus Chemsak & Noguera, 1993:98
- Ecuador
n Brasil (PA), Peru
se Brasil (MG-SC)
ec Mexico (ME, PU, VC)
nc Brasil (PA, MT), Peru
Fr Guiana, n Brasil (PA)
Bolivia
Brasil
- c Brasil (AM, MT), Bolivia
n Brasil (PA)
Bolivia
se Brasil (ES, RJ)
n SAmer
sw Mexico (OA), Guatemala
- Peru
Peru, Bolivia
Bolivia
e Brasil (PE, PB, BA)
ec Brasil (GO, SP)
- Mexico (Revilla Ggedo Is.)
Panama, nw Brasil, Fr Guiana, Peru
nw Brasil (AM), Fr Guiana
- nw Mexico (DU)
s Brasil (MS, SC)
Panama
Argentina
Colombia
Guatemala
- e Brasil (ES)
Brasil (Fernando de Noronha I)
Ecuador
e Mexico (VC)
- c Brasil (AM, MT), Peru
se Brasil (RJ-SC)
s Brasil (SC)
sw Mexico (GR)
Ecuador
Mexico (Revilla Ggedo Is)
nw Brasil (AM), Fr Guiana
se Brasil (MG, SP)
Guatemala
se Brasil (RJ-SC), Fr Guiana
- Peru
- se Brasil (ES-RS), Paraguay,
n Argentina
- Fr Guiana, n Brasil (AM, PA)
- n Brasil (PA), Peru, Fr Guiana
- w Mexico (JA)

arizonicus Linsley & Chemsak, 1984:253	sw USA (AZ), Baja Calif
chamelae Chemsak & Giesbert, 1986:36	w Mexico (JA)
modestus (Gyllenhal in Schoenherr, 1817:164) <i>decipiens</i> Haldeman, 1847:45	e NAmer
morrisii (Uhler, 1855:417) <i>leucogenus</i> Thomson, 1868:148	e NAmer
peninsularis (Horn, 1880:116)	sw USA (AZ), Baja Calif, w Mexico
quadrigibbus (Say, 1835:195) <i>quadrigibbus lucidus</i> Knull 1958:282	e NAmer-TX, Mexico
Aegoschema Aurivillius, 1923:610	
<i>Aegomorphus</i> ; White, 1855:373 (not Haldeman, 1847)	
adpersum (Thomson, 1860:337)	Brasil
cinereum Lane, 1938:108	e Brasil (MG, ES)
moniliferum (White, 1855:374)	n Brasil (PA), Fr Guiana
obesum (Bates, 1861:150)	Fr Guiana, n Brasil (PA), Ecuador
peruvianum Lane, 1973:394	Peru, Fr Guiana
Alphus White, 1855:375	
capixaba Marinoni & Martins, 1978:179	e Brasil (ES)
similis Martins, 1985:178	se Brasil, Paraguay, Argentina
tuberosus (Germar, 1824:477)	se Brasil (MG-RS)
Amblysaphes Bates, 1885:381	
striatus Bates, 1885:382	Guatemala
Anasillus Marinoni & Martins, 1978:183	
crinitus Marinoni & Martins, 1978:183	Peru
Anoreina Bates, 1861:149	
biannulata (Bates, 1866:433)	nw Brasil (AM), Peru
nana (Bates, 1861:149)	n Brasil (PA), Peru, Fr Guiana
Ateralphus Restello, Iannuzzi & Marinoni, 2001: 300.	
dejeani (Lane, 1973:397) <i>canescens</i> ; Lacordaire, 1872:741 (not Bates, 1862)	se Brasil (BA-RS), Fr Guiana
diringsi (Martins & Monné, 1993:138)	nc Brasil (AM)
javariensis (Lane, 1965:311)	nw Brasil (AM)
senilis (Bates, 1862:123) <i>scutellaris</i> Bates, 1862:123 <i>senilis</i> ab. <i>uniformis</i> Tippmann, 1960:165	n Brasil (PA, MA), Fr Guiana, Peru, Bolivia
subsellatus (White, 1855:375) <i>canescens</i> Bates, 1862:122	se Brasil, Paraguay, Argentina
variegatus (Mendes, 1938:120)	s Brasil (PR, SC)
Azygocera Aurivillius, 1920:26	
picturata (Fairmaire & Germain, 1859:518)	Chile, s Argentina (NE, SC)
Criopsis Thomson, 1860:341	
curtus Thomson, 1860:342	se Brasil (MG-SC)
Discopus Thomson, 1864:17	
antennatus (Guérin-Méneville, 1855:599)	Peru
buckleyi Bates, 1880:254	Ecuador
comes Bates, 1880:254	Ecuador, Colombia
eques Bates, 1880:253	Peru
patricius Bates, 1880:254	Ecuador, Peru
princeps Bates, 1880:255	Peru
spectabilis (Bates, 1861:476)	nw Brasil (AM), Peru
Dryoctenes Audinet-Serville, 1835:27	
scrupulosus (Germar, 1824:470) <i>caliginosus</i> Audinet-Serville, 1835:28	Panama, SAmer (widely distributed)

- Dufauxia** Lane, 1955:293
guaicurana Lane, 1955:294
kourouana Lane, 1970:395
trichocera Monné & Magno, 1990:687
zikani Lane, 1970:394
- c Brasil (RO, MT), Bolivia
Fr Guiana, Ecuador
wc Brasil (RO)
e Brasil (BA-ES)
- Eupromerella** Fisher, 1938:147
clavator (Fabricius, 1801:291)
fascialis White, 1855:361
griseofasciata (Fuchs, 1959:55)
nigroapicalis (Aurivillius, 1916:356)
orbifera (Aurivillius, 1908:9)
propinqua (Melzer, 1931:61)
semigrisea (Bates, 1861:217)
travassosi (Melzer, 1935:195)
versicolor (Melzer, 1935:190)
brasiliensis Fisher, 1938:148
- nc Brasil (AM, PA, MT), Peru, Fr Guiana, Ecuador
s Brasil (SC, RS), Paraguay
e Brasil (ES, RJ)
nw Brasil (AM), Peru, Bolivia, Ecuador, Colombia
se Brasil (MG-SC), Paraguay
se Brasil (RJ)
s Brasil (SC)
- Exalphus** Restello, Iannuzzi & Marinoni, 2001: 296.
aurivillii (Lane, 1970:389)
biannulatus (Aurivillius, 1921:50)
bruchi Melzer (1931:195)
cavifrons (Bates, 1872:200)
cavifrons var. *batesi* Aurivillius 1923:379
cavifrons var. Bates, 1880:136, pl.11, fig.1
colasi (Lane, 1965:305)
confusus Restello, Iannuzzi & Marinoni, 2001: 298
foveatus (Marinoni & Martins, 1978:178)
gounellei (Lane, 1973:398)
guaraniticus (Lane, 1955:292)
leuconotus (Thomson, 1860:10)
lichenophorus (Lane, 1965:309)
malleri (Lane, 1955:287)
simplex (Galileo & Martins, 1998: 152)
spilonotus Restello, Iannuzzi & Marinoni, 2001: 298
zellibori (Lane, 1955:290)
- Guianas, n Brasil (PA)
Peru, Ecuador, Bolivia
Argentina, Uruguay
Guatemala-Panama, Ecuador
- c Brasil (GO), Fr Guiana
Brasil (BA, MG)
ec Brasil (GO, SP), Fr Guiana
Brasil, Bolivia, Paraguay, Argentina
n Argentina (SA), Paraguay
Brasil, Argentina
Guianas
Peru, c Brasil, Fr Guiana
Ecuador
Brasil (PA, RO, MG)
se Brasil (RJ, SP)
- Hedypathes** Thomson, 1864:17
betulinus (Klug, 1825:462)
vidua Vigors, 1826:239
curvatocostatus Aurivillius, 1923:470
malleri Fuchs, 1970:109
monachus (Erichson in Schomburg, 1848:573)
albus Thomson, 1865:543
- se Brasil (BA-RS), Paraguay, Argentina
se Brasil (MG-SP)
Guianas, Brasil
- Idiomerus** Melzer, 1934:98
difficilis Melzer, 1934:98
- e Brasil (GO, MG-RS), Paraguay,
Argentina
- Macronemus** Dejean, 1835:337
Aethomerus Thomson, 1860:338
nalis (Pascoe, 1866:281)
antennator (Fabricius, 1801:288)
asperulus White, 1855:376
antennator; Bates, 1872:206 (not Fabricius, 1801)
filicornis (Thomson, 1860:338)
cretatus Pascoe, 1866:281
rufescens (Bates, 1862:119)
verrucosus (Pascoe, 1866:281)
- Brasil
Brasil, Fr Guiana
e Mexico (VC)-Panama, Venezuela, Ecuador
se Brasil (MG-RS), Colombia
n Brasil (PA), Fr Guiana
Colombia
- Myoxinus** Bates, 1862:120
Mysopsis Thomson, 1864:16
asper Bates, 1880:136
pictus (Erichson, 1847:144)
- se Mexico (VC, YU)-Nicaragua
e Mexico (VC)-Panama, Ecuador, n SAmer

- Myoxomorpha** White, 1855:355
alvarengorum Monné & Magno, 1990:689
decorata Monné & Magno, 1992:717
funesta (Erichson in Schomburg, 1848:573)
venezuelae Fisher, 1944:11
seabrai Marinoni & Dalossi, 1971:190
vidua Lacordaire, 1872:746
- c Brasil (AM, MT)
c Brasil (PA, MT)
Panama, n SAmer-Bolivia

c Brasil (PA, RO, MT)
Brasil (PA, RO, MT, BA-SP), Paraguay, Fr Guiana
- Necalphus** Lane, 1970:393
asellus (Pascoe, 1866:282)
ascellus; Gilmour, 1965:607
- Colombia
- Nesozineus** Linsley & Chemsak, 1966:229
Grossmannia Lane, 1977:3
alphoides (Lane, 1977:5)
confusus Marinoni & Martins, 1978:181
apharus Galileo & Martins, 1996:43
armatus Galileo & Martins, 1996:42
ateuchus Galileo & Martins, 1996:42
bisignatus Hoffmann, 1984:543
bucki (Breuning, 1954:23)
fraterculus Hoffmann, 1984:544
galapagoensis galapagoensis (Van Dyke, 1953:136)
subsp. **variabilis** Linsley & Chemsak, 1966:231
subsp. **williamsi** (Van Dyke, 1953:137)
granosus Galileo & Martins, 1996:44
griseolus Hoffmann, 1984:539
juninensis (Lane, 1970:392)
lineatus Galileo & Martins, 1996:43
marmoratus Galileo & Martins, 1996:44
obscurus Hoffmann, 1984:541
probolus Galileo & Martins, 1996:45
propinquus Hoffmann, 1984:542
triviale Galileo & Martins, 1996:45
zonatus Galileo & Martins, 1996:42
- e Brasil (PE, ES, SP)

Venezuela
Ecuador
Venezuela
e Brasil (PE, BA)
Mexico-Panama, se Brasil, Venezuela, n Argentina
Venezuela
Galapagos Is. (S. Albemarle)
Galapagos Is. (Sta. Cruz)
Galapagos Is. (St. James)
Ecuador
e Brasil (PB)
Peru, Bolivia
s Brasil (MS)
Venezuela , Colombia
n Argentina (CH, FO, SE)
Peru
Venezuela
s Brasil (MG-PA, GO, MS)
se Brasil (SP)
- Octotapnia** Galileo & Martins, 1992:61
ceiaca Galileo & Martins, 1998: 151
exotica Galileo & Martins, 1992:62
mucunaca Galileo & Martins, 1998: 150
- Brasil (MG)
Paraguay
Brasil (RO)
- Oplosia** Mulsant, 1863:300
Hoplosia; Fairmaire, 1864:158
Lepargus Schiødte, 1864:512
nubila (LeConte, 1862:39)
- e NAmer
- Oreodera** Audinet-Serville, 1835:19
achatina Erichson, 1847:143
lacteostrigata Bates, 1861:52
aerumnosa Erichson, 1847:142
remota Pascoe, 1859:29
affinis Gahan, 1892:262
aglaia Monné & Fragoso, 1988:831
albata Villiers, 1971:349
albicans Monné & Fragoso, 1988:812
albilatera Martins & Monné, 1993:136
amabilis Monné & Fragoso, 1988:826
basipenicillata Tippmann, 1960:159
basiradiata Tippmann, 1960:161
bituberculata Bates, 1861:51
boliviana Tippmann, 1960:159
brailovskyi Chemsak & Noguera, 1993:96
c-album Bates, 1872:204
candida Marinoni & Martins, 1978:177
- Peru, nw Brasil (AM)

Panama, SAmer (widely distributed)

Guatemala
Ecuador
Panama, Fr Guiana
c Brasil (RO, MT), Fr Guiana
Ecuador
c Brasil (MT)
Bolivia, Fr Guiana
n Brasil (AP), Fr Guiana
Colombia, Ecuador, Peru, nw Brasil (AM), Guianas
Bolivia
w Mexico (JA)
Nicaragua-Panama, Venezuela
e Brasil (PE-PR)

canotogata Bates, 1872:203
charisoma Lane, 1955:285
grossa Tippmann, 1960:157
chemsaki McCarty, 2001: 16
cinerea Audinet-Serville, 1835:20
angustata Melzer, 1932:423
copei McCarty, 2001: 18
corticina Thomson, 1865:542
costaricensis Thomson, 1865:542
cretata Bates, 1861:148
cretifera Pascoe, 1859:29
crinita Monné & Fragoso, 1988:815
curvata Martins & Monné, 1993:134
exigua Monné & Fragoso, 1988:820
fasciculosa Thomson, 1865:542
hispidata Bates, 1880:135
ferruginea Fuchs, 1964:9
flavopunctata Fuchs, 1958:54
fluctuosa Bates, 1861:50
kahli Williams, 1928:222
forsteri Tippmann, 1960:158
glauca glauca (Linnaeus, 1758:390)
tuberculata Degeer, 1775:112
spengleri Fabricius, 1776:231
punctata Voet, 1778:16
rudis Olivier, 1792:461
scabra Fabricius, 1792:274
literata Donovan, 1813:15
subsp. **jamaicensis** Fisher, 1942:26
subsp. **pacifica** Chemsak & Linsley, 1978:140
goudoti (White, 1855:370)
granulifera Bates, 1872:205
pulcherrima Monné & Fragoso, 1988:821
granulipennis Zajciw, 1963:426
graphiptera Bates, 1885:376
griseozonata Bates, 1861:149
howdeni Monné & Fragoso, 1988:818
inscripta Bates, 1872:205
inscriptipennis Bates, 1880: pl.10, fig.11
jacquieri Thomson, 1865:542
jaquieri ; Aurivillius, 1923:377
lanei Monné & Fragoso, 1988:824
lateralis (Olivier, 1795:129)
leucostigma Monné & Fragoso, 1988:814
lezamai Hovore, 1989:254
macropoda Marinoni & Martins, 1978:175
magnifica Martins & Monné, 1993:137
magnoi Monné & Fragoso, 1988:829
marinonii Monné & Fragoso, 1988:817
melzeri Monné & Fragoso, 1988:823
mimetica Lane, 1970:387
minima Galileo & Martins, 1999: 91
mocoiatira Galileo & Martins, 1998: 152
modesta Monné & Fragoso, 1988:829
neglecta Melzer, 1932:425
noguerai McCarty, 2001: 24
obsoleta Bates, 1874:228
oculta Monné & Fragoso, 1988:823
ohausi Melzer, 1930:195
olivaceotincta Tippmann, 1953:343
omissa Melzer, 1932:424
paulista Tippmann, 1953:342
purpurascens Bates, 1880:135
pustulosa Monné & Fragoso, 1988:821
quinquetuberculata (Drapiez, 1820:328)
trinodosa Germar, 1824:471
rhytisma Monné & Fragoso, 1988:818
roppai Monné & Fragoso, 1988:830

Nicaragua-Panama
se Brasil (RJ-SP)

Guatemala
se Brasil (ES-RS)

Mexico (MO, GU)
e Mexico (VC)-Honduras
El Salvador-Panama, Colombia, Ecuador
Panama, n Brasil (PA), Fr Guiana, Ecuador
se Brasil (ES, RJ)
Ecuador, Peru, Fr Guiana
Fr Guiana, nc Brasil (AM)
e Brasil (BA, ES)
e Mexico (VC, OA)-Panama

Bolivia
n Brasil (PA)
Costa Rica, Panama, n Brasil (AP, AM,
PA, MT), Fr Guiana
Bolivia
Mexico-Panama, SAmer, W Indies

Jamaica
Mexico (Socorro I.)
Colombia
Guatemala-Panama, Colombia

Venezuela
Costa Rica, Panama
nc Brasil (AM, PA), Fr Guiana
se Mexico (VC)-Colombia
Nicaragua-Panama

Venezuela, n Brasil (PA, MT), Fr Guiana

Peru, c Brasil (MT)
Panama, SAmer, Cuba, Puerto Rico
s Brasil (PR, SC)
Costa Rica
w Brasil (AC, RO, MT), Ecuador
se Brasil (SP)
w Brasil (RO), Ecuador
e Brasil (BA-RJ)
nw Brasil (AM), Fr Guiana, Peru, Ecuador
Costa Rica, Panama
Colombia
Ecuador
se Brasil (BA-SC)
nc Brasil (PA, MT), Fr Guiana
Mexico (MX)
sw Mexico (OA)-Nicaragua
sw Brasil, Bolivia, n Argentina (FO)
se Brasil (SP-RS), n Argentina (MI)
c Brasil (MT), Bolivia, Ecuador
e Brasil (GO, ES-SC)
Brasil (RO, MT, SP), Fr Guiana
Guatemala
w Brasil (RO), Fr Guiana
se Brasil, Paraguay, (BA-RS), Argentina

Ecuador
c Brasil (MT), Fr Guiana

rufofasciata Bates, 1861:51	nw Brasil (AM), Ecuador
seabrai Monné & Fragoso, 1988:815	se Brasil (ES, RJ)
semialba Bates, 1874:228	Nicaragua, Costa Rica
semiporosa Tippmann, 1960:160	Bolivia
sericata Bates, 1861:148	nw Brasil (AM), Ecuador
sexplagiata Melzer, 1931:60	se Brasil (MG-RS)
simplex Bates, 1861:148	nw Brasil (AM), Fr Guiana, Ecuador
sororcula Martins & Monné, 1993:135	Venezuela, Guyana
stictica Monné & Fragoso, 1988:814	c Brasil (MT)
tenebrosa Thomson, 1864:542	se Brasil (ES-SP)
<i>fulgurata</i> Melzer, 1931:59	
tijuca Marinoni & Martins, 1978:174	se Brasil (RJ)
tuberculata Thomson, 1864:542	Colombia, Ecuador
tuberosa Monné & Fragoso, 1988:824	w Brasil (AM, RO), Fr Guiana
turnbowi McCarty, 2001: 25	Mexico (CS)
undulata Bates, 1861:49	c Brasil (AM, MT), Fr Guiana
verrucosa Bates, 1872:204	Nicaragua-Panama
vulgata Monné & Fragoso, 1988:827	se Brasil (BA-SC), Paraguay
wappesi McCarty, 2001: 27	Mexico (VC, CS), Honduras
zikani Melzer, 1930:196	se Brasil (ES-SP)
Ozotroctes Bates, 1861:478	
punctatissimus Bates, 1861:478	n Brasil (PA), Fr Guiana, Ecuador
Paradiscopos Schwarzer, 1930:109	
maculatus Schwarzer, 1930:110	Costa Rica
Peritapnia Horn, 1894:402	
fabra Horn, 1894:404	sw USA (AZ), Baja Calif, Mexico
<i>wickhami</i> Leng in Leng & Hamilton, 1896:114	
minima Chemsak & Linsley, 1978:26	Baja Calif
<i>nudicornis</i> ; Horn, 1894:403 (not Bates, 1885)	
nudicornis (Bates, 1885:421)	sw Mexico (OA, VC)
pilosa Chemsak & Linsley, 1978:26	sw Mexico (JA, OA)
Plagiosarus Bates, 1880:144	
binoculus Bates, 1880:144	e Mexico (VC)
literatus Bates, 1885:382	se Mexico (VC), Guatemala
melampus Bates, 1885:383	Guatemala-Panama
var. <i>congestus</i> Bates, 1885:383	
Plistonax Thomson, 1864:19	
albolinitus (Bates, 1861:471)	Fr Guiana, n Brasil (AP, AM, PA)
<i>multipunctatus</i> Thomson, 1864:19	
inopinatus Lane, 1960:47	se Brasil (BA-SC)
<i>albolinitus</i> ; Zikán & Zikán, 1944:34 (not Bates, 1861)	
insolitus Monné, 2001: 1	nBrasil (AP)
travassosi Monné & Magno, 1992:718	c Brasil (PA, MT)
Pseudaethomerus Tippmann, 1953:339	
lacordairei (Bates, 1862:120)	nw Brasil (AM), Fr Guiana
maximus Tippmann, 1953:339	Panama, Bolivia, nw Brasil (AM)
Pseudotapnia Chemsak & Linsley, 1978:28	
curticornis Chemsak & Linsley, 1978:28	Panama
Pteridotelus White, 1855:356	
contaminatus Thomson, 1865:544	Brasil
hematopus (Lameere, 1884:109)	Venezuela
<i>haematopus</i> ; Aurivillius, 1923:383	
laticornis White, 1855:356	Venezuela
pupillatus Lacordaire, 1872:725	se Mexico (YU)

- Pycnomorphus** Thomson, 1864:15
bilineatus Aurivillius, 1921:51
centrolineatus (Bates, 1862:122)
pubicornis (Audinet-Serville, 1835:21)
Venezuela
Nicaragua-Ecuador, n Brasil (PA)
se Brasil (PE-RS), Venezuela,
Argentina
- Scleronotus** White, 1855:364
angulatus Aurivillius, 1916:357
anthribiformis Aurivillius, 1916:356
egensis (White, 1855:364)
egaensis; Bates, 1861:216
flavosparsus Melzer, 1935:195
hirsutus Julio, 1998: 7
monticellus Julio, 1998: 6
scabrosus Thomson, 1860:341
stigosus Julio, 1998: 5
stupidus Lacordaire, 1872:755
tricarinatus Julio, 1998: 3
Peru, Bolivia
Brasil
n Brasil (AM), Ecuador
se Brasil (SP)
se Brasil (SC)
Brasil (AM)
se Brasil (ES-RS)
Brasil (SP, RJ)
se Brasil (MG, RJ)
Brasil
- Sorelia** Lane, 1965:301
cervina Lane, 1965:301
Fr Guiana, c Brasil (GO, TO)
- Steirastoma** Lepeletier & Audinet-Serville in Lacordaire, 1830:180
Stirastoma; Gemminger & Harold, 1873:3143
acutipenne Sallé, 1856:691
aethiops Bates, 1862:399
albiceps Bates, 1872:107
anomala Bates, 1880:138
breve (Sulzer, 1776:45)
carinatus Voet, 1778:15
depressus Fabricius, 1781:214
coenosa Bates, 1862:398
genisspina Schwarzer, 1923:259
histrionica White, 1855:354
larva Thomson, 1860:6
litrata Bates, 1885:378
lycaon Pascoe, 1866:279
marmorata (Thunberg, 1822:307)
manuelata Germar, 1824:480
lacerta Laporte, 1840:461
melanogenys White, 1855:355
meridionale Aurivillius, 1908:9
depressum; Heyne & Taschenberg, 1906:243 (not Fabricius, 1781)
heros Colas, 1952: pl.8
poeyi Chevrolat, 1862:246
pustulata (Drury, 1773:64)
cancriformis Fabricius, 1775:165
senex White, 1855:353
stellio Pascoe, 1866:280
thunbergi Thomson, 1865:543
zischkai Prosen, 1958:73
Hispaniola
nw Brasil (AM), Peru, Bolivia, Ecuador, Colombia
Nicaragua, Costa Rica
c Mexico (PU, JA, CM, GR)
Costa Rica-SAmer, W Indies
Panama, Ecuador, n Brasil (PA)
c Brasil (MT), Ecuador, Fr Guiana
Mexico (ME, VC)-Panama, Colombia, Ecuador
Guatemala-Panama
Colombia
se Brasil (BA-RS), Paraguay, Argentina,
Uruguay
Nicaragua-n SAMer
se Brasil (MG-RJ)
Cuba
Jamaica
e Mexico (VC)-Panama
SAmer (widely distributed)
s Brasil (SP-RS), Uruguay
Bolivia
- Sychnomerus** Bates, 1885:380
barbiger Bates, 1885:381
hirticornis Bates, 1885:381
Guatemala
s Mexico (CHS), Guatemala
- Taurorcus** Thomson, 1857:186
Taurorgus; Gemminger & Harold, 1873:3147
chabrilacii Thomson, 1857:187
morei Marinoni, 1969:60
se Brasil (MG-RS), n Argentina (MI)
s Brasil (PR, RS)
- Tetrasarus** Bates, 1880:142
albescens Bates, 1880:143
callistus Bates, 1880:143
formosus Bates, 1885:382
sw Mexico (OA)
Guatemala
Costa Rica

inops Bates, 1880:142	sw Mexico (OA, CHS), Guatemala
lineatus Bréthes, 1920:47	Peru
pictulus Bates, 1880:143	Mexico-Costa Rica
<i>quadriscopulatus</i> ; Bates, 1872:208 (not Thomson, 1868)	
plato Bates, 1885:382	Guatemala
quadriscopulatus (Thomson, 1868:146)	Guatemala

Zikanita Lane, 1943:261

<i>Acanthoderes</i> (<i>Trichacanthoderes</i>) Tippmann, 1960:176	
argenteofasciata (Tippmann, 1960:178)	Peru
biocellata (Tippmann, 1960:177)	Peru, Bolivia, Ecuador
perpulchra Lane, 1943:262	se Brasil (MG-SP)

Acanthocinini

Blanchard, 1845:154

Acanthocinus Dejean, 1821:106 [not Megerle in Dejean]

<i>Acanthocinus</i> (<i>Graphisurus</i>) Kirby, 1837:16	
<i>Astynomus</i> Haldeman, 1847:46 (not Stephens, 1839)	
<i>Aedilis</i> LeConte, 1852:173 (not Audinet-Serville, 1835)	
<i>Graphisurus</i> (<i>Canonura</i>) Casey, 1913:335	
<i>Graphisurus</i> (<i>Tylocerina</i>) Casey, 1913:335	
<i>Neacanthocinus</i> Dillon, 1956:231	
angulosus (Casey, 1913:338)	sw USA (CA, AZ, NM), nMexico
leechi (Dillon, 1956:228)	sw USA (AZ)
nodosus (Fabricius, 1775:164)	e USA
<i>bifidator</i> Fabricius, 1801:286	
<i>laticollis</i> Casey, 1913:341	
obliquus (LeConte, 1862:39)	w NAmer-Honduras
<i>acomanus</i> Casey, 1913:337	
<i>obliquus sedulus</i> Casey, 1913:337	
<i>pacificus</i> Casey, 1913:338	
<i>obtusus</i> Casey, 1924:292	
<i>obliquus chihuahuae</i> Casey, 1913:337	
obsoletus (Olivier, 1795:310)	e NAmer, Cuba
<i>floridanus</i> Casey, 1913:336	
<i>punctatus</i> Casey, 1924:293	
princeps (Walker in Lord, 1866:331)	WCoast NAmer
<i>spectabilis</i> ; Horn, 1880:130 (not LeConte, 1854)	
<i>vinctus</i> Casey, 1913:340	
pusillus Kirby in Richardson, 1837:169	Alaska, Canada, e USA
spectabilis (LeConte, 1854:82)	nc USA (MT, SD)-n Mexico

Acanthodoxus Martins & Monné, 1974:318

delta Martins & Monné, 1974:320	se Brasil (BA, MG, ES, RJ, SP)
machacalis Martins & Monné, 1974:320	se Brasil (MG, ES)

Alcathous Thomson, 1864:24

<i>Ammiscus</i> ; Bates, 1863:103 (not Dejean, 1835)	
polyrhaphoides (White, 1855:394)	Costa Rica-Venezuela, Ecuador
<i>polyrhapoides</i> ; Thomson, 1864:24	

Alcathousites Gilmour, 1962:266

chaclacayoi Gilmour, 1962:267	Peru
senticosus Monné & Martins, 1976:46	Peru
superstes (Erichson, 1847:146)	Peru, Ecuador

Alcidion Sturm, 1843:254

<i>Probatius</i> White, 1855:389	
<i>Hirsutographis</i> Dillon, 1956:207	
aestimabilis (Melzer, 1934:101)	se Brasil (SP)
albosparsus (Melzer, 1934:236)	se Brasil, Paraguay, Argentina

alienum (Melzer, 1932:431) se Brasil (MG-SP)
apicalis (Bates, 1864:49) nw Brasil (AM)
chryseis (Bates, 1864:47) n Brasil (PA)
dominicum (Fisher, 1926:30) Dominica, R Dominicana
humeralis (Perty, 1832:91) Mexico (OA, VC)-Panama, SAmer
mexicanus Thomson, 1860:17
ludicrum (Germar, 1824:481) se Brasil, Paraguay, Argentina
partitum (White, 1855:390) n Brasil (PA), Fr Guiana
quadriguttatum (Aurivillius, 1920:387) se Brasil (ES, RJ)
ramulorum (Bates, 1864:49) n Brasil (PA)
sannio (Germar, 1824:481) Brasil
sulphurifer (White, 1855:390) w Brasil (RO), Peru
umbraticum (Jacquelin du Val in Sagra, 1857:272) se USA (FL), Cuba, Puerto Rico
pulchra Dillon, 1956:207
unicolor (Fisher, 1932:87) Haiti

Alphinellus Bates, 1881:153

carinipennis Bates, 1885:391 e Mexico (VC)
gibbicollis Bates, 1881:153 Guatemala
minimus Bates, 1881:154 Guatemala
subcornutus Bates, 1881:154 Guatemala

Amniscites Gilmour, 1957:4

Amniscus; Bates, 1863:103 (part) (not Dejean, 1835)
pictipes (Bates, 1863:104) Costa Rica-Panama, Brasil

Amniscus Dejean, 1835:338

Leptostyloides Gilmour, 1963:62
Paratrypanidius Gilmour, 1963:14
assimilis (Gahan, 1895:136) Mexico, W Indies
praemorsus (Fabricius, 1792:275) e Mexico (VC), W Indies
similis (Gahan, 1895:136) W Indies (Lesser Antilles)
testaceus; Aurivillius, 1923:403 (not Froelich, 1792)
turbidus Gilmour, 1963:63
antiguae Gilmour, 1963:15

Anisolophia Melzer, 1934:233

cultrifera (White, 1855:374) c Brasil (AM, PA, MT)
glauca Melzer, 1934:233 se Brasil (BA-SP)

Anisopodesthes Melzer, 1931:66

zikani Melzer, 1931:67 se Brasil (RJ)

Anisopodus White, 1855:349

Anisopadus; Burmeister, 1865:178
Anisopus Audinet-Serville, 1835:30 (not Haan, 1835)
Leptoscelis Erichson, 1847:145 (not Laporte, 1832)
acutus Thomson, 1865:544 Brasil
auctus; Aurivillius, 1923:396
affinis Martins, 1974:59 Panama, Ecuador, Bolivia
andicola Kirsch, 1889:42 Ecuador
arachnoides (Audinet-Serville, 1835:31) se Brasil (ES-SC), Paraguay, Argentina
phalangodes; Costa Lima, 1936:305 (not Erichson, 1847)
batesi Gilmour, 1965:568 Ecuador, Fr Guiana, nc Brasil (AM),
arachnoides; Bates, 1863:283 (not Audinet-Serville, 1835) Peru, Bolivia
bellus Martins & Monné, 1974:17 se Brasil (MG-SP)
brevis Gahan, 1892:266 sw Mexico (GR)
callistus Bates, 1881:164 Guatemala, Costa Rica
cognatus Bates, 1863:284 nw Brasil (AM), Ecuador
consimilis Aurivillius, 1922:169 Peru
conspersus Aurivillius, 1922:169 Peru
costaricensis Lara & Shenefelt, 1964:437 Costa Rica
curvilineatus White, 1855:350 se Brasil (RJ-RS), Paraguay

curvipes Martins, 1974:62	se Brasil (ES-SC)
degener Bates, 1885:399	e Mexico (VC)
dispar Bates, 1885:399	Panama
dominicensis Villiers, 1980:96	Dominica
elongatus Bates, 1863:285	nw Brasil (AM), Ecuador, Bolivia
gracillimus Bates, 1863:286	nw Brasil (AM)
haliki Martins, 1974:63	se Brasil (MG-SC)
hamaticollis Bates, 1872:236	e Mexico (VC)-Ecuador
hiekei Martins, 1974:57	Guatemala-Panama
<i>phalangodes</i> ; Bates, 1872:215 (not Erichson, 1847)	
humeralis Bates, 1863:288	Panama-nw Brasil (AM), Ecuador, Bolivia
latus Monné & Martins, 1976:58	Colombia, Venezuela
ligneus Bates, 1863:287	nc Brasil (AM, PA), Bolivia, Ecuador, Fr Guiana
lignicola Bates, 1863:287	n Brasil (PA), Fr Guiana, Ecuador
longipes Linsley & Chemsak, 1966:244	Cocos Is.
macropus Bates, 1863:286	nw Brasil (AM), Ecuador
melzeri Gilmour, 1965:568	se Brasil (RJ-RS), Argentina
<i>nigrosparus</i> ; Melzer, 1935:197 (not Bates, 1885)	
mexicanus Bates, 1881:162	e Mexico (VC)-Panama
nigripes Bates, 1885:399	Panama
phalangodes (Erichson, 1847:145)	Peru, c Brasil (AM, RO, MT), Fr Guiana,
<i>phalangodes</i> ; Duffy, 1960:264	Ecuador, Bolivia
prolixus (Erichson, 1847:145)	Peru, Ecuador, Bolivia
puncticollis Monné & Martins, 1976:56	Colombia, Ecuador
punctipennis Monné & Martins, 1976:57	Bolivia, Ecuador, Fr Guiana
scriptipennis Bates, 1872:236	Guatemala-Panama
sparsus Bates, 1863:284	n Brasil (PA), Fr Guiana
strigosus (Erichson, 1847:145)	n Samer, Ecuador, Fr. Guiana, etc.
subarmatus Melzer, 1931:65	se Brasil (ES-SC)
varius Melzer, 1935:196	Costa Rica
<i>carinata</i> Lara & Shenafelt, 1964:437	
xylinus Bates, 1881:163	Costa Rica
Antecururisa Gilmour, 1960:93	
apicalis (Bates, 1864:147)	e Mexico (VC)-Nicaragua
<i>setiger</i> Bates, 1872:222	
<i>picta</i> Gilmour, 1960:93	
Antilleptostylus Gilmour, 1963:73	
nigricans (Fisher, 1935:55)	Puerto Rico
Apteralcidion Hovore, 1992:37	
lapierrei Hovore, 1992:39	Costa Rica, Panama
Astylidius Casey, 1913:308	
parvus (LeConte, 1873:234)	e USA-sw USA (TX)
<i>leiopinus</i> Casey, 1913:308	
<i>versutus</i> Casey, 1913:308	
<i>monki</i> Knull, 1936:106	
<i>versutus downiei</i> Dillon, 1956:150	
Astylopsis Casey, 1913:309	
<i>Amniscus</i> ; Haldeman, 1847:46 (not Dejean, 1835)	
<i>Leptostylus</i> Leng & Hamilton, 1896:116 (part)	
arcuata (LeConte, 1878:414)	se USA
<i>floridanus</i> Champlain & Knull, 1922:148	
<i>knulli</i> Fisher, 1925:103	
collaris (Haldeman, 1847:46)	e USA
<i>interruptus</i> Haldeman, 1847:48	
fascipennis Schiefer, 2001: 533	seUSA (MS – FL)
macula (Say, 1826:268)	e NAmer
<i>sticticus</i> Haldeman, 1847:48	
perplexa (Haldeman, 1847:46)	s USA (GA-TX)
sexguttata (Say, 1826:269)	e NAmer
<i>commixtus</i> Haldeman, 1847:47	

guttata; LeConte, 1859:328

Atelographus Melzer, 1927:578

sexplagiatus Melzer, 1927:578
sexplagiatus Fuchs, 1974:244
susanae Monné, 1975:249

se Brasil (MG, SP, SC)

se Brasil (ES, PR, SC), n Argentina (MI)

Atrypanius Bates, 1864:46

Antrypanius; Melzer, 1927:580
Nyssodrys Bates, 1864:149 (part)
albocinctus Melzer, 1930:198
ambiguus Melzer, 1930:200
conspersus (Germar, 1824:474)
varipennis Serville, 1835:87
polymitus Erichson, 1847:146
lonspersus; Zajciw, 1974:73
cretiger (White, 1855:381)
punctatellus Bates, 1872:219
implexus (Erichson 1847:146)
sedata Bates, 1864:150
irrorellus Bates, 1885:411
trinidadensis Gilmour, 1963:76
spermophagus Fisher, 1917:173
remissus (Erichson, 1847:146)
lentiginosus Bates, 1864:150
scitulus (Germar, 1824:479)
multifasciatus Melzer, 1927:572

se Brasil, Paraguay, Argentina
se Brasil (RJ-SC), Bolivia
Mexico-Panama, SAmer (widely distributed)

Mexico-Panama, Colombia

Mexico-Panama, Ecuador, Brasil, Fr Guiana

Mexico-Panama, Trinidad

nw Brasil (AM), Ecuador, Peru, Fr Guiana

e Brasil (BA-SP), Ecuador, Fr Guiana

Baecacanthus Monné, 1975:250

telamon Monné, 1975:251
trifasciatus Monné, 1975:252

se Brasil (RJ)

se Brasil (SP)

Baryssinus Bates, 1864:43

albifrons Monné & Martins, 1976:79
bicirrifera Bates, 1872:218
bilineatus Bates, 1864:44
chemsaki Monné, 1985:369
bilineatus; Bates, 1872:218 (not Bates, 1864)
huedepohli Monné & Martins, 1976:77
lineaticollis (Gounelle, 1910:17)
marcelae Martins & Monné, 1974:330
marisae Martins & Monné, 1974:328
melasmus Monné & Martins, 1976:79
modestus Monné, 1985:370
penicillatus Bates, 1864:44
robertoi Monné & Martins, 1976:77
silviae Martins & Monné, 1974:326

e Brasil (BA-RJ), Fr Guiana
Fr Guiana, Ecuador, e Brasil (MT, ES-SC)
nw Brasil (AM), Fr Guiana, Ecuador
w Mexico (SI)-Panama

Bolivia
Ecuador, Colombia
se Brasil (ES-PR)
se Brasil (BA-RS), n Argentina (MI)
c Brasil (MT)
w Brasil (RO)
c Brasil (PA, MT)
e Brasil (ES-SP)
w Brasil (RO, MT), Peru

Beloesthes Thomson, 1864:23

megabasoides Thomson, 1864:24

Venezuela

Brevoxathres Gilmour, 1959:33

fasciata Gilmour, 1959:35
x-littera (Melzer, 1932:430)

s Brasil (SC)

e Brasil (ES)

Callipero Bates, 1864:18

bella Bates, 1864:18
basalis Thomson, 1865:545
formosa Monné, 1998: 290

Fr Guiana, nw Brasil (AM)

Brasil (AM)

Calolamia Tippmann, 1953:344

bicordifera Tippmann, 1953:346

s Brasil (SC)

- Canidia** Thomson, 1857:193
cincticornis cincticornis Thomson, 1857:194
 subsp. **balteatus** (Lacordaire, 1872:775)
 subsp. **inapicalis** (Tippmann, 1960:190)
spinicornis (Bates, 1881:174)
 Nicaragua, Costa Rica
 sw Mexico (OA)-Costa Rica
 Colombia
 Mexico
- Canidiopsis** Dillon, 1955:179
canescens Dillon, 1955:184
hebes Dillon, 1955:185
mexicanus (Thomson, 1860:14)
similis Dillon, 1955:182
 w Mexico (GR, NA)
 c Mexico (JA, MO)
 c Mexico (MO, PU, HI, VC)
 c Mexico (GR, HI, MO)
- Carpheolus** Bates, 1885:410
sublineatus Bates, 1885:410
 Guatemala-Panama
- Carphina** Bates, 1872:223
arcifera Bates, 1872:223
assula (Bates, 1864:23)
ypsilon Kirsch, 1875:288
elliptica (Germar, 1824:471)
ligneola (Bates, 1865:216)
lignicolor (Bates, 1865:215)
occulta Monné, 1990:684
petulans Kirsch, 1875:289
sigillata Monné, 1985:372
 e Mexico (VC)-Panama
 c Brasil (AM), Ecuador, Peru
 se Brasil (BA-RS)
 n Brasil (PA), Fr Guiana
 nw Brasil (AM), Ecuador
 se Brasil (MG-SP)
 nc Brasil, Ecuador, Fr Guiana, Peru, Bolivia
 nw Brasil (AM)
- Carphontes** Bates, 1881:171
posticalis Bates, 1881:172
 sMexico-Panama, Ecuador, Brasil, Ecuador, Fr Guiana
- Catharesthes** Bates, 1881:158
Catharestes; Aurivillius, 1923:395
elegans Bates, 1881:158
 Guatemala
- Chaetacosta** Gilmour, 1961:354
vittithorax Gilmour, 1961:356
 s Brasil (SC)
- Cleodoxus** Thomson, 1864:24
carinatus (White, 1855:395)
cristatus Thomson, 1864:25
 Colombia, Ecuador, n Argentina (SA)
- Cobelura** Erichson, 1847:149
Sphenopsilus Bates, 1885:409
Acanthosphenopsilus Tippmann, 1960:196
claviger (Bates, 1885:409)
lorigera Erichson, 1847:149
choliniformis Lane, 1956:25
flavocinctus Tippmann, 1960:197
peruviana (Aurivillius, 1920:28)
sergioi Monné, 1984:341
vermicularis Kirsch, 1889:43
 Costa Rica, Panama
 Peru
 Peru
 Ecuador
 Ecuador
- Coenopoeus** Horn, 1880:117
niger Horn, 1894:402
palmeri (LeConte, 1873:233)
 Baja Calif
 sw USA, n Mexico (SO, SLP)
- Colobeutrypanus** Tippmann, 1953:353
ornatus Tippmann, 1953:354
 Costa Rica, Panama, Ecuador
- Cometochus** Villiers, 1980:89

guadeloupensis Villiers, 1980:89	Guadeloupe
Cosmotoma Blanchard, 1845:155	
<i>Beltista</i> Thomson, 1860:16	
<i>Cosmotomella</i> Gilmour, 1955:22	
adjuncta (Thomson, 1860:16)	n SAMer (widely distributed), Panama, Costa Rica
<i>rubella</i> Bates, 1864:148	
<i>nigricollis</i> Bates, 1864:148	
fasciata Fisher, 1931:23	Nicaragua-Panama, Ecuador
<i>rubella</i> ; Bates, 1872:237 (not Bates, 1864)	
melzeri Gilmour, 1955:17	e Brasil (BA)
nigra Gilmour, 1955:19	s Brasil (SC)
olivacea Gilmour, 1955:16	se Brasil (RJ)
pallida Gilmour, 1955:21	s Brasil (SC)
sertifer (Audinet-Serville, 1835:59)	Brasil
<i>setifer</i> ; Aurivillius, 1923:334	
<i>brasiliensis</i> Plavilstshikov, 1927:59	
suturalis Gilmour, 1955:8	nw Brasil (AM), Peru, Bolivia
triangularis Gilmour, 1955:12	se Brasil (RJ)
viridana Lacordaire, 1872:781	se Brasil (SP-RS), Paraguay,
<i>sertifer</i> ; Bosq, 1944:201 (not Audinet-Serville, 1835)	Argentina
zikani Melzer, 1927:574	se Brasil (MG-RJ)
Cosmotomidius Melzer, 1931:74	
setosus (Audinet-Serville, 1835:58)	s Brasil (ES-SC), Paraguay, Argentina
Cristurges Gilmour, 1961:358	
bimaculatus Gilmour, 1961:359	s Brasil (SC)
Dectes LeConte, 1852:144	
nigripilus Chemsak & Linsley, 1986:29	c Mexico (widely distributed)
sayi Dillon & Dillon, 1953:260	ne USA
<i>spinosa</i> ; Say, 1826:271 (not Drury, 1773)	
<i>texanus</i> Bates, 1881:173 (not LeConte, 1862)	
<i>spirrosus</i> ; Beckham & Tippins, 1972:865	
texanus LeConte, 1862:39	e USA, sw USA, n Mexico (widely distributed), Baja Calif
<i>brevis</i> Casey, 1913:342	
<i>latitarsis</i> Casey, 1913:342	
<i>alticola</i> Casey, 1913:342	
<i>thoracicus</i> Casey, 1913:342	
<i>brevisetosus</i> Casey, 1913:342	
<i>discolor</i> Casey, 1913:343	
<i>aridus</i> Casey, 1913:343	
<i>texanus murinus</i> Dillon, 1956:355	
Eleothisus Bates, 1881:154	
abstrusus Bates, 1881:154	Guatemala, Nicaragua
longulus Bates, 1881:155	Guatemala
pygmaeus Bates, 1885:392	Guatemala-Panama
Eneodes Fisher, 1926:31	
hirsuta Fisher, 1926:32	Cuba
viridulus Fisher, 1942:37	Cuba
Erphaea Erichson, 1847:144	
pumicosa Erichson, 1847:144	Peru, Bolivia, Ecuador
<i>saxuosus</i> Tippmann, 1960:189	
stigma Martins & Monné, 1974:324	nw Brasil (AM), Fr Guiana, Ecuador
Eucharitolus Bates, 1885:408	
bellus (Melzer, 1927:576)	se Brasil (RJ-SC)
geometricus (Tippmann, 1960:198)	Bolivia

- lituratus** (Melzer, 1934:108)
pulcher Bates, 1885:408
 se Brasil (SC, RS)
 Guatemala, Panama
- Eugamandus** Fisher, 1926:33
brunneus Fisher, 1935:58
cayamae Fisher, 1926:35
darlingtoni Fisher, 1942:38
flavipes Fisher, 1935:59
oakleyi Fisher, 1935:57
schwarzi Fisher, 1926:34
tuberculatus Fisher, 1942:40
 Puerto Rico
 Cuba
 R Dominicana
 Puerto Rico
 Puerto Rico
 Cuba
 Cuba
- Eutrichillus** Bates, 1885:397
Ceratographis Gahan, 1887:300
Lepturgoides Schaeffer, 1905:166
biguttatus (LeConte, 1852:172)
pusilla Horn, 1880:129 (not Kirby, 1837)
crinicornis Casey, 1924:291
brevipilus Chemsak & Linsley, 1986:27
canescens Dillon, 1956:223
canescens nelsoni Dillon, 1956:223
comus (Bates, 1881:155)
cornus; Franz, 1954:226
neomexicanus (Champlain & Knull, 1925:470)
pini (Schaeffer, 1905:166)
 e NAm
 nw Mexico (DU)
 sw USA (AZ, NM, TX)
 w Mexico (SI, NA, JA)-El Salvador
 sw USA (AZ, TX), Mexico
 sw USA, Mexico
- Eutrypanus** Erichson, 1847:144
Astynomus; Laporte, 1840:463 (part)
Astyocheus Aurivillius, 1923:427
dorsalis (Germar, 1824:472)
signata Audinet-Serville, 1835:33
mucoreus (Bates, 1872:221)
signaticornis (Laporte, 1840:464)
tessellatus White, 1855:372
triangulifer Erichson, 1847:144
 e Brasil (GO, MT, BA-RS),
 Paraguay, Argentina
 e Mexico (VC)-Colombia, Venezuela, Ecuador
 e Brasil (ES, RJ)
 se Brasil (ES-RS)
 Peru, Bolivia
- Exalcidion** Monné, 1977:698
Alcidion; White, 1855:394 (part) (not Sturm, 1843; not Thomson, 1860)
carenum Monné, 1990:253
tetracanthum Monné & Delfino, 1981:260
tetramastion (White, 1855:395)
 Colombia
 Peru
 Venezuela
- Fisherostylus** Gilmour, 1963:60
bruneri (Fisher, 1926:23)
 Cuba
- Glaucotes** Casey, 1913:305
yuccivorus (Fall, 1907:84)
yuccavorus; Schaeffer, 1908:330
 sw USA (AZ)
- Granastyochus** Gilmour, 1959:1
elegantissimus (Tippmann, 1953:347)
fulgidus Monné & Martins, 1976:45
intricatus Monné & Martins, 1976:44
nigropunctatus (Bates, 1881:183)
picticauda (Bates, 1881:183)
trifasciatus Gilmour, 1959:3
 Peru, Ecuador, Bolivia, Fr Guiana
 Ecuador
 Peru
 e Mexico (VC), Guatemala
 Guatemala-Panama
 Venezuela, Ecuador
- Graphisurus** Kirby, 1837:169
Graphidurus; Gemminger & Harold, 1873:3160
eucharis (Bates, 1885:418)
vexillaris (Bates, 1872:222)
 Guatemala-Panama
 e Mexico (VC)-Panama

- Hamatastus** Gilmour, 1957:16
conspectus Monné, 1985:28
excelsus Monné, 1978:592
fasciatus Gilmour, 1957:17
lemniscatus Monné, 1985:27
simillimus Monné, 1990:682
- se Brasil (ES, RJ)
Venezuela, Fr Guiana, c Brasil (MT)
Nicaragua, Panama
Fr Guiana, n Brasil (PA)
nw Brasil (AM), Fr Guiana
- Hexacona** Bates, 1881:157
armata Bates, 1881:158
- Costa Rica
- Hylettus** Bates, 1864:11
alboplagiatus (White, 1855:381)
aureopilosus Monné, 1988:126
coenobita (Erichson 1847:145)
vindex Lacordaire, 1872:788
eremita (Erichson, 1847:145)
sallei Candeze, 1861:384
decorticans Bates, 1864:12
excelsus (Bates, 1864:163)
hiekei Fuchs, 1970:111
griseofasciatus (Audinet-Serville, 1835:33)
magnus Monné, 1988:129
nebulosus Monné, 1982:102
paraleucus Monné, 1988:128
ramea (Bates, 1864:163)
seniculus (Germar, 1824:473)
ophthalmica; Lameere, 1885:110
spilotus Monné, 1982:104
stigosus Monné, 1982:100
viridis Monné, 1998: 290
- Peru, Ecuador, nw Brasil (AM)
w Brasil (RO)
Guatemala-Panama, Brasil, Bolivia,
Peru, Ecuador, Fr Guiana
Venezuela, Peru, Bolivia, Ecuador
- Ecuador, Peru, Brasil (AM), Bolivia
- se Brasil (MT, ES-RS)
wc Brasil (RO, MT)
se Brasil (SP)
se Brasil (ES, RJ)
c Brasil (AM), Fr Guiana
Costa Rica-SAmer (widely distributed)
- Ecuador, Peru, ec Brasil, Fr Guiana
se Brasil (MG-SC)
Colombia, Ecuador
- Hyperplatys** Haldeman, 1847:49
Liopus; LeConte, 1852:170 (part)
argentinus (Berg, 1889:105)
canus; Bosq, 1943:23 (not Bates, 1863)
argus (Bates, 1872:216)
aspersa (Say, 1824:330)
maculata Blatchley, 1910:1078
vigilans Casey, 1913:329
laceyi Dillon, 1956:351
californica Casey, 1892:51
cana (Bates, 1863:288)
spinipennis Fisher, 1938:146
femoralis Haldeman, 1847:49
griseomaculata Fisher, 1926:28
maculata Haldeman, 1847:49
maculata var. *nigrellus* Haldeman, 1847:49
aspersa Blatchley, 1910:1078
lentiginosa Casey, 1913:325
robustula Casey, 1913:326
amnicola Casey, 1913:326
delicata Casey, 1913:32
variolata Casey, 1913:327
cryptica Casey, 1913:327
frigida Casey, 1913:328
binocularis Casey 1913:328
montana Casey, 1913:325
pardalis (Bates, 1881:164)
pusillus pusillus (Bates, 1863:285)
subsp. **nigrisparsus** (Bates, 1885:398)
nigrosparsa; Aurivillius, 1923:418
- Argentina, Uruguay
- Nicaragua-Panama, Ecuador
e NAmer-TX, UT, CO, NM, AZ
- sw USA (AZ, CA)
se Brasil (RJ-SC)
- se USA
Trinidad
e NAmer-TX
- sw USA
w Mexico (PU, OA)-Guatemala
n Brasil (PA), Ecuador, Fr Guiana
sw Mexico (OA)-Panama
- Idephrynus** Bates, 1881:160
scaber Bates, 1881:160
- e Mexico (VC)

Lagocheirus Dejean, 1835:336	
<i>Lagochirus</i> ; Erichson, 1847:144	
<i>Karadinia</i> McKeown, 1942:97	
<i>Sternocheirus</i> Dillon, 1957:163	
<i>Archlagocheirus</i> Dillon, 1957:164	
araneiformis araneiformis (Linnaeus, 1767:625)	Jamaica, Hispaniola
subsp. curacaoensis Gilmour, 1968:158	Aruba, Bonaire, Curaco
subsp. fulvescens Dillon, 1957:151	n Samer, Ecuador
subsp. guadeloupensis Dillon, 1957:150	Guadeloupe, Puerto Rico, Leeward Is.
subsp. insulorum Dillon, 1957:150	W Indies (Lesser Antilles)
subsp. stroheckeri Dillon, 1956:138	se USA (FL), Cuba
subsp. ypsilon (Voet, 1778:11)	Mexico (widely distributed)-Panama
<i>parvulus</i> Casey, 1913:304	
<i>stroheckeri granulatus</i> Dillon, 1956:139	
crutulatus Bates, 1872:209	sc Mexico (PU)-Costa Rica
dezayasi Dillon, 1957:144	Cuba
<i>obsoletus</i> ; Gahan, 1895:130 (not Thomson, 1860)	
foveolatus Dillon, 1957:152	Panama
funestus (Thomson, 1865:545)	w Mexico (OA, PU)
<i>nubila</i> McKeown, 1942:97	
giesberti Hovore, in Toledo, 1998: 23	Costa Rica
integer Bates, 1885:384	e Mexico (VC)-Panama
kathleenae Hovore, in Toledo, 1998: 25	Costa Rica, Panama
lugubris Dillon, 1957:163	sc Mexico (PU)
mecotrochanter Toledo, 1998: 29	MX (CH)
plantaris plantaris Erichson, 1847:144	n Samer, Ecuador
subsp. gorgonae Dillon, 1957:159	Colombia (Gorgona I)
subsp. indistinctus Dillon, 1957:158	Costa Rica, Panama
<i>fasciculatus</i> White, 1855:377	
praececellens Bates, 1872:209	Nicaragua, Panama
procerus Casey, 1913:304	Baja Calif
<i>obsoletus</i> ; Horn, 1880:117 (not Thomson, 1860)	
rogersi Bates, 1880:146	Honduras - Panama
<i>hondurensis</i> Dillon, 1957:155	
<i>panamensis</i> Dillon, 1957:154	
rosaceus Bates, 1869:386	Mexico-Colombia, Ecuador
<i>flavolineatus</i> Aurivillius, 1921:52	
simplicicornis Bates, 1872:210	Guatemala-Costa Rica
tuberculatus (Fabricius, 1787:131)	ec Mexico (ME, VC) - Panama
<i>binumeratus</i> Thomson, 1860:9	
<i>v-album</i> Bates, 1869:386	
<i>binumeratus</i> ; Bates, 1872:210 (not Thomson, 1860)	
undatus (Voet, 1778:11)	sw USA (TX), Mexico-Costa Rica
<i>obsoletus</i> Thomson, 1860:10	
<i>longipennis</i> Bates, 1880:145	
<i>zimmermani</i> Dillon, 1952:207	
<i>texensis</i> Dillon, 1956:139	
<i>mariorum</i> Dillon, 1957:144	
<i>aukena</i> Dillon, 1957:145	
unicolor Fisher, 1947:38	Barbados
xileuco Toledo, 1998: 53	wMX (JA)
wenzeli Dillon, 1957:146	w Mexico (NA)

Lasiolepturges Melzer, 1928:154	
zikani Melzer, 1928:155	se Brasil (RJ), Fr Guiana

Lathroeus Thomson, 1864:25	
mysticus Melzer, 1932:426	se Brasil (MG, ES, PA, RJ, SC)
oreoderoides Thomson, 1864:25	SAmer

Leiopus Audinet-Serville, 1835:86	
asperipennis Fairmaire & Germain, 1859:513	Chile
convexus Melzer, 1934:235	se Brasil (ES-RS)
floccidus Erichson, 1847:147	Peru
histrionicus Gistel, 1848:430	Brasil

pleuriticus White, 1855:385
soricinus Fairmaire & Germain, 1859:512
strigilis Erichson, 1847:147

Brasil, Colombia, Ecuador
Chile
Peru

Leptostylopsis Dillon, 1956:144

albofasciatus (Fisher, 1926:16)
albosignatus (Fisher, 1935:53)
antillarum (Fisher, 1925:5)
argentatus (Jacquelin du Val in Sagra, 1857:273)
taeniatus Casey, 1913:306
atromaculatus (Fisher, 1926:18)
bidentatus (Fabricius, 1775:165)
cristatus (Fisher, 1925:7)
duvali (Fisher, 1926:19)
gundlachi (Fisher, 1925:2)
hispaniolae (Fisher, 1942:30)
incrassatus (Klug, 1829:13)
transversatus Jacquelin du Val in Sagra, 1857:273
jamaicensis (Gahan, 1895:133)
latus Chemsak & Feller, 1988:182
longicornis (Fisher, 1926:15)
luteus Dillon, 1956:147
martinicensis Villiers, 1980:91
var. luciae Chalumeau, 1983:227
milleri (Fisher, 1932:83)
monticola (Fisher, 1935:201)
oakleyi (Fisher, 1935:54)
ornatus (Fisher, 1928:18)
planidorsus (LeConte, 1873:233)
lecontei Casey, 1913:305
crescenticus Casey, 1913:306
rogueti Chalumeau, 1983:227
smithi (Gahan, 1895:132)
terraecolor (Horn, 1880:122)
transversatus; LeConte, 1878:414 (not Jacquelin du Val, 1857)
mutilus Casey, 1913:307
testaceus (Froelich, 1792:141)

se USA (FL), Cuba
Puerto Rico
Puerto Rico
se USA (FL), Cuba, Bahamas

Cuba
Guadeloupe, Nevis
R Dominicana
Cuba
Puerto Rico
Hispaniola
Cuba

Jamaica
Belize
Puerto Rico
sw USA (TX)
Martinique, St. Lucia

R Dominicana
Cuba
Puerto Rico
Jamaica
se USA

Martinique
W Indies (Windward Is.)
se USA (FL)

W Indies (Lesser Antilles)

Leptostylus LeConte, 1852:168

albagniri Zayas, 1975:231
albicinctus Bates, 1885:388
angulicollis Bates, 1885:390
annulipes Fisher, 1942:28
arciferus Gahan, 1892:265
armatus Monné & Hoffmann, 1981:248
asperatus (Haldeman, 1847:46)
albescens; Dillon, 1956:144 (not Haldeman, 1847)
aspiciens Bates, 1885:391
batesi Casey, 1913:307
albescens; Bates, 1885:387 (not Haldeman, 1847)
bruesi Fisher, 1942:32
calcarius Chevrolat, 1862:248
castaneovirescens Zayas, 1975:239
cineraceus Bates, 1874:230
corpulentus Bates, 1881:152
cretatellus Bates, 1863:102
crystalatus Bates, 1872:213
dealbatus (Jacquelin du Val in Sagra, 1857:274)
decipiens Bates, 1880:149
transversus; Bates, 1872:211 (not Gyllenhal, 1817)
diffusus Bates, 1885:387
dubitans Bates, 1885:390
faulkneri Hovore, 1988:21
fernandezi Monné & Hoffmann, 1981:258
fuligineus Bates, 1885:388
fuliginosus; Gilmour, 1965:573

Cuba
e Mexico (VC)
Guatemala, El Salvador
R Dominicana
sc Mexico (MO, GR)
nw Brasil (AM), Ecuador, Peru, Bolivia
se USA-TX

e Mexico (VC)
Panama

Jamaica
Cuba
Cuba
Guatemala-Costa Rica
Nicaragua
Mexico-Nicaragua-n Brasil (PA), Fr Guiana
Nicaragua-Panama
Cuba
Nicaragua, Costa Rica

e Mexico (VC), Guatemala
Mexico
Baja Calif
Venezuela
Guatemala

gibbulosus Bates, 1874:230	sw USA (TX), Mexico-Colombia, Venezuela
<i>vogti</i> Dillon, 1956:141	
gibbus (Degeer, 1775:116)	Surinam, Fr Guiana
gnomus Monné & Hoffmann, 1981:251	se Brasil (MG), Paraguay, Argentina
heticus Zayas, 1975:243	Cuba
hilaris Bates, 1872:211	w Mexico (JA)-Panama
hispidulus Bates, 1874:229	Guatemala-Costa Rica
illitus Zayas, 1975:244	Cuba
incertus (Bates, 1881:176)	Guatemala, Nicaragua
jolyi Monné & Hoffmann, 1981:247	Venezuela
laevicauda laevicauda Bates, 1880:150	Guatemala
subsp. chiriquinus Bates, 1885:386	Costa Rica, Panama
latifasciatus Zayas, 1975:246	Cuba
lazulinus Bates, 1880:149	e Mexico (VC)
leucanthes Bates, 1880:148	sw Mexico (OA)
leucopygus Bates, 1872:212	Nicaragua-Panama
lilliputanus Thomson, 1865:545	Colombia
lividus Hovore, 1989:256	Costa Rica
macrostigma Bates, 1872:212	Nicaragua, Costa Rica
metallicus Bates, 1880:147	Costa Rica
nigritus Zayas, 1975:248	Cuba
nordestinus Monné & Hoffmann, 1981:257	Brasil
notaticollis Bates, 1880:149	Guatemala-Costa Rica
obliquatus Bates, 1880:150	s Mexico (ME, OA)-Nicaragua, Baja Calif
obscurellus Bates, 1863:103	Venezuela-Argentina, Uruguay
<i>bruchii</i> Melzer, 1932:225	
ochropygus Bates, 1885:389	Guatemala, Costa Rica
orbiculus Bates, 1880:151	e Mexico (VC)-Nicaragua
ovalis Bates, 1863:103	Brasil (PA, MT, ES-SP), Fr Guiana
<i>neivai</i> Melzer, 1930:198	
palliatus Bates, 1874:229	Mexico-Nicaragua
paraleucus Monné & Hoffmann, 1981:258	c Brasil (AM, MT), Ecuador
paulus Monné & Hoffmann, 1981:253	Venezuela
perniciosus Monné & Hoffmann, 1981:259	Guianas, Brasil, Bolivia, Paraguay,
<i>pleurostictus</i> ; Bondar, 1929:85 (not Bates, 1863)	Argentina
petulans Bates, 1885:389	Costa Rica, Panama
phrissominus Bates, 1885:388	Costa Rica, Panama
pilula Bates, 1880:152	Costa Rica
plautus Monné & Hoffmann, 1981:254	Venezuela, Ecuador, Fr Guiana
pleurostictus Bates, 1863:102	nw Brasil (AM), Peru
plumeoventris Linsley, 1934:109	Mexico (Tres Marias Is.)
poeyi Fisher, 1925:4	Hispaniola
pseudocalcarius Zayas, 1975:249	Cuba
pulcherrimus Bates, 1880:148	e Mexico (VC)-Nicaragua
pygialis Bates, 1872:212	Nicaragua-Panama
quintalbus Bates, 1885:389	Panama
retrorsus Bates, 1885:387	Costa Rica, Panama
sagittatus (Jacquelin du Val in Sagra, 1857:272)	Cuba
saxuosus Tippmann, 1960:189	Bolivia
seabrai Lane, 1959:257	Peru, Ecuador
signaticauda Bates, 1885:387	Guatemala, Honduras
sleeperi Hovore, 1988:22	Baja Calif
spermovoratis Chemsak, 1972:150	Costa Rica
spiculatus Bates, 1880:148	Nicaragua, Costa Rica
subfurcatus Bates, 1880:147	Nicaragua, Costa Rica
transversus (Gyllenhal in Schoenherr, 1817:164)	e NAmer-TX
<i>transversatus</i> ; LeConte, 1878:470	
<i>tuberculatus</i> Froelich, 1792:138	
<i>aculiferus</i> Say, 1824:329	
<i>marginellus</i> Haldeman, 1847:47	
<i>albescens</i> Haldeman, 1847:46	
<i>divisus</i> Casey, 1913:306	
<i>transversus dakotensis</i> Dillon, 1956:143	
<i>transversus dietrichi</i> Dillon, 1956:144	
<i>transversus floridellus</i> Dillon, 1956:144	
triangulifer Bates, 1872:211	Guatemala-Costa Rica
trigonus Bates, 1880:152	Guatemala-Panama
viridescens Bates, 1880:148	Mexico (OA, VC)-Costa Rica

viridicomus Fisher, 1942:29
viriditinctus Bates, 1872:210
xanthopygus Bates, 1880:149
x-griseus Bates, 1885:389
zonatus Bates, 1885:388

Hispaniola
Nicaragua-Panama
Nicaragua
Guatemala, Costa Rica, Panama
Costa Rica, Panama

Leptrichillus Gilmour, 1960:91
minutus Gilmour, 1960:92

Mexico-Costa Rica

Lepturdrys Gilmour, 1960:47
novemlineata Gilmour, 1960:48

ec Brasil (GO, MG)

Lepturgantes Gilmour, 1957:21
candicans (Bates, 1863:371)
dilectus (Bates, 1863:373)
flavovittatus (Gilmour, 1959:136)
pacificus Gilmour, 1960:178
inscriptus; Bates, 1872:217 (not Bates, 1863)
fragillimus; Bates, 1874:230 (not Bates, 1863)
septemlineatus Gilmour, 1960:176
seriatus Monné, 1988:124
variegatus Gilmour, 1957:22

c Brasil (AM, MT)
c Brasil (AM, MT)
ec Brasil (GO, BA, SP)
Guatemala-Costa Rica

e Brasil (BA)
Venezuela, Fr. Guiana, c Brasil (MT)
se Brasil (BA, PR, SC), Paraguay

Lepturges (Lepturges) Bates, 1863:367
Lepturgus; Gemminger & Harold, 1873:3156
Maculurges Dillon, 1956:338

abditus Monné, 1976:367
alboscryptus Bates, 1863:377
alvarengai Monné, 1976:369
amabilis Bates, 1863:370
anceps Gilmour, 1962:559
angulatus (LeConte, 1852:172)
symmetricus; Horn, 1880:126 (not Haldeman, 1847)
canus Casey, 1913:317
confluens; Knull, 1946:252 (not Haldeman, 1847)
angustatus Bates, 1863:375
beaveri Monné, 1978:6
breviceps (White, 1855:384)
bucki Melzer, 1930:202
callinus Bates, 1885:402
canocinctus Gilmour, 1962:545
castaneus Monné, 1978:4
centralis Monné, 1978:3
charicles Bates, 1885:402
cinereolus Monné, 1976:362
cingillus Monné, 1978:8
citrinus Monné, 1976:363
complanatus Bates, 1863:370
aliquobscura Gilmour, 1962:557
comptus Melzer, 1930:201
confluens (Haldeman, 1847:50)
curvilinea Gilmour, 1959:1
zischkai Tippmann, 1960:192
dorotheae Gilmour, 1962:551
elegantulus Bates, 1863:368
elimata Monné, 1976:371
eurynota Tippmann, 1960:191
fasciculatoides Gilmour, 1962:549
festivus Bates, 1872:236
figuratus Pascoe, 1866:283
fischeri Melzer, 1928:152
funereus Monné, 1976:366
glaphyra Monné, 1976:374
hahneli Gilmour, 1959:133

se Brasil (RJ)
wc Brasil (AM, PA, RO)
se Brasil (ES, RJ)
c Brasil (AM, MT), Fr Guiana
Brasil (GO, MT, BA-SC), Paraguay
e NAmer-TX

c Brasil (AM, MT)
wc Brasil (AC, RO, MT)
Venezuela
se Brasil (BA-SC)
Guatemala, Fr Guiana
ec Brasil (MT, GO, BA), Argentina
n Brasil (PA)
e Brasil (MG)
Costa Rica, Panama
e Brasil (BA)
c Brasil (MT)
se Brasil (BA-SC)
c Brasil (AM, MT), Bolivia, Fr Guiana

SAmer (widely distributed)
e NAmer
Peru, Bolivia

se Brasil (BA-SP), Paraguay
nw Brasil (AM), Fr Guiana
se Brasil (GO, MG, SP), Paraguay
Bolivia, s Brasil (MT), Peru
ec Brasil (GO, MT), Argentina
Nicaragua-Panama
Panama-Colombia
se Brasil (MG-RS)
se Brasil (BA-PR)
e Brasil (ES)
nw Brasil (AM)

hylaeanus Monné, 1978:5
infilatus Bates, 1872:216
pallisteri Gilmour, 1961:335
insignis Melzer, 1928:153
itu Monné, 1976:374
janus Bates, 1881:168
laeteguttatus Bates, 1885:402
limpidus Bates, 1872:216
fasciculata Melzer, 1928:149
peruviana Gilmour, 1962:547
linearis Bates, 1863:369
macilentus Bates, 1881:166
maculosus Gilmour, 1959:3
malkini Monné, 1978:7
mattogrossis Gilmour, 1962:555
megalops Hamilton in Leng & Hamilton, 1896:127
multilineatus Melzer, 1928:153
navicularis Bates, 1872:217
perelegans Bates, 1863:373
peruibensis Monné, 1976:366
pictus (LeConte, 1852:172)
proximus Melzer, 1934:100
punctatissimus Monné, 1976:370
regularis (LeConte, 1852:39)
roppai Monné, 1976:368
rhytisma Monné, 1976:371
seabrai Monné, 1976:368
sejunctimacula Bates, 1881:167
serranus Monné, 1976:363
sexvittatus Bates, 1874:230
singularis Monné, 1976:364
spitzi Melzer, 1928:149
subglaber Casey, 1913:319
symmetricus (Haldeman, 1847:50)
umbrosus Monné, 1978:9
unicolor Gilmour, 1959:6
virgatus Monné, 1978:11
vogti Hovore & Tyson, 1983:349
yucca Schaeffer, 1905:167
zikani Melzer, 1928:154
zonula Monné, 1976:372

Lepturges (Chaeturges) Gilmour, 1959:135

comminus Monné, 1977:706
definitus Tavakilian & Monné, 1989:276
dorsalis (White, 1855:382)
barii Bates, 1863:372
epagogus Monné, 1977:704
fragillimus (Bates, 1863:373)
fuchsi Gilmour, 1962:569
gratiosus Bates, 1874:231
griseostriatus (Bates, 1863:376)
inscriptus (Bates, 1863:371)
variegatus Burmeister, 1865:178
fragillima; Bates, 1873:230 (not Bates, 1863)
decoratus Melzer, 1928:150
laetus Melzer, 1928:152
prolatus Monné, 1977:703
repandus Tavakilian & Monné, 1989:278
rotundus Monné, 1977:702
scitulus Tavakilian & Monné, 1989:274
scriptus Gilmour, 1958:137
serenus Monné, 1977:705
tenuis Gilmour, 1962:563
villiersi Gilmour, 1962:567
virgulti Gilmour, 1962:564

nw Brasil (AM)
 sw USA (AZ), Mexico-Costa Rica

se Brasil (ES-SC)
 se Brasil (SP)
 s Mexico (OA, PU, CHS)
 Panama
 Mexico-Brasil, Peru, Bolivia, Fr Guiana

c Brasil (AM, MT), Bolivia
 e Mexico (VC)
 Venezuela
 c Brasil (MT), Bolivia
 ec Brasil (MT, BA, SP)
 se USA (FL)-Panama
 e Brasil (GO, MT, BA-SP), Fr Guiana
 e Mexico (VC)-Panama
 c Brasil (AM, PA, MT)
 se Brasil (SP)
 e USA
 Costa Rica
 se Brasil (ES-SC)
 e USA
 e Brasil (BA, MG, SP)
 s Brasil (SC)
 se Brasil (BA-SC), Paraguay
 Guatemala-Panama
 se Brasil (SP)
 Nicaragua, Costa Rica
 se Brasil (RJ-RS)
 se Brasil (BA-SP)
 nc Mexico (DU)
 e NAmer
 c Brasil (MT)
 e Brasil, Bolivia, Paraguay
 Peru, Ecuador
 sw USA (TX)
 se USA (AZ, TX), Mexico
 se Brasil (RJ)
 c, se Brasil (MT, SP, PR)

Peru
 Fr Guiana
 nw Brasil (AM), Fr Guiana

Peru, nw Brasil (AM), Bolivia
 c Brasil (PA, MT)
 se Brasil (BA, SP, SC)
 Nicaragua-Panama
 nc Brasil (AM), Peru
 e Mexico (VC)-SAmer (widely distributed)

se Brasil, Paraguay, Argentina
 c Brasil (PA, MT)
 wc Brasil (AM, RO, MT), Fr Guiana
 c Brasil (AM, PA)
 Fr Guiana
 se Brasil (MG-SC), Paraguay
 Brasil (AP, MT), Fr Guiana
 Ecuador
 Peru, c Brasil (GO, MT)
 nc Brasil (AM), Peru

- Lepturginus** Gilmour, 1959:334
obscorellus Gilmour, 1959:335
tigrellus (Bates, 1874:231)
var. *megaspilus* Bates, 1885:402
e Mexico (VC)
Guatemala- Nicaragua
- Lepturgotrichona** Gilmour, 1957:27
bordoni Monné & Martins, 1976:73
cubaecola (Fisher, 1942:36)
flaviceps (Bates, 1863:369)
stigmatica (Bates, 1881:170)
Venezuela
Cuba
n Brasil (PA), Fr Guiana
Guatemala, Honduras, El Salvador
- Lethes** Zayas, 1975:254
humeralis Zayas, 1975:255
indignus Zayas, 1975:256
israeli Zayas, 1975:257
Cuba
Cuba
Cuba
- Liopinus** Linsley & Chemsak, 1995:88
Amniscus; Haldeman, 1847:46 (part)
Liopus; LeConte, 1852:170 (part)
Leiopus; Haldeman, 1847:50 (part)
Sternidius LeConte, 1873:234 (part)
alpha (Say, 1827:270)
USA
fascicularis Harris, 1836:88
alpha var. *divergens* Haldeman, 1847:48
lateralis Haldeman, 1847:48
vicinus Haldeman, 1847:49
cinereus LeConte, 1852:173
rusticus LeConte, 1852:173
xanthoxyli Shimer, 1868:vii
var. *floridanus* Hamilton in Leng & Hamilton, 1896:125
dentatus Casey, 1913:311
scapalis Casey, 1913:312
testaceus Casey, 1913:312
pleuralis Casey, 1913:312
timidus Casey, 1913:313
obscorellus Casey, 1913:313
nelsonicus Casey, 1924:291
alpha coloradensis Dillon, 1956:216
alpha nigricans Dillon, 1956:216
suturalis Dillon, 1956:219
vittatus Dillon, 1956:219
batesi (Gahan, 1892:265)
centralis (LeConte, 1884:24)
chemsaki (Lewis, 1977:196)
crassulus LeConte, 1873:235
decorus (Fall, 1907:84)
alpha arizonensis Dillon, 1956:217
centralis; Dillon, 1956:218 (not Leconte, 1884)
gracilipes (Linsley, 1942:72)
imitans (Knull, 1936:107)
incognitus (Lewis, 1977:201)
mimeticus (Casey, 1891:48)
schwarzi Hamilton in Leng & Hamilton, 1896:124
crassulus; Horn, 1880:124 (not LeConte, 1873)
moderator Casey, 1913:314
houstoni Casey, 1913:315
texanus Casey, 1913:315
misellus (LeConte, 1852:173)
naeviicornis (Bates, 1885:393)
nivosus (Linsley, 1942:73)
pantherinus (Zayas, 1975:264)
punctatus (Haldeman, 1847:49)
maculipennis Blatchley, 1922:31
sw Mexico (GR)
sw USA (AZ, NM, TX)
sw USA (AZ)
Baja Calif
sw USA (AZ)
Baja Calif
sw USA (TX, AZ)
sw USA (AZ)
e USA -TX, Mexico
c USA
e Mexico (VC)
Baja Calif
Cuba
e USA

rosaliae (Linsley, 1942:71)	Baja Calif
rossi (Linsley, 1942:71)	Baja Calif
subfascianus (White 1855:385)	Venezuela
<i>subfasciatus</i> ; Aurivillius, 1923:410	
wiltii (Horn, 1880:124)	sw USA (TX)
Lithargyrus Martins & Monné, 1974:12	
melzeri Martins & Monné, 1974:13	Costa Rica-Brasil, Bolivia, Fr. Guiana
Lophopoenopsis Melzer, 1931:63	
singularis Melzer, 1931:63	se Brasil (ES-PR)
Lophopoeum Bates, 1863:275	
<i>Scutelongus</i> Gilmour, 1959:6	
bituberculatum (White, 1855:382)	nw Brasil (AM)
bruchi Monné & Martins, 1976:53	Uruguay, Argentina
<i>timbouvae</i> ; Bruch, 1940:118 (not Lameere, 1884)	
carinatulum Bates, 1863:275	nw Brasil (AM), Fr Guiana
<i>carinulatum</i> ; Thomson, 1864:322	
centromaculatum Monné & Martins, 1976:51	e Mexico (VC)-Honduras
circumflexum Bates, 1863:276	nw Brasil (AM), Peru, Fr Guiana
<i>hylaeantum</i> Martins & Monné, 1974:15	
forsteri Tippmann, 1960:180	Bolivia
freudei (Gilmour, 1959:7)	Bolivia
fuliginosum Bates, 1863:276	n Brasil (PA), Fr Guiana
humerosum Monné & Martins, 1976:52	Costa Rica, ec Brasil (GO)
meridianum Fisher, 1938:141	s Brasil (SC)
monticulum Monné & Martins, 1976:54	se Brasil (MG-SC)
saronotum Bates, 1872:214	Nicaragua-Panama
scopiferum Bates, 1872:215	sc Mexico (PU)-Nicaragua
timbouvae Lameere, 1884:102	se Brasil (RJ-RS), n Argentina (FO, CH, SF, MI),
<i>leguminicola</i> Linell, 1896:43	Paraguay
w-flavum Bates, 1885:395	Panama
Mecotetartus Bates, 1872:213	
<i>Eutessus</i> LeConte, 1873:235	
antennatus Bates, 1872:213	Mexico-Costa Rica, Baja Calif
<i>asper</i> LeConte, 1873:236	
<i>granosus</i> LeConte, 1873:339	
Microplia Audinet-Serville, 1835:21	
agilis Audinet-Serville, 1835:22	se Brasil, Paraguay, Argentina
nigra Monné, 1976:578	se Brasil, n Argentina (SA)
Nanustes Gilmour, 1960:43	
fuchsi Gilmour, 1960:45	s Brasil (RS)
Nealcidion Monné, 1977:699	
<i>Alcidion</i> ; Thomson, 1860:12 (not Sturm, 1843)	
adjunctum (Thomson, 1865:544)	Costa Rica, Panama
albatum Monné & Delfino, 1986:172	nw Brasil (AM), Ecuador
alboplagiatum (Martins & Monné, 1974:321)	e Brasil (ES)
armatum Monné & Delfino, 1986:167	Venezuela
badium Monné & Delfino, 1986:169	Ecuador, Peru, nw Brasil (AM), Fr Guiana
batesi (Kirsch, 1889:42)	Colombia
bicristatum (Bates, 1863:109)	s Brasil, Paraguay, Argentina, Uruguay
bispinum (Bates, 1863:105)	se Brasil (BA-RS), Argentina
brachiale (Bates, 1872:214)	e Mexico (VC)-Panama
bruchi (Melzer, 1934:230)	Argentina
cereicola (Fisher, 1936:7)	n Argentina (SA)
<i>privatum</i> ; Bosq, 1934:339 (not Pascoe, 1866)	
costatum (Monné & Martins, 1976:47)	Venezuela
coxale (Kirsch, 1889:42)	Colombia

crisulatum Monné & Delfino, 1986:174
cuspidatu Monné, 1998: 295
cyllenoide (Aurivillius, 1925:515)
decoratum (Melzer, 1932:223)
deletum (Bates, 1880:274)
elongatum Monné, 1998: 293
emeritum (Erichson, 1847:147)
olivaceus Bates, 1863:108
eulophum (Bates, 1881:156)
femoratum (Monné & Martins, 1976:51)
formosum (Monné & Martins, 1976:49)
furciferum (Bates, 1881:156)
griseum (Aurivillius, 1900:417)
humerosum (Bates, 1880:274)
hylaeanum (Monné & Martins, 1976:48)
interrogationis (Bates, 1863:107)
latipenne (Bates, 1863:108)
laetulum (Bates, 1880:273)
latum (Thomson, 1860:12)
lineatum (Bates, 1863:105)
melasum Monné & Delfino, 1986:171
meridanum Monné & Delfino, 1986:175
minimum (Bates, 1863:108)
murinum Monné, 1998: 293
nebulosum (Bates, 1880:274)
oculatum (Bates, 1863:106)
omissum (Martins & Monné, 1974:14)
parallellum (Monné & Martins, 1976:50)
privatum (Pascoe, 1866:283)
privatum var. *penicillare* Bates, 1885:394
penicillatum; Aurivillius, 1923:394
pulchrum (Bates, 1880:273)
quinqumaculatum (Tippmann, 1960:179)
scutellatum (Bates, 1881:157)
sexguttatum Monné & Delfino, 1986:169
sexnotatum (Waterhouse, 1901:76)
silvai Monné & Delfino, 1986:176
simillimum (Melzer, 1932:224)
singulare Monné, 1998: 293
socium (Gahan, 1895:131)
spinolum Monné & Delfino, 1986:174
triangulare (Bates, 1863:106)
triangulare var. *paraense* Bates, 1863:107
trivittatum (Bates, 1863:109)
venosum (Bates, 1880:274)

Neobaryssinus Monné & Martins, 1976:80
capixaba Monné & Delfino, 1980:318
marianae (Martins & Monné, 1974:330)
phalarus Monné & Martins, 1976:81

Neoeutrypanus Monné, 1977:695
Eutrypanus; White, 1855:371 (part) (not Erichson, 1847)
decorus (Bates, 1881:184)
generosus (Monné & Martins, 1976:86)
glaucus (Melzer, 1931:72)
incertus (Bates, 1864:23)
inustus (Monné & Martins, 1976:87)
maculatus Monné 1985:372
mutilatus (Germar, 1824:478)
nitidus (White, 1855:371)
venezuelensis Thomson, 1860:13
nobilis (Bates, 1864:22)
sobrinus (Melzer, 1935:204)

Neopalame Martins & Monné, 1972:63

Bolivia
 Mexico (CH)
 Colombia
 e Brasil (MG, RJ)
 Fr Guiana, c Brasil (AM, PA)
 Ecuador
 Peru, w Brasil (AM-RO), Ecuador, Fr Guiana

 se Mexico (CHS, VC)-Costa Rica
 Ecuador
 Peru
 Guatemala
 Venezuela
 Ecuador
 nw Brasil (AM), Ecuador
 nw Brasil (AM)
 nc Brasil (AM, PA), Ecuador
 e Brasil (BA)
 e Mexico (VC)
 Panama, Venezuela
 Venezuela
 Venezuela
 nw Brasil (AM)
 Ecuador
 Ecuador
 nw Brasil (AM)
 se Brasil (BA-SP)
 Peru
 Guatemala-Colombia, Venezuela

 Colombia
 Bolivia
 Guatemala
 Bolivia
 Guyana
 e Brasil (PB)
 se Brasil (SP-SC)
 Brasil (RO), Peru, Bolivia
 St Vincent, Grenada, Venezuela
 Venezuela
 Venezuela, c Brasil (AM), Fr Guiana, Ecuador

 Venezuela
 se Brasil (MG-SP)

e Brasil (MG, ES)
 Fr Guiana, c Brasil (AM)
 e Brasil (BA, ES)

Guatemala
 Bolivia
 se Brasil, Paraguay, Argentina
 Guianas, nc Brasil (AM, PA)
 nc Brasil (AM, PA), Fr Guiana
 n Brasil (PA)
 Costa Rica, Panama, Ecuador, Brasil, Fr Guiana
 Venezuela

 Fr Guiana, Ecuador, se Brasil (AM, PA), Peru
 se Brasil (MG-RS), n Argentina (MI)

- albida** Monné, 1985:374
albomaculata Monné & Martins, 1976:74
atromaculata Monné & Martins, 1976:76
cretata Monné & Delfino, 1980:317
deludens Monné, 1985:376
digna (Melzer, 1935:203)
- Neseuterpia** Villiers, 1980:88
couturieri Tavakilian, 2001: 437
curvipes Villiers, 1980:89
- Nyssocarinus** Gilmour, 1960:51
bondari (Melzer, 1927:579)
humeralis Monné, 1985:307
vittatus Gilmour, 1960:52
- Nyssocuneus** Gilmour, 1960:55
heyrovskyi Gilmour, 1960:57
- Nyssodectes** Dillon, 1955:142
bispecularis (White, 1855:384)
concinna (Bates, 1885:417)
dulcissimus (Bates, 1863:377)
longula (Bates, 1881:181)
roseicollis (Bates, 1872:221)
veracruz Dillon, 1955:143
- Nyssodryisilla** Gilmour, 1962:249
irrorata (Melzer, 1927:577)
lineata Gilmour, 1962:253
vittata (Melzer, 1934:238)
- Nyssodryisina** Casey, 1913:309
Nyssodryis; Leng & Hamilton, 1896:133
Leiopus; Lacordaire, 1872:775 (part)
Nyssodryisola Gilmour, 1962:256
Sternidurges Gilmour, 1959:329
binoculata (Bates, 1864:153)
bimaculata Aurivillius, 1923:424
cinerascens (Bates, 1864:151)
variegata Aurivillius, 1929:2
corticalis (Bates, 1864:151)
exilis (Bates, 1885:412)
grisella (Bates, 1864:154)
haldemani (LeConte, 1852:173)
contempta Bates, 1864:152
infima (Bates, 1885:412)
leucopyga (Bates, 1872:221)
apicalis Gilmour, 1959:331
lignaria (Bates, 1864:152)
lineatocollis (Bates, 1863:373)
polyspila (White, 1855:383)
pulchella (Bates, 1863:374)
scutellata (Bates, 1866:434)
spretta (Bates, 1864:152)
stictica Gilmour, 1962:257
halffteri Villiers, 1971:348
venusta (Bates, 1863:372)
- Nyssodrysternum** Gilmour, 1960:59
Nyssodryis Bates, 1864:149 (part)
Nyssodrystes Gilmour, 1963:3
Cicanyssodryis Gilmour, 1965:601
amparense (Melzer, 1934:106)
- e Brasil (ES)
Peru
se Brasil (BA-SP)
c Brasil (AM, MT)
wc Brasil (RO, MT)
se Brasil (MG-RJ)
- Ecuador
Guadeloupe, Dominica
- se Brasil (RJ-RS)
c Brasil (PA, RO, MT), Ecuador, Peru, Bolivia
nw Brasil (AM), Ecuador
- e Brasil (ES)
- nw Brasil (AM)
Panama
nw Brasil (AM), Peru, Ecuador
Costa Rica
e Mexico (VC)-Panama
e Mexico (VC), Guatemala
- se Brasil (MG-RS), Paraguay
Peru, Fr Guiana
se Brasil (RJ-RS)
- Nicaragua-n Brasil (PA), Fr Guiana, Ecuador
- n Brasil (PA), Trinidad, Venezuela,
Guianas
Costa Rica-n Brasil (PA), Fr Guiana
Panama
nw Brasil (AM), Ecuador
se USA, Mexico-Panama (widely distributed)
- Panama
c Mexico (SLP)-Panama, Ecuador
- se Brasil, Paraguay, Argentina
nc Brasil (AM), Ecuador
Mexico-Panama
n Brasil (PA), Fr Guiana, Ecuador
Honduras-Panama, n Amer
nc Brasil, Fr Guiana, Peru, Ecuador
- Nicaragua-nc Brasil (AM), Fr Guiana, Ecuador
- se Brasil (BA-SC), n Argentina (SA)

basale (Melzer, 1934:239)
caudatum (Bates, 1864:157)
conspicillare (Erichson, 1847:146)
albomaculata Aurivillius, 1908:10
conspicuum Monné, 1985:538
cretatum Monné, 1985:539
decoratum Monné, 1992:774
diopicum (Bates, 1864:153)
efflictum (Bates, 1864:160)
fasciatum Gilmour, 1960:61
flavolineatum Monné, 1985:541
freyorum (Gilmour, 1963:94)
fulminans (Bates, 1864:154)
gratum Monné, 1985:542
impensum Monné, 1985:542
instabile Monné, 1992:775
laterale (Melzer, 1931:71)
lemniscatum Monné, 1985:543
lepidum Monné, 1992:773
lineolatum (Bates, 1864:161)
ocellatum (Bates, 1885:413)
picticolle (Melzer, 1934:105)
pictulum (Bates, 1881:175)
plaumanni Monné, 1992:776
poriferum (Bates, 1885:413)
promeces (Bates, 1864:162)
propinquum (Bates, 1864:159)
ptericoptum (Bates, 1864:163)
reticulatum (Melzer, 1934:107)
rodens (Bates, 1864:161)
rubiginosum Monné, 1975:246
schmithi (Melzer, 1931:70)
serpentinum (Erichson, 1847:146)
deleta Bates, 1864:160
signiferum (Bates, 1864:158)
gruneri Villiers, 1971:347
simulatum (Bates, 1864:159)
spilotum Monné, 1975:248
stillatum (Bates, 1864:156)
striatellum (Tippmann, 1960:192)
sulphurescens (Bates, 1885:416)
taeniatum Monné, 1985:544
univittis (Bates, 1885:415)
variabile Monné, 1985:546
vigintiguttatum (Bates, 1885:415)
zonatum Monné, 1985:546

Nyssosternus Gilmour, 1963:4
duidaensis Gilmour, 1963:5

Oectropsis Blanchard in Gay, 1851:503
latifrons Blanchard in Gay, 1851:503
pusillus (Blanchard in Gay, 1851:502)

Oedopeza Audinet-Serville, 1835:88
Chaetanes Bates, 1864:45
apicale (Gilmour, 1962:291)
costulatus (Gilmour, 1962:288)
cryptica Monné, 1990:266
flavosparsa Monné, 1990:266
fleutiauxi (Villiers, 1980:95)
guttigera Bates, 1864:147
guttifera; Bates 1881:176
leucostigma Bates 1864:146
maculatissima Monné & Martins, 1976:82
ocellator (Fabricius, 1801:287)

se Brasil (BA-RS), Paraguay
 c Brasil, Fr Guiana, Peru, Bolivia
 c Brasil (AM), Peru, Ecuador, Bolivia

Venezuela, Guianas, n Brasil (AM, PA)
 Panama, Ecuador, Bolivia, Guianas
 e Brasil (RJ, BA, ES)
 se Brasil (ES-SC), Ecuador, Bolivia
 nc Brasil (AM), Ecuador, Peru, Fr Guiana
 e Brasil (BA, ES)
 Fr Guiana, nc Brasil (AM, PA)
 Trinidad, Venezuela
 nw Brasil (AM), Ecuador
 c Brasil (PA, MT)
 wc Brasil (AM, RO), Fr Guiana
 se Brasil (RJ, ES, SP)
 se Brasil (BA-SP)
 Guianas, c Brasil (AM), Peru, Ecuador
 se Brasil (SC, RS)
 nw Brasil (AM)
 Nicaragua-Brasil, Peru, Ecuador, Bolivia
 se Brasil (BA-RJ)
 Guatemala
 se Brasil (SP, SC)
 Guatemala-Panama, n SAmer-c Brasil
 nw Brasil (AM)
 c Brasil (AM), Fr Guiana
 Brasil (PA, RO, MT), Peru, Fr Guiana, Ecuador
 se Brasil (ES-SP)
 wc Brasil (AM, RO, MT), Fr Guiana, Ecuador
 Venezuela, Peru, Brasil
 s Brasil (SP-RS)
 e Mexico (VC)-Panama, Brasil, Fr Guiana,
 Ecuador
 n Samer (widespread)

Guianas, c Brasil (AM)
 se Brasil (BA, PR, SC)
 nw Brasil (AM), Fr Guiana
 Peru, wc Brasil, Bolivia, Fr Guiana, Ecuador
 Panama
 nc Brasil (PA, AM)
 Panama
 e Brasil (ES)
 Panama
 c Brasil (MT)

Venezuela

Chile, wc Argentina (NE)
 Chile, wc Argentina (NE)

Fr Guiana, Ecuador, n Brasil (PA)
 wc Brasil (RO, MT), Peru, Bolivia
 Venezuela, Peru, c Brasil
 nw Brasil, Peru, Bolivia, Fr Guiana
 Guadeloupe, Dominica
 e Mexico (VC)-Panama

Panama-n SAmer-c Brasil (AM), Ecuador
 SAmer (widely distributed)
 e Mexico (VC)-Uruguay, Cuba

- pogonocheroides* Audinet-Serville, 1835:88
setigera (Bates, 1864:45)
umbrosa (Germar, 1824:473)
litigiosa Bates, 1864:147
quadrinodosus Burmeister, 1865:178
- Nicaragua-n Samer, Ecuador
se Brasil (BA-RS), Paraguay,
n Argentina
- Olenosus** Bates, 1872:205
serrimanus Bates, 1872:206
- w Mexico (SI, JA, OA, VC)-Costa Rica
- Onalcidion** Thomson, 1864:25, 353
fibrosum Monné & Martins, 1976:56
obscurum Gilmour, 1957:12
pictulum (White, 1855:395)
- Costa Rica-Venezuela, Brasil (RO, GO)
Venezuela
Costa Rica-Colombia, Venezuela
- Oxathres** Bates, 1864:50
decorata Monné, 1990:679
erotyloides Bates, 1864:51
implicata Melzer 1926:15
nigrobasalis Gilmour, 1962:290
muscosa Bates, 1864:52
navicula Bates, 1864:50
ornata Monné, 1976:589
proxima Monné, 1976:587
quadrimaculata Monné, 1976:590
scripta Lacordaire, 1872:785
dubius Melzer, 1926:13
sparsa Melzer, 1927:575
- Venezuela
nw Brasil (AM), Peru, Ecuador
se Brasil (MG-RS)
- c Brasil (AM), Peru, Fr Guiana
c Brasil (PA, RO), Ecuador, Bolivia
c Brasil (PA, RO)
Peru
c Brasil (AM, PA)
se Brasil (BA-SC)
- se Brasil (ES-SP)
- Oxathridia** Gilmour, 1963:7
roraimae Gilmour, 1963:8
- n Brasil (RR)
- Ozineus** Bates, 1863:278
Acarinozineus Gilmour, 1962:261
alienus Melzer, 1932:427
angulistigma Bates, 1885:397
annulicornis (White, 1855:383)
arietinus Bates, 1872:215
barbiflavus Martins & Monné, 1974:22
bicristatus Melzer, 1935:200
cinerascens Bates, 1863:280
cinerascens var. *pallipes* Bates, 1863:281
cretatus Monné & Martins, 1976:66
cribripennis Bates, 1885:396
dimidiatus Aurivillius, 1922:169
doctus Bates, 1863:280
dorsalis Melzer, 1935:200
dubius Aurivillius, 1922:170
elongatus Bates, 1863:279
guttatus Monné & Martins, 1976:63
jubapennis Fisher, 1938:142
lateralis Monné & Martins, 1976:64
moestus Bates, 1885:397
mysticus Bates, 1863:279
nyssodroides Tippmann, 1960:187
orbiculus Monné & Martins, 1976:65
spinicornis (Gilmour, 1962:265)
striatus (Gilmour, 1962:262)
strigosus Bates, 1863:280
torquatus Bates, 1881:162
- e Brasil (ES, RJ)
Panama
Panama, Colombia
e Mexico (VC)-Panama
se Brasil (SP-SC)
e Brasil (MG, RJ)
n Brasil (PA), Fr Guiana
- Peru
Costa Rica, Panama
Peru
Fr Guiana, n Brasil (PA)
Costa Rica
Peru
Panama, nc Brasil (AM), Fr Guiana
se Brasil (RJ, SP)
s Brasil (SC)
se Brasil (SP)
Costa Rica, Panama
nw Brasil (AM)
Bolivia, Ecuador
Bolivia
Mexico
Peru
Panama, Ecuador, Fr Guiana
Guatemala
- Palame** Bates, 1864:13
Nyssodoretus Gilmour, 1959:30
Xorathes Gilmour, 1963:11
aeruginosa Monné, 1985:303
- w Brasil (RO)

anceps (Bates, 1864:156)	c Brasil (AM, PA, RO), Fr Guiana, Ecuador
crassimana Bates, 1864:13	c Brasil (AM), Guianas, Ecuador
<i>olivoniger</i> Gilmour, 1959:31	
<i>guianensis</i> Gilmour, 1963:12	
mimetica Monné, 1985:300	Venezuela, nc Brasil (AM), Fr Guiana, Ecuador
vitticolle (Bates, 1864:157)	nw Brasil (AM), Ecuador
Paralcidion Gilmour, 1957:5	
bilineatum Gilmour, 1957:6	Colombia, Venezuela
Paranisopodus Monné & Martins, 1976:59	
heterotarsus Monné & Martins, 1976:61	Costa Rica
paradoxus Monné & Martins, 1976:61	Colombia
Paraprobatius Breuning, 1955:311	
bucki Breuning, 1955:312	s Brasil (RS), Paraguay
Paratenthras Monné, 1998: 289	
martinsi Monné, 1998: 289	Brasil (MG)
Paroectropsis Cerda, 1954:137	
decoratus Cerda, 1954:138	Chile
Paroecus Bates, 1863:379	
<i>Hysterotarsus</i> Thomson, 1864:26	
celebensis (Thomson, 1857:287)	nw Brasil (AM), Peru, Ecuador, Fr Guiana
<i>batesi</i> Thomson, 1864:26	
<i>ellipticus</i> Bates, 1863:380	
charpentierae Villiers, 1971:346	Fr Guiana
rigidus Bates, 1863:380	Panama, ec Brasil (AM, ES), Peru, Ecuador,
<i>socius</i> Melzer, 1928:151	Bolivia
Pattalinus (Pattalinus) Bates 1881:165	
<i>Lepturguncus (Chaeturguncus)</i> Gilmour 1961:350	
charis Bates, 1881:165	e Mexico (VC)
cultus Bates, 1881:165	Mexico (VC, JA)
griseolus Monné, 1988:121	w Brasil (RO)
lineatus Monné & Martins, 1976:72	Peru, Bolivia
strigosus Monné, 1988:123	c Brasil, Peru, Fr Guiana
vittulatus (Gilmour, 1961:351)	Guianas, c Brasil (AM), Ecuador
Pattalinus (Lepturguncus) Gilmour, 1961:347	
mirificus (Gilmour, 1961:348)	s Brasil (SC)
Pentheochaetes Melzer, 1932:432	
apicalis Melzer, 1934:237	Costa Rica, Panama, e Brasil (ES)
argentinus Mendes, 1937:254	n Argentina (MI)
mysticus Melzer, 1932:433	se Brasil (SP-RS), Paraguay,
var. <i>mediomaculatus</i> Gilmour, 1957:30	Argentina
trinidadiansis Gilmour, 1963:91	Trinidad, Venezuela
turbidus Melzer, 1934:238	Mexico (YU)-Panama, SAMer
Pertyia Aurivillius, 1922:426	
sericea (Perty, 1832:95)	e Brasil (BA-RJ)
Phrissolaus Bates, 1881:172	
inspersus Bates, 1881:172	Nicaragua-Panama
Piezochaerus Melzer, 1932:428	

- bondari** Melzer, 1932:429
e Brasil (BA)
- Probatiomimus** Melzer, 1926:12
eximius Melzer, 1934:104
melzeri Schwarzer, 1931:210
schwarzeri Melzer, 1926:13
flavoguttatus Fisher, 1938:145
signiferus (Thomson, 1865:544)
zikani Melzer, 1934:103
zelligeri Monné, 1990:685
e Brasil (MG)
s Brasil (RS), n Argentina (MI)
se Brasil (SP-RS)
se Brasil (MG-RJ), Paraguay,
Argentina
s Brasil (SP, SC), n Argentina (MI)
- Proxatrypanius** Gilmour, 1959:337
rockefelleri Gilmour, 1959:338
w Mexico (SI, JA, CM)
- Pseudastylopsis** Dillon, 1956:220
Leptostylus; Horn, 1880:119 (part)
Pseudostylopsis; Arnett, 1962:872
nebulosus (Horn, 1880:121)
nelsoni nelsoni Linsley & Chemsak, 1995:127
subsp. **australis** Linsley & Chemsak, 1995:128
pini (Schaeffer, 1905:165)
squamosus Chemsak & Linsley, 1986:28
w USA (OR, CA, NE)
sw USA (AZ)
wc Mexico (DU)
sw USA (AZ, NM)- wc Mexico(DU)
wc Mexico (SI, DU), Guatemala
- Pseudocanidia** Dillon, 1955:176
cuernavaca Dillon, 1955:177
ochreostictus Dillon, 1956:106
sc Mexico (GR, MO)
wc Mexico (MI)
- Pseudocobelura** Martins & Monné, 1974:27
prolixa (Bates, 1864:19)
succincta Monné & Martins, 1976:84
nc Brasil (AM, PA)
Panama
- Pseudocriopsis** Melzer, 1931:196
modesta Melzer, 1934:196
se Brasil (MG-SP)
- Pseudolepturges** Gilmour, 1957:26
rufulus (Bates, 1885:406)
Guatemala
- Pucallpa** Lane, 1959:254
cristata Lane, 1959:254
robusta Monné, 1978:588
Peru
c Brasil (MT), Fr Guiana
- Pygmaeptostylus** Gilmour, 1963:74
pygmaeus (Fisher, 1926:24)
Cuba
- Sciadosoma** Melzer, 1934:102
umbrosum Melzer, 1934:103
se Brasil (RJ)
- Sciadosurus** Gilmour, 1962:258
albobrunneus Gilmour, 1962:259
Peru
- Seriphus** Bates, 1864:144
viridis Bates, 1864:145
wc Brasil (AM, RO, MT)
- Sporetus** Bates, 1864:54
Sporetus (Chaetissus) Bates, 1864:54
abstrusus Melzer, 1935:203
bellus Monné, 1976:580
colobothoides (White, 1855:372)
colobothoides; Gemminger & Harold, 1873:3160
s Brasil (SC)
wc Brasil (RO, MT), Ecuador, Peru
se Brasil (BA-RS), Paraguay,
Argentina

- nigrosignatus* Lameere, 1884:97
- decipiens** Bates, 1866:434
distinctus Monné, 1976:581
fasciatus Martins & Monné, 1974:25
guttulus (Bates, 1864:155)
inexpectatus Monné, 1998: 31
porcinus Bates, 1864:54
probatoides Bates, 1864:56
seminalis Bates, 1864:55
 var. *agglomeratus* Bates, 1864:55
variolosus Monné, 1998: 31
venustus Monné, 1998: 29
- n Brasil (PA), Peru
Peru
wc Brasil (AM, RO, MT), Fr Guiana, Ecuador
n Brasil (PA, RO, AM)
Brasil (ES)
nw Brasil (AM)
se Brasil (ES-SC), Argentina
Fr Guiana, nc Brasil (AM, PA), Ecuador
- Stenolis** Bates, 1864:149
- angulata** (Fabricius, 1801:312)
 undulata Bates, 1864:149
calligramma (Bates, 1872:217)
 var. *consobrina* Melzer, 1934:109
circumscripta (Bates, 1881:180)
decemguttata (Bates, 1885:416)
 calligramma var. Bates, 1881:181
 decempunctata; Melzer, 1934:110
incisa (Bates, 1864:155)
inclusa (Bates, 1885:414)
laetifica (Bates, 1872:237)
polygramma (Bates, 1872:220)
polytaenia (Bates, 1885:415)
pulverea (Bates, 1881:180)
theobromae (Lara & Shenefelt, 1964:438)
- Fr Guiana, nw Brasil (AM)
e Mexico (VC)-Panama
Nicaragua-Panama
Nicaragua-Panama
nw BRAS (AM), Guyane
Costa Rica, Panama, Ecuador
Nicaragua-Panama, Ecuador
Nicaragua-Panama
Costa Rica, Panama
e Mexico (VC)-Costa Rica
Costa Rica
- Stenopsilus** Gilmour, 1958:27
- bimaculatus** Gilmour, 1958:28
- nw Brasil (AM), Bolivia, Ecuador, Fr Guiana
- Sternacutus** Gilmour, 1961:364
- zikani** (Melzer, 1935:199)
 lineellus Fisher, 1938:143
 cristatus Gilmour, 1961:366
- se Brasil (RJ-RS)
- Sternidius** LeConte, 1873:234
- Astyleiopus* Dillon, 1956:161
Leiopus Lacordaire, 1872:775 (part)
Liopus Leng & Hamilton, 1896:121 (part)
variegatus (Haldeman, 1847:47)
 var. *trifasciatus* Haldeman, 1847:47
 var. *obscurus* Haldeman, 1847:47
- e NAmer, sw USA (TX, AZ)
- Sternidocinus** Dillon, 1956:166
- barbarus** (Van Dyke, 1920:45)
- sw USA (CA)
- Styloleptoides** Chalumeau, 1983:230
- inflaticollis** (Chemsak, 1966:215)
morazzanii Chalumeau, 1983:231
parvulus (Gahan, 1895:134)
- Virgin Is
Guadeloupe
Grenada, Mustique
- Styloleptus** Dillon, 1956:158
- Leptostylus*; Leng & Hamilton, 1896:116 (part)
Caribbeana Gilmour, 1963:97
Carribeana; Breuning, 1971:254
albosuturalis Villiers, 1980:93
atrovittatus (Fisher, 1925:9)
biustus biustus (LeConte, 1852:169)
 minuens Hamilton in Leng & Hamilton, 1896:121
 scurra var. *dorsalis* Fisher, 1926:21
- Guadeloupe, Dominica, Marie-Galante
Cuba, R Dominicana
e USA, Cuba

<i>pusillus</i> Blatchley, 1925:167	
<i>bahamicus</i> ; Champlain & Knull, 1926:206 (not Fisher, 1925)	
subsp. bahamicus (Fisher, 1925:3)	Bahamas
subsp. fisheri Gilmour, 1965:577	Cuba
<i>biustus</i> var. <i>cubanus</i> Fisher, 1926:22	
brunneofasciatus (Fisher, 1935:205)	Jamaica
caymanensis (Fisher, 1948:228)	Cayman Is.
cubanus (Fisher, 1926:26)	Cuba
darlingtoni (Fisher, 1942:31)	Jamaica
divisus Gilmour, 1963:70	R Dominicana
dozieri (Fisher, 1932:86)	Haiti
inermis (Fabricius, 1801:293)	W Indies (Leeward Is.)
<i>breddeni</i> Chemsak, 1966:217	
<i>hebes</i> Gilmour, 1963:98	
infuscatus (Fisher, 1932:84)	Hispaniola
laticollis (Fisher, 1925:12)	R Dominicana, Bahamas
lewisi (Fisher, 1948:227)	Cayman Is.
maraicola (Fisher, 1942:35)	Haiti
nigrofasciatus Gilmour, 1963:67	R Dominicana
nigronotatus (Zayas, 1975:261)	Cuba
pilosellus (Fisher, 1942:34)	Bahamas
planicollis (Fisher, 1935:203)	Jamaica
posticalis posticalis (Gahan, 1895:133)	W Indies (Lesser Antilles)
subsp. bonfilsii Villiers, 1980:93	Guadeloupe
puertoricensis (Fisher, 1935:56)	Puerto Rico
rhizophorae Chemsak & Feller, 1988:185	Belize (Twin Cays)
scurra (Chevrolat, 1862:249)	Cuba
var. <i>maculifer</i> (Fisher, 1926:21)	
thompsoni (Fisher, 1948:226)	Cayman Is
vanduzeei (Fisher, 1935:204)	Jamaica
variabilis (Fisher, 1925:11)	Cuba, R Dominicana
zorrillai (Zayas, 1975:259)	Cuba

Sympagus Bates, 1881:172

buckleyi (Bates, 1885:416)	Bolivia
favorabilis Tippmann, 1960:195	Peru, Bolivia, Fr Guiana
laetabilis (Bates, 1872:217)	Guatemala-Panama

Tenthras Thomson, 1864:224

obliteratus Thomson, 1864:225	Venezuela, Fr Guiana, nc Brasil
setosus Monné & Tavakilian, 1990:184	Fr Guiana

Tithonus Thomson, 1864:24

<i>Leptocometes</i> Bates, 1881:161	
<i>Lophopoedes</i> Gilmour, 1957:11	
<i>Lathrozineus</i> Gilmour, 1959:23	
acutispinis (Bates, 1863:277)	Mexico, Panama-c Brasil (AM),
<i>volcanensis</i> Gilmour, 1959:24	Fr Guiana
barbiscapus (Bates, 1872:214)	Guatemala-Panama
hispidus (Bates, 1881:161)	e Mexico (VC)-El Salvador
nubilus (Melzer, 1934:231)	se Brasil (RJ, SP)
obscurus Monné, 1990:272	Colombia
pallidus (Melzer, 1934:231)	e Brasil (MG)
penicillatus Monné, 1990:271	Colombia, Ecuador
spinipennis (Bates, 1885:396)	Panama
spitzi (Melzer, 1934:232)	se Brasil (BA-SP), Fr Guiana
umbrosus Thomson, 1864:24	se Brasil (RJ-RS), Paraguay,
<i>glaucus</i> Melzer, 1934:229	Argentina
virescens (Melzer, 1931:64)	s Brasil (SP-RS), Uruguay
volxemi (Lameere, 1884:95)	se Brasil (RJ)
zikani (Martins & Monné, 1974:16)	se Brasil (MG, RJ)

Tomrogersia Fragoso, 1980:743

acanthofemorata Fragoso, 1980:744	Colombia
--	----------

Toronaeus Bates, 1864:13	
<i>Aemylus</i> Thomson, 1864:28	
<i>Neotoronaeus</i> Tippmann, 1953:350	
figuratus Bates, 1864:14	Guianas, n Brasil (PA)
<i>figuratus</i> Thomson, 1864:28	
incisus (Bates, 1864:155)	nw Brasil (AM), Fr Guiana
lautus Monné, 1990:680	Venezuela
magnificus (Tippmann, 1953:351)	nw Brasil (AM), Peru, Ecuador, Fr Guiana
perforator Bates, 1864:16	Fr Guiana, Peru, nc Brasil (AM, PA)
simillimus Monné, 1974:591	nw Brasil (AM), Ecuador, Fr Guiana
suavis Bates, 1864:15	Brasil (AM, ES), Peru, Ecuador, Fr Guiana
sumptuosus Lane, 1973:403	nw Brasil (AM), Fr Guiana
terebrans Bates, 1864:17	wc Brasil (AM, RO, MT), Ecuador
virens Bates, 1864:17	nc Brasil (AM, RO, PA), Fr Guiana, Ecuador
Trichalcidion Monné & Delfino, 1981:260	
penicillum Monné & Delfino, 1981:261	Venezuela
Trichalphus Bates, 1881:153	
pilosus Bates, 1881:153	Mexico, Guatemala
Trichastylopsis Dillon, 1956:148	
<i>Leptostylus</i> ; Horn, 1880:119 (part)	
albidus (LeConte, 1852:168)	sw USA
<i>setipes</i> Casey, 1891:48	
<i>falli</i> Linsley, 1934:182	
hoguei Chemsak & Linsley, 1979:141	Mexico (Socorro Is)
Trichillurges Gilmour, 1961:361	
bordoni Monné, 1990:274	Venezuela
brasiliensis (Melzer, 1935:197)	se Brasil (RJ-RS)
<i>fasciatus</i> Gilmour, 1961:362	
conspersus Monné, 1990:275	Venezuela
maculatus Martins & Monné, 1974:20	s Brasil (PR, SC)
meridanus Monné, 1990:275	Venezuela
olivaceus Monné, 1990:276	Venezuela
simplex Martins & Monné, 1974:21	se Brasil (MG-SC)
Trichocanonura Dillon, 1956:229	
linearis (Skinner, 1905:290)	sw USA (AZ), n Mexico
Trichonius Bates, 1864:52	
fasciatus Bates, 1864:53	n Brasil (PA)
picticollis Bates, 1864:53	nw Brasil (AM)
quadrivittatus Bates, 1864:53	nw Brasil (AM)
Trichonyssodryx Gilmour, 1957:31	
aureopilosus Monné, 1990:681	Venezuela
cinctus Delfino, 1981:257	Brasil (GO, SP)
maculatus Gilmour, 1957:32	se Brasil (MG-SC), n Argentina (MI)
melasmus Delfino, 1981:257	e Brasil (BA, MG)
Trichotithonus Monné, 1990:254	
albidus Monné, 1990:257	e Brasil (BA)
albosetosus Monné, 1990:258	Venezuela
conspectus Monné, 1990:254	e Brasil (ES, RJ)
curvatus (Bates, 1885:396)	e Mexico (VC)-Panama, se Brasil (RJ-SC)
<i>nitidus</i> Monné & Martins, 1976:83	
tavakiliani Monné, 1990:256	Fr Guiana
tenebrosus Monné, 1990:258	Bolivia
venezuelensis Monné, 1990:260	Venezuela
viridis Monné, 1990:256	Venezuela

- Tropanisopodus** Tippmann, 1960:184
andinus Tippmann, 1960:185
Bolivia
- Tropidozineus** Monné & Martins, 1976:66
amabilis Monné, 1991:130 e Brasil (ES)
argutulus Monné, 1988:120 Ecuador, c Brasil (AM), Fr Guiana
cinctulus Monné & Martins, 1976:69 se Brasil (ES-SP)
complanatus Monné, 1991:128 c Brasil (GO, MT)
fulveolus (Lameere, 1884:96) se Brasil (BA-RS)
prolixus Melzer, 1931:7
ignobilis (Bates, 1863:281) se Brasil (RJ-RS)
impensus Monné & Martins, 1976:71 Fr Guiana, nw Brasil (AM)
inexpectatus (Melzer, 1934:234) se Brasil (MG-SC)
pauper (Melzer, 1931:69) se Brasil (SP-RS), n Argentina (MI)
quadricristatus (Melzer, 1935:198) se Brasil (RJ-SC)
rotundicollis (Bates, 1863:281) se Brasil (BA-RS)
sincerus Monné, 1988:119 w Brasil (RO)
tersus (Melzer, 1931:5) se Brasil (RJ-SC)
tuberosus Monné, 1991:127 s Brasil (SC)
vicinus (Melzer, 1931:68) se Brasil (SP-RS), n Argentina (MI)
- Trypanidiellus** Monné & Delfino, 1980:321
decoratus Monné & Delfino, 1980:321 e Brasil (BA, ES)
- Trypanidius** Blanchard, 1843:209
Trypaniduis; Thomson, 1864:28
Trepanideus; Heyne & Taschenberg, 1907:243
albosignatus Melzer, 1932:226 e Brasil (BA-RJ)
andicola Blanchard, 1843:209 n SAmer-Bolivia
apicalis Aurivillius, 1921:53 Colombia, Bolivia
dimidiatus Thomson, 1860:8 se Brasil (ES-RS), Argentina
posticus Heyne & Taschenberg, 1907:243
insularis Fisher, 1925:8 Cuba
irroratus Monné & Delfino, 1980:320 Venezuela
isolatus Waterhouse, 1890:555 Brasil (Fernando Noronha I.)
maculatus Monné & Delfino, 1980:319 Venezuela, c Brasil, Paraguay
mexicanus Thomson, 1860:8 e Mexico (VC)-Panama
nocturnus Fisher, 1942:39 Puerto Rico
notatus (Fabricius, 1787:139) Guatemala-n SAmer
melancholicus Audinet-Serville, 1835:87
geminus Pascoe, 1859:29
proximus Melzer, 1931:9 Brasil, Paraguay, Argentina, Uruguay
rubripes Bates, 1872:219 Guatemala-Panama
spilmani spilmani Villiers, 1980:95 Dominica, Martinique, St Lucia
subsp. **liamaigae** Chalumeau, 1983:225 W Indies (St Kitts)
- Tuberastyochus** Gilmour, 1959:6
tenebrosus (Bates, 1881:183) Guatemala
- Urgleptes** Dillon, 1956:332
Leiopus; Lacordaire, 1872:775 (part)
Lepturges; Leng & Hamilton, 1896:127 (part)
Lepturges; Zayas, 1975:268 (not Bates, 1863)
abstersus (Bates, 1885:405) Belize
amoenulus (Bates, 1863:368) se Brasil (RJ)
amplicollis (Bates, 1885:406) Panama
bicoloratus Gilmour, 1960:16 Guatemala
bimaculatus Gilmour, 1960:14 Guatemala
bivittatus Gilmour, 1961:342 e Mexico (VC)
bruchi (Melzer, 1932:228) se Brasil (SP)
callizonus (Bates, 1885:403) Guatemala
cazieri Gilmour, 1961:344 c Mexico (SLP)

celtis (Schaeffer, 1905:168)	sw USA (TX)
chamaeropsis (Fisher, 1926:27)	Cuba
charillus (Bates, 1885:403)	Costa Rica, Panama
clarkei Chemsak, 1966:218	W Indies (Peter I, Antiqua)
clerulus (Bates, 1881:168)	Guatemala
cobbeni Gilmour, 1963:85	Lesser Antilles, Curaçao, Bonaire
debilis (Melzer, 1932:230)	se Brasil (SP)
decens (Melzer, 1932:232)	s Brasil (SC, RS)
delicatus (Bates, 1863:374)	nc Brasil (AM, PA)
deliciolus (Bates, 1863:375)	n Brasil (PA)
<i>deliciosa</i> ; Bruch, 1912:215	
dorcadioides (White, 1855:382)	c Brasil (AM, MT), Fr Guiana
dorotheae Gilmour, 1960:8	Guatemala
duffy Gilmour, 1961:339	e Mexico (VC)
euprepes (Bates, 1885:404)	sw Mexico (OA)
facetus (Say, 1826:271)	e NAmer
fasciatus (Bates, 1881:169)	Guatemala, Costa Rica
<i>elaineae</i> Gilmour, 1960:6	
foveatocollis (Hamilton in Leng & Hamilton, 1896:126)	se USA-TX
<i>minutus</i> Champlain & Knull, 1925:207	
<i>kissingeri</i> Dillon, 1956:337	
<i>knulli</i> Dillon, 1956:337	
franciscanus (Melzer, 1935:202)	se Brasil (MG-RS)
freudei Gilmour, 1959:8	Brasil
gahani Chalumeau, 1983:234	St Vincent
guadeloupensis (Fleutiaux & Sallé, 1889:472)	W Indies
haitiensis Gilmour, 1963:82	Haiti
histrionella (Bates, 1885:404)	Costa Rica, Panama
humilis (Bates, 1863:379)	se Brasil (RJ)
hummelincki Gilmour, 1968:171	W Indies (Aruba)
inops (Bates, 1863:376)	nw Brasil (AM)
kuscheli Linsley & Chemsak, 1966:245	Cocos Is
laticollis (Bates, 1881:169)	Guatemala-Panama
laxicollis Gilmour, 1960:3	Guatemala, Costa Rica
literatus (Bates, 1885:405)	e Mexico (VC)
litoralis Gilmour, 1962:23	Fr Guiana
maculatus Gilmour, 1962:24	e Brasil (BA)
mancus (Melzer, 1932:229)	se Brasil, Argentina, Uruguay
melzeri Gilmour, 1959:7	se Brasil (SP)
<i>humilis</i> ; Melzer, 1935:201 (not Bates, 1863)	
minutissimus (Bates, 1863:379)	n Brasil (PA)
miser (Bates, 1863:376)	se Brasil (RJ)
mixtus (Bates, 1881:170)	Mexico-Panama
<i>musculus</i> ; Bates, 1872:236 (not Bates, 1863)	
multinotatus (Bates, 1881:168)	Guatemala, Nicaragua
mundulus (Bates, 1885:407)	e Mexico (VC)
musculus (Bates, 1863:375)	nw Brasil (AM), Fr Guiana
nanus (Melzer, 1934:99)	se Brasil (SP)
nigradorsis (Bates, 1885:405)	Guatemala
obscurellus (Bates, 1863:378)	nw Brasil (AM)
ornatissimus (Bates, 1885:403)	Costa Rica, Panama
ovalis (Bates, 1866:433)	n Brasil (PA), Fr Guiana
ozophagus Chemsak & Feller, 1988:188	Belize (Twin Cays)
pallidulus (Bates, 1885:400)	Guatemala
pareuprepes Gilmour, 1960:1	Guatemala, Costa Rica
physoderus (Bates, 1885:405)	Guatemala-Panama
pluristrigosus (Bates, 1885:404)	Costa Rica, Panama
<i>pleuristrigosa</i> ; Gilmour, 1959:8	
prolixus (Melzer, 1931:69)	se Brasil (MG-RS)
puertoricensis Gilmour, 1963:88	Puerto Rico
puerulus (Melzer, 1932:233)	se Brasil (MG-SP)
pusillus (Melzer, 1932:231)	s Brasil (RJ-RS)
querci (Fitch, 1858:796)	e NAmer
<i>tristis</i> Casey, 1913:321	
recki (Melzer, 1934:236)	se Brasil (SP)
ruficollis (Bates, 1881:170)	Nicaragua, Costa Rica
sandersoni Gilmour, 1963:79	Puerto Rico
signatus (LeConte, 1852:171)	e NAmer

tenebrosus Casey, 1913:320
sinuosus Gilmour, 1960:12 Guatemala
sordidus (Bates, 1881:168) e Mexico (VC), Guatemala
spinifer (Bates, 1863:379) se Brasil (RJ)
trilineatus Gilmour, 1962:22 e Brasil (BA-RJ)
trivittatus (Bates, 1885:404) Costa Rica, Panama
tumidicollis (Bates, 1881:169) Guatemala-Panama
unilineatus (Bates, 1872:237) Nicaragua, Costa Rica
vauriearum Gilmour, 1960:10 Guatemala
villiersi Gilmour, 1962:21 e Brasil (MG)
xantho (Bates, 1885:406) Guatemala

Urographis Horn, 1880:128

Graphisurus LeConte, 1852:174 (not Kirby, 1837)
despectus (LeConte in Agassiz, 1850:234) e USA
pusillus; LeConte, 1852:175 (not Kirby, 1837)
hebes Casey, 1913:333
fasciatus (Degeer, 1775:114) e NAmer
pensylvanicus Gmelin, 1790:1863
mixta Fabricius, 1798:144
fasciata reducta Casey, 1913:333
triangulifer (Haldeman, 1847:45) e USA-TX
texana Casey, 1924:292

Valenus Casey, 1892:49

inornatus Casey, 1892:50 sw USA (AZ, NM, TX)-n Mexico

Xenocona Gilmour, 1960:89

pulchra Gilmour, 1960:89 Honduras

Xenostylus Bates, 1885:394

sublineatus Bates, 1885:395 Panama

Xylergates Bates, 1864:20

elaineae Gilmour, 1962:244 Peru, Ecuador, c Brasil, Guianas
hilaris Proudhomme, 1906:38
dorotheae Gilmour, 1962:279
lacteus Bates, 1864:20 n Samer, Ecuador, Guianas
picturatus Lane, 1957:19 Peru, wc Brasil (AM, RO), Ecuador

Xylergatina Gilmour, 1962:269

pulchra (Lane, 1957:10) Ecuador, Peru, c Brasil (AM, PA), Guianas
praetor Duffy, 1960:259

Xylergatoides Gilmour, 1962:281

asper (Bates, 1864:21) Brasil (GO, MT, PB-RS), Paraguay,
 Argentina

Elytracanthini

Lane 1955:281

Elytracantha Lane, 1955:281

propinqua Lane, 1959:251 e Brasil (MG)
pugionata Lane, 1955:281 e Brasil (PB-ES)

Cyrtinini

Thomson 1864:41

Acanthomerosternoplonini Tippmann, 1955:10

Cyrtinus LeConte, 1852:166*Myrmolamia* Bates, 1885:363

acunai Fisher, 1935:206
araguaensis Howden, 1973:595
beckeri Howden, 1960:175
bordoni Joly & Rosales, 1990:209
eugeniae Fisher, 1935:60
farri Howden, 1960:173
fauveli (Cameron, 1909:78)
granulifrons Howden, 1970:1313
hubbardi Fisher, 1926:38
humilis Zayas, 1975:284
jamaicensis Howden, 1970:1312
mockfordi Howden, 1959:373
mussoi Joly & Rosales, 1990:206
oakleyi Fisher, 1935:62
opacillius (Bates, 1885:364)
penicillatus (Bates, 1885:364)
pygmaeus (Haldeman, 1847:42)
querci Howden, 1973:596
sandersoni Howden, 1959:374
schwarzi Fisher, 1926:36
striatus Joly & Rosales, 1990:208
subopacus Fisher, 1935:61

Cuba
Venezuela
sw USA (TX)
Venezuela
Puerto Rico
Jamaica
Haiti
Jamaica
Montserrat, Guadeloupe, Martinique
Cuba
Jamaica
sc Mexico (PU)
Venezuela
Puerto Rico
Guatemala
Panama
e USA
c Mexico (QE)
Jamaica
Cuba
Venezuela
Puerto Rico

Decarthria Hope, 1834:16

albofasciata Gahan, 1895:137
stephensii Hope, 1834:16

W Indies (Grenada)
W Indies (St Vincent)

Omosarotes Pascoe, 1860:131*Acanthomerosternoplon* Tippmann, 1955:10*Cyrtinacantha* Zajciw, 1970:349

ater Julio & Monné, 2001: 104
singularis Pascoe, 1860:131
foxi (Lane, 1973:391)
nigripennis (Zajciw, 1970:346)
paradoxum (Tippmann, 1955:12)
mirabilis Zajciw, 1970:350

Ecuador
Costa Rica, Panama, n Brasil (PA)
Brasil
e Brasil (ES)
Panama, Peru

Sciocyrtinus Fisher, 1935:207**elongatus** Fisher, 1935:208

Jamaica

Scopadus Pascoe, 1857:100**ciliatus** Pascoe, 1857:100

nw Brasil (AM)

Colobotheini

Thomson, 1860:18

Apechthes Thomson, 1860:362

championi Bates, 1881:191
mexicanus Thomson, 1860:363

Guatemala
se Mexico (OA, VC), Guatemala

Calliphenges Waterhouse, 1880:296**cuprascens** Waterhouse, 1880:296

Ecuador, Peru

Carneades Bates, 1869:387

bicincta Gahan, 1889:393
championi Bates, 1885:420
delicia Bates, 1869:387
glaucothea Bates, 1872:227
subcrucigera Zajciw, 1961:389
grandis (Thomson, 1860:21)
hemileuca Bates, 1881:190

Guadeloupe
Panama
Nicaragua
Ecuador, nw Brasil (AM), Peru
e Mexico (VC), Belize, Honduras
Costa Rica, Panama

nigrosignata Aurivillius, 1926:515
nodicornis Bates, 1881:277
huamboya Kirsch, 1889:40
personata Bates, 1881:277
princeps Bates, 1872:238
quadrinodosa Aurivillius, 1902:224
reticulata Bates, 1881:277
superba Bates, 1869:387
vittata Gahan, 1889:391
crucigera Aurivillius, 1902:210
crucigera var. *amazonica* Aurivillius, 1902:211

Bolivia
Ecuador
Colombia
Nicaragua-Panama
Colombia
Colombia
Nicaragua-Panama
Ecuador, nw Brasil (AM), Peru

Carterica Pascoe, 1858:263

buquetii Thomson, 1860:20
cincticornis Bates, 1865:214
mima Belon, 1903:68
mimi; Gilmour, 1965:631
mucronata (Olivier, 1795:30)
tenuicornis Fabricius, 1801:328
cinctipennis Pascoe, 1858:263
colobothoides Thomson, 1860:20
optata Pascoe, 1866:284
pygmaea Bates, 1881:186
soror Belon, 1896:253
tricuspis Belon, 1903:70
bicuspis; Aurivillius, 1923:457

Brasil
nw Brasil (AM)
Bolivia
Fr Guiana, nc Brasil (AM), Peru
Guatemala-Colombia
Nicaragua-Costa Rica
Bolivia
Bolivia

Cathexis Thomson, 1860:18

grallatrix (Bates, 1865:391)
longimana (Pascoe, 1859:52)
serrimana Thomson, 1864:29
vitticollis Zajciw, 1967:322

nw Brasil (AM), Ecuador
se Brasil (MG-RJ)
e Brasil (ES)

Colobothea Lepeletier & Audinet-Serville in Latreille, 1825:336

albobimaculata Zajciw, 1961:385
aleata Bates, 1885:420
amoena Gahan, 1889:390
andina Monné, 1993:475
appendiculata Aurivillius, 1902:222
assimilis Aurivillius, 1902:212
bicuspidata (Latreille, 1811:56)
octolineata Bates, 1865:105
biguttata Bates, 1865:219
brasiliensis Fuchs, 1961:9
binoculata; Zajciw, 1967:118 (not Bates, 1865)
bilineata Bates, 1865:107
bisignata Bates, 1865:389
bitincta Bates, 1872:226
brullei Gahan, 1889:389
numida Aurivillius, 1902:214
carneola Bates, 1865:393
cassandra (Dalman, 1823:70)
leucospila Germar, 1824:487
centralis Monné, 1993:478
chemsaki Giesbert, 1979:422
chontalensis Bates, 1872:225
cincticornis (Schaller, 1783:290)
colombiana Monné, 1993:479
crassa Bates, 1865:103
decemmaculata Bates, 1865:217
declivis Aurivillius, 1902:209
destituta Bates, 1865:383
discicollis Gahan, 1889:391
dispersa Bates, 1872:226
distincta Pascoe, 1866:284
elongata Gahan, 1889:388

e Brasil (ES)
se Mexico (VC)-Venezuela
e Brasil (BA, ES)
Peru
Bolivia, Fr Guiana
Colombia
Colombia, Ecuador, Fr Guiana, Peru, Bolivia,
nc Brasil (AM)
se Brasil (ES-RS), Ecuador
nw Brasil (AM)
Guianas, nw Brasil (AM), Peru, Ecuador
Nicaragua-Colombia
c Brasil (AM, GO, MT), Bolivia, Peru, Ecuador,
Paraguay
Fr Guiana, n Brasil (PA)
se Brasil (BA-RS)
c Brasil (GO)
sw Mexico (OA)-Costa Rica
Nicaragua-Panama
?
Colombia
nc Brasil (AM, PA), Peru
nc Brasil (AM, PA), Fr Guiana
Bolivia
n Brasil (PA)
se Brasil (BA-SP)
Nicaragua-Colombia
Mexico-Colombia
Fr Guiana, n Brasil (AP, AM)

emarginata (Olivier, 1795:48)	se Brasil (BA-RS)
erythrophthalma (Voet, 1806:27)	?
eximia Aurivillius, 1902:213	Colombia, Fr Guiana, Brasil (AP, AM)
fasciata Bates, 1865:108	se Brasil, Paraguay, Argentina
fasciatipennis Linsley, 1935:112	Panama
femorosa Erichson, 1847:149	Peru
fibrosa Erichson, 1847:149	Peru
flavimacula (Voet, 1806:27)	SAmer
<i>hieroglyphica</i> Schoenherr, 1817:421	
flavoguttata Aurivillius, 1902:218	e Brasil (BA, ES)
flavomaculata Bates, 1865:218	nw Brasil (AM)
forcipata Bates, 1865:394	nw Brasil (AM)
geminata Bates, 1865:106	Fr Guiana, n Brasil (PA)
grisescens Zajciw, 1962:287	e Brasil (ES)
guatemalena Bates, 1881:188	s Mexico (CHS, OA, VC)- Honduras
guttulata Aurivillius, 1902:216	nw Brasil (AM)
hebraica Bates, 1865:108	s Mexico (CHS, OA, QR)-Nicaragua
hirtipes (Degeer, 1775:116)	Guianas, nc Brasil (AM), Peru, Bolivia
<i>annulatus</i> Fabricius, 1775:180	
<i>hirtimana</i> Schoenherr, 1817:419	
<i>murina</i> Schoenherr, 1817:419	
<i>contaminata</i> Lepeletier & Audinet-Serville in Latreille, 1825:337	
<i>concreta</i> Bates, 1865:106	
hondurena Giesbert, 1979:436	Honduras
humerosa Bates, 1865:223	n Brasil (PA), Ecuador
juncea Bates, 1865:386	Fr Guiana, n Brasil (PA)
lateralis Bates, 1865:108	se Brasil (MG-RS)
leucophaea Bates, 1865:223	s Mexico (OA, VC)
lineatocollis Bates, 1865:103	Fr Guiana
lucaria Bates, 1865:102	nw Brasil (AM)
luctuosa Pascoe, 1859:53	c Brasil (PA, MT)
lunulata Lucas, 1859:190	nc Brasil (AM), Peru, Ecuador, Bolivia
<i>fryi</i> Pascoe, 1859:52	
macularis (Olivier, 1792:474)	Surinam, Fr Guiana, nc Brasil (AM), Peru
<i>velutina</i> Bates, 1865:216	
maculicollis Bates, 1865:217	Venezuela
meleagrina Erichson, 1847:149	Bolivia, Peru, Ecuador
<i>niveosparsa</i> Aurivillius, 1902:220	
mimetica Aurivillius, 1902:222	Colombia
mosaica Bates, 1865:384	Venezuela
musiva (Germar, 1824:488)	se Brasil, Paraguay, Argentina
naevia Bates, 1865:386	nw Brasil (AM), Ecuador
naevigera Bates, 1865:101	nw Brasil (AM), Peru
nigromaculata Zajciw, 1971:307	n Brasil (AP)
obconica Aurivillius, 1902:215	Fr Guiana
obtusa Bates, 1865:222	nw Brasil (AM)
obtusicarinata Zajciw, 1962:289	se Brasil (RJ)
olivencia Bates, 1865:392	nw Brasil (AM)
ordinata Bates, 1865:104	nw Brasil (AM)
osculatii Guérin-Méneville, 1855:600	Peru, Ecuador
<i>obsculatii</i> ; Gilmour, 1965:629	
parcens Bates, 1881:189	s Mexico (OA, VC), Belize, Guatemala
passerina Erichson in Schomburg, 1848:574	Guyana, Fr Guiana
paulina Bates, 1865:384	Peru, nc Brasil (AM, PA), Fr Guiana
peruviana Aurivillius, 1920:389	Peru
pictilis Bates, 1865:221	Fr Guiana, n Brasil (AP, PA)
picturata Monné, 1993:480	Venezuela
pimplaea Bates, 1865:382	Fr Guiana, nc Brasil (AM, PA), Peru
plagiata Aurivillius, 1902:212	Colombia
plebeja Aurivillius, 1902:219	Bolivia, Peru
pleuralis Casey, 1913:344	Costa Rica, Panama
poecila (Germar, 1824:488)	se Brasil, Paraguay, Argentina
propinqua Bates, 1865:385	nw Brasil (AM), Peru
pseudosubcincta Zajciw, 1961:387	s Brasil (PR, SC)
pulchella Bates, 1865:221	Fr Guiana, Venezuela, n Brasil (PA)
punctata Aurivillius, 1902:221	Colombia, Peru
pura Bates, 1865:392	n Brasil (PA)
ramosa Bates, 1872:225	s Mexico (CHS, ME, OA, YU)-Nicaragua

- regularis** Bates, 1881:188
rincona Giesbert, 1979:434
roppai Monné, 1993:476
rubroornata Zajciw, 1962:285
sahlbergi Aurivillius, 1902:220
schmidti Bates, 1865:225
scolopacea Erichson, 1847:149
securifera Bates, 1865:387
sejuncta Bates, 1865:387
seminalis Bates, 1865:383
septemmaculata Zajciw, 1971:143
seriatomaculata Zajciw, 1962:283
sexagglomerata Zajciw, 1962:281
sexmaculata Aurivillius, 1902:218
sexualis Casey, 1913:344
signatipennis Lameere, 1884:98
signativentris Gahan, 1889:387
simillima Aurivillius, 1902:210
sinaloensis Giesbert, 1979:423
socia Gahan, 1889:390
sordida Aurivillius, 1902:221
strigosa Bates, 1865:224
styligera Bates, 1865:391
subcincta Laporte, 1840:491
sublunulata Zajciw, 1962:245
subtessellata Bates, 1865:104
tristis (Voet, 1778:17)
unilineata Bates, 1872:225
varia (Fabricius, 1787:144)
 cayennensis Gmelin, 1790:1860
 lineola Bates, 1865:222
varica Bates, 1865:385
vidua Bates, 1865:224
viehmanni Monné & Martins, 1979:32
- e Mexico (SLP, VC)
 Costa Rica
 c Brasil (MT, GO)
 se Brasil, Paraguay
 se Brasil (ES-RJ)
 se Brasil (RJ-RS), Argentina
 Peru
 n Brasil (PA), Peru, Ecuador
 nw Brasil (AM), Peru, Ecuador
 n Brasil (PA)
 n Brasil (AP), Fr Guiana
 se Brasil, Paraguay, Argentina
 e Brasil (ES)
 e Brasil (BA)
 s Mexico (CHS)-Honduras
 se Brasil (ES-SP)
 e Brasil (BA-RJ)
 se Brasil, Paraguay, Argentina, Uruguay
 w Mexico (SI, NA, JA)
 e Brasil (BA-RJ)
 nw Brasil (AM), Peru
 se Brasil (ES-PR), Argentina
 nw Brasil (AM), Ecuador
 se Brasil (MG-SC)
 Bolivia
 n Brasil (PA)
 ?
 Nicaragua-Panama
 Panama, Venezuela, Fr Guiana
- Colobothina** Hovore, 1989:257
 perplexa Hovore, 1989:258
- Hilobothea** Monné & Martins, 1979:31
 caracensis Monné & Martins, 1979:32
 latevittata (Bates, 1865:390)
 var. *obydensis* Bates, 1865:390
- Priscilla** Thomson, 1864:30
 hypsiomoides Thomson, 1864:31
 dioptica Bates, 1865:220
- Sangaris** Dalman, 1823:71
 Songaris; Thomson, 1868:201
 Synchyzopus Thomson, 1864:29
 albida Monné, 1993:469
 cancellata (Bates, 1881:275)
 concinna Dalman, 1823:71
 histrion Perty, 1832:97
 condei Melzer, 1931:76
 duplex (Bates, 1881:276)
 geometrica (Bates, 1872:224)
 giesberti Hovore, 1998: 66
 inornata Monné, 1993:470
 invida Melzer, 1932:234
 laeta (Bates, 1881:275)
 lezamai Hovore, 1998: 67
 multimaculata Hovore, 1998: 70
 octomaculata Aurivillius, 1902:223
 penrosei Hovore, 1998: 68
 polystigma (Bates, 1881:276)
- e Brasil (BA)
 Bolivia
 e Brasil (BA-SP)

 e Brasil (ES)
 se Brasil, Paraguay, Argentina
 Nicaragua, Costa Rica
 MX - Costa Rica
 nw Brasil (AM)
 se Brasil (RJ)
 Ecuador
 Costa Rica
 Costa Rica
 e Brasil (BA-SP)
 Panama
 Guatemala-Colombia
- nw Brasil (AM)
 e Mexico (VC), Guatemala
 c Brasil (PA, RO, MT)
- Costa Rica, Panama
- e Brasil (MG, ES)
 Guianas, nc Brasil (AM), Ecuador
- Nicaragua-n SAmer

seabrai Zajciw, 1962:115
sexmaculata Monné, 1993:472
trifasciata Melzer, 1928:155
viridipennis Melzer, 1931:76
zikani Melzer, 1931:75

se Brasil (RJ)
 Peru
 se Brasil (MG, PR, SC)
 se Brasil (RJ-SC)
 se Brasil (MG, SP)

Sparna Thomson, 1864:30
bosqi Gilmour, 1954:79
colombiana Gilmour, 1950:552
lycoides Thomson, 1864:30
macilenta Pascoe, 1888:508
 ab. *apicemaculata* Gilmour, 1954:85
migsominea Gilmour, 1950:550
nigrolineata Fuchs, 1956:574
pallida Gilmour, 1950:553
platyptera Bates, 1881:276

Bolivia, Peru
 Colombia
 Bolivia
 Colombia, Ecuador

Colombia
 Colombia
 Ecuador
 se Brasil (MG-PR)

Sympleurotis Bates, 1881:185
armatus Gahan, 1892:266
rudis Bates, 1881:185

sw Mexico (OA)-Panama
 Mexico, Guatemala

Saperdini

Mulsant, 1839:181

Saperda Fabricius, 1775:184
Anaerea Mulsant, 1839:184
Compsidia Mulsant, 1839:185
Amilia Mulsant, 1863:376
Argalia Mulsant, 1863:381
calcarata Say, 1824:408
 adpersa LeConte 1850:234
candida Fabricius, 1787:147
 bivittata Say, 1824:409
 bipunctata Hopping, 1925:208
cretata Newman, 1838:395
discoidea Fabricius, 1798:147
 fuscipes Say, 1827:273
 fuscipes var. *dorsalis* Haldeman, 1847:56
fayi Bland, 1863:320
 m. *imaculipennis* Breuning, 1952:167
 shoemakeri Davis, 1923:97
horni Joutel, 1902:33
 uteana Casey, 1924:294
imitans Felt & Joutel, 1904:58
inornata Say, 1824:107
 concolor LeConte, 1852:163
 concolor var. *unicolor* Felt & Joutel, 1904:16
 mecasoides Casey, 1913:359
lateralis Fabricius, 1775:185
 abbreviatus Fitch, 1858:61
 suturalis Fitch, 1858:61
 var. *connecta* Felt & Joutel, 1904:60
 var. *disconotata* Pic, 1907:152
 m. *transeuns* Breuning, 1952:165
mutica Say, 1824:409
obliqua Say, 1826:274
populnea populnea (Linnaeus, 1758:394)
 subsp. **moesta** LeConte, 1850:234
 subsp. **tulari** Felt & Joutel, 1904:70
puncticollis Say, 1824:406
 trigeminata Randall, 1838:43
tridentata Olivier, 1795:30
 var. *dubiosa* Haldeman, 1847:55
 intermedia Fitch, 1858:60
 rubronotata Fitch, 1858:60
 trifasciata Casey, 1913:359

NAmer

e NAmer

e NAmer

e NAmer

ne NAmer

Pac Cst NAmer

ne NAmer

e NAmer-ID, AZ

e NAmer-TX, ND

e NAme

e NAmer

Europe, Asia

e NAmer

w NAmer

e NAmer

e NAmer-TX

var. *disconotata* Pic, 1907:152
vestita Say, 1824:290 e NAmer
atkinsoni Curtis, 1829: pl.275
immaculata Breuning, 1976:740

Phytoeciini

Pascoe, 1864:8
Obereitae Thomson, 1864:119

Mecas (Mecas) LeConte, 1852:155

Stenostola; LeConte, 1852:154 (not Mulsant, 1839)
 ? **albovitticollis** Breuning, 1955:146 Mexico
ambigena Bates, 1881:203 Mexico (DU-ME)
 pseudambigena Breuning, 1955:147
bicallosa Martin, 1924:244 w NAmer-CO, Baja Calif
cana cana (Newman, 1840:12) se USA (FL)
 subsp. **saturnina** (LeConte, 1859:21) sc USA-TX, Mexico
 inornata; Packard, 1871:594 (not Say, 1824)
 brevicollis Casey, 1913:362
 concolor; Kirk & Balsbaugh, 1975:100
cineracea Casey, 1913:360 se USA-AZ, CO, ne Mexico
 bicallosa; Breuning, 1955:140 (not Martin, 1924)
cinerea (Newman, 1840:13) Mexico (SLP, PU, MO, NA, HI, ME)
 senescens Bates, 1881:203
 rubripes Bates, 1881:203
 inornata; Gahan, 1888:300 (not Say, 1824)
 rubripes m. *callosoreducta* Breuning, 1955:143
cirrosa Chemsak & Linsley, 1973:171 c Mexico (GU, QE)
confusa Chemsak & Linsley, 1973:163 sc USA (KS-TX)
 inornata; Townsend, 1884:222 (not Say, 1824)
femoralis (Haldeman, 1847:59) se USA
humeralis Chemsak & Linsley, 1973:172 w Mexico (JA)
linsleyi Knull, 1974:130 sw USA (TX)
marginella LeConte, 1873:239 se USA-NM
marmorata Gahan, 1892:268 Mexico (PU, SI, GR)
menthae Chemsak & Linsley, 1973:174 sw USA (AZ)-w Mexico (SI, NA, JA, MI, DF)
 marginella; Linsley, Knull & Statham, 1961:32 (not LeConte, 1873)
obereoides Bates, 1881:204 Mexico (widely distributed)-Honduras
 laminata Bates, 1881:204
 m. *rufobasalis* Breuning, 1955:150
 m. *discopunctata* Breuning, 1955:150
 m. *discoimpunctata* Breuning, 1955:150
pergrata (Say, 1824:407) sc-se USA-NM, ne Mexico
 gentilis LeConte, 1852:154
 discovittata Breuning, 1955:143
 m. *semiruficollis* Breuning, 1955:145

Mecas (Dylobolus) Thomson, 1868:195

rotundicollis Thomson, 1868:196 sw USA, Mexico (widely distributed)-
 ruficollis Horn, 1878:44 Costa Rica
 laticeps Bates, 1881:204
 mexicana Bates, 1881:204
 vitticollis Casey, 1913:363
 bivitticollis Breuning, 1955:148
 m. *mediomaculata* Breuning, 1955:149
 m. *suturaflava* Breuning, 1955:151
 m. *mediopunctata* Breuning, 1955:151

Mecas (Pannychis) Thomson, 1864:127

sericeus (Thomson, 1864:127) Mexico (CHA, JA, GR, MI, PU, VC)
 ducalis Bates, 1881:205

Oberea Mulsant, 1839:194

Isosceles Newman, 1842:318
Amaurostoma Mueller, 1906:223

affinis Leng & Hamilton, 1896:155 e NAmer
caseyi Plavilstshikov, 1926:64 e NAmer
ferruginea Casey, 1913:366
canadensis Fisher, 1946:56
quadricalloso; Linsley & Chemsak, 1995:226 (not LeConte, 1874)
schaumi; Linsley & Chemsak, 1995:229 (part) (not LeConte, 1852)
myops; Linsley & Chemsak, 1995:244 (not Haldeman, 1847)
deficiens Casey, 1924:296 ne NAmer
tripunctata; Linsley & Chemsak, 1995:242 (not Swederus, 1787)
delongi Knull, 1928:12 ne USA
m. anteruficollis Breuning, 1962:224
flavipes Haldeman, 1847:57 ne NAmer-Manitoba
gracilis (Fabricius, 1801:324) Atl Cst NAmer
myops Haldeman, 1847:57 e NAmer (Manitoba, Ont-GA)
ocellata Haldeman, 1847:56 e USA-TX, ND
var. *discoidea* Horn, 1878:47
plagiata Casey, 1913:371
oculaticollis Say, 1824:406 c NAmer (Manitoba-TX)
brooksi Wallis, 1926:94
pallida Casey, 1913:366 ne NAmer
praelonga; Linsley & Chemsak, 1995:246 (not Casey, 1913)
perspicillata Haldeman, 1847:57 e NAmer-UT, TX
bimaculata; Horn, 1878:46 (not Olivier, 1795)
var. *tripunctata*; Horn, 1878:46
bipunctata Creutzer, 1896: pl.16
basalis LeConte, 1852:153
texana Horn, 1878:47
montana Casey, 1913:369
filum Casey, 1913:369
delicatula Casey, 1913:368
exilis Casey, 1913:368
iowensis Casey, 1913:370
insignis Casey, 1913:370
m. insignior Breuning, 1962:231
umbra Casey, 1913:370
dolosa Casey, 1913:368
flavocephala Blatchley, 1922:32
m. submandarina Breuning, 1962:229
m. basicollis Breuning, 1962:230
m. bicallosicollis Breuning, 1962:232
praelonga Casey, 1913:367 ne NAmer
tripunctata; Dillon & Dillon, 1961:654 (not Swederus, 1787)
pruinosa Casey, 1913:365 ne NAmer
quadricalloso cylindricollis Casey, 1924:295
schaumi; Linsley & Chemsak, 1995:229 (part) (not LeConte, 1852)
quadricalloso LeConte, 1874:68 w NAmer-CO, NE
schaumii; Garnett, 1918:284 (not LeConte, 1852)
m. infrarufa Breuning, 1962:223
ruficollis (Fabricius, 1792:311) e USA
plumbea Olivier, 1795:21
bicolor Megerle, 1804:11
tibialis Haldeman, 1847:57
rufolineata Breuning, 1962:227
schaumii LeConte, 1852:153 e NAmer-TX, Alberta
wapleri Chevrolat, 1853:420
m. subcylindricollis Breuning, 1962:223
m. vittipennis Breuning, 1962:224
tripunctata (Swederus, 1787:197) e NAmer-Manitoba, TX
mandarina Fabricius, 1801:321
amabilis Haldeman, 1847:57
tripunctata intermedia Casey, 1913:367
tripunctata appalachiana Casey, 1913:367
m. subexilis Breuning, 1962:228
m. subdeficiens Breuning, 1962:229
ulmicola Chittenden, 1904:4 ne NAmer
ocellata; Linsley & Chemsak, 1995:233 (not Haldeman, 1847)

Pannychella Gilmour, 1962:137
callicera (Bates, 1881:206)

Mexico

Pannychina Gilmour, 1962:138
atripennis (Bates, 1885:427)

ec Mexico (HI)

Pseudolinda Breuning, 1954:562
quinquepunctata (Bates, 1881:202)

s Mexico (OA, TL, CHS)

Tetraopini

Thomson, 1860:66

Mecasoma Chemsak & Linsley, 1974:183
validicornis (Bates, 1885:426)

sw Mexico (JA, OA)

Phaea Newman, 1840:13

Oberopa Haldeman, 1847:373

Lamprocleptes Thomson, 1857:64

acromela Pascoe, 1858:256

e Mexico (VC)

andrewsi Chemsak, 1999: 45

Ecuador

astatheoides Pascoe, 1866:289

Colombia

var. *apicalis* Aurivillius, 1923:478

beierli Chemsak, 1999: 46

Honduras

biplagiata Chemsak, 1977:270

Mexico (widely distributed), Guatemala

brevicornis Chemsak, 1999: 47

Venezuela, Colombia

bryani Chemsak, 1999: 48

Mexico (CH - JA)

canescens (LeConte, 1852:157)

wc USA (KS, CO, NM)

carnelia Chemsak & Linsley, 1988:137

w Mexico (JA)

coccinea Bates, 1866:367

n Brasil (PA)

copei Chemsak, 1999: 51

Costa Rica

crocata Pascoe, 1866:288

Panama, Colombia

elegantula Melzer, 1933:381

Costa Rica

erinae Chemsak, 1999: 53

Mexico (VC)

eyai Chemsak, 1999: 53

Mexico (JA)

flavovittata Bates, 1881:197

e Mexico (VC)-Costa Rica

giesberti Chemsak, 1999: 55

Guatemala to Panama

haleya Chemsak, 1999: 56

Mexico (CH)

hatsueae Chemsak, 1999: 57

Costa Rica

högei Bates, 1881:198

sw Mexico (JA, OA)

var. *latifrons* Chemsak, 1977:271

hovorei Chemsak, 1999: 58

Costa Rica, Panama

howdenorum Chemsak, 1999: 59

Panama

janzeni Chemsak, 1999: 60

Costa Rica, Panama

johni Chemsak, 1999: 61

Panama

juanitae Chemsak & Linsley, 1988:138

w Mexico (JA, GR)

kaitlinae Chemsak, 1999: 62

Mexico (SI)

kellyae Chemsak, 1999: 63

Mexico (OA, CH), Guatemala - Costa Rica

lateralis Bates, 1881:196

ec Mexico (MO, VC)-Costa Rica

lauriae Chemsak, 1999: 65

Mexico (GU)

lawi Chemsak, 1999: 65

Costa Rica, Panama

linsleyi Chemsak, 1999: 66

Mexico (VC)

maccartyi Chemsak, 1999: 67

Mexico (JA, GU, CH)

mariae Chemsak, 1999: 68

Guatemala

marthae Chemsak, 1977:271

w Mexico (SI)

maryannae Chemsak, 1977:272

Mexico (SI, MO, JA, GR)

maxima Bates, 1881:199

w Mexico (JA)

miniata Pascoe, 1858:256

s Mexico (CHS)-Venezuela

var. *lineola* Bates, 1872:228

mirabilis Bates, 1874:232

w Mexico (JA)-Costa Rica

monostigma (Haldeman, 1847:57)

e USA

var. *jucunda* LeConte, 1862:40

var. *expurgata* Casey, 1913:386

nigripennis Bates, 1881:196

Guatemala

nigromaculata Bates, 1881:199

se Mexico (YU)

noguerai Chemsak, 1999: 74
phthisica Bates, 1881:197
auricapilla Bates, 1885:425
vittulata Melzer, 1934:240
macilenta Bates, 1881:197
rosea Bates, 1885:425
rubella Bates, 1881:198
nevermanni Melzer, 1932:236
rufiventris Bates, 1872:228
saperda Newman, 1840:14
entomologorum Thomson, 1857:65
scuticollis Bates, 1872:227
schildi Melzer, 1934:240
semirufa Bates, 1872:228
scapularis Bates, 1881:198
sharonae Chemsak, 1999: 81
sherylae Chemsak, 1999: 81
signaticornis Melzer, 1932:235
tenuata Bates, 1872:228
unicolor Gahan, 1892:267
tricolor Bates, 1881:199
turnbowi Chemsak, 1999: 84
vitticollis Bates, 1872:228
wappesi Chemsak, 1999: 86

Mexico (OA, CH)
 sc Mexico (ME)-Costa Rica, Panama

 Costa Rica, Panama
 Mexico - Costa Rica

 Mexico (Si - CH)
 Mexico (SLP, OA, VC), Guatemala, Belize

 Nicaragua, Costa Rica, Panama

 s Mexico (CHS, GR, MO, OA, VC), Guatemala

 Mexico (CH)
 Costa Rica
 Costa Rica
 s Mexico (MO, GU, OA)

 ne Mexico (TA, SLP), Guatemala
 Panama
 sc Mexico (MO)
 Mexico (CH)

Tetraopes Dalman in Schoenherr, 1817:401

annulatus LeConte, 1847:93
canescens LeConte, 1852:158
vestitus Casey, 1913:378
canescens fontinalis Casey, 1913:378
uteanus Casey, 1913:378
basalis LeConte, 1852:158
mancus LeConte, 1859:81
omissus Casey, 1913:377
coccineus Casey, 1913:382
obsoletus Casey, 1913:382
junctus Casey, 1913:380
latior Casey, 1924:296
batesi Chemsak, 1963:28
cleroides Thomson, 1860:66
comes Bates, 1881:200
discoideus LeConte, 1858:26
rubrocinerus Thomson, 1860:67
nanulus Casey, 1913:376
nigricollis Casey, 1913:376
elegans Horn, 1894:404
femoratus LeConte, 1847:93
oregonensis LeConte, 1854:19
collaris Horn, 1878:49
nigripes Casey, 1913:377
vegasensis Casey, 1913:380
velutinus Casey, 1913:380
robustus Casey, 1913:381
brevisetosus Casey, 1913:381
punctipennis Casey, 1913:383
atrisetosus Casey, 1913:383
femoratus amnicola Casey, 1913:384
femoratus monticola Casey, 1913:384
spissicornis Casey, 1913:384
ruber Casey, 1913:384
fortis Casey 1913:384
caseyi Aurivillius, 1923:575
ineditus Chemsak & Giesbert, 1986:38
linsleyi Chemsak, 1963:31
mandibularis Chemsak, 1963:47
mankinsi Chemsak & Linsley, 1979:272
melanurus Schoenherr, 1817:401

Canada (Alberta)-sw USA (TX, AZ)

 w USA (CA, OR)

 sw Mexico (OA)
 w Mexico (JA-OA)
 s Mexico (CHS, OA)-Costa Rica
 sw USA (CO, TX, AZ), Mexico (widely distributed)-Honduras

 Baja Calif
 ec USA (OH)-w NAmer, n Mexico (widely distributed)

 w Mexico (JA, CHS, CM)
 sw USA (TX, AZ, NM)
 sw USA (OK, TX)
 Guatemala-Honduras
 e USA

canteriator Drapiez, 1819:47
arator Germar, 1824:486
tornator; Stephens, 1829:413 (not Fabricius, 1775)
paracomes Chemsak, 1963:26
pilosus Chemsak, 1963:40
quinquemaculatus Haldeman, 1847:53
quadrimaculatus; Leng & Hamilton, 1896:160
subfasciatus Bates, 1881:201
var. *nigripes* Bates, 1881:201
sublaevis Casey, 1913:382
sandix Casey, 1914:370
tetrophthalmus (Forster, 1771:41)
tetraophthalmus; Provancher, 1877:637
tornator Fabricius, 1775:176
fornator; Fabricius, 1787:141
tredecimpunctatus Drapiez, 1820:121
tetrophthalmus iowensis Casey, 1913:386
humeralis Casey, 1913:379
texanus Horn, 1878:49
thermophilus Chevrolat, 1861:190
thoreyi Bates, 1881:201
umbonatus LeConte, 1852:156
varicornis Laporte, 1840:487
cordifer Imhoff, 1856:177
undecimpunctatus Thomson, 1857:61

Guatemala-Costa Rica
wc USA (NB, CO, OK, TX)
e NAmer-sw USA (TX)
sc Mexico (GR, ME, MO, NA, OA, PU)
sw USA (CA, AZ)
e NAmer
sw USA (OK, TX), n Mexico
sw USA (TX), s Mexico (OA, VC)-Nicaragua
sw Mexico (GR, OA, VC)
Mexico (NA-VC)-Nicaragua
c Mexico (MI-VC)

Tetrops Stephens 1831: 228

praeusta (Linnaeus, 1758: 641)

Europe, No. Africa (introduced, established in eUS)

Hemilophini

Thomson 1868:189

Amphionychini Thomson 1860:63

Itesini Lepesme, 1943:137

Abycendaua Martins & Galileo, 1992:127

duplicata (Bates, 1881:294)

Colombia

Abanycha Martins & Galileo, 1997: 54

bicolor (Gahan, 1889:397)

pulchricollis (Bates, 1885:431)

sericipennis (Bates, 1885:430)

urocosmia (Bates, 1881:204)

Ecuador
Guatemala
Costa Rica, Panama
Colombia

Acabanga Martins & Galileo, 1991:555

nigrohumeralis (Tippmann 1960:203)

palliata ab. *nigrohumeralis* Tippmann, 1960:203

pinima Martins & Galileo, 1991:555

se Brasil (RJ, SP, MG)
se Brasil (RJ)

Acaiatuca Martins & Galileo, 1992:591

denudata Galileo & Martins, 2001: 247

quadricostata (Tippmann, 1953:355)

Brasil (GO)
se Brasil (SP, SC)

Acasanga Martins & Galileo, 1991:613

delectabilis (Waterhouse, 1880:302)

dimidiosanguinea (Fuchs, 1963:11)

humeralis (Waterhouse, 1880:301)

reticulata (Waterhouse, 1880:300)

Colombia, Peru
Colombia
Ecuador
Ecuador

Adesmiella Lane, 1959:261

cordipicta Lane, 1959:261

s Brasil (SC)

Adesmoides Zajciw, 1967:324*Colatina* Lane, 1972:377**flava** Zajciw, 1967:324*borgmeieri* Lane, 1972:377

se Brasil (ES, RJ)

Adesmus Lepeletier & Audinet-Serville in Latreille, 1825:335*Amphyonycha* Dejean, 1835:352*Eudesmus*; Voigt, 1839:311*Amphyonica*; Thomson, 1857:311*Amphionycha*; Thomson, 1860:64*Somateucharis* Lane, 1976:451**acanga** Galileo & Martins, 1999: 84

seBrasil (MG,ES)

albiventris (Bates, 1881:197)

Venezuela

bisellatus (Bates, 1881:200)

Ecuador

borgmeieri (Lane, 1976:452)

c Brasil (MT)

brunneiceps (Aurivillius, 1920:399)

se Brasil (RJ)

cretaceus Lane, 1965:315**brunneus** Aurivillius, 1923:478

Colombia

charis (Bates, 1881:197)

Bolivia, Ecuador

chionides (Bates, 1885:430)

Panama

chionidis; Aurivillius, 1923:589**clathratus** (Gistel, 1848:624)

Brasil

flavipes Lucas, 1857:192*clathratella* Strand, 1917:90**collaris** Melzer, 1931:79

se Brasil (ES, RJ, SP)

colligatus (Redtenbacher, 1867:187)

se Brasil, Paraguay, Argentina

diana (Thomson, 1860:65)

Fr Guiana, nw Brasil (AM), Colombia

dignus Melzer, 1931:78

se Brasil (MG-SP)

divus (Chabrillac, 1857:200)

se Brasil, Paraguay, Argentina

procerus Gahan, 1889:399**fulvicornis** (Bates, 1881:203)

se Brasil (RJ)

griseus (Aurivillius, 1900:419)

Venezuela

hemispilus (Germar, 1821:169)

se Brasil (MG-RS), Paraguay,

luctuosa Audinet-Serville, 1835:46

Argentina

juninensis Galileo & Martins, 1999: 89

Peru

laetus (Bates, 1881:198)

Venezuela, Colombia, Peru

var. *estriatus* Plavilstshikov, 1927:103**leucodryas** (Bates, 1881:198)

Colombia

meinerti (Aurivillius, 1900:419)

Venezuela

nevisi (Gounelle, 1909:83)

e Brasil (MG)

nigriventris (Fleutiaux & Sallé, 1889:472)

Guadeloupe

nigrocinctus (Gahan, 1889:397)

Brasil

niveiceps (Aurivillius, 1900:419)

Venezuela

phoebinus (Aurivillius, 1900:418)

Venezuela

pirauna Galileo & Martins, 1999: 113

Colombia

pluricostatus (Bates, 1881:217)

Guatemala

postilenatus (Bates, 1881:201)

se Brasil (ES, RJ)

pulchellus Galileo & Martins, 1999: 97

Argentina (SA)

pysasu Galileo & Martins, 1999: 92

Ecuador

quadricinctus Galileo & Martins, 1999: 90

Brasil (GO)

sannio Melzer, 1931:77

se Brasil (SP-SC)

var. *curitybanus* Lane, 1938:633**seabrai** Lane, 1959:258

e Brasil (ES)

sexguttatus (Lucas, 1857:192)

se Brasil (RJ-RS)

sexlineatus (Bates, 1881:199)

se Brasil (ES-RS), n Argentina (MI)

stephanus (Aurivillius, 1900:420)

Venezuela

temporalis (Aurivillius, 1908:11)

Bolivia

tribalteatus (Bates, 1881:198)

Peru

turrialba Galileo & Martins, 1999: 94

Costa Rica, Panama

urubu Galileo & Martins, 1999: 84

Brasil (PA,AM)

ventralis (Gahan, 1894:119)

Costa Rica

verticalis (Germar, 1824:492)

se Brasil (RJ-RS), Paraguay, Argentina

nigriceps Laporte, 1840:489**vilhena** Galileo & Martins, 1999: 95

Brasil (RO, AM), Peru

vulcanicus Galileo & Martins, 1999: 96

Costa Rica

- Alampyris** Bates, 1881:218
cretaria Bates, 1885:431 Mexico
curta Bates, 1881:219 sc Mexico (PU, OA, TL)
fuliginea Bates, 1881:219 c Mexico (GU, OA, MO)
marginella Bates, 1881:220 e Mexico (VC)
melanophiloides (Thomson, 1868:197) e Mexico (VC)
mimetica Bates, 1881:220 e Mexico (VC)
nigra Bates, 1881:219 sw Mexico (OA)
photinoides Bates, 1881:220 Guatemala
quadricollis Bates, 1881:220 sw Mexico (OA)
- Amapanesia** Martins & Galileo, 1996:189
exotica (Martins & Galileo, 1991:104) nc Brasil (AP)
- Apagomera** Bates, 1881:147
aereiventris (Tippmann, 1960:208) Bolivia
aeriventris; Gilmour, 1965:643
jaguarari Galileo & Martins, 1998: 250 se Brasil (BA)
seclusa Lane, 1965:326 e Brasil (MG)
tipitinga Galileo & Martins, 1998: 252 e Brasil (BA)
triangularis (Germar, 1824:493) se Brasil (BA-SC)
- Apagomerella** Gilmour, 1962:142
versicolor (Boheman, 1859:152) s Brasil (PR-RS), Paraguay, Argentina,
sanguinicollis Burmeister, 1865:180 Uruguay
suturella Bates, 1881:147
- Apagomerina** Gilmour, 1962:142
Xenonta Lane, 1970:409
apicalis Galileo & Martins, 2001: 62 s Brasil (SC)
azurescens (Bates, 1881:147) se Brasil (RJ)
diadela Martins & Galileo, 1996:21 Venezuela
erythronota (Lane, 1970:409) e Brasil (ES)
flava Galileo & Martins, 1989:600 se Brasil (SP)
ignea Martins & Galileo, 1996:22 e Brasil (BA)
jucunda Martins, 1984:326 e Brasil (ES)
lepida Martins & Galileo, 1996:22 w Brasil (RO)
rubricollis Galileo & Martins, 1992:142 w Brasil (RO)
subtilis Martins & Galileo, 1996:23 e Brasil (BA)
unica Martins & Galileo, 1996:23 c Brasil (MT)
utiariti Galileo & Martins, 1989:600 c Brasil (MT)
- Apeba** Martins & Galileo, 1991:563
antiqua (Waterhouse, 1880:300) e Brasil (BA)
barauna Martins & Galileo, 1991:563 n Brasil (AM, PA)
isabellina (Bates, 1885:434) Panama
togata (Klug, 1825:464) se Brasil (ES, RJ)
- Apypema** Galileo & Martins, 1992:17
yara Galileo & Martins, 1992:17 Peru
- Arixiuna** Martins & Galileo, 1992:124
longula (Bates, 1881:222) e Mexico (VC)
prolixa (Bates, 1872:229) Mexico-Panama
varians (Bates, 1881:222) e Mexico (VC)-Costa Rica
- Butocrysa** Thomson, 1868:198
insignis (Lucas, 1857:191) se Brasil (RJ)
- Cabreuva** Martins & Galileo, 1992:438
lucianoii Martins & Galileo, 1992:441 Colombia

- Cacupira** Martins & Galileo, 1991:608
iodina (Bates, 1881:296) Ecuador
tucurui Martins & Galileo, 1991:613 n Brasil (PA), Fr Guiana
- Callanga** Lane, 1973:411
tenebrosa Lane, 1973:415 Peru
trichocera Lane, 1973:413 Peru, Bolivia
- Calocosmus** Chevrolat, 1862:250
chevrolati Fisher, 1925:14 Cuba
dimidiatus (Chevrolat in Guérin-Méneville, 1838:284) Cuba
fulvicollis Fisher, 1925:13 Cuba
hispaniolae Fisher 1925:15 R Dominicana
holosericeus Gahan, 1889:395 Hispaniola
janus Bates, 1881:151 Cuba
magnificus Fisher, 1932:89 Haiti
marginipennis Gahan, 1889:396 Jamaica
melanurus Gahan, 1889:395 Hispaniola
nigripennis Chevrolat, 1862:252 Cuba
nigritarsis Fisher, 1942:41 R Dominicana
nuptus Chevrolat, 1862:251 Cuba
semimarginatus Bates, 1881:151 Cuba
speciosus Chevrolat, 1862:252 Cuba
venustus; Jacquelin du Val in Sagra, 1857:275 (not Chevrolat, 1838)
venustus (Chevrolat in Guérin-Méneville, 1838:283) Cuba
- Camposiella** Lane, 1972:374
sulfureopicta Lane, 1972:375 se Brasil (RJ)
- Canarana** Martins & Galileo, 1992:442
affinis (Aurivillius, 1908:12) Peru, Bolivia
brachialis (Guérin-Méneville, 1855:600) Ecuador, Peru, Bolivia
croceicollis Gahan, 1889:393
exotica Galileo & Martins, 2001: 66 Ecuador
marceloi Martins & Galileo, 1992:443 sc Brasil, Bolivia, Paraguay
nigripennis (Bates, 1866:426) nw Brasil (AM)
seminigra (Bates, 1866:426) nw Brasil (AM)
tuberculicollis (Guérin-Méneville, 1855:601) Ecuador, Peru
- Cathetopteron** Hamilton in Leng & Hamilton, 1896:162
Cathstopteron; Arnett, 1962:873
amoena Hamilton in Leng & Hamilton, 1896:161 sw USA (TX)
- Cendiuna** Galileo & Martins, 1991:113
auauna Galileo & Martins, 1998: 254 se Brasil (MG)
cendira Galileo & Martins, 1991:119 se Brasil (SP, PR)
pataiuna Galileo & Martins, 1991:118 se Brasil (MG, SP)
planipennis (Bates, 1881:150) se Brasil (ES-SP)
puranga Galileo & Martins, 1991:115 s Brasil (SC)
- Cephalodina** Bates, 1881:212
acangassu Martins & Galileo, 1993:172 Ecuador
capito (Bates, 1866:429) Costa Rica, Panama
crassiceps Bates, 1881:213 Mexico-Panama
capito; Bates, 1872:231 (not Bates, 1866)
- Chrysaperda** Bates, 1881:152
circumcincta (Pascoe, 1859:54) nw Brasil (AM)
collaris Pascoe, 1888:509 Ecuador
metallica Bates, 1881:152 Ecuador, Peru
apicalis Kirsch, 1889:43

- Cirrhicera** Thomson, 1857:309
basalis Gahan, 1892:269 Mexico (JA, GR, ME, NA, VC)
championi Bates, 1881:214 s Mexico (CHS)-Costa Rica
cinereola Bates, 1881:215 s Mexico (CHS)-El Salvador
conspicua Gahan, 1892:269 sw Mexico (GR)
crispipennis Bates, 1881:214 e Mexico (VC), Guatemala
leuconota (Laporte, 1840:489) Mexico (VC, OA)
longifrons Bates, 1881:214 Guatemala
nigrina Thomson, 1857:310 e Mexico (VC)
niveosignata Thomson, 1860:64 e Mexico (VC)
panamensis Bates, 1885:429 Costa Rica, Panama
sallei Thomson, 1857:310 s Mexico (MO, OA, QR, TA, VC)-Panama
sallaeti; Bates, 1881:214
- Clythraschema** Thomson, 1857:127
chabrilacii Thomson, 1857:128 se Brasil (RJ)
- Columbicella** Galileo & Martins, 1990:586
explanata Galileo & Martins, 1990:588 Colombia
- Corcovado** Lane, 1973:408
peruviense Lane, 1973:409 Peru
ruber (Bates, 1881:204) se Brasil (RJ)
- Cuicirama** Martins & Galileo, 1992:124
cayennensis (Bates, 1881:294) Fr Guiana
fasciata (Bates, 1866:370) nw Brasil (AM)
smithii (Bates, 1881:293) nw Brasil (AM)
spectabilis (Blanchard, 1843:210) Bolivia
- Cuiciuna** Galileo & Martins, 1997:164
amoenoides (Fisher, 1938:151) s Brasil (SP, SC)
fumigata (Germar, 1824:491) se Brasil (BA, RJ)
suturata Bates, 1881:201
iuati Galileo & Martins, 1997:167 se Brasil (MG, SP)
melancholica (Melzer, 1931:79) se Brasil (RJ, SP)
rectilinea (Bates, 1881:202) e Brasil (MG)
- Dadoychus** Chevrolat, 1833:14
flavocinctus Chevrolat, 1833:14 Brasil
mucuum Galileo & Martins, 1998: 252 Brasil (PE)
- Egalicia** Lane, 1974:537
Alicia; Thomson, 1864:125 (not Johnson, 1861)
Tetralicia; Aurivillius, 1923:588 (not Harrison, 1917)
flavescens (Thomson, 1864:125) se Brasil (RJ, SP)
testacea (Bates, 1866:430) nw Brasil (AM)
- Endybauna** Martins & Galileo, 1991:817
rapicara Martins & Galileo, 1991:817 Ecuador
- Erana** Bates, 1866:431
argentina (Bruch, 1911:176) Paraguay, nw Argentina (TU)
atatinga Galileo & Martins, 1999: 107 Colombia
cendira Martins & Galileo, 1993:170 c Brasil (MT)
ciliata Fisher, 1938:152 s Brasil (SC, PR), n Argentina (MI)
cincticornis Bates, 1866:431 nw Brasil (AM), Fr Guiana
curuca Galileo & Martins, 1999: 109 Colombia
diana Martins & Galileo, 1989:78 c Brasil (GO)
dispar Bates, 1881:209 e Mexico (VC)-Panama

florula Bates, 1881:209
fuliginella Bates, 1885:428
fulveola Bates, 1881:210
humeralis Martins & Galileo, 1989:78
icambi Galileo & Martins, 1999: 108
leuconoe Bates, 1881:209
longiscapus (Bates, 1881:294)
meyeri Martins & Galileo, 1989:77
nigrita Galileo & Martins, 1991:104
pallidula Martins & Galileo, 1989:75
pectoralis Bates, 1881:208
piriana Martins & Galileo, 1993:169
porongaba Galileo & Martins, 1998: 252
pusilla Bates, 1874:233
suavissima Bates, 1881:209
tauaira Martins & Galileo, 1993:170
univittata Bates, 1881:209

Guatemala
 Guatemala
 Guatemala-Panama
 Bolivia
 Colombia
 Nicaragua-Panama
 se Brasil (MG, RJ)
 se Brasil (SP-RS)
 nc Brasil (AP)
 c Brasil (PA, MT)
 e Mexico (VC), Guatemala
 Venezuela, Colombia
 se Brasil (SC)
 Mexico-Costa Rica
 Guatemala
 Colombia
 sw Mexico (OA)

Essostrutha Thomson, 1868:198

binotata Bates, 1881:212
laeta (Newman, 1840:13)
albina Pascoe, 1858:256
miniata Lacordaire, 1872:895
fimbriolata Bates, 1881:210
cinnabarina Bates, 1881:211

w Mexico (GR, JA, MO, NA, PU, SI, SO)
 w Mexico (CHS, GR, JA, MO, NA, OA, PU,
 SI, VC), Guatemala

Essostruthella Lane, 1972:381

nevermanni Lane, 1972:381
notaticollis (Lane, 1973: 406)

Costa Rica
 Costa Rica, Panama

Eulachnesia Bates, 1872:231

cobaltina Bates, 1881:148
humeralis (Fabricius, 1801:321)
sapphira Bates, 1866:428
monnei Martins & Galileo, 1996:190
smaragdina Bates, 1872:231

Colombia
 nw Brasil (AM)

 nw Brasil (AM)
 Nicaragua-Panama

Fredlanea Martins & Galileo, 1996:190

aequatoria (Bates, 1881:149)
calliste (Bates, 1881:148)
holmgreni Aurivillius, 1908:11
albosuturalis Fuchs, 1970:112
colombiana (Lane, 1966:273)
consobrina (Lane, 1970:410)
cymatilis (Lane, 1966:272)
flavipennis (Lane, 1966:271)
guaranitica (Lane, 1966:274)
hiekei (Fuchs, 1970:113)
kirschi (Aurivillius, 1923:590)
maculata Martins & Galileo, 1996:192
putiapitanga Galileo & Martins, 1999: 110
velutina (Lane, 1966:273)
basalis Fuchs, 1970:113
vilhena Martins & Galileo, 1996:192
virginea (Fabricius, 1801:324)
viridipennis (Bates, 1881:149)

Ecuador
 Peru, Bolivia

 Colombia
 Colombia
 Colombia
 Ecuador, Peru
 Paraguay
 Colombia, Ecuador
 Peru, Colombia
 Ecuador
 Colombia
 Ecuador

 w Brasil (RO)
 nc Brasil (PA)
 Ecuador

Gagarinia Lane, 1956:28

aureolata (Lane, 1950:100)
borgmeieri (Bondar, 1938:445)
mniszecchii (Chabrilac, 1857:200)

se Brasil (RJ, SP)
 e Brasil (BA), Fr Guiana
 se Brasil (RJ)

Guayuriba Lane, 1970:397

dilaticeps (Bates, 1881:200)

Panama, Colombia

extrelidia Lane, 1970:398

Hemierana Aurivillius, 1923:594

Amphionycha; Haldeman, 1847:57 (not Dejean, 1835)

marginata marginata (Fabricius, 1798:48)

se USA (SC-FL)

flammata Newman, 1840:13

subsp. **ardens** (LeConte, 1859:22)

e USA-TX, KS

flammata; Horn, 1878:50 (part)

subsp. **suturalis** (Linell, 1896:398)

sw USA (TX)

Hemilophus Audinet-Serville, 1835:49

Pyrobolus Chevrolat in Guérin-Méneville, 1838:284

dimidiaticornis Audinet-Serville, 1835:50

se Brasil, Paraguay, Argentina

infuscatus Bates, 1881:292

se Brasil (RJ)

leucogrammus Bates, 1881:293

se Brasil (RJ-PR)

unicolor Bates, 1881:293

Brasil, Paraguay, Argentina

Hilarolea Thomson, 1868:200

incensa (Perty, 1832:97)

se Brasil (ES, RJ)

Hilaroleopsis Lane, 1970:406

bicarinata (Bates, 1885:430)

Panama

dimidiata (Bates, 1881:200)

Costa Rica, Colombia

globoicollis (Bates, 1881:218)

Mexico

icuapira Martins & Galileo, 1992:590

Costa Rica

minor Martins & Galileo, 1997: 58

Venezuela

nigerrima Aurivillius, 1923:590

Guatemala, Mexico

obesa (Bates, 1881:217)

e Mexico (VC), Guatemala

pluricostata (Bates, 1881:217)

Guatemala

vogti Lane, 1970:406

Guatemala

Iareonycha Martins & Galileo, 1997: 48

ipepuna Martins & Galileo, 1997: 48

Colombia

Iarucanga Martins & Galileo, 1991:564

Spathoptera; Bates, 1866:368 (not Audinet-Serville, 1835)

capillacea (Bates, 1866:369)

nw Brasil (AM)

mimica (Bates, 1866:369)

nw Brasil (AM), Bolivia

Ibitiruna Galileo & Martins, 1997:169

araponga Galileo & Martins, 1997:170

se Brasil (PR)

fenestrata (Bates, 1881:202)

se Brasil (SP, SC)

Icimauna Martins & Galileo, 1991:819

angaba Martins & Galileo, 1991:823

Costa Rica

aysa Martins & Galileo, 1991:823

Costa Rica, Panama

ciliaris (Klug, 1825:467)

s Brasil, Paraguay, ne Argentina

macilenta (Bates, 1881:294)

se Brasil (RJ)

reversa (Bates, 1881:295)

se Brasil (RJ-SC)

sarauaia Martins & Galileo, 1991:820

Bolivia, Brasil (RO)

Icupima Martins & Galileo, 1991:556

laevipennis (Gahan, 1892:272)

Panama

Iquiara Martins & Galileo, 1998: 55

tuiuca Martins & Galileo, 1998: 55

Ecuador

Ischnophygas Thomson, 1868:196

telephoroides Thomson, 1868:196

Mexico

Isomerida Bates, 1866:373

- Spathoptera*; Thomson, 1868:190 (part) (not Audinet-Serville, 1835)
- albicollis** (Laporte, 1840:488) nw Brasil (AM), Fr Guiana
anceps Aurivillius, 1919:7
- amicta** Pascoe, 1866:287 Colombia
- apiratinga** Martins & Galileo, 1992:189 Peru
- cinctiventris** Bates, 1885:432 Costa Rica, Panama
cinctipennis; Bates, 1885: pl. 25, fig.20
- ibitira** Martins & Galileo, 1992:190 e Brasil (MG)
- invicta** Galileo & Martins, 1996:244 Peru
- lanifica** (Germar, 1824:489) se Brasil (RJ-SP)
vittipennis Bates, 1881:292
- lineata** Bates, 1874:232 Nicaragua-Colombia, Peru, Bolivia, w Brasil (RO)
albicollis var. Bates, 1872:229
- longicornis** Bates, 1881:291 e Brasil (BA, MG)
- paraba** Galileo & Martins, 2001: 64 Brasil (AM)
- paraiba** Galileo & Martins, 1996:242 ne Brasil (PB)
- ruficornis** Bates, 1866:373 nw Brasil (AM)
- santamarta** Galileo & Martins, 2001: 66 Colombia
- separata** Galileo & Martins, 1996:239 Colombia, Ecuador
- sororcula** Galileo & Martins, 1996:236 se Brasil (RJ)
- tupi** Martins & Galileo, 1992:189 c Brasil (RO, GO, MT)
- vittata** (Pascoe, 1858:256) se Brasil (MG-SP)
strigatus Redtenbacher, 1867:186
- Itaituba** Lane, 1950:97
- miniacea** (Bates, 1866:427) nc Brasil (PA)
truncata Lane, 1950:98
- pitanga** Galileo & Martins, 1991:105 nc Brasil (PA)
- Ites** Waterhouse, 1880:298
- chaparensis** Tippmann, 1960:199 Bolivia
- colasi** Lepesme, 1943:135 Fr Guiana
- plagiatus** Waterhouse, 1880:298 Ecuador
- Itumbiara** Martins & Galileo, 1992:190
- crinicornis** (Germar, 1824:490) se Brasil (MG, RJ)
- cuici** Galileo & Martins, 1997:7 se Brasil (SC)
- explanata** (Bates, 1885:433) Panama
- fimbriata** (Bates, 1881:290) se Brasil (MG-SP)
- picticollis** (Bates, 1881:291) se Brasil (MG-RS), Argentina
- picticornis** (Bates, 1872:229) Nicaragua-Panama
- plumosa** (Bates, 1881:291) se Brasil (ES-RS), Argentina
fimbriata; Zikán & Zikán, 1944:41(not Bates, 1881)
- subdilata** (Bates, 1872:229) Nicaragua-Panama
- taigaiba** Martins & Galileo, 1992:193 se Brasil (SP, SC, RS)
- Juninia** Lane, 1966:247
- annulifera** (Kirsch, 1889:44) Ecuador, Peru
leechi Lane, 1966:247
- Kyranycha** Martins & Galileo, 1997: 60
- fraudatrix** (Bates, 1881:218) w Mexico (JA)-Costa Rica
- lineatus** Bates, 1872:233 (not Bates, 1874)
- Lamacoscyllus** Martins & Galileo, 1991:628
- bivittatus** (Gahan, 1892:272) sw Mexico (GR)
- humilis** (Bates, 1881:223) sw Mexico (GR, MO)
var.fulvescens Gahan, 1892:271
var.grisescens Gahan, 1892:271
- usingeri** (Linsley, 1935:113) c Mexico (ME)
- Lapazina** Lane, 1973:409

- discicollis** (Bates, 1881:203) Ecuador
fuscipennis (Bates, 1881:203) Bolivia, Peru
- Leucophoebe** Lane, 1976:454
albaria (Bates, 1872:230) Nicaragua, Costa Rica, Colombia
kempfi Lane, 1976:455 Ecuador
pictilis Lane, 1972:379 Colombia, Ecuador
- Lycaneptia** Thomson, 1868:191
amicta (Klug, 1825:464) e Brasil (BA, MG)
nigrobasalis Tippmann, 1960:203 se Brasil (SP)
quadricostata; Martins & Galileo, 1991:588 (not Tippmann, 1953)
- Lycidola** Thomson, 1864:125
batesi Aurivillius, 1923:585 n Brasil (PA)
simulatrix var. Bates, 1866:368
beltii Bates, 1872:228 Nicaragua
expansa Bates, 1881:298 Costa Rica, Colombia
felix Waterhouse, 1880:298 Ecuador
flavofasciata Waterhouse, 1880:298 Ecuador, Bolivia, Fr Guiana
palliata (Klug, 1825:465) e Brasil (BA)
simulatrix Bates, 1866:368 n Brasil (AM, AP), Fr Guiana
- Lycodesmus** Melzer, 1927:581
superbus Melzer, 1927:581 nw Brasil (AM)
- Lycomimus** Melzer, 1931:11
Lycoplasma Chemsak & Linsley, 1984:280
albocinctus Melzer, 1931:11 nw Brasil (AM), Fr Guiana
ampliatus (Klug, 1825:466) se Brasil (RJ)
formosus (Chemsak & Linsley, 1984:280) Panama
- Malacoscyllus** Thomson, 1868:190
Macroscyllus; Aurivillius, 1908:12
auricomus Bates, 1881:296 Peru, Bolivia
cinctulus Bates, 1881:297 Ecuador, Peru, Bolivia
cirratus (Germar, 1824:491) Brasil, ne Argentina,
dasycera Klug, 1825:466 Paraguay
fasciatus Galileo & Martins, 1998: 256 se Brasil (SP, MG)
gonostigma Bates, 1881:297 se Brasil (MG, RJ, SP)
gratiosus Bates, 1881:297 Ecuador
lacordairei (Thomson, 1868:193) Colombia
lanei Martins & Galileo, 1991:621 Bolivia
niger Aurivillius, 1908:12 Peru
xanthotaenius (Bates, 1881:295) se Brasil (MG, RJ)
albans Bates, 1881:296
- Mariliana** Lane, 1970:411
niveopicta Lane, 1970:418 se Brasil (SP)
ocularis (Hope, 1846:181) se Brasil (RJ-SC)
rupicola Lane, 1970:419 se Brasil (RJ)
sumpta Lane, 1970:417 se Brasil (MG)
- Melzerina** Lane, 1966:288
lacordairei (Gahan, 1889:394) Brasil
- Mocoiasura** Martins & Galileo, 1991:818
suturalis (Melzer, 1931:198) e Brasil (ES)
- Murupeaca** Martins & Galileo, 1992:576
mocoia Martins & Galileo, 1993:110 se Brasil (ES)
pinimatinga Martins & Galileo, 1992:576 c Brasil (MT)

- Neomoema** Martins & Galileo, 1996:306
Moema Martins & Galileo, 1992:594 (not Costa, 1989, Pisces)
cendi (Martins & Galileo, 1992:595) Costa Rica
- Ochromima** Bates, 1881:151
marginicollis (Gahan, 1889:398) Fr Guiana, n Brasil (AM, PA)
decemmaculata Melzer, 1931:12
megalopoides (Bates, 1866:427) n Brasil (PA), Guianas
pallipes (Olivier, 1795:31) Surinam, Fr Guiana
- Ocoa** Lane, 1970:401
ochromimoides Lane, 1970:402 Colombia
- Oedudes** Thomson, 1868:199
alayoi (Zayas, 1956:111) Cuba
montivagans Fisher, 1942:42
bifasciata (Bates, 1869:386) Nicaragua, Costa Rica
callizona (Bates, 1881:217) Mexico (VC), Guatemala, Belize, Honduras
ramsdeni (Fisher, 1926:39) Cuba
roberto (Fisher, 1935:209) Cuba
scaramuzzai (Fisher, 1936:271) Cuba
spectabilis (Drury, 1782:73) e Mexico (VC)-Panama, Colombia
druryi Thomson, 1868:200 Costa Rica, Panama
knownothing Thomson, 1856:478
- Olivensa** Lane, 1965:318
cephalotes (Pascoe, 1858:257) n Brasil (PA), Fr Guiana
megacephala (Bates, 1866:428) nw Brasil (AM)
mimula Lane, 1965:319 nw Brasil (AM)
- Paleohemilophus** Martins & Galileo, 1999: 309 (Fossil)
dominicanus Martins & Galileo, 1999: 309 (Fossil) Hispaniola
- Parapeba** Galileo & Martins, 2001:248
lyciformis Galileo & Martins, 2001: 248 Brasil (ES, BA)
- Parauna** Lane, 1972:372
zikani Lane, 1972:372 nw Brasil (AM), Fr Guiana
- Phoebe** Audinet-Serville, 1835:37
bicornis (Olivier, 1795:27) n Brasil (AP), Fr Guiana
cava (Germar, 1824:493) se Brasil (ES-PR)
concinna White, 1856:408 nw Brasil (AM)
cornuta (Olivier, 1795:26) Surinam, Fr Guiana
fryana Lane, 1966:285 Ecuador
goiana Lane, 1966:283 ec Brasil (GO)
luteola Bates, 1881:215 Guatemala
lutaria; Bates, 1881:302
mafra Martins & Galileo, 1998: 434 se Brasil (SC)
mexicana Bates, 1881:215 e Mexico (VC), Nicaragua, Costa Rica
ornator (Tippmann, 1960:204) Bolivia
phoebe (Lepeletier & Audinet-Serville in Latreille, 1825:335) se Brasil (RJ-RS)
octomaculata Audinet-Serville, 1835:37
cretifera Pascoe, 1858:260
spegazzinii Bruch, 1908:219 nc Argentina (CD, SE)
subalbaria Belon, 1896:254 Bolivia
tinga Martins & Galileo, 1998: 434 Argentina
- Phoebella** Lane, 1966:248
albomaculata (Gahan, 1889:396) e Brasil (BA)

- Phoebemima** Tippmann, 1960:205
Tacocho Lane, 1970:399
aequatoria (Lane, 1970:399) Ecuador
antiqua (Gahan, 1889:399) se Brasil (RJ)
ensifera Tippmann, 1960:206 Bolivia
teteia (Galileo & Martins, 1996:236) w Brasil (RO)
theaphia (Bates, 1881:199) c Brasil (AM, MT)
- Piampatara** Martins & Galileo, 1992:441
humeralis (Aurivillius, 1916:359) se Brasil (RJ)
var. *subapicalis* Aurivillius, 1916:359
ocreata (Bates, 1885:431) Costa Rica, Panama
proseni Martins & Galileo, 1997: 52 Bolivia
ubirajarai (Lane, 1966:287) se Brasil (RJ)
- Piratininga** Galileo & Martins, 1992:16
piranga Galileo & Martins, 1992:16 e Brasil (MG-SP)
- Piruanycha** Martins & Galileo, 1997: 61
itaiuba Martins & Galileo, 1997: 62 Brasil (GO, MG)
ocoa Martins & Galileo, 1997: 62 Colombia
- Porangonycha** Martins & Galileo, 1997: 50
princeps (Bates, 1872:230) Nicaragua, Costa Rica, Peru
- Poticuara** Martins & Galileo, 1991:614
exilis (Bates, 1881:298) Bolivia
ipiterpe Martins & Galileo, 1991:615 Peru
- Pseudegalicia** Galileo & Martins, 2001:249
tetrops Galileo & Martins, 2001:250 Brasil (RO, MA)
- Purusia** Lane, 1956:28
acreana Lane, 1956:29 w Brasil (AC, RO)
- Quatiara** Lane, 1972:372
Amphionycha; Leséleuc, 1844: pl.138 (not Dejean, 1835)
luctuosa (Leséleuc, 1844:138) se Brasil (ES, RJ)
leseleuci Aurivillius, 1923:590
- Sibapipunga** Martins & Galileo, 1993:110
beckeri (Martins & Galileo, 1992:577) Costa Rica, Ecuador
- Spathoptera** Audinet-Serville, 1835:50
Photuronta Thomson, 1868:190
albilatera Audinet-Serville, 1835:51 se Brasil (RJ-PR)
gutticollis Thomson, 1868:195
- Sphallonycha** Bates, 1881:149
irundisa Galileo & Martins, 2001:61 nw Brasil (AM)
roseicollis (Bates, 1866:430) nw Brasil (AM)
- Sybaguasu** Martins & Galileo, 1991:621
murinum (Pascoe, 1866:288) Colombia
minima; Bates, 1881:305
longipennis (Bates, 1881:202) Ecuador
pubicorne (Bates, 1881:201) Peru, n Brasil (AM, PA)
subcarinatus (Bates, 1885:432) Panama

thoracicum (Olivier, 1795:18)	Fr Guiana, n Brasil (PA)
titingum Martin & Galileo, 1991:622	Peru
Tabatinga Lane, 1966:245	
x-littera Lane, 1966:246	nw Brasil (AM)
Tetamauara Martins & Galileo, 1991:556	
eximia (Bates, 1885:435)	Panama
retifera (Waterhouse, 1880:299)	Ecuador
unicolor (Bates, 1885:434)	Panama
Tetanola Bates, 1881:151	
polita Bates, 1881:151	Ecuador
Themistonoe Thomson, 1864:126	
cacica Thomson, 1864:126	Brasil
Tyrinthia Bates, 1866:371	
<i>Cyphometopus</i> Thomson, 1868:190	
biformis Bates, 1885:433	Panama
capillata Bates, 1866:371	n Brasil (AM, PA), Bolivia
frontalis (Guérin-Méneville, 1855:601)	Ecuador
klugii (Thomson, 1868:192)	Colombia
lycinella Bates, 1881:223	Costa Rica
moroiuiba Martins & Galileo, 1991:815	Colombia
obtusa Bates, 1881:295	Colombia
paraba Martins & Galileo, 1991:815	w Brasil (AM, RO), Peru
photurina Bates, 1885:434	Panama
picticornis Martins & Galileo, 1991:816	Panama
scissifrons Bates, 1866:372	nc Brasil (AM, AP, PA, MA), Trinidad
<i>infacetus</i> Thomson, 1868:193	
turuna Martins & Galileo, 1993:172	Colombia
xanthe Bates, 1881:223	Nicaragua-Panama
Woytkowskia Lane, 1966:281	
gruberi Martins & Galileo, 1992:592	Costa Rica
scorpiona Lane, 1966:282	Peru
travassosi Lane, 1971:37	e Brasil (ES)
Zeale Pascoe, 1866:287	
dubia Galileo & Martins, 1997:162	Bolivia
nigromaculata (Klug, 1829:7)	Brasil, Paraguay, Argentina, Uruguay
<i>leucomelaena</i> Gistel, 1857:68	
<i>petronae</i> Burmeister, 1861:166	
<i>spilotus</i> Bates, 1881:199	
scalaris Pascoe, 1866:287	Panama, Colombia, Peru

Aerenicini

Lacordaire, 1872:897

Aerenica Dejean, 1835:352

Aerenaesius Gilmour, 1962:131

Aerenasius; Martins & Galileo, 1985:464

canescens (Klug, 1825:468)

lahillei Bruch, 1926:345

lahillei var. *salobrensis* Lane, 1939:77

Brasil (GO, MT, MG-PR), Bolivia,
Paraguay, Argentina

Aerenicella Gilmour, 1962:133

Melaerenica Lane, 1966:231

spissicornis (Bates, 1881:145)

melanocera Lane, 1938:639

s Brasil (PR), Argentina, Uruguay

- Aerenicopsis** Bates, 1885:427
Falsohippopsis Breuning, 1940:83
Falsohippopsoides Breuning, 1974:158
Hydraschemopsis Lane, 1966:134
championi Bates, 1885:428
costaricensis (Breuning, 1974:159)
hubrichi Bruch, 1925:210
argentiniensis Breuning, 1974:158
malleri Lane, 1966:137
megacephala (Breuning, 1940:83)
mendosa Martins & Galileo, 1998: 97
perforata Lane, 1939:78
pugnatrix Lane, 1966:135
rufoantennata (Breuning, 1974:158)
singularis Martins & Galileo, 1998: 98
sublesta Lane, 1966:136
virgata (Pascoe, 1878:377)
- Mexico-Panama
c Argentina (SF, CD)
s Brasil (SC)
s Brasil (SC)
Mexico (VC)
e Brasil, Argentina, Bolivia, Fr Guiana
Panama, Fr Guiana, nc Brasil (PA)
Bolivia
Brasil (MG)
se Brasil (MG, SP)
se Brasil (ES-SC)
- Aereniphaula** Galileo & Martins, 1990:584
machadorum Galileo & Martins, 1990:584
- e Brasil (MG)
- Aerenomera** Gilmour, 1962:134
boliviensis Gilmour, 1962:135
spilas Martins, 1984:309
- ec Brasil, Bolivia, Paraguay, Argentina
e Brasil (MG)
- Antodice** Thomson, 1864:128
Antodyce; Aurivillius, 1920:41
Spathoptera; Laporte, 1840:494 (not Audinet-Serville, 1835)
abstrusa Lane, 1940:405
aureicollis Martins & Galileo, 1985:491
cretata Bates, 1872:232
eccentrica Galileo & Martins, 1992:142
exilis Chemsak & Noguera, 1993:100
fasciata Linsley, 1935:113
inscripta Lane, 1970:420
juncea Bates, 1881:145
kyra Martins & Galileo, 1998: 44
lenticula Martins & Galileo, 1985:92
mendes Lane, 1940:403
neivai Lane, 1940:401
simulatrix Tippmann, 1960:207
nympha Bates, 1881:207
picta (Klug, 1825:467)
pinima Martins & Galileo, 1998: 46
pudica Lane, 1970:427
quinquemaculata Lane, 1970:424
sexnotata Franz, 1959:187
sexmaculata; Martins & Galileo, 1985:90
spilota Martins & Galileo, 1998: 44
suturalis Galileo & Martins, 1992:143
tricolor Martins & Galileo, 1985:92
venustula Lane, 1973:433
- e Brasil (MG, ES)
n Brasil (PA)
e Mexico (VC)-Panama
Ecuador
w Mexico (JA)
c Mexico (ME)
w Mexico (NA)
se Brasil (ES, RJ), Argentina
Brasil
e Brasil (BA)
s Brasil (SP-RS)
e Brasil (PE), Bolivia
e Mexico (VC)-Costa Rica
se Brasil, Paraguay, Argentina
Argentina
Panama, Colombia
Brasil
El Salvador
Brasil
Ecuador
Bolivia
se Brasil (RJ), Bolivia
- Antodilanea** Gilmour, 1962:140
modesta (Lane, 1939:78)
- sc Brasil (MS, MG)
- Aphilesthes** Bates, 1881:145
Aphilestes; Aurivillius, 1923:598
Amphilestes; Blackwelder, 1946:626
Amphilesthes; Gilmour, 1965:646
rustica Bates, 1881:145
- Panama, Venezuela, Peru, Bolivia,
Fr Guiana
- Apoaerenica** Martins & Galileo, 1985:465
martinsi (Monné, 1979:417)
- Bolivia

- Apophaula** Lane, 1973:419
ocellata Lane, 1973:420 se Brasil (MT, MG-PR), Paraguay
- Cacsius** Lane, 1973:430
Melzaerenica Lane, 1976:457
divus (Melzer, 1932:237) se Brasil (RJ)
nobilis Lane, 1973:431 e Brasil (MG)
- Calliphaula** Lane, 1973:418
filiola Martins, 1984:309 e Brasil (MG)
leucippe (Bates, 1881:146) se Brasil (RJ-SC)
- Eponina** Lane, 1939:77
Aerenicoides Gilmour, 1962:134
breyeri (Prosen, 1954:36) c Brasil (MT), Argentina
laetanda Lane, 1976:459
flava Lane, 1939:77 se Brasil (MS, ES, PR)
lanuginosa (Martins & Galileo, 1985:484) se Brasil (RJ-SC)
metuia Martins & Galileo, 1998: 57 Brasil (ES)
nigristeris (Martins & Galileo, 1985:485) se Brasil (MG)
- Holoaerenica** Lane, 1973:428
alveolata Martins, 1984:311 e Brasil (MG)
apleta Galileo & Martins, 1987:454 Mexico (YU), Guatemala, Costa Rica, Panama
bistriata Lane, 1973:428 Bolivia, Brasil (MG)
multipunctata (Lepeletier & Audinet-Serville in Latreille, 1825:335) e Brasil, Paraguay, Argentina
albolateralis (Fuchs, 1963:15)
obtusipennis (Fuchs, 1963:14) se Brasil, Paraguay, nc Argentina (TU)
caula Martins, 1984:313
punctata (Gilmour, 1962:129) sc Brasil (MS, SP), Bolivia
- Hoplistonychus** Melzer, 1930:203
bondari Melzer, 1930:204 Fr Guiana, Brasil (PA, MT, MG, SP),
n Argentina (MI)
- Hydraschema** Thomson, 1864:128
Corupa Lane, 1966:132
cribripennis Lane, 1966:130 se Brasil (RJ-SC)
fabulosa Thomson, 1864:128 se Brasil (RJ-PR)
leptostyla Lane, 1938:634 se Brasil (GO-RJ), Bolivia, Argentina
mirim Martins & Galileo, 1998: 91 Brasil (PA)
obliquevittata Lane, 1966:133 se Brasil (MG-SC), Bolivia, Fr Guiana
petilia Martins & Galileo, 1998: 91 Peru
veruta Lane, 1966:129 se Brasil (RJ-PR)
villiersi Lane, 1965:322 Brasil (RJ)
- Melzerella** Costa Lima, 1931:139
costalimai Seabra, 1961:263 Venezuela, Fr Guiana
huedepohli Monné, 1979:415 Bolivia
lutzi Costa Lima, 1931:140 se Brasil (MG-SP)
- Montesia** Lane, 1938:110
bosqui Seabra, 1961:264 Peru
elegantula Monné, 1979:416 c Brasil (MT)
fasciolata Galileo & Martins, 1990:586 Costa Rica
leucostigma Lane, 1938:110 se Brasil (MG-SC)
- Paraphaula** Fuchs, 1963:13
porosa Fuchs, 1963:13 se Brasil (RJ)
- Phaula** Thomson, 1857:303
Cymbalia Thomson, 1864:119

- Ochraesius* Pascoe, 1888:510
Cryptophaula Lane, 1973:426
Heterophaula Lane, 1973:418
antiqua Thomson, 1857:303
bullula Martins, 1984:315
lichenigera (Perty, 1832:97)
microsticta (Lane, 1973:426)
splendida Galileo & Martins, 1987:453
thomsoni Lacordaire, 1872:898
lichenigera; Thomson, 1864:120 (not Perty, 1832)
sticticus Pascoe, 1888:511
- Propantodice** Franz, 1954:228
grisea Franz, 1954:228
- Pseudomecas** Aurivillius, 1920:400
elegantissima Martins & Galileo, 1998: 101
femoralis Aurivillius, 1920:401
nigricornis Martins & Galileo, 1998: 102
pallidicornis Aurivillius, 1923:479
pickeli (Melzer, 1930:305)
suturalis Martins & Galileo, 1985:467
- Pseudophaula** Lane, 1973:421
foersteri Martins, 1984:314
porosa (Bates, 1881:146)
pustulosa Lane, 1973:423
strigulata Lane, 1973:424
- Recchia** Lane, 1966:232
Aerenica; Thomson, 1857:312 (not Dejean, 1835)
Trichohippopsides Breuning, 1980:68
Coruparana Lane, 1966:233
abauna Martins & Galileo, 1998: 71
acutipennis Gahan, 1889:400
bruchi Gilmour, 1965:644
albicans (Guérin-Méneville, 1831: pl.45, fig.4)
albicans Breuning, 1980:68
boliviana Martins & Galileo, 1998: 65
distincta (Lane, 1939:77)
fallaciosa Lane, 1966:234
flaveola Martins & Galileo, 1985:487
fonsecai (Lane, 1939:76)
gemignanii (Lane, 1939:76)
rustica Martins & Galileo, 1985:489
goiana Martins & Galileo, 1985:489
gracilis Martins & Galileo, 1985:488
hirsuta (Bates, 1881:206)
panamensis Lane, 1959:263
hirticornis (Klug, 1825:468)
lanei Martins & Galileo, 1985:485
ludibriosa Lane, 1966:232
moema Martins & Galileo, 1998: 74
parvula (Lane, 1938:637)
piriana Martins & Galileo, 1998: 78
planaltina Martins & Galileo, 1998: 67
procera Martins & Galileo, 1985:486
ravida Martins & Galileo, 1985:483
veruta Lane, 1966:233
- Rumacorn** Blackwelder, 1946:627
Spegazziniella; Bruch, 1926:347 (not Jorgensen, 1913)
annulicornis (Melzer, 1930:204)
canescens (Bruch, 1926:348)
acutipennis; Tippmann, 1960:206 (not Gahan, 1889)
- e Brasil (BA)
sw Brasil (MS)
se Brasil (MG-RS)
se Brasil (MT, MG-PR), Argentina
c Brasil (MT)
Brasil (PA-MS, MG-RS)
- El Salvador-Panama
- Brasil (MG)
sc Brasil, Bolivia, Paraguay, Argentina
Brasil (BA)
Colombia
ne Brasil (MA-PE)
ec Brasil (GO)
- n Argentina (MI)
Venezuela, Colombia, Bolivia, e Brasil
nw Argentina (TU, CA)
nw Brasil (AM), Peru, Bolivia, Argentina
- Brasil
ec Brasil (GO, MT, MG, SP), Bolivia,
Argentina
se Brasil (GO, MG-SC), Argentina
- Bolivia
sc Brasil (MS)
se Brasil (SP, SC)
ce Brasil (GO, MS, MG-SP)
se Brasil (RJ, SP)
Brasil (MT, GO, PR), Paraguay, Argentina
- c Brasil (GO, MT)
se Brasil (MG-SP)
Guatemala-Panama, Colombia
- e S Amer
se Brasil (MG, SP)
e Brasil (GO, BA-PR)
Brasil, Uruguay, Argentina
e Brasil (GO, MT, RJ-PR)
Brasil, Paraguay
Brasil (DF)
e Brasil, Bolivia, Paraguay, Argentina
s Brasil (SC)
s Brasil (PR, SC)
- se Brasil (MG-RS), Paraguay
Bolivia, Paraguay, Argentina

acutipennis var. *bruchi* Gilmour, 1965:644

Vianopolisia Lane, 1966:138

Dolaerenica Martins & Galileo, 1985:466

captiosa (Martins & Galileo, 1985:466)

spitzi Lane, 1966:139

se Brasil (SP), Paraguay
ec Brasil (GO)

Pretiliini

Martins & Galileo, 1990:705

Pretilia Bates, 1866:302

tuberculata (Fabricius, 1801:331)

telephoroides Bates, 1866:302

Fr Guiana, n Brasil (PA)

Eupromerini

Galileo & Martins, 1995:132

Eupromera Westwood, 1846:224

disparilis Galileo & Martins, 1995:135

gilmouri Fuchs, 1961:18

similis Breuning, 1940:183

spryana Westwood, 1846:224

zonula Galileo & Martins, 1995:139

se Brasil (ES)
se Brasil (SP-SC)
se Brasil (BA-SC)
se Brasil (RJ, SP, SC)
se Brasil (ES)

Iquaracetima Galileo & Martins, 1995:140

aspasia Galileo & Martins, 1995:142

brachialis (Thomson, 1868:109)

tuberosa (Belon, 1896:247)

Peru, Ecuador
Brasil
c Brasil (AM, MT), Ecuador, Bolivia

Neopibanga Martins & Galileo, 1998: 57

brescoviti Martins & Galileo, 1998: 57

Brasil (RO)

Pibanga Galileo & Martins, 1995:145

costulata (Belon, 1896:251)

diamantina Galileo & Martins, 1995:146

glabricula (Bates, 1885:358)

itacoatiara Galileo & Martins, 1995:147

jacareacanga Galileo & Martins, 1995:150

ochropyga (Belon, 1896:249)

transversefasciata (Breuning, 1943:58)

Bolivia
c Brasil (MT)
Costa Rica, Panama
c Brasil (AM)
Brasil (PA, MT), Ecuador
w Brasil (RO), Ecuador, Bolivia
e Brasil (BA)

Puanama Galileo & Martins, 1995:142

caraca Galileo & Martins, 1995:143

sara Galileo & Martins, 1998: 249

sinopia Galileo & Martins, 1995:145

e Brasil (MG)
Bolivia
c Brasil (MT)

Falsamblesthiini

Gilmour, 1961:131

Hebestolitae Thomson, 1864:107

Forsteriini Tippmann, 1960:211

Neohebestolini Marinoni, 1977:46

Bactriola Bates, 1885:421

circumdata Martins & Galileo, 1992:105

falsa Martins & Galileo, 1992:107

maculata Martins & Galileo, 1992:106

minuscula Fontes & Martins, 1977:7

paupercula Bates, 1885:422

vittulata Bates, 1885:421

se Brasil (RJ)
se Brasil (MG-RS)
Venezuela, Ecuador
e Brasil (ES)
Panama, Bolivia
Panama, Venezuela, Brasil, Bolivia,
Fr Guiana

Camixaima Martins & Galileo, 1996:308

beraba Martins & Galileo, 1996:307	Ecuador
Falsamblesthis Breuning, 1959:85	
<i>Forsteria</i> Tippmann, 1960:211	
candicans (Gounelle, 1910:19)	Ecuador
gracilis (Lameere, 1893:277)	Venezuela
ibiyara Marinoni, 1978:91	se Brasil (MG-RS)
macilenta (Gounelle, 1910:18)	Ecuador
microps Martins & Galileo, 1992:104	Venezuela
pilula Galileo & Martins, 1987:449	Colombia
seriepilosa (Kirsch, 1889:40)	Ecuador
taeniata (Belon, 1903:71)	Bolivia
unguicularis (Tippmann, 1960:212)	Bolivia
Gisostola Thomson, 1868:125	
bahiensis Martins & Galileo, 1988:220	e Brasil (BA)
melancholica (Thomson, 1857:304)	se Brasil (MG-RJ)
<i>tessellata</i> Thomson, 1868:126	
nordestina Galileo & Martins, 1987:93	e Brasil (CE)
quentini Martins & Galileo, 1989:122	se Brasil (RJ)
Helminda Blanchard in Gay, 1851:516	
pilipennis Blanchard in Gay, 1851:517	Chile
Huedepohlia Martins & Galileo, 1989:122	
pisciformis Martins & Galileo, 1989:123	Ecuador
Lustrocomus Martins & Galileo, 1996:309	
paraensis Martins & Galileo, 1996:309	n Brasil (PA)
Neohebestola Marinoni, 1977:46	
<i>Hebestola</i> ; Blanchard in Gay, 1851:513 (not Haldeman, 1847)	
apicalis (Fairmaire & Germain, 1859:529)	Chile
brasiliensis (Fontes & Martins, 1977:10)	se Brasil (MG, RJ)
concolor (Fabricius, 1798:149)	?
humeralis (Blanchard in Gay, 1851:514)	Chile
luchopegnai Martins & Galileo, 1989:129	Chile
parvula (Blanchard in Gay, 1851:514)	Chile
petrosa (Blanchard in Gay, 1851:515)	Chile
<i>chiliensis</i> Breuning, 1980:69	
vitticollis (Blanchard in Gay, 1851:515)	Chile, Argentina
<i>bonariensis</i> Thomson, 1868:127	
Nyctonympha Thomson, 1868:127	
andersoni Martins & Galileo, 1992:103	Colombia, Bolivia
annulata Aurivillius, 1900:420	Panama, Venezuela
annulipes (Belon, 1897:187)	Bolivia, Peru
carcharias (Lameere, 1893:277)	Venezuela
<i>glauca</i> Aurivillius, 1900:420	
carioca Galileo & Martins, 2001: 68	se Brasil (RJ)
costipennis (Lameere, 1893:277)	Venezuela
cribrata Thomson, 1868:128	Colombia
flavipes Aurivillius, 1920:401	Peru, Ecuador, w Brasil (RO), Bolivia
genieri Martins & Galileo, 1992:104	Ecuador
howdenarum Martins & Galileo, 1992:104	Colombia
punctata Martins & Galileo, 1989:127	n Argentina (SA)
taeniata Martins & Galileo, 1992:103	Panama, Trinidad & Tobago
Obereoides Fisher, 1938:149	
cicatricosus (Zajciw, 1968:423)	se Brasil (RJ)
joergenseni (Bruch, 1911:177)	se Brasil (RJ-RS), Paraguay,
<i>rufipes</i> Aurivillius, 1920:401	Argentina
<i>tenuis</i> Fisher, 1938:150	

parahybanus Galileo & Martins, 1998: 250
setulosus (Aurivillius, 1920:402) Brasil
se Brasil (MG-SP)

Proceroblesthis Galileo & Martins, 1987:91
prolata Galileo & Martins, 1987:92 se Brasil (MG)

Pseudogisostola Fontes & Martins, 1977:12
reichardti Fontes & Martins, 1977:13 e Brasil (ES)

Saepiseuthes Thomson, 1868:141
chilensis Thomson, 1868:141 Chile
obliquatus (Fairmaire & Germain, 1859:511) Chile

Spinoblesthis Galileo & Martins, 1987:90
acuta Galileo & Martins, 1987:91 e Brasil (ES)

Udamina Thomson, 1868:124
leprieurii Thomson, 1868:125 Fr Guiana, nw Brasil (AM)

Callini

Thomson, 1864:123
Gryllicides Lacordaire, 1872:489

Acreana Lane, 1973:478
cuprea Lane, 1973:479 w Brasil (AC, RO)

Anapsicomus Galileo & Martins, 1988:513
aethroides Galileo & Martins, 1988:514 s Brasil (SC, RS)
lamyroides (Bates, 1866:302) e Brasil (ES)

Ardeocomus Galileo & Martins, 1988:512
hemilophoides Galileo & Martins, 1988:513 e Brasil (BA, MG)

Asemolea Bates, 1881:194
crassicornis Bates, 1881:194 e Mexico (VC), Belize
macaranduba Galileo & Martins, 1998: 250 Brasil (AM)
minuta (Bates, 1872:238) Guatemala-Costa Rica
purpuricollis Bates, 1885:423 Panama
setosa Bates, 1881:194 Guatemala

Callia Audinet-Serville, 1835:60
albicornis Bates, 1885:424 Panama, Ecuador
ambigua Bates, 1885:424 e Mexico (VC)
argodi Belon, 1903:74 Bolivia, Ecuador
axillaris (Dalman, 1823:69) se Brasil (ES, RJ)
flavofemorata Laporte, 1840:486
azurea Audinet-Serville, 1835:60 se Brasil (ES-SP)
batesi Blackwelder, 1946:626 se Brasil (SP)
minuta; Melzer, 1930:207 (not Bates, 1872)
bella Galileo & Martins, 1992:139 Ecuador
bicolor (Breuning, 1960:17) Fr Guiana
boliviana Belon, 1903:72 Peru, Bolivia
chrysomelina Pascoe, 1859:45 n Brasil (PA), Ecuador
comitessa Melzer, 1930:206 se Brasil (ES, RJ)
criocerina Bates, 1866:300 nw Brasil (AM)
cyanea Melzer, 1931:14 c Brasil (MT)
flavipes Zajciw, 1958:55 se Brasil (ES, RJ)
fulvocincta Bates, 1866:300 Mexico-Panama, Brasil
gallegoi Galileo & Martins, 1991:260 Colombia
halticoides (Bates, 1866:301) nw Brasil (AM)
leucozonata Lane, 1973:436 Ecuador
lineatula Lane, 1973:437 Fr Guiana

- lycoides** Bates, 1866:301
pulchra Melzer, 1930:206
purpureipennis (Gistel, 1848:431)
rubristerna Galileo & Martins, 1992:138
simplex Galileo & Martins, 1991:261
xanthomera Redtenbacher, 1867:185
- nw Brasil (AM)
s Brasil, Paraguay, Argentina, Bolivia
Brasil
Peru
n Brasil (PA)
se Brasil (RJ-RS), Paraguay, Argentina
- Calliomorpha** Lane, 1973:434
cyanoptera Lane, 1973:435
- nw Brasil (AM)
- Callisema** Martins & Galileo, 1990:475
consortium Martins & Galileo, 1990:478
elongata Galileo & Martins, 1992:135
iucaua Martins & Galileo, 1996:307
rufipes Martins & Galileo, 1990:476
socium Martins & Galileo, 1990:477
- c Brasil (GO, MT)
Colombia, Venezuela
Peru
Brasil (RO, GO, MT, MG-RS)
se Brasil (MG-SC), n Argentina (MI)
- Callityrinthia** Galileo & Martins, 1991:257
mimetica Galileo & Martins, 1991:257
- Costa Rica
- Camitocomus** Galileo & Martins, 1991:254
nodosus Galileo & Martins, 1991:254
- se Brasil (ES, RJ)
- Canindea** Galileo & Martins, 1990:472
latithorax Galileo & Martins, 1991:251
maculata Galileo & Martins, 1990:474
signaticornis (Buquet, 1857:339)
- nw Brasil (AM)
nw Brasil (AM)
n Brasil (AM, PA, MA), Fr Guiana
- Chalcolyne** Bates, 1866:297
metallica (Pascoe, 1858:263)
- nc Brasil (AM, PA)
- Chereas** Thomson, 1864:124
Atelodesmis; Thomson, 1860:62 (not Buquet, 1857)
octomaculata (Buquet, 1857:337)
- se Brasil (ES, RJ)
- Colombicallia** Galileo & Martins, 1992:138
curta Galileo & Martins, 1992:138
- Colombia
- Drycothaea** Thomson, 1868:145
Drycothaea; Bates, 1881:193
Estolopsis Breuning, 1940:179
Guyanestola Breuning, 1961:248
angustifrons (Breuning, 1943:56)
macrophthalma Breuning, 1961:248
anteochracea (Breuning, 1974:157)
ochreicollis Breuning, 1974:161
bicolorata Martins & Galileo, 1990:610
brasiliensis (Breuning, 1974:49)
marmorata Martins & Galileo, 1990:611
cribrata Bates, 1881:194
curtula Bates, 1885:423
estola (Lameere, 1893:278)
guadeloupensis Fleutiaux & Sallé, 1889:473
mexicana (Breuning, 1974:161)
ochreoscutellaris (Breuning, 1940:180)
soricina Martins & Galileo, 1990:611
parva Bates, 1885:423
sallei (Thomson, 1868:145)
sallaei; Bates, 1881:193
spreta Bates, 1885:422
stictica Bates, 1881:193
var. *lepidiota* Bates, 1885:422
- Fr Guiana
c Brasil (PA, GO, MT), Fr Guiana
Ecuador, nw Brasil (AM)
c Brasil (AM, MT), Ecuador, Fr Guiana
e Mexico (VC), Guatemala
Panama
Venezuela
Guadeloupe
Mexico
Ecuador, Surinam, Fr Guiana,
c Brasil (AM, PA, RO)
Panama
s Mexico (TB, VC), Belize, Guatemala
e Mexico (VC)
e Mexico (VC)-Panama

testaceipes Bates, 1881:193	Guatemala
truncatipennis Tavakilian, 1997:136	s Brasil (SC)
<i>stictica</i> ; Breuning, 1942:163 (not Bates, 1881)	
turrialbae (Breuning, 1943:56)	Costa Rica
viridescens (Buquet, 1857:337)	se Brasil (ES, RJ)
Eumathes Pascoe 1858:251	
<i>Sinamora</i> Thomson 1868:113	
amazonicus Bates, 1866:297	nw Brasil (AM)
canus (Germar, 1824:483)	se Brasil (BA-RJ)
<i>undatus</i> Pascoe, 1858:251	
<i>subcostatus</i> Thomson, 1868:114	
colombicus (Thomson, 1868:114)	Colombia
cuprascens Bates, 1874:233	Nicaragua-Panama
Eumimesis Bates, 1866:298	
affinis Magno & Monné, 1990:454	nw Brasil (AM), Ecuador
carbonelli Lane, 1973:476	Ecuador, Peru
germana Lane, 1973:474	c Brasil (PA, MT)
heilipoides Bates, 1866:298	nw Brasil (AM), Ecuador, Peru, Fr Guiana
trilineata Magno & Monné, 1990:453	w Brasil (RO)
Euryestola Breuning, 1940:180	
<i>Euroyestola</i> ; Breuning, 1963:510	
antennalis Breuning, 1940:180	Venezuela
caraca Galileo & Martins, 1997: 130	Brasil (MG)
castanea Galileo & Martins, 2001: 69	nw Brasil (AM)
freyi Breuning, 1955:660	Trinidad
iquira Galileo & Martins, 1997: 129	Colombia
morotinga Galileo & Martins, 1997: 131	Brasil (PA)
murupe Galileo & Martins, 1997: 132	Venezuela
Graminea Thomson, 1864:329	
annulata Galileo & Martins, 1990:469	w Brasil (RO)
hispida Galileo & Martins, 1990:471	ec Brasil (GO)
inca Galileo & Martins, 1990:471	Peru
multicava Galileo & Martins, 1990:469	Ecuador
tomentosa Thomson, 1864:330	e Brasil (BA, MG, SP)
Gryllica Thomson, 1860:120	
<i>Esmia</i> ; Thomson, 1864:100 (not Pascoe, 1859)	
curitibana Lane, 1965:333	s Brasil (PR)
flavopustulata Thomson, 1860:121	se Brasil (ES, RJ)
picta (Pascoe, 1858:263)	se Brasil (BA-RS), n Argentina (MI)
prava Lane, 1973:470	c Brasil (PA, MT)
<i>metallica</i> ; Dillon & Dillon, 1946:156 (not Pascoe, 1858)	
pseudopicta Lane, 1965:329	e Brasil (BA)
pygmaea Lane, 1973:471	s Brasil (PR)
Harringtonia Lane, 1973:477	
dalmeidai (Dillon & Dillon, 1946:161)	Costa Rica, Panama
myia (Dillon & Dillon, 1946:163)	Bolivia
Hastatis Buquet, 1857:338	
auricollis Buquet, 1857:339	se Brasil (MG-SC)
denticollis Buquet, 1857:338	se Brasil (RJ, SP)
femoralis Burmeister, 1865:181	wc Argentina (ME)
simplicis Galileo & Martins, 1990:604	se Brasil (SP, SC)
Hemicladus Buquet, 1857:328	
callipus Buquet, 1857:331	e Brasil (ES)
decoratus Fuchs, 1955:51	Bolivia
dejeanii Buquet, 1857:329	Fr Guiana, nw Brasil (AM)
fasciatus Galileo & Martins, 1991:249	nc Brasil (AM), Ecuador

thomsonii Buquet, 1857:330	Brasil, Paraguay
Hirticallia Galileo & Martins, 1990:879	
hirsuta Galileo & Martins, 1990:879	s Brasil (RS)
Icelastatis Galileo & Martins, 1991:249	
galerucoides (Bates, 1866:299)	n Brasil (PA)
Igualda Thomson, 1868:144	
posticalis Thomson, 1868:144	Fr Guiana, nc Brasil (AM, PA)
Mesestola Breuning, 1980:70	
guadeloupensis Breuning, 1980:70	Guadeloupe
Micatocomus Galileo & Martins, 1988:511	
isomeroides Galileo & Martins, 1988:512	e Brasil (ES)
petalacmoides Galileo & Martins, 1988:511	e Brasil (ES)
Miguelia Galileo & Martins, 1991:252	
monnei Galileo & Martins, 1991:252	nw Brasil (AM)
Mimolaia Bates, 1881:424	
acaiuba Galileo & Martins, 1998: 153	Colombia
buckleyi (Bates, 1885:424)	Bolivia
calopteron (Bates, 1885:424)	Costa Rica, Panama
cleroides (Bates, 1866:301)	nw Brasil (AM)
hua Galileo & Martins, 1991:256	nw Brasil (AM)
lata Galileo & Martins, 1991:256	Ecuador
peruana Galileo & Martins, 1991:255	Peru
pichincha Galileo & Martins, 1992:135	Ecuador
tachira Galileo & Martins, 1992:137	Venezuela
variicornis Belon, 1903:76	Bolivia
Paracallia Martins & Galileo, 1998: 56	
bonaldoi Martins & Galileo, 1998: 56	Brasil (AC)
Paracladus Martins & Galileo, 1990:478	
fasciatus Martins & Galileo, 1990:479	Peru
Parasemolea Martins & Galileo, 1990:479	
boliviana Martins & Galileo, 1990:480	Bolivia
Schiacallia Galileo & Martins, 1991:248	
tristis Galileo & Martins, 1991:248	e Brasil (BA, MG, ES)
Xenocallia Galileo & Martins, 1990:471	
punctatissima Galileo & Martins, 1990:472	Bolivia
Zenicomus Thomson, 1868:194	
ignicolor Galileo & Martins, 1988:510	e Brasil (ES)
photuroides Thomson, 1868:194	se Brasil (RJ, SP)

Incertae Sedis (probably Lamiinae)

Lamia annulata Fabricius, 1801:300	"America meridionalis"
Lamia annulicornis Kirby, 1818:439	Brasil
Lamia obscura Fabricius, 1798:144	"America boreali"

Subfamily **Disteniinae**

Thomson, 1860:181

Disteniini

Thomson, 1860:181

Aiurasyma Martins & Galileo, 2001: 18
potira Martins & Galileo, 2001: 20

Colombia

Cometes Lepeletier & Audinet-Serville in Latreille, 1828:486

amethystinus Villiers, 1957:409

Peru

argodi Belon, 1896:128

Bolivia

carinatus Villiers, 1957:408

?

hirticornis Lepeletier & Audinet-Serville in Latreille, 1828:486

e Brasil, Paraguay, Argentina

humeralis Villiers, 1957:410

e Brasil (BA)

soledari Martins & Galileo, 2001: 16

Bolivia

zikani Melzer, 1926:6

e Brasil (MG, RJ)

Distenia Lepeletier & Audinet-Serville in Latreille, 1828:485

Antinoe Thomson, 1864:224

Thelxiope Thomson, 1864:226

Apheles Blessig, 1872:165

Sakuntala Lameere, 1890:213

agriloides Bates, 1885:272

Guatemala

agroides Bates, 1870:439

nc Brasil (PA)

angustata Bates, 1870:440

Fr Guiana, c Brasil (GO)

annulicornis Villiers, 1959:75

Colombia

atrocyanea Villiers, 1959:66

Fr Guiana

bahiaensis Villiers, 1959:68

e Brasil (BA, ES)

batesi Villiers, 1959:65

Panama

bicolor (Thomson, 1864:226)

Guianas

brevicornis Bates, 1885:274

Mexico

brunneorufa Thomson, 1860:182

se Brasil (RJ-RS)

caerulescens Gounelle, 1911:248

c Brasil (GO)

carinata Villiers, 1959:60

Peru

chaparensis Tippmann, 1953:216

Bolivia

chryso stigma Bates, 1872:196

Nicaragua

cinctipennis Gounelle, 1911:247

c Brasil (GO)

columbina Lepeletier & Audinet-Serville in Latreille, 1828:485

se Brasil, n Argentina (MI)

cribristernis Bates, 1885:272

Nicaragua, Panama

var. *chontalensis* Bates, 1885:272

cyaneipennis Villiers, 1959:67

Fr Guiana

darlingtoni Fisher, 1942:3

R Dominicana, Puerto Rico

denticornis Bates, 1870:439

nw Brasil (AM)

equatoriensis Villiers, 1959:74

Ecuador

esmeralda Villiers, 1959:67

Guyana

fastuosa Pascoe, 1871:274

Guatemala-Colombia

fimbriata Lacordaire, 1869:228

Mexico, Guatemala

fimbria; Villiers, 1959:57

forcipata Villiers, 1959:76

e Brasil (BA)

fossulata Villiers, 1959:75

nc Brasil (PA)

fryi Villiers, 1959:61

Fr Guiana

fulvopicta Bates, 1885:271

Guatemala

fuscula Bates, 1885:273

e Mexico (VC)

geniculata Bates, 1872:195

Mexico-Panama

germaini Villiers, 1959:73

Bolivia

granulipes Villiers, 1959:71

nw Brasil (AM)

guyanensis Villiers, 1959:68

Fr Guiana

hoegei Bates, 1885:271

Mexico (GR, VC), Nicaragua

humeralis Waterhouse 1880:295

Ecuador

langurioides Bates, 1885:275

e Mexico (VC)

lateralis Fisher, 1946:329

Bolivia

limbata Bates, 1885:273

Mexico, Guatemala, Panama

lineatopora lineatopora Bates, 1880:35

Mexico, Guatemala

subsp. *irregularis* Linsley, 1935:70

Mexico

macella Villiers, 1959:64

e Brasil (BA)

mathani Villiers, 1959:69

Colombia

mirabilis Villiers, 1959:62	se Brasil (RJ)
nigrella Bates, 1880:36	Guatemala
pegnai Huedepohl, 1989:357	Bolivia
peruviensis Villiers, 1959:70	Peru
phaeocera Bates, 1880:35	Nicaragua, Costa Rica
<i>rufipes</i> ; Bates, 1872:196 (not Bates, 1870)	
pictipes Bates, 1885:275	Guatemala
pilati Chevrolat, 1857:104	Mexico-Colombia
<i>pilatei</i> ; Thomson, 1860:182	
pilosa Villiers, 1959:64	se Brasil (RJ)
pulchra Melzer, 1926:5	e Brasil (MG)
pullula Gounelle, 1911:246	c Brasil (GO)
punctiventris Bates, 1885:274	Panama
rufa Villiers, 1959:65	Venezuela
rufipes Bates, 1870:440	Colombia
rugiscapis Bates, 1885:272	Guatemala, Panama
sallaei Bates, 1885:273	Mexico
simplex Bates, 1885:274	Panama
spinipennis Fisher 1946:330	Costa Rica
spinosa Bates, 1885:273	Panama
splendens Bates, 1870:439	nw Brasil (AM)
striaticollis Villiers, 1959:70	c Brasil (MT)
striatiscapis Villiers, 1959:74	Costa Rica
suturalis Bates, 1870:440	nw Brasil (AM)
trifasciata Bates, 1892:157	se Mexico (VC, YU)
tumidicollis Villiers, 1959:72	Peru
undata (Fabricius, 1775:181)	e USA
<i>undulatus</i> Gmelin, 1790:1860	
<i>plebejus</i> Fabricius, 1798:147	
unidentata Villiers, 1959:63	Ecuador
viridicyanea (Thomson, 1864:226)	Brasil
vittata Bates, 1880:36	Guatemala

Microcometes Villiers, 1957:410

bijubatus (Gounelle, 1911:251)	ne Brasil (PE)
lineatus Villiers, 1957:412	e Brasil (BA, ES)
wagneri (Gounelle, 1911:250)	se Brasil, n Argentina (MI)

Paracometes Villiers, 1957:412

acutipennis (Buquet, 1851:191)	Fr Guiana
amabilis Martins & Galileo, 2001: 16	Costa Rica
apicalis (Waterhouse, 1880:296)	Colombia
bicolor (Fisher, 1946:332)	Panama, Colombia
biplagiatus Villiers, 1958:52	Colombia
columbianus Villiers, 1958:50	Colombia
cuneatus Villiers, 1958:49	Colombia
emarginatus (Fisher, 1946:331)	Costa Rica
ericae Martins & Galileo, 1994:80	nc Brasil (TO)
eximius (Bates, 1885:275)	Panama
festivus (Bates, 1885:276)	Panama
flavipennis (Buquet, 1851:189)	Colombia, Ecuador
flavipes Villiers, 1958:48	Peru
flavoviridis Villiers, 1958:48	Colombia
hilaris (Bates, 1885:276)	Panama
laetificus (Bates, 1870:441)	nw Brasil (AM), Ecuador
mathani Villiers, 1958:51	Colombia
peruvianus Villiers, 1958:46	Peru
pojuca Martins & Galileo, 2001: 17	Brasil (PA)
pulcherrimus (Bates, 1872:196)	Nicaragua-Panama
quadrinaculatus Villiers, 1958:53	Ecuador
scapularis (Bates, 1870:441)	nw Brasil (AM)
spinipennis Villiers, 1958:47	?
tumidicollis Villiers, 1958:46	Colombia
venustus (Bates, 1885:276)	Panama
violaceicollis Villiers, 1958:51	Ecuador

Pseudocometes Villiers, 1957:413
argutulus (Buquet, 1851:190)
basalis Villiers, 1958:38
bicoloripes Villiers, 1958:38
coeruleus (Bates, 1870:442)

Fr Guiana
Colombia
nw Brasil (AM)
nw Brasil (AM)

Heteropalpini

Villiers, 1980:33

Heteropalpus Buquet, 1843: pl. 118
pretiosus Buquet, 1843: pl. 118
smaragdinus Villiers, 1958:40

Fr Guiana, nw Brasil (AM)
Guyana